

# Helen Parise

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1322413/helen-parise-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 papers	17,427 citations	53 h-index	120 g-index
120 ext. papers	19,849 ext. citations	9.1 avg, IF	5.82 L-index

#	Paper	IF	Citations
115	Implementation of supervised exercise therapy in a veteran population with symptomatic claudication.. <i>Vascular Medicine</i> , <b>2022</b> , 1358863X211073622	3.3	0
114	Off-Label Use of Balloon Mitral Valvuloplasty in Nonrheumatic Mitral Stenosis With Severe Mitral Annular Calcification <b>2022</b> , 1, 100026		
113	Impact of drug adherence on blood pressure response to alcohol-mediated renal denervation.. <i>Blood Pressure</i> , <b>2022</b> , 31, 109-117	1.7	1
112	A phenomapping-derived tool to personalize the selection of anatomical vs. functional testing in evaluating chest pain (ASSIST). <i>European Heart Journal</i> , <b>2021</b> , 42, 2536-2548	9.5	2
111	A randomized evaluation of the TriGuard <sup>®</sup> HDH cerebral embolic protection device to Reduce the Impact of Cerebral Embolic LESions after TransCatheter Aortic Valve ImplanTation: the REFLECT I trial. <i>European Heart Journal</i> , <b>2021</b> , 42, 2670-2679	9.5	11
110	Design and rationale of the colchicine/statin for the prevention of COVID-19 complications (COLSTAT) trial. <i>Contemporary Clinical Trials</i> , <b>2021</b> , 110, 106547	2.3	1
109	Catheter-based alcohol-mediated renal denervation for the treatment of uncontrolled hypertension: design of two sham-controlled, randomized, blinded trials in the absence (TARGET BP OFF-MED) and presence (TARGET BP I) of antihypertensive medications. <i>American Heart Journal</i> , <b>2021</b> , 239, 90-99	4.9	4
108	Long-Term Results up to 12 Months After Catheter-Based Alcohol-Mediated Renal Denervation for Treatment of Resistant Hypertension. <i>Circulation: Cardiovascular Interventions</i> , <b>2021</b> , 14, e010075	6	3
107	Blood pressure lowering with alcohol-mediated renal denervation using the Peregrine infusion Catheter is independent of injection site location. <i>Catheterization and Cardiovascular Interventions</i> , <b>2021</b> , 98, E832-E838	2.7	
106	Compensatory post-diuretic renal sodium reabsorption is not a dominant mechanism of diuretic resistance in acute heart failure. <i>European Heart Journal</i> , <b>2021</b> , 42, 4468-4477	9.5	1
105	Evaluation of Transcatheter Alcohol-Mediated Perivascular Renal Denervation to Treat Resistant Hypertension. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
104	Alcohol-Mediated Renal Denervation Using the Peregrine System Infusion Catheter for Treatment of Hypertension. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 471-484	5	30
103	Safety, Performance, and Efficacy of Cardiac Contractility Modulation Delivered by the 2-Lead Optimizer Smart System: The FIX-HF-5C2 Study. <i>Circulation: Heart Failure</i> , <b>2020</b> , 13, e006512	7.6	28
102	A Randomized Controlled Trial to Evaluate the Safety and Efficacy of Cardiac Contractility Modulation. <i>JACC: Heart Failure</i> , <b>2018</b> , 6, 874-883	7.9	91
101	Neurologic Complications of Unprotected Transcatheter Aortic Valve Implantation (from the Neuro-TAVI Trial). <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 1519-1526	3	48
100	Simplified prediction of postoperative cardiac surgery outcomes with a novel score: R2CHADS2. <i>American Heart Journal</i> , <b>2016</b> , 177, 153-9	4.9	3
99	Comparison of the Absorbable Polymer Sirolimus-Eluting Stent (MiStent) to the Durable Polymer Everolimus-Eluting Stent (Xience) (from the DESSOLVE I/II and ISAR-TEST-4 Studies). <i>American Journal of Cardiology</i> , <b>2016</b> , 117, 532-538	3	14

98	Polymer-Free Biolimus A9-Coated Stents in the Treatment of De Novo Coronary Lesions: 4- and 12-Month Angiographic Follow-Up and Final 5-Year Clinical Outcomes of the Prospective, Multicenter BioFreedom FIM Clinical Trial. <i>JACC: Cardiovascular Interventions</i> , <b>2016</b> , 9, 51-64	5	55
97	Prognostic utility of myocardial blush grade after PCI in patients with NSTEMI-ACS: Analysis from the ACUTY trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 88, 215-24	2.7	5
96	Clinical and angiographic evaluation of the resolute zotarolimus-eluting coronary stent in Japanese patients Long-term outcome in the RESOLUTE Japan and RESOLUTE Japan small vessel study. <i>Circulation Journal</i> , <b>2015</b> , 79, 96-103	2.9	22
95	Prevalence and impact of high platelet reactivity in chronic kidney disease: results from the Assessment of Dual Antiplatelet Therapy with Drug-Eluting Stents registry. <i>Circulation: Cardiovascular Interventions</i> , <b>2015</b> , 8, e001683	6	47
94	A prospective randomized evaluation of the TriGuard HDH embolic DEFLECTION device during transcatheter aortic valve implantation: results from the DEFLECT III trial. <i>European Heart Journal</i> , <b>2015</b> , 36, 2070-2078	9.5	178
93	Relationship between intravascular ultrasound guidance and clinical outcomes after drug-eluting stents: the assessment of dual antiplatelet therapy with drug-eluting stents (ADAPT-DES) study. <i>Circulation</i> , <b>2014</b> , 129, 463-70	16.7	267
92	Prognostic value of angiographic lesion complexity in patients with acute coronary syndromes undergoing percutaneous coronary intervention (from the acute catheterization and urgent intervention triage strategy trial). <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 1638-45	3	6
91	Comparative effectiveness of upstream glycoprotein IIb/IIIa inhibitors in patients with moderate- and high-risk acute coronary syndromes: an Acute Catheterization and Urgent Intervention Triage Strategy (ACUTY) substudy. <i>American Heart Journal</i> , <b>2014</b> , 167, 43-50	4.9	7
90	Impact of coronary lesion complexity on drug-eluting stent outcomes in patients with and without diabetes mellitus: analysis from 18 pooled randomized trials. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 2111-2118	15.1	64
89	Relation of C-reactive protein levels to instability of untreated vulnerable coronary plaques (from the PROSPECT Study). <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 376-83	3	20
88	Relationship between ST-segment resolution and anterior infarct size after primary percutaneous coronary intervention: analysis from the INFUSE-AMI trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2014</b> , 3, 78-83	4.3	19
87	Body mass index and acute and long-term outcomes after acute myocardial infarction (from the Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction Trial). <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 9-16	3	29
86	Infarct size and mortality in patients with proximal versus mid left anterior descending artery occlusion: the Intracoronary Abciximab and Aspiration Thrombectomy in Patients With Large Anterior Myocardial Infarction (INFUSE-AMI) trial. <i>American Heart Journal</i> , <b>2013</b> , 166, 64-70	4.9	24
85	Plaque shift and distal embolism in patients with acute myocardial infarction: a volumetric intravascular ultrasound analysis from the HORIZONS-AMI trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2013</b> , 82, 203-9	2.7	7
84	Platelet reactivity and clinical outcomes after coronary artery implantation of drug-eluting stents (ADAPT-DES): a prospective multicentre registry study. <i>Lancet, The</i> , <b>2013</b> , 382, 614-23	40	606
83	Complementary prognostic utility of myocardial blush grade and ST-segment resolution after primary percutaneous coronary intervention: analysis from the HORIZONS-AMI trial. <i>American Heart Journal</i> , <b>2013</b> , 166, 676-83	4.9	20
82	Dynamic nature of nonculprit coronary artery lesion morphology in STEMI: a serial IVUS analysis from the HORIZONS-AMI trial. <i>JACC: Cardiovascular Imaging</i> , <b>2013</b> , 6, 86-95	8.4	48
81	Relation between white blood cell count and final infarct size in patients with ST-segment elevation acute myocardial infarction undergoing primary percutaneous coronary intervention (from the INFUSE AMI trial). <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 1860-6	3	14

80	The REMEDEE trial: a randomized comparison of a combination sirolimus-eluting endothelial progenitor cell capture stent with a paclitaxel-eluting stent. <i>JACC: Cardiovascular Interventions</i> , <b>2013</b> , 6, 334-43	5	71
79	Relationship between myocardial reperfusion, infarct size, and mortality: the INFUSE-AMI (Intracoronary Abciximab and Aspiration Thrombectomy in Patients With Large Anterior Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2013</b> , 6, 718-24	5	34
78	Objective simulator-based evaluation of carotid artery stenting proficiency (from Assessment of Operator Performance by the Carotid Stenting Simulator Study [ASSESS]). <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 299-306	3	10
77	Long-term prognosis of patients presenting with ST-segment elevation myocardial infarction with no significant coronary artery disease (from the HORIZONS-AMI trial). <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 643-8	3	52
76	Impact of bivalirudin and paclitaxel-eluting stents on outcomes in patients undergoing primary percutaneous coronary intervention of the left anterior descending artery. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 753-60	3	11
75	Characteristics and outcomes of patients with ST-segment elevation myocardial infarction excluded from the harmonizing outcomes with revascularization and stents in acute myocardial infarction (HORIZONS-AMI) trial. <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 196-201	3	9
74	Relationship between ST-segment recovery and clinical outcomes after primary percutaneous coronary intervention: the HORIZONS-AMI ECG substudy report. <i>Circulation: Cardiovascular Interventions</i> , <b>2013</b> , 6, 216-23	6	33
73	Impact of scheduled angiographic follow-up in patients treated with primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>Journal of Interventional Cardiology</i> , <b>2013</b> , 26, 319-24	1.8	9
72	Evaluating the clinical usefulness of platelet function testing: considerations for the proper application and interpretation of performance measures. <i>Thrombosis and Haemostasis</i> , <b>2013</b> , 109, 808-16	7	32
71	Impact of major bleeding and blood transfusions after cardiac surgery: analysis from the Acute Catheterization and Urgent Intervention Triage strategyY (ACUITY) trial. <i>American Heart Journal</i> , <b>2012</b> , 163, 522-9	4.9	52
70	Impact of the presence and extent of incomplete angiographic revascularization after percutaneous coronary intervention in acute coronary syndromes: the Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) trial. <i>Circulation</i> , <b>2012</b> , 125, 2613-20	16.7	99
69	Quantification and impact of untreated coronary artery disease after percutaneous coronary intervention: the residual SYNTAX (Synergy Between PCI with Taxus and Cardiac Surgery) score. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 2165-74	15.1	241
68	Development and validation of a stent thrombosis risk score in patients with acute coronary syndromes. <i>JACC: Cardiovascular Interventions</i> , <b>2012</b> , 5, 1097-105	5	79
67	Safety and efficacy of high- versus low-dose aspirin after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction: the HORIZONS-AMI (Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2012</b> , 5, 1031-8	5	27
66	Usefulness of minimum stent cross sectional area as a predictor of angiographic restenosis after primary percutaneous coronary intervention in acute myocardial infarction (from the HORIZONS-AMI Trial IVUS substudy). <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 455-60	3	32
65	Outcomes of patients treated with triple antithrombotic therapy after primary percutaneous coronary intervention for ST-elevation myocardial infarction (from the Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction [HORIZONS-AMI] trial). <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 831-6	3	45
64	Long-term follow-up of attenuated plaques in patients with acute myocardial infarction: an intravascular ultrasound substudy of the HORIZONS-AMI trial. <i>Circulation: Cardiovascular Interventions</i> , <b>2012</b> , 5, 185-92	6	16
63	Intracoronary abciximab and aspiration thrombectomy in patients with large anterior myocardial infarction: the INFUSE-AMI randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 307, 1817-26	27.4	373

62	Stent thrombosis: insights on outcomes, predictors and impact of dual antiplatelet therapy interruption from the SPIRIT II, SPIRIT III, SPIRIT IV and COMPARE trials. <i>EuroIntervention</i> , <b>2012</b> , 8, 599-606	3.1	46
61	Effect of switching antithrombin agents for primary angioplasty in acute myocardial infarction: the HORIZONS-SWITCH analysis. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 2309-16	15.1	43
60	Impact of lesion length and vessel size on clinical outcomes after percutaneous coronary intervention with everolimus- versus paclitaxel-eluting stents pooled analysis from the SPIRIT (Clinical Evaluation of the XIENCE V Everolimus Eluting Coronary Stent System) and COMPARE (Second-generation everolimus-eluting and paclitaxel-eluting stents in real-life practice)	5	82
59	A prospective natural-history study of coronary atherosclerosis. <i>New England Journal of Medicine</i> , <b>2011</b> , 364, 226-35	59.2	2044
58	Rationale and design of the INFUSE-AMI study: A 2x2 factorial, randomized, multicenter, single-blind evaluation of intracoronary abciximab infusion and aspiration thrombectomy in patients undergoing percutaneous coronary intervention for anterior ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , <b>2011</b> , 161, 478-486	4.9	34
57	Impact of in-hospital major bleeding on late clinical outcomes after primary percutaneous coronary intervention in acute myocardial infarction the HORIZONS-AMI (Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction) trial. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1550-6	15.1	112
56	Heparin plus a glycoprotein IIb/IIIa inhibitor versus bivalirudin monotherapy and paclitaxel-eluting stents versus bare-metal stents in acute myocardial infarction (HORIZONS-AMI): final 3-year results from a multicentre, randomised controlled trial. <i>Lancet, The</i> , <b>2011</b> , 377, 2193-204	40	358
55	Meta-analysis of randomized studies comparing intravascular ultrasound versus angiographic guidance of percutaneous coronary intervention in pre-drug-eluting stent era. <i>American Journal of Cardiology</i> , <b>2011</b> , 107, 374-82	3	138
54	Impact of smoking on outcomes of patients with ST-segment elevation myocardial infarction (from the HORIZONS-AMI Trial). <i>American Journal of Cardiology</i> , <b>2011</b> , 108, 1387-94	3	24
53	Comparison of direct stenting with conventional stent implantation in acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2011</b> , 108, 1697-703	3	33
52	Impact of diabetes mellitus on the safety and effectiveness of bivalirudin in patients with acute myocardial infarction undergoing primary angioplasty: analysis from the HORIZONS-AMI (Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 760-8	5	28
51	The relationship between attenuated plaque identified by intravascular ultrasound and no-reflow after stenting in acute myocardial infarction: the HORIZONS-AMI (Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 760-8	5	87
50	Impact of bleeding on mortality after percutaneous coronary intervention results from a patient-level pooled analysis of the REPLACE-2 (randomized evaluation of PCI linking angiogram to reduced clinical events), ACUITY (acute catheterization and urgent intervention triage strategy), and HORIZONS-AMI (harmonizing outcomes with revascularization and stents in acute myocardial infarction)	5	274
49	Frequency and predictors of stent thrombosis after percutaneous coronary intervention in acute myocardial infarction. <i>Circulation</i> , <b>2011</b> , 123, 1745-56	16.7	193
48	Intravascular ultrasound findings of early stent thrombosis after primary percutaneous intervention in acute myocardial infarction: a Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) substudy. <i>Circulation: Cardiovascular Interventions</i> , <b>2011</b> , 4, 239-47	6	156
47	Differential clinical responses to everolimus-eluting and Paclitaxel-eluting coronary stents in patients with and without diabetes mellitus. <i>Circulation</i> , <b>2011</b> , 124, 893-900	16.7	163
46	SYNTAX score reproducibility and variability between interventional cardiologists, core laboratory technicians, and quantitative coronary measurements. <i>Circulation: Cardiovascular Interventions</i> , <b>2011</b> , 4, 553-61	6	101
45	Paclitaxel-eluting stents compared with bare metal stents in diabetic patients with acute myocardial infarction: the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) trial. <i>Circulation: Cardiovascular Interventions</i> , <b>2011</b> , 4, 130-8	6	8

44	Impact of leukocyte count on mortality and bleeding in patients with myocardial infarction undergoing primary percutaneous coronary interventions: analysis from the Harmonizing Outcome with Revascularization and Stent in Acute Myocardial Infarction trial. <i>Circulation</i> , <b>2011</b> , 123, 2329-2377, a follow-up 2337	16.7	47
43	Strut coverage and late malapposition with paclitaxel-eluting stents compared with bare metal stents in acute myocardial infarction: optical coherence tomography substudy of the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) Trial. <i>Circulation</i> , <b>2011</b> , 123, 271-81	16.7	131
42	Predictors of death or myocardial infarction, ischaemic-driven revascularisation, and major adverse cardiovascular events following everolimus-eluting or paclitaxel-eluting stent deployment: pooled analysis from the SPIRIT II, III, IV and COMPARE trials. <i>EuroIntervention</i> , <b>2011</b> , 7, 74-83	3.1	29
41	Serial intravascular ultrasound analysis of the impact of myocardial bridge on neointimal proliferation after coronary stenting in patients with acute myocardial infarction. <i>Journal of Interventional Cardiology</i> , <b>2010</b> , 23, 114-22	1.8	9
40	Clinical and angiographic predictors of short- and long-term ischemic events in acute coronary syndromes: results from the Acute Catheterization and Urgent Intervention Triage strategyY (ACUITY) trial. <i>Circulation: Cardiovascular Interventions</i> , <b>2010</b> , 3, 308-16	6	53
39	Incidence, mechanisms, predictors, and clinical impact of acute and late stent malapposition after primary intervention in patients with acute myocardial infarction: an intravascular ultrasound substudy of the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction (HORIZONS-AMI) trial. <i>Circulation</i> , <b>2010</b> , 122, 1077-84	16.7	139
38	Prognostic modeling of individual patient risk and mortality impact of ischemic and hemorrhagic complications: assessment from the Acute Catheterization and Urgent Intervention Triage Strategy trial. <i>Circulation</i> , <b>2010</b> , 121, 43-51	16.7	100
37	When is door-to-balloon time critical? Analysis from the HORIZONS-AMI (Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction) and CADILLAC (Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications) trials. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 107-18	15.1	79
36	Selection criteria for drug-eluting versus bare-metal stents and the impact of routine angiographic follow-up: 2-year insights from the HORIZONS-AMI (Harmonizing Outcomes With Revascularization and Stents in Acute Myocardial Infarction) trial. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 56, 1597-604	15.1	69
35	A risk score to predict bleeding in patients with acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 2556-66	15.1	479
34	Comparison of catheterization laboratory initiated abciximab and eptifibatide during percutaneous coronary intervention in acute coronary syndromes (an ACUITY substudy). <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 180-6	3	2
33	Intravascular ultrasound findings of stent fractures in patients with Sirolimus- and Paclitaxel-eluting stents. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 952-7	3	8
32	Impact of transfer for primary percutaneous coronary intervention on survival and clinical outcomes (from the HORIZONS-AMI Trial). <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1218-24	3	11
31	Predictors of reperfusion delay in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention from the HORIZONS-AMI trial. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1527-33	3	39
30	Early stent thrombosis in patients with acute coronary syndromes treated with drug-eluting and bare metal stents: the Acute Catheterization and Urgent Intervention Triage Strategy trial. <i>Circulation</i> , <b>2009</b> , 119, 687-98	16.7	154
29	Volumetric intravascular ultrasound analysis of Paclitaxel-eluting and bare metal stents in acute myocardial infarction: the harmonizing outcomes with revascularization and stents in acute myocardial infarction intravascular ultrasound substudy. <i>Circulation</i> , <b>2009</b> , 120, 1875-82	16.7	44
28	Impact of gender and antithrombin strategy on early and late clinical outcomes in patients with non-ST-elevation acute coronary syndromes (from the ACUITY trial). <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 1196-203	3	70
27	5-year clinical outcomes after sirolimus-eluting stent implantation insights from a patient-level pooled analysis of 4 randomized trials comparing sirolimus-eluting stents with bare-metal stents. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 54, 894-902	15.1	135

26	Role of clopidogrel loading dose in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty: results from the HORIZONS-AMI (harmonizing outcomes with revascularization and stents in acute myocardial infarction) trial. <i>Journal of the American College of Cardiology</i> , <b>2009</b> , 54, 1438-46	15.1	130
25	Paclitaxel-eluting stents versus bare-metal stents in acute myocardial infarction. <i>New England Journal of Medicine</i> , <b>2009</b> , 360, 1946-59	59.2	577
24	Bivalirudin in patients undergoing primary angioplasty for acute myocardial infarction (HORIZONS-AMI): 1-year results of a randomised controlled trial. <i>Lancet, The</i> , <b>2009</b> , 374, 1149-59	40	308
23	Effectiveness of drug-eluting stent implantation for patients with unprotected left main coronary artery stenosis. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 801-6	3	55
22	The Harmonizing Outcomes with RevasculariZation and Stents in Acute Myocardial Infarction (HORIZONS-AMI) Trial: study design and rationale. <i>American Heart Journal</i> , <b>2008</b> , 156, 44-56	4.9	144
21	Bivalirudin during primary PCI in acute myocardial infarction. <i>New England Journal of Medicine</i> , <b>2008</b> , 358, 2218-30	59.2	1457
20	Associations of plasma natriuretic peptide, adrenomedullin, and homocysteine levels with alterations in arterial stiffness: the Framingham Heart Study. <i>Circulation</i> , <b>2007</b> , 115, 3079-85	16.7	47
19	Pulse pressure and risk of new-onset atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 297, 709-15	27.4	250
18	Relations of inflammation and novel risk factors to valvular calcification. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 1502-5	3	45
17	Cross-sectional association of kidney function with valvular and annular calcification: the Framingham heart study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, 521-7	12.7	125
16	Phenotype-genotype association grid: a convenient method for summarizing multiple association analyses. <i>BMC Genetics</i> , <b>2006</b> , 7, 30	2.6	3
15	Metabolic syndrome as a precursor of cardiovascular disease and type 2 diabetes mellitus. <i>Circulation</i> , <b>2005</b> , 112, 3066-72	16.7	1379
14	Cross-sectional relations of peripheral microvascular function, cardiovascular disease risk factors, and aortic stiffness: the Framingham Heart Study. <i>Circulation</i> , <b>2005</b> , 112, 3722-8	16.7	229
13	Parental atrial fibrillation as a risk factor for atrial fibrillation in offspring. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 291, 2851-5	27.4	433
12	Obesity and the risk of new-onset atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 292, 2471-7	27.4	917
11	Sex and age differences in lipoprotein subclasses measured by nuclear magnetic resonance spectroscopy: the Framingham Study. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 1189-200	5.5	213
10	Changes in arterial stiffness and wave reflection with advancing age in healthy men and women: the Framingham Heart Study. <i>Hypertension</i> , <b>2004</b> , 43, 1239-45	8.5	1073
9	Local shear stress and brachial artery flow-mediated dilation: the Framingham Heart Study. <i>Hypertension</i> , <b>2004</b> , 44, 134-9	8.5	318

8	Mitral annular calcification is a predictor for incident atrial fibrillation. <i>Atherosclerosis</i> , <b>2004</b> , 173, 291-4	3.1	73
7	Asthma, wheezing, and allergies in Russian schoolchildren in relation to new surface materials in the home. <i>American Journal of Public Health</i> , <b>2004</b> , 94, 560-2	5.1	132
6	Housing characteristics and children's respiratory health in the Russian Federation. <i>American Journal of Public Health</i> , <b>2004</b> , 94, 657-62	5.1	64
5	Cytokines, insulin-like growth factor 1, sarcopenia, and mortality in very old community-dwelling men and women: the Framingham Heart Study. <i>American Journal of Medicine</i> , <b>2003</b> , 115, 429-35	2.4	306
4	Impact of glucose intolerance and insulin resistance on cardiac structure and function: sex-related differences in the Framingham Heart Study. <i>Circulation</i> , <b>2003</b> , 107, 448-54	16.7	391
3	Mitral annular calcification predicts cardiovascular morbidity and mortality: the Framingham Heart Study. <i>Circulation</i> , <b>2003</b> , 107, 1492-6	16.7	311
2	Incorporation of historical controls using semiparametric mixed models. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , <b>2001</b> , 50, 31-42	1.5	21
1	Flexible estimates of tumour incidence for intermediately lethal tumours in a typical long-term animal bioassay. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , <b>2001</b> , 50, 171-185	1.5	1