

# Martina Vockerodt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1322457/publications.pdf>

Version: 2024-02-01

27  
papers

2,013  
citations

471509

17  
h-index

552781

26  
g-index

27  
all docs

27  
docs citations

27  
times ranked

5091  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of S1PR2 by the EBV oncogene LMP1 in aggressive ABC subtype diffuse large B cell lymphoma. <i>Journal of Pathology</i> , 2019, 248, 142-154.	4.5	8
2	Co-Expression of the Epstein-Barr Virus-Encoded Latent Membrane Proteins and the Pathogenesis of Classic Hodgkin Lymphoma. <i>Cancers</i> , 2018, 10, 285.	3.7	15
3	Identification of a new gene regulatory circuit involving B cell receptor activated signaling using a combined analysis of experimental, clinical and global gene expression data. <i>Oncotarget</i> , 2016, 7, 47061-47081.	1.8	8
4	The Epstein-Barr virus and the pathogenesis of lymphoma. <i>Journal of Pathology</i> , 2015, 235, 312-322.	4.5	184
5	Epstein-Barr virus and the origin of Hodgkin lymphoma. <i>Chinese Journal of Cancer</i> , 2014, 33, 591-7.	4.9	27
6	Epstein-Barr virus, the germinal centre and the development of Hodgkin's lymphoma. <i>Journal of General Virology</i> , 2014, 95, 1861-1869.	2.9	11
7	Aberrant Lymphocyte Enhancer Binding Factor 1 Expression Is Characteristic for Sporadic Burkitt's Lymphoma. <i>American Journal of Pathology</i> , 2013, 182, 1092-1098.	3.8	30
8	Suppression of the LMP2A target gene, <i>EGR1</i> , protects Hodgkin's lymphoma cells from entry to the EBV lytic cycle. <i>Journal of Pathology</i> , 2013, 230, 399-409.	4.5	31
9	The EBV oncogene LMP1 protects lymphoma cells from cell death through the collagen-mediated activation of DDR1. <i>Blood</i> , 2013, 122, 4237-4245.	1.4	76
10	Induction of Interferon-Stimulated Genes on the IL-4 Response Axis by Epstein-Barr Virus Infected Human B Cells; Relevance to Cellular Transformation. <i>PLoS ONE</i> , 2013, 8, e64868.	2.5	12
11	Global gene expression changes of in vitro stimulated human transformed germinal centre B cells as surrogate for oncogenic pathway activation in individual aggressive B cell lymphomas. <i>Cell Communication and Signaling</i> , 2012, 10, 43.	6.5	13
12	Hypomethylation and Over-Expression of the Beta Isoform of BLIMP1 is Induced by Epstein-Barr Virus Infection of B Cells; Potential Implications for the Pathogenesis of EBV-Associated Lymphomas. <i>Pathogens</i> , 2012, 1, 83-101.	2.8	10
13	High myc activity is an independent negative prognostic factor for diffuse large B cell lymphomas. <i>International Journal of Cancer</i> , 2012, 131, E348-61.	5.1	22
14	Down-regulation of BLIMP1 by the EBV oncogene, LMP-1, disrupts the plasma cell differentiation program and prevents viral replication in B cells: implications for the pathogenesis of EBV-associated B-cell lymphomas. <i>Blood</i> , 2011, 117, 5907-5917.	1.4	86
15	Epigenetic and Transcriptional Changes Which Follow Epstein-Barr Virus Infection of Germinal Center B Cells and Their Relevance to the Pathogenesis of Hodgkin's Lymphoma. <i>Journal of Virology</i> , 2011, 85, 9568-9577.	3.4	81
16	The contribution of the Epstein-Barr virus to the pathogenesis of childhood lymphomas. <i>Cancer Treatment Reviews</i> , 2010, 36, 348-353.	7.7	37
17	Evidence for a pathophysiological role of cysteinyl leukotrienes in classical Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2008, 123, 2285-2293.	5.1	11
18	Bmi-1 is induced by the Epstein-Barr virus oncogene LMP1 and regulates the expression of viral target genes in Hodgkin lymphoma cells. <i>Blood</i> , 2007, 109, 2597-2603.	1.4	89

#	ARTICLE	IF	CITATIONS
19	The Epstein-Barr virus oncoprotein latent membrane protein 1 induces expression of the chemokine IP-10: Importance of mRNA half-life regulation. <i>International Journal of Cancer</i> , 2005, 114, 598-605.	5.1	46
20	Endogenous MHC Class II Processing of a Viral Nuclear Antigen After Autophagy. <i>Science</i> , 2005, 307, 593-596.	12.6	767
21	Repeated Clonal Relapses in Classical Hodgkin's Lymphoma and the Occurrence of a Clonally Unrelated Diffuse Large B Cell Non-Hodgkin Lymphoma in the Same Patient. <i>Leukemia and Lymphoma</i> , 2004, 45, 1065-1069.	1.3	8
22	Constitutive Expression of c-FLIP in Hodgkin and Reed-Sternberg Cells. <i>American Journal of Pathology</i> , 2002, 160, 1521-1528.	3.8	92
23	An unbalanced translocation involving chromosome 14 is the probable cause for loss of potentially functional rearranged immunoglobulin heavy chain genes in the Epstein-Barr virus-positive Hodgkin's lymphoma-derived cell line L591. <i>British Journal of Haematology</i> , 2002, 119, 640-646.	2.5	20
24	STAT3 is constitutively activated in Hodgkin cell lines. <i>Blood</i> , 2001, 98, 762-770.	1.4	186
25	The Epstein-Barr Virus Latent Membrane Protein 1 Induces Interleukin-10 in Burkitt's Lymphoma Cells but Not in Hodgkin's Cells Involving the p38/SAPK2 Pathway. <i>Virology</i> , 2001, 280, 183-198.	2.4	77
26	Transient Gene Expression and MACS Enrichment. , 2001, 174, 155-164.		5
27	Detection of Clonal Hodgkin and Reed-Sternberg Cells With Identical Somatic Mutated and Rearranged VH Genes in Different Biopsies in Relapsed Hodgkin's Disease. <i>Blood</i> , 1998, 92, 2899-2907.	1.4	61