Bernd Hitzmann

List of Publications by Citations

Source: https://exaly.com/author-pdf/1323033/bernd-hitzmann-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 1,795 23 35 h-index g-index citations papers 2,076 147 3.7 4.92 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
134	On-line infrared spectroscopy for bioprocess monitoring. <i>Applied Microbiology and Biotechnology</i> , 2010 , 88, 11-22	5.7	110
133	Fluorescence spectroscopy and chemometric modeling for bioprocess monitoring. <i>Sensors</i> , 2015 , 15, 10271-91	3.8	78
132	Catalytic conversion of waste biomass by hydrothermal treatment. <i>Fuel</i> , 2011 , 90, 555-562	7.1	75
131	Artificial neural network prediction of the biogas flow rate optimised with an ant colony algorithm. <i>Biosystems Engineering</i> , 2016 , 143, 68-78	4.8	60
130	Chemometric modelling with two-dimensional fluorescence data for Claviceps purpurea bioprocess characterization. <i>Journal of Biotechnology</i> , 2003 , 105, 179-88	3.7	57
129	In-situ imaging sensors for bioprocess monitoring: state of the art. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 2429-38	4.4	54
128	Challenges in integrating biosensors and FIA for on-line monitoring and control. <i>Trends in Biotechnology</i> , 1996 , 14, 21-31	15.1	54
127	State variables monitoring by in situ multi-wavelength fluorescence spectroscopy in heterologous protein production by Pichia pastoris. <i>Journal of Biotechnology</i> , 2006 , 124, 412-9	3.7	47
126	Polyethyleneimine-protein interactions and implications on protein stability. <i>International Journal of Biological Macromolecules</i> , 2010 , 47, 15-20	7.9	44
125	Biosynthesis of 1,3-propanediol from glycerol with Lactobacillus reuteri: effect of operating variables. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 118, 188-94	3.3	41
124	Between the Poles of Data-Driven and Mechanistic Modeling for Process Operation. <i>Chemie-Ingenieur-Technik</i> , 2017 , 89, 542-561	0.8	37
123	Future aspects of bioprocess monitoring. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2007 , 105, 249-93	1.7	37
122	Online monitoring of microcarrier based fibroblast cultivations with in situ microscopy. <i>Biotechnology and Bioengineering</i> , 2008 , 99, 136-45	4.9	35
121	Knowledge-based fault detection and diagnosis in flow-injection analysis. <i>Analytica Chimica Acta</i> , 1994 , 291, 29-40	6.6	32
120	Microgel particle formation in yogurt as influenced by sonication during fermentation. <i>Journal of Food Engineering</i> , 2016 , 180, 29-38	6	31
119	Assessment of the energy and exergy efficiencies of farm to fork grain cultivation and bread making processes in Turkey and Germany. <i>Energy</i> , 2015 , 93, 421-434	7.9	29
118	Sensors in disposable bioreactors status and trends. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2009 , 115, 145-69	1.7	29

(2011-2007)

117	In situ multi-wavelength fluorescence spectroscopy as effective tool to simultaneously monitor spore germination, metabolic activity and quantitative protein production in recombinant Aspergillus niger fed-batch cultures. <i>Journal of Biotechnology</i> , 2007 , 132, 461-8	3.7	28	
116	Kalman filter based glucose control at small set points during fed-batch cultivation of Saccharomyces cerevisiae. <i>Biotechnology Progress</i> , 2004 , 20, 377-83	2.8	26	
115	Wheat flour characterization using NIR and spectral filter based on Ant Colony Optimization. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2014 , 132, 133-140	3.8	25	
114	Experimental design for optimal parameter estimation of an enzyme kinetic process based on the analysis of the Fisher information matrix. <i>Journal of Theoretical Biology</i> , 2006 , 238, 111-23	2.3	25	
113	2D-fluorescence and multivariate data analysis for monitoring of sourdough fermentation process. <i>Food Control</i> , 2014 , 38, 8-18	6.2	24	
112	Non-invasive lactate- and pH-monitoring in porcine meat using Raman spectroscopy and chemometrics. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015 , 142, 197-205	3.8	24	
111	Conversion of yeast by hydrothermal treatment under reducing conditions. <i>Fuel</i> , 2011 , 90, 3424-3432	7.1	23	
110	On-line monitoring of galactoside conjugates and glycerol by flow injection analysis. <i>Analytica Chimica Acta</i> , 1998 , 373, 57-62	6.6	23	
109	A study of the effect of the interaction between site-specific conditions, residue cover and weed control on water storage during fallow. <i>Agricultural Water Management</i> , 2008 , 95, 1028-1040	5.9	23	
108	Application of a modified GA, ACO and a random search procedure to solve the production scheduling of a case study bakery. <i>Expert Systems With Applications</i> , 2014 , 41, 5882-5891	7.8	22	
107	Evaluation of pH field effect transistor measurement signals by neural networks. <i>Analytica Chimica Acta</i> , 1994 , 294, 243-249	6.6	22	
106	Monitoring and control of recombinant protein production. <i>Analytica Chimica Acta</i> , 1993 , 279, 3-16	6.6	22	
105	On-line determination of intracellular beta-galactosidase activity in recombinant Escherichia coli using flow injection analysis (FIA). <i>Journal of Biotechnology</i> , 1991 , 20, 95-104	3.7	22	
104	Comparison of polysialic acid production in Escherichia coli K1 during batch cultivation and fed-batch cultivation applying two different control strategies. <i>Journal of Biotechnology</i> , 2011 , 154, 22	2 <i>-</i> 397	21	
103	Prediction of the biogas production using GA and ACO input features selection method for ANN model. <i>Information Processing in Agriculture</i> , 2019 , 6, 349-356	4.2	21	
102	Cytokine production using membrane adsorbers: Human basic fibroblast growth factor produced by Escherichia coli. <i>Engineering in Life Sciences</i> , 2012 , 12, 29-38	3.4	20	
101	Characterization of farinographic kneading process for different types of wheat flours using fluorescence spectroscopy and chemometrics. <i>Food Control</i> , 2016 , 66, 44-52	6.2	19	
100	On-line monitoring of recombinant bacterial cultures using multi-wavelength fluorescence spectroscopy. <i>Biochemical Engineering Journal</i> , 2011 , 58-59, 133-139	4.2	19	

99	Model based substrate set point control of yeast cultivation processes based on FIA measurements. <i>Analytica Chimica Acta</i> , 2008 , 623, 30-7	6.6	18
98	An expert system approach for the control of a bioprocess. I: knowledge representation and processing. <i>Biotechnology and Bioengineering</i> , 1992 , 39, 33-43	4.9	18
97	Design and characterization of a rotating bed system bioreactor for tissue engineering applications. <i>Biotechnology Progress</i> , 2008 , 24, 140-7	2.8	17
96	Comparative Studies of Glucose Catabolism by Escherichia coli Grown in a Complex Medium under Aerobic and Anaerobic Conditions. <i>Biotechnology Progress</i> , 1990 , 6, 326-332	2.8	17
95	Sonication induced particle formation in yogurt: Influence of the dry matter content on the physical properties. <i>Journal of Food Engineering</i> , 2016 , 191, 77-87	6	16
94	Rheological properties of microgel suspensions: Viscoelastic modelling of microstructural elements from casein micelles to fermented dairy products. <i>International Dairy Journal</i> , 2014 , 39, 157-166	3.5	15
93	Neural networks as a modeling tool for the evaluation and analysis of FIA signals. <i>Journal of Biotechnology</i> , 1998 , 65, 15-22	3.7	14
92	Prediction of the pH as indicator of porcine meat quality using Raman spectroscopy and metaheuristics. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2016 , 154, 45-51	3.8	14
91	In Vivo NMR Analysis of the Influence of Pyruvate Decarboxylase and Alcohol Dehydrogenase of Zymomonas mobilis on the Anaerobic Metabolism of Escherichia coli. <i>Biotechnology Progress</i> , 1991 , 7, 305-310	2.8	13
90	Supervision of Food Manufacturing Processes Using Optical Process Analyzers [An Overview. <i>ChemBioEng Reviews</i> , 2016 , 3, 219-228	5.2	12
89	Parallel online multi-wavelength (2D) fluorescence spectroscopy in each well of a continuously shaken microtiter plate. <i>Biotechnology Journal</i> , 2016 , 11, 1605-1616	5.6	12
88	Process analytical technologies in food industry - challenges and benefits: A status report and recommendations. <i>Biotechnology Journal</i> , 2015 , 10, 1095-100	5.6	11
87	Chemometric modeling and two-dimensional fluorescence analysis of bioprocess with a new strain of Klebsiella pneumoniae to convert residual glycerol into 1,3-propanediol. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012 , 39, 701-8	4.2	11
86	Disposable Sensor Systems 2011 , 67-81		11
85	Multiple model approach to modelling of Escherichia coli fed-batch cultivation extracellular production of bacterial phytase. <i>Electronic Journal of Biotechnology</i> , 2007 , 10, 0-0	3.1	11
84	Anomaly detection during milk processing by autoencoder neural network based on near-infrared spectroscopy. <i>Journal of Food Engineering</i> , 2021 , 299, 110510	6	11
83	A novel LED-based 2D-fluorescence spectroscopy system for in-line monitoring of Chinese hamster ovary cell cultivations - Part I. <i>Engineering in Life Sciences</i> , 2019 , 19, 352-362	3.4	10
82	Downstream processing of high chain length polysialic acid using membrane adsorbers and clay minerals for application in tissue engineering. <i>Engineering in Life Sciences</i> , 2013 , 13, 140-148	3.4	10

81	Comparison of methods for wavelength combination selection from multi-wavelength fluorescence spectra for on-line monitoring of yeast cultivations. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 707-717	4.4	10	
80	Sensors as components of integrated analytical systems. <i>Trends in Biotechnology</i> , 1994 , 12, 42-6	15.1	10	
79	A fluorescence spectroscopic approach to predict analytical, rheological and baking parameters of wheat flours using chemometrics. <i>Journal of Food Engineering</i> , 2016 , 182, 65-71	6	10	
78	Fluorescence Spectroscopy for the Monitoring of Food Processes. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2017 , 161, 121-151	1.7	9	
77	Artificial neural network for bioprocess monitoring based on fluorescence measurements: Training without offline measurements. <i>Engineering in Life Sciences</i> , 2017 , 17, 874-880	3.4	9	
76	Chia (Salvia hispanica L.) as fat replacer in sweet pan breads. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1425-1432	3.8	9	
75	Potential of fluorescence spectroscopy in detection of low-levels of gluten in flour: A preliminary study. <i>Food Control</i> , 2017 , 73, 401-405	6.2	9	
74	In vivo regulation of glucose transporter genes at glucose concentrations between 0 and 500 mg/L in a wild type of Saccharomyces cerevisiae. <i>Journal of Biotechnology</i> , 2008 , 135, 161-7	3.7	9	
73	Model-based calibration of a gas sensor array for on-line monitoring of ethanol concentration in Saccharomyces cerevisiae batch cultivation. <i>Biosystems Engineering</i> , 2020 , 198, 198-209	4.8	9	
72	Estimation of the nutritional parameters of various types of wheat flours using fluorescence spectroscopy and chemometrics. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1186-1	1398	9	
71	Application of fuzzy logic control for the dough proofing process. <i>Food and Bioproducts Processing</i> , 2019 , 115, 36-46	4.9	8	
70	Assessment of coating quality by use of dissolution kinetics. <i>Powder Technology</i> , 2015 , 286, 325-331	5.2	8	
69	Influence of the heating rate and the potassium concentration of the feed solution on the hydrothermal liquefaction of used yeast and apple pomace under reducing conditions. <i>Biomass Conversion and Biorefinery</i> , 2015 , 5, 125-139	2.3	8	
68	NIR pre-selection data using modified changeable size moving window partial least squares and pure spectral chemometrical modeling with ant colony optimization for wheat flour characterization. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015 , 142, 78-86	3.8	8	
67	Automatic control of bioprocesses. Advances in Biochemical Engineering/Biotechnology, 2013, 132, 35-6	31.7	8	
66	On-line monitoring of relevant fluorophores of yeast cultivations due to glucose addition during the diauxic growth. <i>Process Biochemistry</i> , 2017 , 58, 51-59	4.8	7	
65	When is optimal experimental design advantageous for the analysis of Michaelis Menten kinetics?. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2009 , 99, 9-18	3.8	7	
64	In-situ- und On-line-Berwachung und Regelung biotechnologischer Prozesse. Chemie-Ingenieur-Technik, 1993, 65, 1447-1456	0.8	7	

63	A Future Road Map for Carbon Dioxide (CO2) Gas Hydrate as an Emerging Technology in Food Research. <i>Food and Bioprocess Technology</i> , 2021 , 14, 1758-1762	5.1	7
62	Closed loop control system for dough fermentation based on image processing. <i>Journal of Food Process Engineering</i> , 2018 , 41, e12801	2.4	6
61	Fluorescence spectroscopy as a novel method for on-line analysis of biocatalytic CII bond formations. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2010 , 66, 124-129		6
60	Development of a flow-through microscopic multitesting system for parallel monitoring of cell samples in biotechnological cultivation processes. <i>Journal of Biotechnology</i> , 2010 , 150, 87-93	3.7	6
59	Simultaneous calibration in flow-injection analysis using multiple-injection signals evaluated by partial least squares. <i>Analytica Chimica Acta</i> , 1998 , 363, 183-189	6.6	6
58	Prediction of baking results from farinograph measurements by using stepwise linear regression and artificial neuronal networks. <i>Journal of Cereal Science</i> , 2017 , 76, 64-68	3.8	5
57	Evaluation of the linear and non-linear prediction models optimized with metaheuristics: Application to anaerobic digestion processes. <i>Engineering in Agriculture, Environment and Food</i> , 2019 , 12, 397-403	1.7	5
56	Optical inline measurement procedures for counting and sizing cells in bioprocess technology. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2009 , 116, 125-42	1.7	5
55	Vorhersage von Bioprozegran aus 2D-Fluoreszenzspektren. Chemie-Ingenieur-Technik, 1998, 70, 1610-	164.8	5
54	Application of urease inhibitor improves protein composition and bread-baking quality of urea fertilized winter wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2020 , 183, 260-270	2.3	5
53	Transcriptome analysis. Advances in Biochemical Engineering/Biotechnology, 2012, 127, 1-25	1.7	4
52	Feed Forward/Feedback Control of Glucose Concentration During Cultivation of Escherichia Coli. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2001 , 34, 403-407		4
51	A knowledge-based system for real-time validation of calibrations and measurements. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1999 , 46, 57-66	3.8	4
50	Neuronale Netze zur Auswertung von Meßignalen der Fließhjektionsanalyse. <i>Chemie-Ingenieur-Technik</i> , 1993 , 65, 947-949	0.8	4
49	Implementation of QbD strategies in the inoculum expansion of a mAb production process. <i>Engineering in Life Sciences</i> , 2021 , 21, 196-207	3.4	4
48	Feedback control based on NADH fluorescence intensity for Saccharomyces cerevisiae cultivations. <i>Bioresources and Bioprocessing</i> , 2018 , 5,	5.2	4
47	Teff-Based Probiotic Functional Beverage Fermented with and. <i>Foods</i> , 2021 , 10,	4.9	4
46	Image analysis and mathematical modelling for the supervision of the dough fermentation process 2016 ,		3

(2001-2001)

45	Innovative Bioprozessanalytik ineue Wege zum besseren Verstfidnis biotechnologischer Prozesse. <i>Chemie-Ingenieur-Technik</i> , 2001 , 73, 19-26	0.8	3
44	Supervisor Lein Realzeit-Expertensystem. Chemie-Ingenieur-Technik, 1989, 61, 910-911	0.8	3
43	Optische Prozessanalysatoren fildie Lebensmittelindustrie. <i>Chemie-Ingenieur-Technik</i> , 2016 , 88, 735-74.	5 0.8	3
42	Volume Fraction Measurement of Soft (Dairy) Microgels by Standard Addition and Static Light Scattering. <i>Food Biophysics</i> , 2021 , 16, 237-253	3.2	3
41	Experimental investigation of CO uptake in CO hydrates formation with amino acids as kinetic promoters and its dissociation at high temperature <i>Scientific Reports</i> , 2022 , 12, 8359	4.9	3
40	Fluorescence Spectroscopy as a Tool for Ethanol Fermentation On-line Monitoring. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012 , 45, 940-945		2
39	Gas sensitive field-effect transistors: applications to the monitoring of biotechnological processes. <i>Analytica Chimica Acta</i> , 1998 , 373, 253-259	6.6	2
38	Technische Chemie 2002. <i>Nachrichten Aus Der Chemie</i> , 2003 , 51, 352-357	0.1	2
37	ExpertensystemgestEzte Berwachung komplexer Analysesysteme. <i>Chemie-Ingenieur-Technik</i> , 1993 , 65, 945-947	0.8	2
36	Optimization of No-Wait Flowshop Scheduling Problem in Bakery Production with Modified PSO, NEH and SA. <i>Processes</i> , 2021 , 9, 2044	2.9	2
35	Development of a model for the simulation of Farinograph measurements 2016 ,		2
34	Parameter and state estimation of backers yeast cultivation with a gas sensor array and unscented Kalman filter. <i>Engineering in Life Sciences</i> , 2021 , 21, 170-180	3.4	2
33	Avoiding misleading predictions in fluorescence-based soft sensors using autoencoders. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2022 , 223, 104527	3.8	2
32	The Potential of Spectroscopic Techniques in Coffee Analysis Review. <i>Processes</i> , 2022 , 10, 71	2.9	2
31	The Supervision of Dough Fermentation Using Image Analysis Complemented by a Continuous Discrete Extended Kalman Filter. <i>Processes</i> , 2020 , 8, 1669	2.9	1
30	Automated sonic velocity calculation based on ultrasonic resonator measurements for on-line process monitoring. <i>Sensors and Actuators A: Physical</i> , 2013 , 198, 69-74	3.9	1
29	Ein FIA-System zur schnellen Glucosemessung bei Bioprozessen. <i>Chemie-Ingenieur-Technik</i> , 1998 , 70, 297-299	0.8	1
28	Optimierung der industriellen Tryptophanproduktion durch den Einsatz bioanalytischer Systeme. <i>Chemie-Ingenieur-Technik</i> , 2001 , 73, 524-526	0.8	1

27	Ein Expertensystem zur Modellierung, Regelung und Berwachung bioverfahrenstechnischer Prozesse. <i>Automatisierungstechnik</i> , 1998 , 46, 368-374	0.8	1
26	Ein Realzeit-Expertensystem zur B erwachung von Bioprozessen. <i>Chemie-Ingenieur-Technik</i> , 1994 , 66, 539-541	0.8	1
25	In-vivo-NMR-Spektroskopie zur Charakterisierung des Einflusses von Plasmiden auf den Glucose-Metabolismus von Escherichia coli. <i>Chemie-Ingenieur-Technik</i> , 1992 , 64, 574-575	0.8	1
24	Expertensysteme zur Automation von Bioprozessen. <i>Chemie-Ingenieur-Technik</i> , 1992 , 64, 708-714	0.8	1
23	Comparative Study of Chemical Composition, Pasting, Thermal and Functional properties of Teff (Eragrostis tef) Flours Grown in Ethiopia and South Africa. <i>International Journal of Food Properties</i> , 2022 , 25, 144-158	3	1
22	Comparison of various classification techniques for supervision of milk processing <i>Engineering in Life Sciences</i> , 2022 , 22, 279-287	3.4	1
21	The Kalman Filter for the Supervision of Cultivation Processes. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2021 , 177, 95-125	1.7	1
20	Fat-free fermented concentrated milk protein-based microgel dispersions manufactured at technical scale: Production parameters as drivers of textural properties. <i>International Dairy Journal</i> , 2021 , 105195	3.5	1
19	Establishing a novel procedure to detect deviations from standard milk processing by using online Raman spectroscopy. <i>Food Control</i> , 2022 , 131, 108442	6.2	1
18	Innovative Bioprozessanalytik [Neue Wege zum besseren Verstfldnis biotechnologischer Prozesse 2001 , 73, 19		1
17	Drought Stress during Anthesis Alters Grain Protein Composition and Improves Bread Quality in Field-Grown Iranian and German Wheat Genotypes. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9782	2.6	О
16	Wasserabsorption von GetreidekEnern Wergleich verschiedener Modelle. Chemie-Ingenieur-Technik, 2020 , 92, 1083-1088	0.8	O
15	Optimale Versuchsplanung mittels Bootstrapping. Chemie-Ingenieur-Technik, 2017, 89, 1752-1758	0.8	
14	A new mathematical model for the enzymatic kinetic resolution of racemates. <i>Journal of Mathematical Chemistry</i> , 2013 , 51, 1532-1547	2.1	
13	Erschließn von Prozesswissen fildas Monitoring und die Regelung von Fermentationsprozessen. <i>TM Technisches Messen</i> , 2011 , 78, 569-578	0.7	
12	Fluorescence Techniques for Bioprocess Monitoring 2010 , 1		
11	Theoretical Model Based Evaluation of Superimposed Flow Injection Measurements. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2001 , 34, 167-170		
10	Accuracy and Reliability of Measured Data 2000 , 125-144		

LIST OF PUBLICATIONS

9	Methoden zur Auswertung von Meßignalen der Fließhjektionsanalyse. <i>Chemie-Ingenieur-Technik</i> , 1996 , 68, 570-573	0.8
8	Visualisierung von Prozeflaten Ber das World Wide Web. <i>Chemie-Ingenieur-Technik</i> , 1996 , 68, 1311-1313	3 0.8
7	Bread and Other Baked Products1-58	
6	Bioprozessanalytik und -steuerung 2018 , 261-297	
5	Monitoring and control of recombinant protein production 1993 , 3-16	
4	Bioprozessanalytik und -steuerung 2011 , 263-294	
3	Spectroscopic analysis of chia seeds. <i>Scientific Reports</i> , 2021 , 11, 9253	4.9
2	Herstellung und Bewertung glutenfreier Brotsorten. Aktuelle Ernahrungsmedizin Klinik Und Praxis, 2018 , 43, 467-470	0.3
1	Spectroscopic-Based Prediction of Milk Foam Properties for Barista Applications. <i>Food and Bioprocess Technology</i> ,1	5.1