

Yaqing Feng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1323474/yaqing-feng-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,874
citations

22
h-index

41
g-index

85
ext. papers

2,368
ext. citations

6.5
avg, IF

5.08
L-index

#	Paper	IF	Citations
76	The photodynamic/photothermal synergistic therapeutic effect of BODIPY-I-35 liposomes with urea.. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022 , 37, 102723	3.5	1
75	Encapsulation of perovskite quantum dots into a LnIII-incorporating polymer matrix to achieve white light emission. <i>New Journal of Chemistry</i> , 2022 , 46, 6307-6313	3.6	1
74	In Situ Graded Passivation via Porphyrin Derivative with Enhanced Photovoltage and Fill Factor in Perovskite Solar Cells. <i>Solar Rrl</i> , 2022 , 6, 2100964	7.1	0
73	A Porphyrin-Involved Benzene-1,3,5-Tricarboxamide Dendrimer (Por-BTA) as a Multifunctional Interface Material for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 14248-14257	9.5	9
72	Solvent induced enhancement of nonlinear optical response of graphdiyne. <i>Chinese Chemical Letters</i> , 2021 , 32, 525-528	8.1	8
71	Blue nanocomposites coated with an ionic liquid polymer for electrophoretic displays.. <i>RSC Advances</i> , 2021 , 11, 20760-20768	3.7	3
70	The tumor phototherapeutic application of nanoparticles constructed by the relationship between PTT/PDT efficiency and 2,6- and 3,5-substituted BODIPY derivatives. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 7461-7471	7.3	5
69	Multi-functional Nanodrug Based on a Three-dimensional Framework for Targeted Photo-chemo Synergetic Cancer Therapy. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2001874	10.1	8
68	Construction of Pyridine-Based Chiral Ionic Covalent Organic Frameworks as a Heterogeneous Catalyst for Promoting Asymmetric Henry Reactions. <i>Organic Letters</i> , 2021 , 23, 1748-1752	6.2	13
67	Fabrication of a New Corrole-Based Covalent Organic Framework as a Highly Efficient and Selective Chemosensor for Heavy Metal Ions. <i>Chemistry of Materials</i> , 2020 , 32, 2532-2540	9.6	30
66	Effects of interfacial adsorption configurations on dye-sensitized solar cell performance at the stoichiometric and defective TiO anatase (101) surfaces: a theoretical investigation. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 4508-4515	3.6	1
65	Stable and High-Efficiency Methylammonium-Free Perovskite Solar Cells. <i>Advanced Materials</i> , 2020 , 32, e1905502	24	86
64	A Corrole-Based Covalent Organic Framework Featuring Desymmetrized Topology. <i>Angewandte Chemie</i> , 2020 , 132, 4384-4389	3.6	1
63	How does HOTf/HFIP Cooperative System Catalyze the Ring-Opening Reaction of Cyclopropanes? A DFT Study. <i>Asian Journal of Organic Chemistry</i> , 2020 , 9, 311-316	3	10
62	A Corrole-Based Covalent Organic Framework Featuring Desymmetrized Topology. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 4354-4359	16.4	42
61	An integrated targeting drug delivery system based on the hybridization of graphdiyne and MOFs for visualized cancer therapy. <i>Nanoscale</i> , 2019 , 11, 11709-11718	7.7	45
60	Single-Crystalline Nanosheets of Hybrid Perovskite Fabricated by a Vapor-Solution Sequential Deposition Route. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 3669-3672	1.3	

59	Kerr Nonlinearity in 2D Graphdiyne for Passive Photonic Diodes. <i>Advanced Materials</i> , 2019 , 31, e180798124	124	136
58	Chiral Perovskites: Promising Materials toward Next-Generation Optoelectronics. <i>Small</i> , 2019 , 15, e1902237		79
57	Robust Corrole-Based Metal-Organic Frameworks with Rare 9-Connected Zr/Hf-Oxo Clusters. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14443-14450	16.4	48
56	Fluorine-Mediated Benzothiadiazole Derivatives for Second-Order Nonlinear Optics. <i>Transactions of Tianjin University</i> , 2019 , 25, 603-610	2.9	
55	Introduction of an isoxazoline unit to the Eposition of porphyrin via regioselective 1,3-dipolar cycloaddition reaction. <i>Beilstein Journal of Organic Chemistry</i> , 2019 , 15, 1434-1440	2.5	4
54	Chiral Perovskite: Chiral Perovskites: Promising Materials toward Next-Generation Optoelectronics (Small 39/2019). <i>Small</i> , 2019 , 15, 1970209	11	5
53	Blue emitting CsPbBr ₃ perovskite quantum dot inks obtained from sustained release tablets. <i>Nano Research</i> , 2019 , 12, 3129-3134	10	14
52	Construction of a flexible covalent organic framework based on triazine units with interesting photoluminescent properties for sensitive and selective detection of picric acid.. <i>RSC Advances</i> , 2019 , 9, 30937-30942	3.7	14
51	Enhanced photovoltaic performance of dye-sensitized solar cells (DSSCs) using graphdiyne-doped TiO ₂ photoanode. <i>Journal of Materials Science</i> , 2019 , 54, 4893-4904	4.3	9
50	High-Mobility Hydrophobic Conjugated Polymer as Effective Interlayer for Air-Stable Efficient Perovskite Solar Cells (Solar RRL 10019). <i>Solar Rrl</i> , 2019 , 3, 1970015	7.1	1
49	High-Mobility Hydrophobic Conjugated Polymer as Effective Interlayer for Air-Stable Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1800232	7.1	24
48	Graphdiyne-hybridized N-doped TiO ₂ nanosheets for enhanced visible light photocatalytic activity. <i>Journal of Materials Science</i> , 2018 , 53, 8921-8932	4.3	29
47	Thermodynamically Stable Orthorhombic ECsPbI Thin Films for High-Performance Photovoltaics. <i>Journal of the American Chemical Society</i> , 2018 , 140, 11716-11725	16.4	206
46	Chiral Lead Halide Perovskite Nanowires for Second-Order Nonlinear Optics. <i>Nano Letters</i> , 2018 , 18, 5411-5417	11.5	114
45	A novel amphiphilic fluorescent probe BODIPY--CMC-cRGD as a biomarker and nanoparticle vector.. <i>RSC Advances</i> , 2018 , 8, 20087-20094	3.7	8
44	The self-assembly of monosubstituted BODIPY and HFBI-RGD.. <i>RSC Advances</i> , 2018 , 8, 21472-21479	3.7	5
43	Basic ionic liquid as catalyst and surfactant: green synthesis of quinazolinone in aqueous media.. <i>RSC Advances</i> , 2018 , 8, 36769-36774	3.7	14
42	Compositing Two-Dimensional Materials with TiO ₂ for Photocatalysis. <i>Catalysts</i> , 2018 , 8, 590	4	16

41	Optimization of Stable Quasi-Cubic $\text{FAxMA}_{1-x}\text{PbI}_3$ Perovskite Structure for Solar Cells with Efficiency beyond 20%. <i>ACS Energy Letters</i> , 2017 , 2, 802-806	20.1	124
40	Stepwise co-sensitization of two metal-based sensitizers: probing their competitive adsorption for improving the photovoltaic performance of dye-sensitized solar cells. <i>RSC Advances</i> , 2017 , 7, 10494-10502	3.7	13
39	Organometallic Group 11 (Cu, Ag, Au) Complexes of a trans-Doubly N-Confused Porphyrin: An "Expanded Imidazole" Structural Motif. <i>Chemistry - A European Journal</i> , 2017 , 23, 11375-11384	4.8	13
38	A detailed investigation on the performance of dye-sensitized solar cells based on reduced graphene oxide-doped TiO_2 photoanode. <i>Journal of Materials Science</i> , 2017 , 52, 8070-8083	4.3	17
37	Hexagonal mesoporous silica islands to enhance photovoltaic performance of planar junction perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1415-1420	13	13
36	A Strategy to Produce High Efficiency, High Stability Perovskite Solar Cells Using Functionalized Ionic Liquid-Dopants. <i>Advanced Materials</i> , 2017 , 29, 1702157	24	81
35	Multi-functional 3D N-doped TiO_2 microspheres used as scattering layers for dye-sensitized solar cells. <i>Frontiers of Chemical Science and Engineering</i> , 2017 , 11, 395-404	4.5	7
34	Healable terpyridine-based supramolecular gels and the luminescent properties of the rare earth metal complex. <i>New Journal of Chemistry</i> , 2017 , 41, 15173-15179	3.6	10
33	Coordinative integration of a metal-porphyrinic framework and TiO_2 nanoparticles for the formation of composite photocatalysts with enhanced visible-light-driven photocatalytic activities. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 15380-15389	13	55
32	Study of quasi-solid electrolyte in dye-sensitized solar cells using surfactant as pore-forming materials in TiO_2 photoelectrodes. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 715-724	2.6	5
31	Preparation and Characterization of Coloured Polymer Particles for Electronic Ink. <i>Polymers and Polymer Composites</i> , 2017 , 25, 161-166	0.8	
30	Tuning the Fermi-level of TiO mesoporous layer by lanthanum doping towards efficient perovskite solar cells. <i>Nanoscale</i> , 2016 , 8, 16881-16885	7.7	75
29	N-doped TiO_2 applied in low-temperature-based dye-sensitized solar cells. <i>Research on Chemical Intermediates</i> , 2016 , 42, 6705-6718	2.8	5
28	Encapsulation of modified pigment yellow 110 (PY110) for electrophoretic display. <i>Journal of Materials Research</i> , 2016 , 31, 2261-2267	2.5	6
27	Self-assembled hydrophobin for producing water-soluble and membrane permeable fluorescent dye. <i>Scientific Reports</i> , 2016 , 6, 23061	4.9	12
26	Synthesis, spectroscopic and crystallographic analysis of the Zn-complex of a di(-sulfoleno)pyrrole: model for Zn-complexes of bilirubin and of phylloxanthobilins. <i>Monatshefte für Chemie</i> , 2016 , 147, 1031-1036	1.4	3
25	Improved performance of dye-sensitized solar cells based on modified kaolin/PVDF-HFP composite gel electrolytes. <i>RSC Advances</i> , 2016 , 6, 100079-100089	3.7	16
24	PBI-HMPA Complex Pretreatment for Highly Reproducible and Efficient $\text{CH}_3\text{NH}_2\text{PbI}_3$ Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14380-14387	16.4	83

23	Influence of the number of phenylethynyl units present in porphyrin sensitizer on its light harvesting and cell performance. <i>Research on Chemical Intermediates</i> , 2015 , 41, 8713-8724	2.8	3
22	Preparation of novel porphyrin nanomaterials based on the pH-responsive shape evolution of porphyrin microspheres. <i>Langmuir</i> , 2015 , 31, 4330-40	4	15
21	Rigid triarylamine donor-acceptor porphyrin dyes and their application in dye-sensitized solar cells. <i>RSC Advances</i> , 2015 , 5, 41193-41202	3.7	8
20	Preparation of diverse flower-like ZnO nanoaggregates for dye-sensitized solar cells. <i>RSC Advances</i> , 2015 , 5, 25215-25221	3.7	26
19	Application-oriented computational studies on a series of D- π A structured porphyrin sensitizers with different electron-donor groups. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 30624-31	3.6	4
18	Preparation of dye-sensitized solar cells with high photocurrent and photovoltage by using mesoporous titanium dioxide particles as photoanode material. <i>Nano Research</i> , 2015 , 8, 3830-3841	10	14
17	D π A copolymers containing lactam moieties for polymer solar cells. <i>Polymer Chemistry</i> , 2015 , 6, 7373-7376	4.9	13
16	A lactam building block for efficient polymer solar cells. <i>Chemical Communications</i> , 2015 , 51, 11830-3	5.8	66
15	Doubly N-confused isophlorin: synthesis, structure and copper coordination. <i>Chemical Communications</i> , 2014 , 50, 14593-6	5.8	24
14	Synthesis of corrole-fullerene dyads via [4 + 2] cycloaddition reaction. <i>RSC Advances</i> , 2014 , 4, 40758-40763	3.7	9
13	Double-N doping: a new discovery about N-doped TiO ₂ applied in dye-sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 16992-16998	3.7	17
12	Effect of the length of the alkyl chains in porphyrin meso-substituents on the performance of dye-sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 8894	3.7	23
11	Effects of substituent and solvent on the Sonogashira coupling reaction of β -bromoporphyrin. <i>Research on Chemical Intermediates</i> , 2014 , 40, 1517-1524	2.8	3
10	Studies on selective α -bromination of β -extended porphyrins and subsequent coupling reactions. <i>Research on Chemical Intermediates</i> , 2014 , 40, 1415-1423	2.8	2
9	A new route to indazolone via amidation reaction of o-carboxyazobenzene. <i>Organic Letters</i> , 2012 , 14, 479-81	6.2	8
8	Corroles programmed for regioselective cycloaddition chemistry: Synthesis of a bisadduct with C ₆₀ -fullerene. <i>Journal of Porphyrins and Phthalocyanines</i> , 2012 , 16, 556-563	1.8	10
7	Novel Synthesis and Characterization of Yellow Inorganic/Organic Composite Spheres for Electrophoretic Display. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 1468-1475	3.9	24
6	Synthesis and characterization of novel porphyrin Schiff bases. <i>Journal of the Serbian Chemical Society</i> , 2008 , 73, 1-6	0.9	22

5	Preparation of Mono-Dispersed Polyurea-Urea Formaldehyde Double Layered Microcapsules. <i>Polymer Bulletin</i> , 2008 , 60, 725-731	2.4	33
4	Regioselective synthesis of novel spiroheterocyclic framework via the 1,3-dipolar cycloaddition. <i>Journal of Heterocyclic Chemistry</i> , 2006 , 43, 75-80	1.9	5
3	Porphyrins as Dipolarophiles in 1,3-Dipolar Cycloaddition Reactions with Nitrile Oxide. <i>Synlett</i> , 2005 , 2005, 1030-1032	2.2	6
2	Synthesis and X-ray structure of new spiro-imidazo[2,1-b]thiazole. <i>Journal of Heterocyclic Chemistry</i> , 1999 , 36, 1307-1310	1.9	1
1	Metalloporphyrin-based porous organic polymers as a heterogeneous catalytic nanoplatfor for efficient carbon dioxide conversion. <i>Nano Research</i> , 1	10	2