

# David González-Solís

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1324221/publications.pdf>

Version: 2024-02-01

26  
papers

156  
citations

1040056

9  
h-index

1199594

12  
g-index

27  
all docs

27  
docs citations

27  
times ranked

109  
citing authors

#	ARTICLE	IF	CITATIONS
1	Some gonad-infecting species of <i>Philometra</i> (Nematoda, Philometridae) from offshore fishes of South Carolina and Georgia, USA, including <i>Philometra charlestonensis</i> sp. nov. from the scamp <i>Mycteroperca phenax</i> . <i>Acta Parasitologica</i> , 2008, 53, 382.	1.1	24
2	TWO NEW NEMATODE SPECIES, <i>ORIENTATRACTIS CAMPECHENSIS</i> N. SP. AND <i>ORIENTATRACTIS CHIAPASENSIS</i> N. SP. (NEMATODA: ATRACTIDAE) FROM CICHLID FISHES IN SOUTHERN MEXICO AND NICARAGUA. <i>Journal of Parasitology</i> , 2004, 90, 1443-1449.	0.7	17
3	<i>Sarcocystis cristata</i> sp. nov. (Apicomplexa, Sarcocystidae) in the imported great blue turaco <i>Corythaëola cristata</i> (Aves, Musophagidae). <i>Parasites and Vectors</i> , 2021, 14, 56.	2.5	16
4	<i>Dichelyne</i> ( <i>Dichelyne</i> ) <i>bonacii</i> n. sp. (Nematoda: Cucullanidae) from the grey snapper <i>Lutjanus griseus</i> and the black grouper <i>Mycteroperca bonaci</i> off the coast of Yucatán, Mexico. <i>Systematic Parasitology</i> , 2002, 53, 109-113.	1.1	13
5	Role of three bird species in the life cycle of two <i>Sarcocystis</i> spp. (Apicomplexa, Sarcocystidae) in the Czech Republic. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2022, 17, 133-137.	1.5	11
6	<i>PROCAMALLANUS</i> ( <i>SPIROCAMALLANUS</i> ) <i>CHETUMALENSIS</i> N. SP. (NEMATODA: CAMALLANIDAE) FROM THE MAYAN SEA CATFISH, <i>ARIOPSIS ASSIMILIS</i> , OFF THE CARIBBEAN COAST OF MEXICO. <i>Journal of Parasitology</i> , 2002, 88, 765-768.	0.7	10
7	<i>Capillostrongyloides morae</i> sp. n. (Nematoda: Capillariidae) from deep-sea fish (Teleostei, Moridae) in the western Mediterranean Sea. <i>Folia Parasitologica</i> , 2014, 61, 63-68.	1.3	10
8	<i>Raphidascaris</i> ( <i>Raphidascaris</i> ) <i>macrouri</i> n. sp. (Nematoda: Anisakidae) from two deep-sea macrourid fishes in the Western Mediterranean: Morphological and molecular characterisations. <i>Parasitology International</i> , 2015, 64, 345-352.	1.3	9
9	<i>Dichelyne</i> ( <i>Cucullanellus</i> ) <i>romani</i> n. sp. (Nematoda: Cucullanidae) in notacanthid fishes from the Northeast Atlantic and Western Mediterranean. <i>Systematic Parasitology</i> , 2015, 91, 35-47.	1.1	9
10	Redescription of <i>Spinitectus tabascoensis</i> (Nematoda: Cystidicolidae) from fishes of the Lacandon rain forest in Chiapas, southern Mexico, with remarks on <i>Spinitectus macrospinosus</i> and <i>S. osorioi</i> . <i>Folia Parasitologica</i> , 2009, 56, 305-312.	1.3	9
11	Environmental and socioeconomic assessment of a poorly known coastal section in the southern Mexican Caribbean. <i>Ocean and Coastal Management</i> , 2015, 110, 25-37.	4.4	8
12	Two new gonad-infecting species of <i>Philometra</i> Costa, 1845 (Nematoda: Philometridae) from <i>Trachinus</i> spp. (Osteichthyes: Trachinidae) in the Gulf of Hammamet, Tunisia. <i>Systematic Parasitology</i> , 2018, 95, 223-234.	1.1	4
13	The 2015-2016 El Niño increased infection parameters of copepods on Eastern Tropical Pacific dolphinfish populations. <i>PLoS ONE</i> , 2020, 15, e0232737.	2.5	4
14	Molecular Identification of <i>Sarcocystis</i> sp. (Apicomplexa, Sarcocystidae) in Offspring of Tengmalm's Owls, <i>Aegolius funereus</i> (Aves, Strigidae). <i>Frontiers in Veterinary Science</i> , 2021, 8, 804096.	2.2	4
15	A new species of <i>Rhabdochona</i> Railliet, 1916 (Nematoda: Rhabdochonidae) from cyprinid fishes in the Western Ghats Region, India. <i>Systematic Parasitology</i> , 2014, 87, 273-281.	1.1	3
16	<i>Spinitectus aguapeiensis</i> n. sp. (Nematoda: Cystidicolidae) from <i>Pimelodella avanhandavae</i> Eigenmann (Siluriformes: Heptapteridae) in the River Aguape, Upper Paraná River Basin, Brazil. <i>Systematic Parasitology</i> , 2017, 94, 649-656.	1.1	3
17	<i>Philometra barbata</i> n. sp. (Nematoda: Philometridae) from the red mullet <i>Mullus barbatus</i> (Perciformes, Mullidae) off Tunisia. <i>Acta Parasitologica</i> , 2018, 63, 766-771.	1.1	1
18	First description of the male and subgravid female of <i>Philometra serranellicabrillae</i> Janiszewska, 1949 (Nematoda: Philometridae), a gonad-infecting parasite of the comber <i>Serranus cabrilla</i> (Linnaeus) (Serranidae) off Tunisia. <i>Systematic Parasitology</i> , 2019, 96, 673-679.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0232737.		0
20	Title is missing!. , 2020, 15, e0232737.		0
21	Title is missing!. , 2020, 15, e0232737.		0
22	Title is missing!. , 2020, 15, e0232737.		0
23	Title is missing!. , 2020, 15, e0232737.		0
24	Title is missing!. , 2020, 15, e0232737.		0
25	Title is missing!. , 2020, 15, e0232737.		0
26	Title is missing!. , 2020, 15, e0232737.		0