Peter C Taylor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1324866/publications.pdf

Version: 2024-02-01

61945 51562 8,311 142 43 86 citations h-index g-index papers 156 156 156 9926 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|--|------|-----------|
| 1 | Baricitinib versus Placebo or Adalimumab in Rheumatoid Arthritis. New England Journal of Medicine, 2017, 376, 652-662. | 13.9 | 643 |
| 2 | Neutralizing monoclonal antibodies for treatment of COVID-19. Nature Reviews Immunology, 2021, 21, 382-393. | 10.6 | 568 |
| 3 | Anti-TNF therapy: past, present and future. International Immunology, 2015, 27, 55-62. | 1.8 | 455 |
| 4 | Decrease in cellularity and expression of adhesion molecules by anti–tumor necrosis factor α monoclonal antibody treatment in patients with rheumatoid arthritis. Arthritis and Rheumatism, 1996, 39, 1077-1081. | 6.7 | 408 |
| 5 | Reduction of chemokine levels and leukocyte traffic to joints by tumor necrosis factor α blockade in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2000, 43, 38-47. | 6.7 | 378 |
| 6 | Anti-TNF biologic agents: still the therapy of choice for rheumatoid arthritis. Nature Reviews Rheumatology, 2009, 5, 578-582. | 3.5 | 318 |
| 7 | Molecular Portraits of Early Rheumatoid Arthritis Identify Clinical and Treatment Response Phenotypes. Cell Reports, 2019, 28, 2455-2470.e5. | 2.9 | 241 |
| 8 | Safety and efficacy of baricitinib at 24â€weeks in patients with rheumatoid arthritis who have had an inadequate response to methotrexate. Annals of the Rheumatic Diseases, 2015, 74, 333-340. | 0.5 | 232 |
| 9 | Synovial cellular and molecular signatures stratify clinical response to csDMARD therapy and predict radiographic progression in early rheumatoid arthritis patients. Annals of the Rheumatic Diseases, 2019, 78, 761-772. | 0.5 | 219 |
| 10 | A structured literature review of the burden of illness and unmet needs in patients with rheumatoid arthritis: a current perspective. Rheumatology International, 2016, 36, 685-695. | 1.5 | 201 |
| 11 | Intravenous administration of expanded allogeneic adipose-derived mesenchymal stem cells in refractory rheumatoid arthritis (Cx611): results of a multicentre, dose escalation, randomised, single-blind, placebo-controlled phase Ib/IIa clinical trial. Annals of the Rheumatic Diseases, 2017, 76, 196-202. | 0.5 | 194 |
| 12 | Comparison of baricitinib, upadacitinib, and tofacitinib mediated regulation of cytokine signaling in human leukocyte subpopulations. Arthritis Research and Therapy, 2019, 21, 183. | 1.6 | 181 |
| 13 | Pro-inflammatory activation of primary microglia and macrophages increases 18 kDa translocator protein expression in rodents but not humans. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 2679-2690. | 2.4 | 153 |
| 14 | Development of a Multi-Biomarker Disease Activity Test for Rheumatoid Arthritis. PLoS ONE, 2013, 8, e60635. | 1.1 | 146 |
| 15 | Rituximab versus tocilizumab in anti-TNF inadequate responder patients with rheumatoid arthritis (R4RA): 16-week outcomes of a stratified, biopsy-driven, multicentre, open-label, phase 4 randomised controlled trial. Lancet, The, 2021, 397, 305-317. | 6.3 | 145 |
| 16 | Cardiovascular Safety During Treatment With Baricitinib in Rheumatoid Arthritis. Arthritis and Rheumatology, 2019, 71, 1042-1055. | 2.9 | 135 |
| 17 | Incomplete response of inflammatory arthritis to TNF \hat{l}_{\pm} blockade is associated with the Th17 pathway. Annals of the Rheumatic Diseases, 2012, 71, 1741-1748. | 0.5 | 133 |
| 18 | Pharmacology of TNF blockade in rheumatoid arthritis and other chronic inflammatory diseases. Current Opinion in Pharmacology, 2010, 10, 308-315. | 1.7 | 132 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Clinical efficacy of launched JAK inhibitors in rheumatoid arthritis. Rheumatology, 2019, 58, i17-i26. | 0.9 | 130 |
| 20 | Golimumab, a new human anti–tumor necrosis factor α antibody, administered intravenously in patients with active rheumatoid arthritis: Fortyâ€eight–week efficacy and safety results of a phase III randomized, doubleâ€blind, placeboâ€controlled study. Arthritis and Rheumatism, 2010, 62, 917-928. | 6.7 | 116 |
| 21 | Efficacy and safety of apremilast, an oral phosphodiesterase 4 inhibitor, in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2013, 72, 1475-1480. | 0.5 | 107 |
| 22 | Ofatumumab, a fully human anti-CD20 monoclonal antibody, in biological-naive, rheumatoid arthritis patients with an inadequate response to methotrexate: a randomised, double-blind, placebo-controlled clinical trial. Annals of the Rheumatic Diseases, 2011, 70, 2119-2125. | 0.5 | 105 |
| 23 | Rituximab versus tocilizumab in rheumatoid arthritis: synovial biopsy-based biomarker analysis of the phase 4 R4RA randomized trial. Nature Medicine, 2022, 28, 1256-1268. | 15.2 | 105 |
| 24 | A Systematic Review of Serum Biomarkers Anti-Cyclic Citrullinated Peptide and Rheumatoid Factor as Tests for Rheumatoid Arthritis. Autoimmune Diseases, 2011, 2011, 1-18. | 2.7 | 102 |
| 25 | The Jak/STAT pathway: A focus on pain in rheumatoid arthritis. Seminars in Arthritis and Rheumatism, 2021, 51, 278-284. | 1.6 | 97 |
| 26 | Tumour necrosis factor inhibition versus rituximab for patients with rheumatoid arthritis who require biological treatment (ORBIT): an open-label, randomised controlled, non-inferiority, trial. Lancet, The, 2016, 388, 239-247. | 6.3 | 95 |
| 27 | Call for action: how to improve use of patient-reported outcomes to guide clinical decision making in rheumatoid arthritis. Rheumatology International, 2018, 38, 935-947. | 1.5 | 89 |
| 28 | Biological Therapies in Immune-Mediated Inflammatory Diseases: Can Biosimilars Reduce Access Inequities?. Frontiers in Pharmacology, 2019, 10, 279. | 1.6 | 89 |
| 29 | Synovial tissue signatures enhance clinical classification and prognostic/treatment response algorithms in early inflammatory arthritis and predict requirement for subsequent biological therapy: results from the pathobiology of early arthritis cohort (PEAC). Annals of the Rheumatic Diseases, 2019, 78, 1642-1652. | 0.5 | 85 |
| 30 | Anti-TNF.ALPHA. Therapy for Rheumatoid Arthritis: An Update Internal Medicine, 2003, 42, 15-20. | 0.3 | 83 |
| 31 | Patient-reported outcomes from a phase 3 study of baricitinib versus placebo or adalimumab in rheumatoid arthritis: secondary analyses from the RA-BEAM study. Annals of the Rheumatic Diseases, 2017, 76, 1853-1861. | 0.5 | 83 |
| 32 | Antibody therapy for rheumatoid arthritis. Current Opinion in Pharmacology, 2003, 3, 323-328. | 1.7 | 80 |
| 33 | Arthritis prevention in the pre-clinical phase of RA with abatacept (the APIPPRA study): a multi-centre, randomised, double-blind, parallel-group, placebo-controlled clinical trial protocol. Trials, 2019, 20, 429. | 0.7 | 77 |
| 34 | Safety of baricitinib for the treatment of rheumatoid arthritis over a median of 4.6 and up to 9.3 years of treatment: final results from long-term extension study and integrated database. Annals of the Rheumatic Diseases, 2022, 81, 335-343. | 0.5 | 71 |
| 35 | colony-stimulating factor (GM-CSF) ligand in patients with rheumatoid arthritis (RA) with either an inadequate response to background methotrexate therapy or an inadequate response or intolerance to an anti-TNF (tumour necrosis factor) biologic therapy: a randomized, controlled trial. Arthritis | 1.6 | 61 |
| 36 | Research and Merapy, 2013, 21, 101. The macrophage marker translocator protein (TSPO) is down-regulated on pro-inflammatory â€~M1' human macrophages. PLoS ONE, 2017, 12, e0185767. | 1,1 | 59 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Patient Expectations and Perceptions of Goal-setting Strategies for Disease Management in Rheumatoid Arthritis. Journal of Rheumatology, 2015, 42, 2046-2054. | 1.0 | 58 |
| 38 | Safety and Efficacy of Baricitinib Through 128 Weeks in an Open-label, Longterm Extension Study in Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2018, 45, 14-21. | 1.0 | 57 |
| 39 | Tumour necrosis factor $\hat{l}\pm$ as a therapeutic target for immune-mediated inflammatory diseases. Current Opinion in Biotechnology, 2004, 15, 557-563. | 3.3 | 56 |
| 40 | How to Get the Most from Methotrexate (MTX) Treatment for Your Rheumatoid Arthritis Patient?—MTX in the Treat-to-Target Strategy. Journal of Clinical Medicine, 2019, 8, 515. | 1.0 | 54 |
| 41 | The value of sensitive imaging modalities in rheumatoid arthritis. Arthritis Research, 2003, 5, 210. | 2.0 | 52 |
| 42 | The IL-20 Cytokine Family in Rheumatoid Arthritis and Spondyloarthritis. Frontiers in Immunology, 2018, 9, 2226. | 2.2 | 51 |
| 43 | Achieving Pain Control in Rheumatoid Arthritis with Baricitinib or Adalimumab Plus Methotrexate: Results from the RA-BEAM Trial. Journal of Clinical Medicine, 2019, 8, 831. | 1.0 | 50 |
| 44 | Association between maternal thyroid function and risk of gestational hypertension and pre-eclampsia: a systematic review and individual-participant data meta-analysis. Lancet Diabetes and Endocrinology, the, 2022, 10, 243-252. | 5.5 | 49 |
| 45 | The Key Comorbidities in Patients with Rheumatoid Arthritis: A Narrative Review. Journal of Clinical Medicine, 2021, 10, 509. | 1.0 | 44 |
| 46 | The importance of the patients' experience of RA compared with clinical measures of disease activity. Clinical and Experimental Rheumatology, 2010, 28, S28-31. | 0.4 | 43 |
| 47 | Effects of Baricitinib on Lipid, Apolipoprotein, and Lipoprotein Particle Profiles in a Phase IIb Study of Patients With Active Rheumatoid Arthritis. Arthritis and Rheumatology, 2017, 69, 943-952. | 2.9 | 42 |
| 48 | Lipid profile and effect of statin treatment in pooled phase II and phase III baricitinib studies. Annals of the Rheumatic Diseases, 2018, 77, 988-995. | 0.5 | 41 |
| 49 | A randomized, placebo-controlled experimental medicine study of RIPK1 inhibitor GSK2982772 in patients with moderate to severe rheumatoid arthritis. Arthritis Research and Therapy, 2021, 23, 85. | 1.6 | 41 |
| 50 | OSKIRA-4: a phase IIb randomised, placebo-controlled study of the efficacy and safety of fostamatinib monotherapy. Annals of the Rheumatic Diseases, 2015, 74, 2123-2129. | 0.5 | 39 |
| 51 | Efficacy and safety of bimekizumab as add-on therapy for rheumatoid arthritis in patients with inadequate response to certolizumab pegol: a proof-of-concept study. Annals of the Rheumatic Diseases, 2019, 78, 1033-1040. | 0.5 | 39 |
| 52 | Anti- $TNF\hat{l}_{\pm}$ Therapy of Rheumatoid Arthritis: What Can We Learn about Chronic Disease?. Novartis Foundation Symposium, 2008, , 53-73. | 1.2 | 38 |
| 53 | Filgotinib for the treatment of rheumatoid arthritis. Expert Opinion on Investigational Drugs, 2017, 26, 1181-1187. | 1.9 | 36 |
| 54 | Role of biological agents in treatment of rheumatoid arthritis. Pharmacological Research, 2019, 150, 104497. | 3.1 | 36 |

| # | Article | IF | Citations |
|----|---|--------------------|---------------|
| 55 | Increase in circulating Th17 cells during anti-TNF therapy is associated with ultrasonographic improvement of synovitis in rheumatoid arthritis. Arthritis Research and Therapy, 2016, 18, 303. | 1.6 | 35 |
| 56 | Effect of Baricitinib and Adalimumab in Reducing Pain and Improving Function in Patients with Rheumatoid Arthritis in Low Disease Activity: Exploratory Analyses from RA-BEAM. Journal of Clinical Medicine, 2019, 8, 1394. | 1.0 | 35 |
| 57 | Systematic Literature Review of Residual Symptoms and an Unmet Need in Patients With Rheumatoid Arthritis. Arthritis Care and Research, 2021, 73, 1606-1616. | 1.5 | 35 |
| 58 | Anti-inflammatory treatment improves high-density lipoprotein function in rheumatoid arthritis. Heart, 2017, 103, 766-773. | 1.2 | 34 |
| 59 | B Cell Synovitis and Clinical Phenotypes in Rheumatoid Arthritis: Relationship to Disease Stages and Drug Exposure. Arthritis and Rheumatology, 2020, 72, 714-725. | 2.9 | 33 |
| 60 | Quantitative Power Doppler Ultrasonography Is a Sensitive Measure of Metacarpophalangeal Joint Synovial Vascularity in Rheumatoid Arthritis and Declines Significantly Following a 2-week Course of Oral Low-dose Corticosteroids. Journal of Rheumatology, 2010, 37, 2493-2501. | 1.0 | 32 |
| 61 | Use of daily electronic patient-reported outcome (PRO) diaries in randomized controlled trials for rheumatoid arthritis: rationale and implementation. Trials, 2019, 20, 182. | 0.7 | 31 |
| 62 | The Clinical Features, Pathogenesis and Methotrexate Therapy of Chronic Chikungunya Arthritis. Viruses, 2019, 11, 289. | 1.5 | 27 |
| 63 | Filgotinib, a JAK1 Inhibitor, Modulates Disease-Related Biomarkers in Rheumatoid Arthritis: Results from Two Randomized, Controlled Phase 2b Trials. Rheumatology and Therapy, 2020, 7, 173-190. | 1.1 | 27 |
| 64 | Quantitative power Doppler ultrasound measures of peripheral joint synovitis in poor prognosis early rheumatoid arthritis predict radiographic progression. Rheumatology, 2016, 55, 89-93. | 0.9 | 25 |
| 65 | Adopting PROs in virtual and outpatient management of RA. Nature Reviews Rheumatology, 2020, 16, 477-478. | 3.5 | 24 |
| 66 | Treatment Satisfaction, Patient Preferences, and the Impact of Suboptimal Disease Control in a Large International Rheumatoid Arthritis Cohort: SENSE Study. Patient Preference and Adherence, 2021, Volume 15, 359-373. | 0.8 | 24 |
| 67 | Ultrasonographic measures of synovitis in an early phase clinical trial: a double-blind, randomised, placebo and comparator controlled phase lla trial of GW274150 (a selective inducible nitric oxide) Tj ETQq1 10 | .78 4 344 r | gBT2¦Overlock |
| 68 | Scientific rationale behind the development and approval of biosimilar infliximab (CT-P13) in Europe. Expert Review of Clinical Immunology, 2015, 11, 5-14. | 1.3 | 22 |
| 69 | Plasma Levels of Eicosapentaenoic Acid Are Associated with Anti-TNF Responsiveness in Rheumatoid Arthritis and Inhibit the Etanercept-driven Rise in Th17 Cell Differentiation <i>in Vitro</i> . Journal of Rheumatology, 2017, 44, 748-756. | 1.0 | 22 |
| 70 | Advances in positron emission tomography for the imaging of rheumatoid arthritis. Rheumatology, 2017, 56, 1837-1846. | 0.9 | 22 |
| 71 | Efficacy and safety of monotherapy with sirukumab compared with adalimumab monotherapy in biologic-naÃ-ve patients with active rheumatoid arthritis (SIRROUND-H): a randomised, double-blind, parallel-group, multinational, 52-week, phase 3 study. Annals of the Rheumatic Diseases, 2018, 77, 658-666. | 0.5 | 22 |
| 72 | Clinical outcomes in patients switched from adalimumab to baricitinib due to non-response and/or study design: phase III data in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2019, 78, 890-898. | 0.5 | 22 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Spondyloarthropathy: interleukin 23 and disease modification. Lancet, The, 2015, 385, 2017-2018. | 6.3 | 21 |
| 74 | Editorial: Combination Cytokine Blockade: The Way Forward in Therapy for Rheumatoid Arthritis?. Arthritis and Rheumatology, 2015, 67, 14-16. | 2.9 | 21 |
| 75 | Clinical characteristics and patient-reported outcomes in patients with inadequately controlled rheumatoid arthritis despite ongoing treatment. RMD Open, 2018, 4, e000615. | 1.8 | 20 |
| 76 | <p>Treatment Mode Preferences in Rheumatoid Arthritis: Moving Toward Shared Decision-Making</p> . Patient Preference and Adherence, 2020, Volume 14, 119-131. | 0.8 | 20 |
| 77 | Ultrasound of metacarpophalangeal joints is a sensitive and reliable endpoint for drug therapies in rheumatoid arthritis: results of a randomized, two-center placebo-controlled study. Arthritis Research and Therapy, 2012, 14, R198. | 1.6 | 19 |
| 78 | TLR expression profiles are a function of disease status in rheumatoid arthritis and experimental arthritis. Journal of Autoimmunity, 2021, 118, 102597. | 3.0 | 19 |
| 79 | Safety of Repeated Open-Label Treatment Courses of Intravenous Ofatumumab, a Human Anti-CD20 Monoclonal Antibody, in Rheumatoid Arthritis: Results from Three Clinical Trials. PLoS ONE, 2016, 11, e0157961. | 1.1 | 18 |
| 80 | TNFÎ \pm regulates cortisol metabolism in vivo in patients with inflammatory arthritis. Annals of the Rheumatic Diseases, 2015, 74, 464-469. | 0.5 | 17 |
| 81 | The Development of Complex Digital Health Solutions: Formative Evaluation Combining Different Methodologies. JMIR Research Protocols, 2018, 7, e165. | 0.5 | 16 |
| 82 | Anti-TNFalpha therapy for rheumatoid arthritis: an update. Internal Medicine, 2003, 42, 15-20. | 0.3 | 15 |
| 83 | Achieving pain control in early rheumatoid arthritis with baricitinib monotherapy or in combination with methotrexate versus methotrexate monotherapy. RMD Open, 2022, 8, e001994. | 1.8 | 15 |
| 84 | Call for action: incorporating wellness practices into a holistic management plan for rheumatoid arthritisâ€"going beyond treat to target. RMD Open, 2021, 7, e001959. | 1.8 | 14 |
| 85 | Study protocol: A multi-centre, double blind, randomised, placebo-controlled, parallel group, phase II trial (RIDD) to determine the efficacy of intra-nodular injection of anti-TNF to control disease progression in early Dupuytren's disease, with an embedded dose response study Wellcome Open Research. 2017. 2. 37. | 0.9 | 13 |
| 86 | Update on the diagnosis and management of early rheumatoid arthritis. Clinical Medicine, 2020, 20, 561-564. | 0.8 | 13 |
| 87 | Risk of flare after tapering or withdrawal of biologic/targeted synthetic disease-modifying anti-rheumatic drugs in patients with rheumatoid arthritis or axial spondyloarthritis: a systematic review and meta-analysis. Rheumatology, 2022, 61, 3107-3122. | 0.9 | 13 |
| 88 | Clinical application of a molecular assay for the detection of dermatophytosis and a novel non-invasive sampling technique. Pathology, 2016, 48, 720-726. | 0.3 | 12 |
| 89 | Novel biomarkers of a peripheral blood interferon signature associated with drug-naÃ-ve early arthritis patients distinguish persistent from self-limiting disease course. Scientific Reports, 2020, 10, 8830. | 1.6 | 12 |
| 90 | Efficacy of baricitinib in patients with moderate-to-severe rheumatoid arthritis with 3 years of treatment: results from a long-term studyÂ. Rheumatology, 2021, 60, 2256-2266. | 0.9 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Variation in the use of biologics in the management of rheumatoid arthritis across the UK. Current Medical Research and Opinion, 2012, 28, 1733-1741. | 0.9 | 11 |
| 92 | Sustained multimodal antimicrobial stewardship in an Australian tertiary intensive care unit from 2008–2015: an interrupted time-series analysis. International Journal of Antimicrobial Agents, 2018, 51, 620-628. | 1,1 | 10 |
| 93 | Maintenance of Efficacy and Safety with Subcutaneous Golimumab Among Patients with Active Rheumatoid Arthritis Who Previously Received Intravenous Golimumab. Journal of Rheumatology, 2011, 38, 2572-2580. | 1.0 | 9 |
| 94 | Added value of combining methotrexate with a biological agent compared to biological monotherapy in rheumatoid arthritis patients: A systematic review and meta-analysis of randomised trials. Seminars in Arthritis and Rheumatism, 2019, 48, 958-966. | 1.6 | 9 |
| 95 | A1.72â€Baricitinib, an oral janus kinase inhibitor, in the treatment of rheumatoid arthritis: safety and efficacy in an open-label, long-term extension study⟨sup⟩1⟨ sup⟩. Annals of the Rheumatic Diseases, 2014, 73, A31.2-A31. | 0.5 | 8 |
| 96 | A Phase III Randomized Study of Apremilast, an Oral Phosphodiesterase 4 Inhibitor, for Active Ankylosing Spondylitis. Journal of Rheumatology, 2021, 48, 1259-1267. | 1.0 | 8 |
| 97 | MRI and Dose Selection in a Phase II Trial of Baricitinib with Conventional Synthetic Disease-modifying Antirheumatic Drugs in Rheumatoid Arthritis. Journal of Rheumatology, 2019, 46, 887-895. | 1.0 | 7 |
| 98 | Patients with Rheumatoid Arthritis Acquire Sustainable Skills for Home Monitoring: A Prospective Dual-country Cohort Study (ELECTOR Clinical Trial I). Journal of Rheumatology, 2020, 47, 658-667. | 1.0 | 7 |
| 99 | Targeted literature review of current treatments and unmet need in moderate rheumatoid arthritis in the United Kingdom. Rheumatology, 2021, 60, 4972-4981. | 0.9 | 7 |
| 100 | Most Trial Eligibility Criteria and Patient Baseline Characteristics Do Not Modify Treatment Effect in Trials Using Targeted Therapies for Rheumatoid Arthritis: A Meta-Epidemiological Study. PLoS ONE, 2015, 10, e0136982. | 1.1 | 7 |
| 101 | Disease status in human and experimental arthritis, and response to TNF blockade, is associated with MHC class II invariant chain (CD74) isoform expression. Journal of Autoimmunity, 2022, 128, 102810. | 3.0 | 7 |
| 102 | How do the efficacy and safety of abatacept and infliximab compare in the treatment of active RA?. Nature Reviews Rheumatology, 2009, 5, 126-127. | 3.5 | 6 |
| 103 | Early Metacarpal Bone Mineral Density Loss Using Digital X-Ray Radiogrammetry and 3-Tesla Wrist MRI in Established Rheumatoid Arthritis: A Longitudinal One-Year Observational Study. Arthritis, 2015, 2015, 1-8. | 2.0 | 6 |
| 104 | Protocol for evaluating and implementing a pragmatic value-based healthcare management model for patients with inflammatory arthritis: a Danish population-based regional cohort and qualitative implementation study. BMJ Open, 2018, 8, e023915. | 0.8 | 6 |
| 105 | Influence of information provided prior to switching from Humira to biosimilar adalimumab on UK patients' satisfaction: a cross-sectional survey by patient organisations. BMJ Open, 2022, 12, e050949. | 0.8 | 6 |
| 106 | The JAK inhibitor baricitinib inhibits oncostatin M induction of proinflammatory mediators in ex-vivo synovial derived cells. Clinical and Experimental Rheumatology, 0 , 0 , 0 . | 0.4 | 6 |
| 107 | Factors influencing use of biologic therapy and adoption of treat-to-target recommendations in current European rheumatology practice. Patient Preference and Adherence, 2018, Volume 12, 2007-2014. | 0.8 | 5 |
| 108 | The Parker Model: Applying a Qualitative Three-Step Approach to Optimally Utilize Input from Stakeholders When Introducing New Device Technologies in the Management of Chronic Rheumatic Diseases. Patient, 2018, 11, 515-526. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Treating to target or treating the patient in rheumatoid arthritis?. Lancet Rheumatology, The, 2019, 1, e8-e10. | 2.2 | 5 |
| 110 | Analysis of Immunogenicity Data in the Product Information of Biological Drugs: A Need to Report Immunogenicity Data Systematically. BioDrugs, 2019, 33, 683-691. | 2.2 | 5 |
| 111 | Role of Hyaluronan in Human Adipogenesis: Evidence from in-Vitro and in-Vivo Studies. International Journal of Molecular Sciences, 2019, 20, 2675. | 1.8 | 4 |
| 112 | When the first visit to the rheumatologist is established rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 2019, 33, 101479. | 1.4 | 4 |
| 113 | Median time to pain improvement and the impact of baseline pain severity on pain response in patients with psoriatic arthritis treated with tofacitinib. RMD Open, 2021, 7, e001609. | 1.8 | 4 |
| 114 | OUP accepted manuscript. Rheumatology, 2019, 58, 2079-2080. | 0.9 | 4 |
| 115 | Expression of Endogenous Putative TSH Binding Protein in Orbit. Current Issues in Molecular Biology, 2021, 43, 1794-1804. | 1.0 | 4 |
| 116 | Itch as Major Mediator of Effect of Tofacitinib on Health-Related Quality of Life in Psoriatic Arthritis: A Mediation Analysis. Journal of Clinical Medicine, 2021, 10, 4081. | 1.0 | 3 |
| 117 | Patient-reported outcome measures in systemic lupus erythematosus by a web-based application: A randomized, crossover, agreement study. Lupus, 2021, 30, 2124-2134. | 0.8 | 3 |
| 118 | Decrease in articular hypoxia and synovial blood flow at early time points following infliximab and etanercept treatment in rheumatoid arthritis. Clinical and Experimental Rheumatology, 2016, 34, 1072-1076. | 0.4 | 3 |
| 119 | A scientific update on biosimilar infliximab (CT-P13) in rheumatic diseases. Expert Review of Clinical Immunology, 2015, 11, 1-4. | 1.3 | 2 |
| 120 | The Odd Couple?â€"Hardly. Rheumatology, 2017, 57, 1313-1315. | 0.9 | 2 |
| 121 | Pain in Rheumatoid Arthritis: Could JAK Inhibition be the Answer?. Mediterranean Journal of Rheumatology, 2020, 31, 112. | 0.3 | 2 |
| 122 | Pain Reduction in Rheumatoid Arthritis Patients Who Use Opioids: A Post Hoc Analysis of Phase 3 Trials of Baricitinib. ACR Open Rheumatology, 2022, 4, 254-258. | 0.9 | 2 |
| 123 | Quality of Care in Rheumatoid Disease from the Clinician Perspective: A Modified Delphi Panel Approach. Rheumatology and Therapy, 2018, 5, 87-98. | 1.1 | 1 |
| 124 | Relationship between thyroid hormones and metabolic syndrome in a normal thyroid function population in Western China. Chinese Medical Journal, 2021, Publish Ahead of Print, 350-352. | 0.9 | 1 |
| 125 | Evolving the comprehensive management of rheumatoid arthritis: identification of unmet needs and development of practical and educational tools. Clinical and Experimental Rheumatology, 2020, 38, 1056-1067. | 0.4 | 1 |
| 126 | Relationships of dermatologic symptoms and quality of life in patients with psoriatic arthritis: analysis of two tofacitinib phase III studies. Journal of Dermatological Treatment, 2022, , 1-28. | 1.1 | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | P196â€fSafety profile of baricitinib for the treatment of rheumatoid arthritis up to 9.3 years: an updated integrated safety analysis. Rheumatology, 2022, 61, . | 0.9 | 1 |
| 128 | MRI-detected bone marrow edema in early rheumatoid arthritis. Nature Clinical Practice Rheumatology, 2008, 4, 516-517. | 3.2 | 0 |
| 129 | 223â $€$ f [11C]PBR28 Macrophage Targeted Positron Emission Tomographyâ $€$ "Computed Tomography in Rheumatoid Arthritis: Results of a Pilot Study. Rheumatology, 0, , . | 0.9 | 0 |
| 130 | Preface: Future trends in the field of spondyloarthritis. Best Practice and Research in Clinical Rheumatology, 2017, 31, 761-762. | 1.4 | 0 |
| 131 | $244\hat{a} \in f$ The clinical phenotype of inflammatory arthritis correlates with synovial immune cell infiltration: results from the pathobiology of early arthritis cohort. Rheumatology, 2018, 57, . | 0.9 | 0 |
| 132 | O09 $\hat{a} \in fA$ lymphoid pathotype at baseline, in early inflammatory arthritis, significantly associates with requirement for biologic therapy at 12 months follow up: results from the pathobiology of early arthritis cohort. Rheumatology, 2018, 57, . | 0.9 | 0 |
| 133 | O41â€fPredisposition of RA monocytes/macrophages to a pro-inflammatory phenotype through down-regulation of mitochondrial translocator protein. Rheumatology, 2018, 57, . | 0.9 | 0 |
| 134 | Biosimilars: An Opportunity to Update the Product Information of Biological Drugs Regarding their Immunogenicity. BioDrugs, 2019, 33, 693-695. | 2.2 | 0 |
| 135 | Sirukumab and adalimumab reduce power Doppler ultrasound signal in patients with rheumatoid arthritis by 4 weeks in a phase III trial. Annals of the Rheumatic Diseases, 2019, 78, 1439-1441. | 0.5 | 0 |
| 136 | OP0350â€ULTRASOUND POWER DOPPLER SEMI-QUANTITATIVE SCORING, IS IT TIME WE MOVED TO A RED PIX DENSITY ALGORITHMIC PROGRAM TO DETERMINE TRUE TREATMENT RESPONSE?. , 2019, , . | XEL | 0 |
| 137 | OPO120â€BASELINE CELLULAR AND MOLECULAR CHARACTERISTICS OF SYNOVIAL TISSUE AND RELATION WITT TNFI RESPONSE. RESULTS FROM THE PATHOBIOLOGY OF THE EARLY ARTHRITIS COHORT (PEAC)., 2019,,. | Ή | 0 |
| 138 | Real-life drug persistence in patients with rheumatic diseases treated with CT-P13: a prospective observational cohort study (PERSIST). Rheumatology Advances in Practice, 2021, 5, rkab026. | 0.3 | 0 |
| 139 | Central sensitisation: causes, therapies, and terminology. Lancet Rheumatology, The, 2021, 3, e546-e547. | 2.2 | 0 |
| 140 | Risk of harm in synthetic and biological intervention trials in patients with inflammatory arthritis: protocol for a metaepidemiological study focusing on contextual factors. BMJ Open, 2021, 11, e049850. | 0.8 | 0 |
| 141 | SB4 in the Era of Biosimilars: Clinical Data and Real-World Experience. Mediterranean Journal of Rheumatology, 2019, 30, 59. | 0.3 | 0 |
| 142 | The JAK inhibitor baricitinib inhibits oncostatin M induction of proinflammatory mediators in ex-vivo synovial derived cells. Clinical and Experimental Rheumatology, 2021, , . | 0.4 | 0 |