

Christian Kärner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1325908/publications.pdf>

Version: 2024-02-01

262
papers

31,855
citations

3919

88
h-index

5806

161
g-index

404
all docs

404
docs citations

404
times ranked

23019
citing authors

#	ARTICLE	IF	CITATIONS
1	A hierarchical inventory of the world's mountains for global comparative mountain science. <i>Scientific Data</i> , 2022, 9, 149.	2.4	20
2	The forest's nutrient cycle drives its carbon cycle. <i>Tree Physiology</i> , 2022, 42, 425-427.	1.4	3
3	Limits and Strengths of Tree-Ring Stable Isotopes. <i>Tree Physiology</i> , 2022, , 399-428.	0.9	7
4	Integrating the evidence for a terrestrial carbon sink caused by increasing atmospheric CO ₂ . <i>New Phytologist</i> , 2021, 229, 2413-2445.	3.5	286
5	Water and nutrient relations of mistletoes at the drought limit of their hosting evergreen oaks in the semiarid upper Yangtze region, SW China. <i>Trees - Structure and Function</i> , 2021, 35, 387-394.	0.9	1
6	Water relations of trailing evergreen oaks in the semi-arid upper Yangtze region, SE Himalaya. <i>Journal of Systematics and Evolution</i> , 2021, , .	1.6	5
7	Carbon investments. , 2021, , 309-333.		0
8	Climatic stress. , 2021, , 175-201.		0
9	The alpine life zone. , 2021, , 23-51.		2
10	Alpine treelines. , 2021, , 141-173.		5
11	Plant reproduction. , 2021, , 395-449.		1
12	Global change at high elevation. , 2021, , 451-483.		1
13	Cell division and tissue formation. , 2021, , 355-373.		0
14	Plant ecology at high elevations. , 2021, , 1-22.		2
15	The climate plants experience. , 2021, , 65-88.		2
16	Plant biomass production. , 2021, , 375-394.		0
17	Alpine soils. , 2021, , 119-140.		0
18	Populations-und Vegetationsökologie. , 2021, , 1013-1054.		0

#	ARTICLE	IF	CITATIONS
19	Mineral nutrition. , 2021, , 237-268.		2
20	Elevation-specific responses of phenology in evergreen oaks from their low-dry to their extreme high-cold range limits in the SE Himalaya. <i>Alpine Botany</i> , 2021, 131, 89-102.	1.1	4
21	Rhizosphere "Trade"™ Is an Unnecessary Analogy: Response to NoA«. <i>Trends in Ecology and Evolution</i> , 2021, 36, 176-177.	4.2	4
22	Flowering phenology in alpine grassland strongly responds to shifts in snowmelt but weakly to summer drought. <i>Alpine Botany</i> , 2021, 131, 73-88.	1.1	19
23	Upregulation of HLA-F expression by BK polyomavirus infection induces immune recognition by KIR3DS1-positive natural killer cells. <i>Kidney International</i> , 2021, 99, 1140-1148.	2.6	9
24	Biomass allocation and seasonal non-structural carbohydrate dynamics do not explain the success of tall forbs in short alpine grassland. <i>Oecologia</i> , 2021, 197, 1063-1077.	0.9	13
25	"Fading of the temperature" growth coupling"™ in treeline trees reflects a conceptual bias. <i>Global Change Biology</i> , 2021, 27, 3951-3952.	4.2	13
26	The cold range limit of trees. <i>Trends in Ecology and Evolution</i> , 2021, 36, 979-989.	4.2	61
27	Why Is the Alpine Flora Comparatively Robust against Climatic Warming?. <i>Diversity</i> , 2021, 13, 383.	0.7	51
28	Mountain definitions and their consequences. <i>Alpine Botany</i> , 2021, 131, 213-217.	1.1	23
29	KIR3DS1 directs NK cell-mediated protection against human adenovirus infections. <i>Science Immunology</i> , 2021, 6, eabe2942.	5.6	8
30	Life under and in snow: protection and limitation. , 2021, , 89-118.		1
31	Alpine climate. , 2021, , 53-64.		0
32	Uptake and loss of carbon. , 2021, , 269-308.		0
33	Alpine Plant Life. , 2021, , .		116
34	Water relations. , 2021, , 203-236.		1
35	Pflanzen im Lebensraum. , 2021, , 947-1012.		0
36	Soil invertebrate abundance, diversity, and community composition across steep high elevation snowmelt gradients in the European Alps. <i>Arctic, Antarctic, and Alpine Research</i> , 2021, 53, 288-299.	0.4	4

#	ARTICLE	IF	CITATIONS
37	Plant Adaptations to Alpine Environments. , 2020, , 355-361.		3
38	Halving sunlight reveals no carbon limitation of aboveground biomass production in alpine grassland. <i>Global Change Biology</i> , 2020, 26, 1857-1872.	4.2	17
39	High Metabolic Function and Resilience of NKG2A-Educated NK Cells. <i>Frontiers in Immunology</i> , 2020, 11, 559576.	2.2	13
40	Surplus Carbon Drives Allocation and Plant-Soil Interactions. <i>Trends in Ecology and Evolution</i> , 2020, 35, 1110-1118.	4.2	171
41	Distinct Signatures in the Receptor Repertoire Discriminate CD56 ^{bright} and CD56 ^{dim} Natural Killer Cells. <i>Frontiers in Immunology</i> , 2020, 11, 568927.	2.2	12
42	Explaining the exceptional 4270m high elevation limit of an evergreen oak in the south-eastern Himalayas. <i>Tree Physiology</i> , 2020, 40, 1327-1342.	1.4	13
43	Experiments by Nature: Strength in Realism. , 2020, , 236-240.		0
44	Climatic Controls of the Global High Elevation Treelines. , 2020, , 275-281.		6
45	Share the wealth: Trees with greater ectomycorrhizal species overlap share more carbon. <i>Molecular Ecology</i> , 2020, 29, 2321-2333.	2.0	42
46	A first assessment of the impact of the extreme 2018 summer drought on Central European forests. <i>Basic and Applied Ecology</i> , 2020, 45, 86-103.	1.2	482
47	Tools Shape Paradigms of Plant-Environment Interactions. <i>Progress in Botany Fortschritte Der Botanik</i> , 2020, , 1-41.	0.1	3
48	A subset of HLA-DP molecules serve as ligands for the natural cytotoxicity receptor NKp44. <i>Nature Immunology</i> , 2019, 20, 1129-1137.	7.0	59
49	Life at 0°C: the biology of the alpine snowbed plant <i>Soldanella pusilla</i> . <i>Alpine Botany</i> , 2019, 129, 63-80.	1.1	38
50	Increased Nitrogen Availability in the Soil Under Mature <i>Picea abies</i> Trees Exposed to Elevated CO ₂ Concentrations. <i>Frontiers in Forests and Global Change</i> , 2019, 2, .	1.0	14
51	A Humboldtian view of mountains. <i>Science</i> , 2019, 365, 1061-1061.	6.0	20
52	Limited capacity of tree growth to mitigate the global greenhouse effect under predicted warming. <i>Nature Communications</i> , 2019, 10, 2171.	5.8	92
53	No need for pipes when the well is dry—a comment on hydraulic failure in trees. <i>Tree Physiology</i> , 2019, 39, 695-700.	1.4	71
54	Twelve years of low nutrient input stimulates growth of trees and dwarf shrubs in the treeline ecotone. <i>Journal of Ecology</i> , 2019, 107, 768-780.	1.9	23

#	ARTICLE	IF	CITATIONS
55	Flowerâ€‘visitor communities of an arctoâ€‘alpine plantâ€‘” Global patterns in species richness, phylogenetic diversity and ecological functioning. <i>Molecular Ecology</i> , 2019, 28, 318-335.	2.0	15
56	Alpine Ecosystems and the High-Elevation Treeline. , 2019, , 407-413.		1
57	A bioclimatic characterization of high elevation habitats in the Alborz mountains of Iran. <i>Alpine Botany</i> , 2018, 128, 1-11.	1.1	34
58	Alnus shrub expansion increases evapotranspiration in the Swiss Alps. <i>Regional Environmental Change</i> , 2018, 18, 1375-1385.	1.4	15
59	The 90 ways to describe plant temperature. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 30, 16-21.	1.1	119
60	Concepts in empirical plant ecology. <i>Plant Ecology and Diversity</i> , 2018, 11, 405-428.	1.0	37
61	Losing half the conductive area hardly impacts the water status of mature trees. <i>Scientific Reports</i> , 2018, 8, 15006.	1.6	39
62	Climate and soils together regulate photosynthetic carbon isotope discrimination within C ₃ plants worldwide. <i>Global Ecology and Biogeography</i> , 2018, 27, 1056-1067.	2.7	85
63	Advances in Monitoring and Modelling Climate at Ecologically Relevant Scales. <i>Advances in Ecological Research</i> , 2018, , 101-161.	1.4	146
64	A matter of tree longevity. <i>Science</i> , 2017, 355, 130-131.	6.0	158
65	When metaâ€‘analysis fails: A case about stomata. <i>Global Change Biology</i> , 2017, 23, 2533-2534.	4.2	8
66	A global inventory of mountains for bio-geographical applications. <i>Alpine Botany</i> , 2017, 127, 1-15.	1.1	217
67	Low temperature limits for root growth in alpine species are set by cell differentiation. <i>AoB PLANTS</i> , 2017, 9, plx054.	1.2	24
68	Plant adaptation to cold climates. <i>F1000Research</i> , 2016, 5, 2769.	0.8	110
69	Growth and carbon relations of mature <i>Picea abies</i> trees under 5 years of freeâ€‘air CO ₂ enrichment. <i>Journal of Ecology</i> , 2016, 104, 1720-1733.	1.9	68
70	Carbon and nitrogen stable isotope signals for an entire alpine flora, based on herbarium samples. <i>Alpine Botany</i> , 2016, 126, 153-166.	1.1	25
71	Convergence of leafâ€‘out towards minimum risk of freezing damage in temperate trees. <i>Functional Ecology</i> , 2016, 30, 1480-1490.	1.7	59
72	Where, why and how? Explaining the lowâ€‘temperature range limits of temperate tree species. <i>Journal of Ecology</i> , 2016, 104, 1076-1088.	1.9	171

#	ARTICLE	IF	CITATIONS
73	Belowground carbon trade among tall trees in a temperate forest. <i>Science</i> , 2016, 352, 342-344.	6.0	182
74	Shrub Expansion of <i>Alnus viridis</i> Drives Former Montane Grassland into Nitrogen Saturation. <i>Ecosystems</i> , 2016, 19, 968-985.	1.6	31
75	Emerging opportunities and challenges in phenology: a review. <i>Ecosphere</i> , 2016, 7, e01436.	1.0	225
76	When it gets cold, plant size matters – a comment on treeline. <i>Journal of Vegetation Science</i> , 2016, 27, 6-7.	1.1	29
77	Biomass turnover time in terrestrial ecosystems halved by land use. <i>Nature Geoscience</i> , 2016, 9, 674-678.	5.4	108
78	A dynamic leaf gas-exchange strategy is conserved in woody plants under changing ambient CO ₂ : evidence from carbon isotope discrimination in paleo and CO ₂ enrichment studies. <i>Global Change Biology</i> , 2016, 22, 889-902.	4.2	106
79	Photosynthetic enhancement and diurnal stem and soil carbon fluxes in a mature Norway spruce stand under elevated CO ₂ . <i>Environmental and Experimental Botany</i> , 2016, 124, 110-119.	2.0	10
80	The “island effect”™ in terrestrial global change experiments: a problem with no solution?. <i>AoB PLANTS</i> , 2015, 7, plv092.	1.2	17
81	Water availability predicts forest canopy height at the global scale. <i>Ecology Letters</i> , 2015, 18, 1311-1320.	3.0	87
82	Species specific and environment induced variation of δ ¹³ C and δ ¹⁵ N in alpine plants. <i>Frontiers in Plant Science</i> , 2015, 6, 423.	1.7	31
83	Biogeography of photoautotrophs in the high polar biome. <i>Frontiers in Plant Science</i> , 2015, 6, 692.	1.7	56
84	Respiratory fluxes and fine root responses in mature <i>Picea abies</i> trees exposed to elevated atmospheric CO ₂ concentrations. <i>Biogeochemistry</i> , 2015, 124, 95-111.	1.7	11
85	Paradigm shift in plant growth control. <i>Current Opinion in Plant Biology</i> , 2015, 25, 107-114.	3.5	516
86	Defoliation reduces growth but not carbon reserves in Mediterranean <i>Pinus pinaster</i> trees. <i>Trees - Structure and Function</i> , 2015, 29, 1187-1196.	0.9	44
87	<i>Alnus viridis</i> expansion contributes to excess reactive nitrogen release, reduces biodiversity and constrains forest succession in the Alps. <i>Alpine Botany</i> , 2014, 124, 187-191.	1.1	32
88	The interaction between freezing tolerance and phenology in temperate deciduous trees. <i>Frontiers in Plant Science</i> , 2014, 5, 541.	1.7	229
89	Multiple mycorrhization at the coldest place known for Angiosperm plant life. <i>Alpine Botany</i> , 2014, 124, 193-198.	1.1	30
90	Drought stress, growth and nonstructural carbohydrate dynamics of pine trees in a semi-arid forest. <i>Tree Physiology</i> , 2014, 34, 981-992.	1.4	136

#	ARTICLE	IF	CITATIONS
91	Does carbon storage limit tree growth?. <i>New Phytologist</i> , 2014, 201, 1096-1100.	3.5	212
92	Moving beyond photosynthesis: from carbon source to sink-driven vegetation modeling. <i>New Phytologist</i> , 2014, 201, 1086-1095.	3.5	421
93	Growth and carbon relations of temperate deciduous tree species at their upper elevation range limit. <i>Journal of Ecology</i> , 2014, 102, 1537-1548.	1.9	25
94	Genetic vs. non-genetic responses of leaf morphology and growth to elevation in temperate tree species. <i>Functional Ecology</i> , 2014, 28, 243-252.	1.7	39
95	A climate-based model to predict potential treeline position around the globe. <i>Alpine Botany</i> , 2014, 124, 1-12.	1.1	195
96	Thermal imaging reveals massive heat accumulation in flowers across a broad spectrum of alpine taxa. <i>Alpine Botany</i> , 2014, 124, 27-35.	1.1	44
97	Long-term ¹³ C labeling provides evidence for temporal and spatial carbon allocation patterns in mature <i>Picea abies</i> . <i>Oecologia</i> , 2014, 175, 747-762.	0.9	35
98	Spring frost and growing season length control the cold range limits of broad-leaved trees. <i>Journal of Biogeography</i> , 2014, 41, 773-783.	1.4	105
99	Warum gibt es eine Waldgrenze?. <i>Biologie in Unserer Zeit</i> , 2014, 44, 250-257.	0.3	0
100	Physiological minimum temperatures for root growth in seven common European broad-leaved tree species. <i>Tree Physiology</i> , 2014, 34, 302-313.	1.4	59
101	Spring patterns of freezing resistance and photosynthesis of two leaf phenotypes of <i>Hedera helix</i> . <i>Basic and Applied Ecology</i> , 2014, 15, 543-550.	1.2	10
102	Ecological consequences of the expansion of N ₂ -fixing plants in cold biomes. <i>Oecologia</i> , 2014, 176, 11-24.	0.9	55
103	Photoperiod and temperature responses of bud swelling and bud burst in four temperate forest tree species. <i>Tree Physiology</i> , 2014, 34, 377-388.	1.4	167
104	Earlier leaf-out rather than difference in freezing resistance puts juvenile trees at greater risk of damage than adult trees. <i>Journal of Ecology</i> , 2014, 102, 981-988.	1.9	83
105	How accurately can minimum temperatures at the cold limits of tree species be extrapolated from weather station data?. <i>Agricultural and Forest Meteorology</i> , 2014, 184, 257-266.	1.9	46
106	Mountain ecosystems in a changing environment. <i>Eco Mont</i> , 2014, 6, 71-77.	0.1	7
107	Fruit production in three masting tree species does not rely on stored carbon reserves. <i>Oecologia</i> , 2013, 171, 653-662.	0.9	93
108	Elevational adaptation and plasticity in seedling phenology of temperate deciduous tree species. <i>Oecologia</i> , 2013, 171, 663-678.	0.9	122

#	ARTICLE	IF	CITATIONS
109	Plant species dominance shifts across erosion edgeâ€meadow transects in the Swiss Alps. <i>Oecologia</i> , 2013, 171, 693-703.	0.9	17
110	European deciduous trees exhibit similar safety margins against damage by spring freeze events along elevational gradients. <i>New Phytologist</i> , 2013, 200, 1166-1175.	3.5	144
111	Leaf turnover and herbivory in the tall tussock grass <i>Festuca orthophylla</i> in the Andean Altiplano. <i>Alpine Botany</i> , 2013, 123, 13-20.	1.1	10
112	Central European hardwood trees in a high-CO ₂ future: synthesis of an 8-year forest canopy CO ₂ enrichment project. <i>Journal of Ecology</i> , 2013, 101, 1509-1519.	1.9	141
113	Vegetation of the Earth. , 2013, , 1217-1262.		0
114	Climate and plant cover co-determine the elevational reduction in evapotranspiration in the Swiss Alps. <i>Journal of Hydrology</i> , 2013, 500, 75-83.	2.3	24
115	Tropical forest responses to increasing atmospheric CO ₂ : current knowledge and opportunities for future research. <i>Functional Plant Biology</i> , 2013, 40, 531.	1.1	118
116	On the use of elevation, altitude, and height in the ecological and climatological literature. <i>Oecologia</i> , 2013, 171, 335-337.	0.9	79
117	Hydrological consequences of declining land use and elevated CO ₂ in alpine grassland. <i>Journal of Ecology</i> , 2013, 101, 86-96.	1.9	23
118	Response: complexities of sustainable forest use. <i>GCB Bioenergy</i> , 2013, 5, 1-2.	2.5	20
119	An alpine treeline in a carbon dioxide-rich world: synthesis of a nine-year free-air carbon dioxide enrichment study. <i>Oecologia</i> , 2013, 171, 623-637.	0.9	73
120	Alpine Ecosystems. , 2013, , 148-157.		9
121	Do the elevational limits of deciduous tree species match their thermal latitudinal limits?. <i>Global Ecology and Biogeography</i> , 2013, 22, 913-923.	2.7	52
122	Inter- and intra-annual stable carbon and oxygen isotope signals in response to drought in Mediterranean pines. <i>Agricultural and Forest Meteorology</i> , 2013, 168, 59-68.	1.9	133
123	No slope exposure effect on alpine treeline position in the Three Parallel Rivers Region, SW China. <i>Alpine Botany</i> , 2013, 123, 87-95.	1.1	15
124	A greener Greenland? Climatic potential and long-term constraints on future expansions of trees and shrubs. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120479.	1.8	74
125	Plantâ€Environment Interactions. , 2013, , 1065-1166.		11
126	Early season temperature controls cambial activity and total tree ring width at the alpine treeline. <i>Plant Ecology and Diversity</i> , 2013, 6, 365-375.	1.0	67

#	ARTICLE	IF	CITATIONS
127	Forest soil respiration reflects plant productivity across a temperature gradient in the Alps. <i>Oecologia</i> , 2012, 170, 1143-1154.	0.9	26
128	When growth controls photosynthesis. , 2012, , .		3
129	Variation of mobile carbon reserves in trees at the alpine treeline ecotone is under environmental control. <i>New Phytologist</i> , 2012, 195, 794-802.	3.5	58
130	Photoperiod sensitivity of bud burst in 14 temperate forest tree species. <i>Agricultural and Forest Meteorology</i> , 2012, 165, 73-81.	1.9	288
131	Tree rings and volcanic cooling. <i>Nature Geoscience</i> , 2012, 5, 836-837.	5.4	137
132	Alpine Treelines. , 2012, , .		508
133	Treelines Will be Understood Once the Functional Difference Between a Tree and a Shrub Is. <i>Ambio</i> , 2012, 41, 197-206.	2.8	104
134	Increased nitrate availability in the soil of a mixed mature temperate forest subjected to elevated CO_2 concentration (canopy FACE). <i>Global Change Biology</i> , 2012, 18, 757-768.	4.2	47
135	No growth stimulation by CO_2 enrichment in alpine glacier forefield plants. <i>Global Change Biology</i> , 2012, 18, 985-999.	4.2	69
136	Tree recruitment of European tree species at their current upper elevational limits in the Swiss Alps. <i>Journal of Biogeography</i> , 2012, 39, 1439-1449.	1.4	67
137	Large-scale bioenergy from additional harvest of forest biomass is neither sustainable nor greenhouse gas neutral. <i>GCB Bioenergy</i> , 2012, 4, 611-616.	2.5	252
138	Precipitation manipulation experiments – challenges and recommendations for the future. <i>Ecology Letters</i> , 2012, 15, 899-911.	3.0	411
139	Global patterns of mobile carbon stores in trees at the high-elevation tree line. <i>Global Ecology and Biogeography</i> , 2012, 21, 861-871.	2.7	175
140	Species-specific tree growth responses to 9 years of CO_2 enrichment at the alpine treeline. <i>Journal of Ecology</i> , 2011, 99, 383-394.	1.9	50
141	Mountain biodiversity. <i>Plant Ecology and Diversity</i> , 2011, 4, 301-302.	1.0	66
142	Drought-sensitivity ranking of deciduous tree species based on thermal imaging of forest canopies. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 1632-1640.	1.9	121
143	Do global change experiments overestimate impacts on terrestrial ecosystems?. <i>Trends in Ecology and Evolution</i> , 2011, 26, 236-241.	4.2	300
144	The Grand Challenges in Functional Plant Ecology. <i>Frontiers in Plant Science</i> , 2011, 2, 1.	1.7	155

#	ARTICLE	IF	CITATIONS
145	Topographically controlled thermal-habitat differentiation buffers alpine plant diversity against climate warming. <i>Journal of Biogeography</i> , 2011, 38, 406-416.	1.4	611
146	Impact of recent climatic change on growth of low elevation eastern Mediterranean forest trees. <i>Climatic Change</i> , 2011, 106, 203-223.	1.7	103
147	Elevational species shifts in a warmer climate are overestimated when based on weather station data. <i>International Journal of Biometeorology</i> , 2011, 55, 645-654.	1.3	80
148	Coldest places on earth with angiosperm plant life. <i>Alpine Botany</i> , 2011, 121, 11-22.	1.1	96
149	Fine root traits in adult trees of evergreen and deciduous taxa from low and high elevation in the Alps. <i>Alpine Botany</i> , 2011, 121, 107-112.	1.1	17
150	A definition of mountains and their bioclimatic belts for global comparisons of biodiversity data. <i>Alpine Botany</i> , 2011, 121, 73.	1.1	239
151	Drought at erosion edges selects for a "hidden" keystone species. <i>Plant Ecology and Diversity</i> , 2011, 4, 303-311.	1.0	13
152	Infra-red thermometry of alpine landscapes challenges climatic warming projections. <i>Global Change Biology</i> , 2010, 16, 2602-2613.	4.2	208
153	Sustained enhancement of photosynthesis in mature deciduous forest trees after 8 years of free air CO ₂ enrichment. <i>Planta</i> , 2010, 232, 1115-1125.	1.6	96
154	Phylogenetically balanced evidence for structural and carbon isotope responses in plants along elevational gradients. <i>Oecologia</i> , 2010, 162, 853-863.	0.9	80
155	Rainfall distribution is the main driver of runoff under future CO ₂ concentration in a temperate deciduous forest. <i>Global Change Biology</i> , 2010, 16, 246-254.	4.2	68
156	Reduced early growing season freezing resistance in alpine treeline plants under elevated atmospheric CO ₂ . <i>Global Change Biology</i> , 2010, 16, 1057-1070.	4.2	71
157	No overall stimulation of soil respiration under mature deciduous forest trees after 7 years of CO ₂ enrichment. <i>Global Change Biology</i> , 2010, 16, 2830-2843.	4.2	41
158	Phenology Under Global Warming. <i>Science</i> , 2010, 327, 1461-1462.	6.0	842
159	Response to Warming, Photoperiods, and Tree Phenology. <i>Science</i> , 2010, 329, 278-278.	6.0	25
160	Biomass allocation in herbaceous plants under grazing impact in the high semi-arid Andes. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2010, 205, 695-703.	0.6	56
161	Challenges in elevated CO ₂ experiments on forests. <i>Trends in Plant Science</i> , 2010, 15, 5-10.	4.3	46
162	Tree surface temperature in an urban environment. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 56-62.	1.9	240

#	ARTICLE	IF	CITATIONS
163	Nitrogen status of conifer needles at the alpine treeline. <i>Plant Ecology and Diversity</i> , 2009, 2, 233-241.	1.0	47
164	Poor methodology for predicting large-scale tree die-off. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, E106-E106.	3.3	34
165	Higher plant diversity enhances soil stability in disturbed alpine ecosystems. <i>Plant and Soil</i> , 2009, 324, 91-102.	1.8	186
166	Elevational trends of biodiversity and plant traits do not converge—a test in the Helan Range, NW China. <i>Plant Ecology</i> , 2009, 205, 273-283.	0.7	16
167	Fine root responses of mature deciduous forest trees to free air carbon dioxide enrichment (FACE). <i>Functional Ecology</i> , 2009, 23, 913-921.	1.7	54
168	Growth and carbon relations of tree line forming conifers at constant vs. variable low temperatures. <i>Journal of Ecology</i> , 2009, 97, 57-66.	1.9	94
169	Tropical epiphytes in a CO ₂ -rich atmosphere. <i>Acta Oecologica</i> , 2009, 35, 60-68.	0.5	21
170	Responses of Humid Tropical Trees to Rising CO ₂ . <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2009, 40, 61-79.	3.8	109
171	Windthrow damage in <i>Picea abies</i> is associated with physical and chemical stem wood properties. <i>Trees - Structure and Function</i> , 2008, 22, 463-473.	0.9	19
172	Small differences in arrival time influence composition and productivity of plant communities. <i>New Phytologist</i> , 2008, 177, 698-705.	3.5	150
173	Winter crop growth at low temperature may hold the answer for alpine treeline formation. <i>Plant Ecology and Diversity</i> , 2008, 1, 3-11.	1.0	79
174	The Ecological Significance of Pubescence in <i>Saussurea Medusa</i> , a High-Elevation Himalayan “Woolly Plant”. <i>Arctic, Antarctic, and Alpine Research</i> , 2008, 40, 250-255.	0.4	38
175	Effects of 4years of CO ₂ enrichment on the abundance of leaf-galls and leaf-mines in mature oaks. <i>Acta Oecologica</i> , 2008, 34, 139-146.	0.5	4
176	Tree species diversity affects canopy leaf temperatures in a mature temperate forest. <i>Agricultural and Forest Meteorology</i> , 2007, 146, 29-37.	1.9	172
177	The use of “altitude”™ in ecological research. <i>Trends in Ecology and Evolution</i> , 2007, 22, 569-574.	4.2	2,120
178	Creative Use of Mountain Biodiversity Databases: The Kazbegi Research Agenda of GMBA-DIVERSITAS. <i>Mountain Research and Development</i> , 2007, 27, 276-281.	0.4	16
179	Plant Growth Modelling and Applications: The Increasing Importance of Plant Architecture in Growth Models. <i>Annals of Botany</i> , 2007, 101, 1053-1063.	1.4	220
180	CO ₂ Fertilization: When, Where, How Much?. , 2007, , 9-21.		60

#	ARTICLE	IF	CITATIONS
181	Ecological and Land Use Studies Along Elevational Gradients. Mountain Research and Development, 2007, 27, 58-65.	0.4	135
182	The underestimated importance of belowground carbon input for forest soil animal food webs. Ecology Letters, 2007, 10, 729-736.	3.0	317
183	Recent decline in precipitation and tree growth in the eastern Mediterranean. Global Change Biology, 2007, 13, 1187-1200.	4.2	245
184	Water savings in mature deciduous forest trees under elevated CO ₂ . Global Change Biology, 2007, 13, 2498-2508.	4.2	135
185	Rapid mixing between old and new C pools in the canopy of mature forest trees. Plant, Cell and Environment, 2007, 30, 963-972.	2.8	76
186	Stomatal conductance in mature deciduous forest trees exposed to elevated CO ₂ . Trees - Structure and Function, 2007, 21, 151-159.	0.9	60
187	Climatic treelines: conventions, global patterns, causes. Erdkunde, 2007, 61, 316-324.	0.4	129
188	Canopy CO ₂ enrichment permits tracing the fate of recently assimilated carbon in a mature deciduous forest. New Phytologist, 2006, 172, 319-329.	3.5	130
189	Growth and phenology of mature temperate forest trees in elevated CO ₂ . Global Change Biology, 2006, 12, 848-861.	4.2	114
190	Conifer stem growth at the altitudinal treeline in response to four years of CO ₂ enrichment. Global Change Biology, 2006, 12, 2417-2430.	4.2	75
191	Plant CO ₂ responses: an issue of definition, time and resource supply. New Phytologist, 2006, 172, 393-411.	3.5	552
192	End of season carbon supply status of woody species near the treeline in western China. Basic and Applied Ecology, 2006, 7, 370-377.	1.2	75
193	A Test of Treeline Theory on a Montane Permafrost Island. Arctic, Antarctic, and Alpine Research, 2006, 38, 113-119.	0.4	88
194	Construction costs, chemical composition and payback time of high- and low-irradiance leaves. Journal of Experimental Botany, 2006, 57, 355-371.	2.4	181
195	Inorganic nitrogen storage in alpine snow pack in the Central Alps (Switzerland). Atmospheric Environment, 2005, 39, 2249-2259.	1.9	66
196	Tissue-specific variation of $\delta^{13}C$ in mature canopy trees in a temperate forest in central Europe. Basic and Applied Ecology, 2005, 6, 519-534.	1.2	26
197	Non-structural carbohydrate pools in a tropical forest. Oecologia, 2005, 143, 11-24.	0.9	302
198	Long-term increase in climatic dryness in the East-Mediterranean as evidenced for the island of Samos. Regional Environmental Change, 2005, 5, 27-36.	1.4	72

#	ARTICLE	IF	CITATIONS
199	A TEST OF THE TREELINE CARBON LIMITATION HYPOTHESIS BY IN SITU CO ₂ ENRICHMENT AND DEFOLIATION. <i>Ecology</i> , 2005, 86, 1288-1300.	1.5	119
200	Responses of deciduous forest trees to severe drought in Central Europe. <i>Tree Physiology</i> , 2005, 25, 641-650.	1.4	269
201	Carbon Flux and Growth in Mature Deciduous Forest Trees Exposed to Elevated CO ₂ . <i>Science</i> , 2005, 309, 1360-1362.	6.0	477
202	Mountain Ecosystems: Studies in Treeline Ecology. <i>Eos</i> , 2005, 86, 401.	0.1	2
203	The Green Cover of Mountains in a Changing Environment. <i>Advances in Global Change Research</i> , 2005, , 367-375.	1.6	20
204	Through enhanced tree dynamics carbon dioxide enrichment may cause tropical forests to lose carbon. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 493-498.	1.8	147
205	A world-wide study of high altitude treeline temperatures. <i>Journal of Biogeography</i> , 2004, 31, 713-732.	1.4	1,085
206	Carbon fluxes to the soil in a mature temperate forest assessed by ¹³ C isotope tracing. <i>Oecologia</i> , 2004, 141, 489-501.	0.9	107
207	Altitudinal differences in flower traits and reproductive allocation. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2004, 199, 70-81.	0.6	161
208	Mountain Biodiversity, Its Causes and Function. <i>Ambio</i> , 2004, 33, 11.	2.8	241
209	Mountain biodiversity, its causes and function. <i>Ambio</i> , 2004, Spec No 13, 11-7.	2.8	25
210	The carbon charging of pines at the climatic treeline: a global comparison. <i>Oecologia</i> , 2003, 135, 10-21.	0.9	280
211	Provenance effects and allometry in beech and spruce under elevated CO ₂ and nitrogen on two different forest soils. <i>Basic and Applied Ecology</i> , 2003, 4, 467-478.	1.2	29
212	Seed production and seed quality in a calcareous grassland in elevated CO ₂ . <i>Global Change Biology</i> , 2003, 9, 873-884.	4.2	49
213	Carbon limitation in trees. <i>Journal of Ecology</i> , 2003, 91, 4-17.	1.9	908
214	Nutrients and sink activity drive plant CO ₂ responses – caution with literature-based analysis. <i>New Phytologist</i> , 2003, 159, 537-538.	3.5	54
215	Differential phosphorus and nitrogen effects drive species and community responses to elevated CO ₂ in semi-arid grassland. <i>Functional Ecology</i> , 2003, 17, 766-777.	1.7	42
216	ATMOSPHERIC SCIENCE: Slow in, Rapid out – Carbon Flux Studies and Kyoto Targets. <i>Science</i> , 2003, 300, 1242-1243.	6.0	279

#	ARTICLE	IF	CITATIONS
217	The Role of Photoperiodism in Alpine Plant Development. <i>Arctic, Antarctic, and Alpine Research</i> , 2003, 35, 361-368.	0.4	140
218	Ecological impacts of atmospheric CO ₂ enrichment on terrestrial ecosystems. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2003, 361, 2023-2041.	1.6	84
219	Alpine Plant Life. , 2003, , .		1,691
220	Web-FACE: a new canopy free-air CO ₂ enrichment system for tall trees in mature forests. <i>Oecologia</i> , 2002, 133, 1-9.	0.9	139
221	Source/sink removal affects mobile carbohydrates in <i>Pinus cembra</i> at the Swiss treeline. <i>Trees - Structure and Function</i> , 2002, 16, 331-337.	0.9	165
222	Mechanical properties of spruce and beech wood grown in elevated CO ₂ . <i>Trees - Structure and Function</i> , 2002, 16, 511-518.	0.9	21
223	Altitudinal increase of mobile carbon pools in <i>Pinus cembra</i> suggests sink limitation of growth at the Swiss treeline. <i>Oikos</i> , 2002, 98, 361-374.	1.2	339
224	In deep shade, elevated CO ₂ increases the vigor of tropical climbing plants. <i>Global Change Biology</i> , 2002, 8, 1109-1117.	4.2	156
225	Atmospheric CO ₂ enrichment of alpine treeline conifers. <i>New Phytologist</i> , 2002, 156, 363-375.	3.5	124
226	Growth, water and nitrogen relations in grassland model ecosystems of the semi-arid Negev of Israel exposed to elevated CO ₂ . <i>Oecologia</i> , 2001, 128, 251-262.	0.9	58
227	Downward adjustment of carbon fluxes at the biochemical, leaf, and ecosystem scale in beech-spruce model communities exposed to long-term atmospheric CO ₂ enrichment. <i>Oikos</i> , 2001, 92, 279-290.	1.2	23
228	Genotype×elevated CO ₂ interaction and allocation in calcareous grassland species. <i>New Phytologist</i> , 2001, 151, 637-645.	3.5	10
229	GIS analysis of tree-line elevation in the Swiss Alps suggests no exposure effect. <i>Journal of Vegetation Science</i> , 2001, 12, 817-824.	1.1	62
230	Biosphere Responses to CO ₂ Enrichment. , 2000, 10, 1590.		25
231	Tree seedling responses to in situ CO ₂ -enrichment differ among species and depend on understorey light availability. <i>Global Change Biology</i> , 2000, 6, 213-226.	4.2	75
232	Soil moisture effects determine CO ₂ responses of grassland species. <i>Oecologia</i> , 2000, 125, 380-388.	0.9	139
233	BIOSPHERE RESPONSES TO CO ₂ ENRICHMENT. , 2000, 10, 1590-1619.		130
234	Why are there global gradients in species richness? mountains might hold the answer. <i>Trends in Ecology and Evolution</i> , 2000, 15, 513-514.	4.2	294

#	ARTICLE	IF	CITATIONS
235	A field study of the effects of elevated CO ₂ on plant biomass and community structure in a calcareous grassland. <i>Oecologia</i> , 1999, 118, 39-49.	0.9	144
236	Alpine Plant Life. , 1999, , .		637
237	Tropical Forests in a Co ₂ -Rich World. <i>Climatic Change</i> , 1998, 39, 297-315.	1.7	51
238	A re-assessment of high elevation treeline positions and their explanation. <i>Oecologia</i> , 1998, 115, 445-459.	0.9	1,101
239	Effects of elevated CO ₂ and phosphorus addition on productivity and community composition of intact monoliths from calcareous grassland. <i>Oecologia</i> , 1998, 116, 50-56.	0.9	80
240	Nutrient relations in calcareous grassland under elevated CO ₂ . <i>Oecologia</i> , 1998, 116, 67-75.	0.9	89
241	Leaf carbohydrate responses to CO ₂ enrichment at the top of a tropical forest. <i>Oecologia</i> , 1998, 116, 18-25.	0.9	43
242	Effects of elevated CO ₂ and soil quality on leaf gas exchange and above-ground growth in beech-spruce model ecosystems. <i>New Phytologist</i> , 1998, 140, 185-196.	3.5	56
243	Leaf carbohydrate responses to CO ₂ . <i>Oecologia</i> , 1998, 116, 18.	0.9	27
244	The responses of alpine grassland to four seasons of CO ₂ enrichment: a synthesis. <i>Acta Oecologica</i> , 1997, 18, 165-175.	0.5	104
245	In situ stomatal responses to long-term CO ₂ enrichment in calcareous grassland plants. <i>Acta Oecologica</i> , 1997, 18, 221-229.	0.5	38
246	Morphological adjustments of mature <i>Quercus ilex</i> trees to elevated CO ₂ . <i>Acta Oecologica</i> , 1997, 18, 361-365.	0.5	38
247	Biomass allocation and canopy development in spruce model ecosystems under elevated CO ₂ and increased N deposition. <i>Oecologia</i> , 1997, 113, 104-114.	0.9	84
248	Thirty years of in situ tree growth under elevated CO ₂ : a model for future forest responses?. <i>Global Change Biology</i> , 1997, 3, 463-471.	4.2	231
249	Effects of elevated CO ₂ and increased nitrogen deposition on photosynthesis and growth of understory plants in spruce model ecosystems. <i>Oecologia</i> , 1996, 106, 172-180.	0.9	48
250	Growth responses of an alpine grassland to elevated CO ₂ . <i>Oecologia</i> , 1996, 105, 43-52.	0.9	126
251	Long-term persistence in a changing climate: DNA analysis suggests very old ages of clones of alpine <i>Carex curvula</i> . <i>Oecologia</i> , 1996, 105, 94-99.	0.9	197
252	A simple method for testing leaf responses of tall tropical forest trees to elevated CO ₂ . <i>Oecologia</i> , 1996, 107, 421-425.	0.9	47

#	ARTICLE	IF	CITATIONS
253	Responses of soil microbiota of a late successional alpine grassland to long term CO ₂ enrichment. <i>Plant and Soil</i> , 1996, 184, 219-229.	1.8	66
254	System-level adjustments to elevated CO ₂ in model spruce ecosystems. <i>Global Change Biology</i> , 1996, 2, 377-387.	4.2	69
255	Increase in tree-ring width in subalpine <i>Pinus cembra</i> from the central Alps that may be CO ₂ -related. <i>Trees - Structure and Function</i> , 1995, 9, 181.	0.9	78
256	Responses of shoot and root gas exchange, leaf blade expansion and biomass production to pulses of elevated CO ₂ in hydroponic wheat. <i>Journal of Experimental Botany</i> , 1995, 46, 1661-1667.	2.4	14
257	Biodiversity and CO ₂ : Global Change is Under Way. <i>Gaia</i> , 1995, 4, 234-243.	0.3	32
258	Long term effects of naturally elevated CO ₂ on mediterranean grassland and forest trees. <i>Oecologia</i> , 1994, 99, 343-351.	0.9	250
259	Influence of elevated CO ₂ on canopy development and red:far-red ratios in two-storied stands of <i>Ricinus communis</i> . <i>Oecologia</i> , 1993, 94, 510-515.	0.9	21
260	80th birthday.. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1989, 182, 353-383.	0.6	255
261	Does Global Increase of CO ₂ Alter Stomatal Density?. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1988, 181, 253-257.	0.6	79
262	Altitudinal Variation of Leaf Diffusive Conductance and Leaf Anatomy in Heliophytes of Montane New Guinea and their Interrelation with Microclimate. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1983, 174, 91-135.	0.6	98