## Junhui Chen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1326710/publications.pdf

Version: 2024-02-01

331670 377865 1,197 42 21 34 h-index citations g-index papers 44 44 44 1223 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Analysis of alkaloids in Coptis chinensis Franch by accelerated solvent extraction combined with ultra performance liquid chromatographic analysis with photodiode array and tandem mass spectrometry detections. Analytica Chimica Acta, 2008, 613, 184-195.	5.4	159
2	Analysis of major alkaloids in <b><i>Rhizoma coptidis</i></b> by capillary electrophoresisâ€electrosprayâ€time of flight mass spectrometry with different background electrolytes. Electrophoresis, 2008, 29, 2135-2147.	2.4	94
3	Separation and identification of water-soluble salvianolic acids from Salvia miltiorrhiza Bunge by high-speed counter-current chromatography and ESI-MS analysis. Talanta, 2006, 69, 172-179.	5.5	84
4	Simultaneous determination of neonicotinoids and fipronil and its metabolites in environmental water from coastal bay using disk-based solid-phase extraction and high-performance liquid chromatography–tandem mass spectrometry. Chemosphere, 2019, 234, 224-231.	8.2	63
5	Determination of four major saponins in the seeds of Aesculus chinensis Bunge using accelerated solvent extraction followed by high-performance liquid chromatography and electrospray-time of flight mass spectrometry. Analytica Chimica Acta, 2007, 596, 273-280.	5.4	49
6	Detection, occurrence and monthly variations of typical lipophilic marine toxins associated with diarrhetic shellfish poisoning in the coastal seawater of Qingdao City, China. Chemosphere, 2014, 111, 560-567.	8.2	49
7	Screening of lipophilic marine toxins in marine aquaculture environment using liquid chromatography–mass spectrometry. Chemosphere, 2017, 168, 32-40.	8.2	46
8	Cultivation of the benthic microalga Prorocentrum lima for the production of diarrhetic shellfish poisoning toxins in a vertical flat photobioreactor. Bioresource Technology, 2015, 179, 243-248.	9.6	43
9	Occurrence and distribution of marine natural organic pollutants: Lipophilic marine algal toxins in the Yellow Sea and the Bohai Sea, China. Science of the Total Environment, 2018, 612, 931-939.	8.0	37
10	Determination of typical lipophilic marine toxins in marine sediments from three coastal bays of China using liquid chromatography–tandem mass spectrometry after accelerated solvent extraction. Marine Pollution Bulletin, 2015, 101, 954-960.	5.0	35
11	GCâ€MS fingerprints for discrimination of <i>Ligusticum chuanxiong </i> from Angelica. Journal of Separation Science, 2008, 31, 3231-3237.	2.5	33
12	Quality control method for commercially available wild Jujube leaf tea based on HPLC characteristic fingerprint analysis of flavonoid compounds. Journal of Separation Science, 2014, 37, 45-52.	2.5	33
13	Simultaneous screening for lipophilic and hydrophilic toxins in marine harmful algae using a serially coupled reversed-phase and hydrophilic interaction liquid chromatography separation system with high-resolution mass spectrometry. Analytica Chimica Acta, 2016, 914, 117-126.	5.4	32
14	Simple determination of six groups of lipophilic marine algal toxins in seawater by automated on-line solid phase extraction coupled to liquid chromatography-tandem mass spectrometry. Chemosphere, 2021, 262, 128374.	8.2	30
15	Occurrence, distribution, source, and influencing factors of lipophilic marine algal toxins in Laizhou Bay, Bohai Sea, China. Marine Pollution Bulletin, 2020, 150, 110789.	5.0	28
16	Development of a quality evaluation system for Panax quinquefolium. L based on HPLC chromatographic fingerprinting of seven major ginsenosides. Microchemical Journal, 2007, 85, 201-208.	4.5	24
17	Profiling of Extracellular Toxins Associated with Diarrhetic Shellfish Poison in Prorocentrum lima Culture Medium by High-Performance Liquid Chromatography Coupled with Mass Spectrometry. Toxins, 2017, 9, 308.	3.4	24
18	Distribution, partitioning, and seasonal variation of lipophilic marine algal toxins in aquatic environments of a typical semi-closed mariculture bay. Environmental Pollution, 2019, 255, 113299.	7.5	24

#	Article	IF	Citations
19	Simultaneous determination of eight neonicotinoid insecticides, fipronil and its three transformation products in sediments by continuous solvent extraction coupled with liquid chromatography-tandem mass spectrometry. Ecotoxicology and Environmental Safety, 2020, 189, 110002.	6.0	24
20	Progress on the investigation and monitoring of marine phycotoxins in China. Harmful Algae, 2022, 111, 102152.	4.8	24
21	Multi-residue method for the confirmation of four avermectin residues in food products of animal origin by ultra-performance liquid chromatography–tandem mass spectrometry. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2011, 28, 627-639.	2.3	23
22	Spatiotemporal variations, sources and health risk assessment of perfluoroalkyl substances in a temperate bay adjacent to metropolis, North China. Environmental Pollution, 2020, 265, 115011.	7.5	23
23	Simultaneous determination nucleosides in marine organisms using ultrasoundâ€assisted extraction followed by hydrophilic interaction liquid chromatography–electrospray ionization timeâ€ofâ€flight mass spectrometry. Journal of Separation Science, 2011, 34, 2594-2601.	2.5	20
24	Rapid screening and identification of the antioxidants in <i>Hippocampus japonicus</i> Kaup by HPLCâ€ESlâ€TOF/MS and onâ€line ABTS free radical scavenging assay. Journal of Separation Science, 2010, 33, 672-677.	2.5	19
25	First determination of extracellular paralytic shellfish poisoning toxins in the culture medium of toxigenic dinoflagellates by HILIC–HRMS. Ecotoxicology and Environmental Safety, 2020, 204, 111042.	6.0	15
26	Fingerprint chromatogram analysis of Pseudostellaria heterophylla (Miq.) Pax root by high performance liquid chromatography. Journal of Separation Science, 2006, 29, 2197-2202.	2.5	14
27	Distribution Characteristics and Environmental Control Factors of Lipophilic Marine Algal Toxins in Changjiang Estuary and the Adjacent East China Sea. Toxins, 2019, 11, 596.	3.4	14
28	Spatial distribution, vertical profiles and transport of legacy and emerging per- and polyfluoroalkyl substances in the Indian Ocean. Journal of Hazardous Materials, 2022, 437, 129264.	12.4	14
29	Development of an impurityâ€profiling method for source identification of spilled benzene series compounds by gas chromatography with mass spectrometry: Toluene as a case study. Journal of Separation Science, 2015, 38, 3198-3204.	2.5	13
30	Pollution status, influencing factors and environmental risks of neonicotinoids, fipronil and its metabolites in a typical semi-closed bay in China. Environmental Pollution, 2021, 291, 118210.	7.5	13
31	Potent allelopathy and non-PSTs, non-spirolides toxicity of the dinoflagellate Alexandrium leei to phytoplankton, finfish and zooplankton observed from laboratory bioassays. Science of the Total Environment, 2021, 780, 146484.	8.0	12
32	Rising CO2 will increase toxicity of marine dinoflagellate Alexandrium minutum. Journal of Hazardous Materials, 2022, 431, 128627.	12.4	11
33	On-line screening of natural antioxidants and the antioxidant activity prediction for the extracts from flowers of Chrysanthemum morifolium ramat. Journal of Ethnopharmacology, 2022, 294, 115336.	4.1	11
34	Separation and purification of two minor typical diarrhetic shellfish poisoning toxins from harmful marine microalgae via combined liquid chromatography with mass spectrometric detection. Journal of Separation Science, 2017, 40, 2906-2913.	2.5	10
35	Immobilization of Cyclooxygenase-2 on Silica Gel Microspheres: Optimization and Characterization. Molecules, 2015, 20, 19971-19983.	3.8	9
36	Dereplication of Known Nucleobase and Nucleoside Compounds in Natural Product Extracts by Capillary Electrophoresis-High Resolution Mass Spectrometry. Molecules, 2015, 20, 5423-5437.	3.8	9

#	Article	IF	CITATIONS
37	Monitoring and warning of lipophilic marine algal toxins in mariculture zone based on toxin profiles of phytoplankton. Ecotoxicology and Environmental Safety, 2020, 197, 110647.	6.0	8
38	Rapid finding and quantification of the major antioxidant in water extracts of three marine drug organisms from China by online HPLC-DAD/MS-DPPH. Natural Product Research, 2012, 26, 873-877.	1.8	7
39	Aqueous photodegradation of okadaic acid and dinophysistoxin-1: Persistence, kinetics, photoproducts, pathways, and toxicity evaluation. Science of the Total Environment, 2020, 743, 140593.	8.0	6
40	Separation and Identification of Ergosta-4,6,8(14),22-tetraen-3-one from Ganoderma atrum by High-Speed Counter-Current Chromatography and Spectroscopic Methods. Chromatographia, 2008, 67, 999-1001.	1.3	3
41	Novel Non-paralytic Shellfish Toxin and Non-spirolide Toxicity to Finfish, Brine Shrimp, and Rotifer Observed in a Culture of the Dinoflagellate Alexandrium insuetum Isolated From the Coastal Water of China. Frontiers in Marine Science, 2021, 8, .	2.5	3
42	Preparation and Characteristic Research of Immobilized Acetylcholinesterase. Acta Chimica Sinica, 2012, 70, 624.	1.4	1