

Ding-Wei Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1326971/publications.pdf>

Version: 2024-02-01

123
papers

2,084
citations

279798
23
h-index

345221
36
g-index

127
all docs

127
docs citations

127
times ranked

3070
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic value and immune infiltration of novel signatures in clear cell renal cell carcinoma microenvironment. <i>Aging</i> , 2019, 11, 6999-7020.	3.1	163
2	Prostate cancer in East Asia: evolving trend over the last decade. <i>Asian Journal of Andrology</i> , 2015, 17, 48.	1.6	90
3	Inactivation of the AMPK-GATA3-ECHS1 Pathway Induces Fatty Acid Synthesis That Promotes Clear Cell Renal Cell Carcinoma Growth. <i>Cancer Research</i> , 2020, 80, 319-333.	0.9	90
4	Preoperative lymphocyte-monocyte and platelet-lymphocyte ratios as predictors of overall survival in patients with bladder cancer undergoing radical cystectomy. <i>Tumor Biology</i> , 2015, 36, 8537-8543.	1.8	71
5	A Multicentre Evaluation of the Role of the Prostate Health Index (PHI) in Regions with Differing Prevalence of Prostate Cancer: Adjustment of PHI Reference Ranges is Needed for European and Asian Settings. <i>European Urology</i> , 2019, 75, 558-561.	1.9	64
6	MicroRNA-302a Suppresses Tumor Cell Proliferation by Inhibiting AKT in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0124410.	2.5	58
7	Metabolic syndrome and renal cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2014, 12, 236.	1.9	46
8	Surgical management of penile carcinoma <i>in situ</i> : results from an international collaborative study and review of the literature. <i>BJU International</i> , 2018, 121, 393-398.	2.5	45
9	Long noncoding RNA expression signatures of bladder cancer revealed by microarray. <i>Oncology Letters</i> , 2014, 7, 1197-1202.	1.8	41
10	Relationship between circumcision and human papillomavirus infection: a systematic review and meta-analysis. <i>Asian Journal of Andrology</i> , 2017, 19, 125.	1.6	39
11	Hexokinase 3 dysfunction promotes tumorigenesis and immune escape by upregulating monocyte/macrophage infiltration into the clear cell renal cell carcinoma microenvironment. <i>International Journal of Biological Sciences</i> , 2021, 17, 2205-2222.	6.4	36
12	Impact of preoperative 5 α -reductase inhibitors on perioperative blood loss in patients with benign prostatic hyperplasia: a meta-analysis of randomized controlled trials. <i>BMC Urology</i> , 2015, 15, 47.	1.4	33
13	Evaluation of fine particles in surgical smoke from an urologist's operating room by time and by distance. <i>International Urology and Nephrology</i> , 2015, 47, 1671-1678.	1.4	33
14	Critical appraisal of sorafenib in the treatment of Chinese patients with renal cell carcinoma. <i>OncoTargets and Therapy</i> , 2014, 7, 925.	2.0	32
15	Extent of pelvic lymph node dissection in penile cancer may impact survival. <i>World Journal of Urology</i> , 2016, 34, 353-359.	2.2	32
16	Management of patients with advanced prostate cancer in the Asia Pacific region: a "real-world" consideration of results from the Advanced Prostate Cancer Consensus Conference (APCCC) 2017. <i>BJU International</i> , 2019, 123, 22-34.	2.5	32
17	Combination of circulating tumor cell enumeration and tumor marker detection in predicting prognosis and treatment effect in metastatic castration-resistant prostate cancer. <i>Oncotarget</i> , 2015, 6, 41825-41836.	1.8	29
18	Evaluation of ^{99m} Tc-labeled PSMA-SPECT/CT imaging in prostate cancer patients who have undergone biochemical relapse. <i>Asian Journal of Andrology</i> , 2017, 19, 267.	1.6	29

#	ARTICLE	IF	CITATIONS
19	Elevated CD36 expression correlates with increased visceral adipose tissue and predicts poor prognosis in ccRCC patients. <i>Journal of Cancer</i> , 2019, 10, 4522-4531.	2.5	29
20	Screening and Identification of Potential Prognostic Biomarkers in Adrenocortical Carcinoma. <i>Frontiers in Genetics</i> , 2019, 10, 821.	2.3	28
21	Large-scale transcriptome profiles reveal robust 20-signatures metabolic prediction models and novel role of G6PC in clear cell renal cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9012-9027.	3.6	28
22	Reactive stroma component COL6A1 is upregulated in castration-resistant prostate cancer and promotes tumor growth. <i>Oncotarget</i> , 2015, 6, 14488-14496.	1.8	27
23	Laser ablation as monotherapy for penile squamous cell carcinoma: A multi-center cohort analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 147-152.	1.6	26
24	Sorafenib versus sunitinib as first-line treatment agents in Chinese patients with metastatic renal cell carcinoma: the largest multicenter retrospective analysis of survival and prognostic factors. <i>BMC Cancer</i> , 2017, 17, 16.	2.6	25
25	Predicting the failure of retrograde ureteral stent insertion for managing malignant ureteral obstruction in outpatients. <i>Oncology Letters</i> , 2016, 11, 879-883.	1.8	24
26	An Integrated Score and Nomogram Combining Clinical and Immunohistochemistry Factors to Predict High ISUP Grade Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2018, 8, 634.	2.8	24
27	Pretreatment neutrophil-to-lymphocyte ratio predicts prognosis in patients with metastatic renal cell carcinoma receiving targeted therapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 373-378.	2.2	23
28	Elevated MRE11 expression associated with progression and poor outcome in prostate cancer. <i>Journal of Cancer</i> , 2019, 10, 4333-4340.	2.5	23
29	Chemokine Receptors CXCR4 and CXCR7 are Associated with Tumor Aggressiveness and Prognosis in Extramammary Paget Disease. <i>Journal of Cancer</i> , 2017, 8, 2471-2477.	2.5	22
30	Modification of American Joint Committee on cancer prognostic groups for renal cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 5431-5438.	2.8	21
31	Serum testosterone level predicts the effective time of androgen deprivation therapy in metastatic prostate cancer patients. <i>Asian Journal of Andrology</i> , 2017, 19, 178.	1.6	21
32	Prevalence of comprehensive <scp>DNA</scp> damage repair gene germline mutations in Chinese prostate cancer patients. <i>International Journal of Cancer</i> , 2021, 148, 673-681.	5.1	20
33	Prognostic significance of the TREK-1 K2P potassium channels in prostate cancer. <i>Oncotarget</i> , 2015, 6, 18460-18468.	1.8	20
34	Construction of an immune-related LncRNA signature with prognostic significance for bladder cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 4326-4339.	3.6	19
35	Decreased SPTLC1 expression predicts worse outcomes in ccRCC patients. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 1552-1562.	2.6	18
36	Pathological Features of Localized Prostate Cancer in China: A Contemporary Analysis of Radical Prostatectomy Specimens. <i>PLoS ONE</i> , 2015, 10, e0121076.	2.5	18

#	ARTICLE	IF	CITATIONS
37	Extended versus non-extended lymphadenectomy during radical cystectomy for patients with bladder cancer: a meta-analysis of the effect on long-term and short-term outcomes. <i>World Journal of Surgical Oncology</i> , 2019, 17, 225.	1.9	17
38	A Multicenter, Randomized Clinical Trial Comparing the Three-Weekly Docetaxel Regimen plus Prednisone versus Mitoxantone plus Prednisone for Chinese Patients with Metastatic Castration Refractory Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0117002.	2.5	17
39	Prognostic value of epithelial-mesenchymal transition markers in clear cell renal cell carcinoma. <i>Aging</i> , 2020, 12, 866-883.	3.1	17
40	The association between metabolic syndrome and advanced prostate cancer in Chinese patients receiving radical prostatectomy. <i>Asian Journal of Andrology</i> , 2015, 17, 839.	1.6	17
41	Identification of seven long noncoding RNAs signature for prediction of biochemical recurrence in prostate cancer. <i>Asian Journal of Andrology</i> , 2019, 21, 618.	1.6	17
42	Phenotypes of circulating tumour cells predict time to castration resistance in metastatic castration-sensitive prostate cancer. <i>BJU International</i> , 2019, 124, 258-267.	2.5	16
43	Development and external validation of a prostate health index-based nomogram for predicting prostate cancer. <i>Scientific Reports</i> , 2015, 5, 15341.	3.3	15
44	Assessment of survival of patients with metastatic clear cell renal cell carcinoma after radical cytoreductive nephrectomy versus no surgery: a SEER analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 288-295.	1.5	15
45	Glansectomy as Primary Management of Penile Squamous Cell Carcinoma: An International Study Collaboration. <i>Urology</i> , 2017, 109, 140-144.	1.0	15
46	Genetic variations of the ADIPOQ gene and risk of prostate cancer in Chinese Han men. <i>Asian Journal of Andrology</i> , 2014, 16, 878.	1.6	15
47	Camrelizumab plus famitinib for advanced or metastatic urothelial carcinoma after platinum-based therapy: data from a multicohort phase 2 study. , 2022, 10, e004427.		15
48	Testicular desmoplastic small round cell tumor: a case report and review of literature. <i>World Journal of Surgical Oncology</i> , 2014, 12, 227.	1.9	14
49	Important Therapeutic Considerations in T1b Penile Cancer: Prognostic Significance and Adherence to Treatment Guidelines. <i>Annals of Surgical Oncology</i> , 2019, 26, 685-691.	1.5	14
50	The Value of 99mTc-PSMA SPECT/CT-Guided Surgery for Identifying and Locating Lymph Node Metastasis in Prostate Cancer Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 653-659.	1.5	14
51	Camrelizumab plus Famitinib in Patients with Advanced or Metastatic Renal Cell Carcinoma: Data from an Open-label, Multicenter Phase II Basket Study. <i>Clinical Cancer Research</i> , 2021, 27, 5838-5846.	7.0	14
52	Clinicopathological and prognostic factors for long-term survival in Chinese patients with metastatic renal cell carcinoma treated with sorafenib: a single-center retrospective study. <i>Oncotarget</i> , 2015, 6, 36870-36883.	1.8	14
53	Serum lipid profiles: novel biomarkers predicting advanced prostate cancer in patients receiving radical prostatectomy. <i>Asian Journal of Andrology</i> , 2015, 17, 239.	1.6	14
54	Procollagen-lysine, 2-oxoglutarate 5-dioxygenases 1, 2, and 3 are potential prognostic indicators in patients with clear cell renal cell carcinoma. <i>Aging</i> , 2019, 11, 6503-6521.	3.1	13

#	ARTICLE	IF	CITATIONS
55	Surgical treatment of primary disease for penile squamous cell carcinoma: A Surveillance, Epidemiology, and End Results database analysis. <i>Oncology Letters</i> , 2015, 10, 85-92.	1.8	12
56	Functional variants of the 5-methyltetrahydrofolate-homocysteine methyltransferase gene significantly increase susceptibility to prostate cancer: Results from an ethnic Han Chinese population. <i>Scientific Reports</i> , 2016, 6, 36264.	3.3	12
57	Low serum prostate-specific antigen level predicts poor outcomes in patients with primary neuroendocrine prostate cancer. <i>Prostate</i> , 2019, 79, 1563-1571.	2.3	12
58	Prognostic implication and functional annotations of Rad50 expression in patients with prostate cancer. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 3124-3134.	2.6	12
59	Prostate cancer and prostatic diseases Best of China, 2018. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 1-2.	3.9	11
60	<p>High Expression of CD39 is Associated with Poor Prognosis and Immune Infiltrates in Clear Cell Renal Cell Carcinoma</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10453-10464.	2.0	11
61	Prognostic significance of the degree of extranodal extension in patients with penile carcinoma. <i>Asian Journal of Andrology</i> , 2014, 16, 437.	1.6	11
62	Nephrometry score-guided off-clamp laparoscopic partial nephrectomy: patient selection and short-time functional results. <i>World Journal of Surgical Oncology</i> , 2016, 14, 163.	1.9	10
63	Waist-hip Ratio (WHR), a Better Predictor for Prostate Cancer than Body Mass Index (BMI): Results from a Chinese Hospital-based Biopsy Cohort. <i>Scientific Reports</i> , 2017, 7, 43551.	3.3	10
64	Construction of a robust prognostic model for adult adrenocortical carcinoma: Results from bioinformatics and real-world data. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3898-3911.	3.6	10
65	Conditional survival among patients with adrenal cortical carcinoma determined using a national population-based surveillance, epidemiology, and end results registry. <i>Oncotarget</i> , 2015, 6, 44955-44962.	1.8	10
66	Genitourinary small-cell carcinoma: 11-year treatment experience. <i>Asian Journal of Andrology</i> , 2014, 16, 705.	1.6	10
67	Performance of the Prostate Health Index in predicting prostate biopsy outcomes among men with a negative digital rectal examination and transrectal ultrasonography. <i>Asian Journal of Andrology</i> , 2016, 18, 633.	1.6	10
68	Identification of prognostic biomarkers in papillary renal cell carcinoma and PTTG1 may serve as a biomarker for predicting immunotherapy response. <i>Annals of Medicine</i> , 2022, 54, 211-226.	3.8	10
69	Smoking increased the risk of prostate cancer with grade group 4 and intraductal carcinoma in a prospective biopsy cohort. <i>Prostate</i> , 2017, 77, 984-989.	2.3	9
70	National Comprehensive Cancer Network (NCCN) risk classification in predicting biochemical recurrence after radical prostatectomy: a retrospective cohort study in Chinese prostate cancer patients. <i>Asian Journal of Andrology</i> , 2018, 20, 551.	1.6	9
71	Optical biopsy of bladder cancer using confocal laser endomicroscopy. <i>International Urology and Nephrology</i> , 2019, 51, 1473-1479.	1.4	9
72	Development and validation of a robust multigene signature as an aid to predict early relapse in stage I-III clear cell and papillary renal cell cancer. <i>Journal of Cancer</i> , 2020, 11, 997-1007.	2.5	9

#	ARTICLE	IF	CITATIONS
73	Influence of age on predictiveness of genetic risk score for prostate cancer in a Chinese hospital-based biopsy cohort. <i>Oncotarget</i> , 2015, 6, 22978-22984.	1.8	9
74	Comparison of two adjuvant hormone therapy regimens in patients with high-risk localized prostate cancer after radical prostatectomy: primary results of study CU1005. <i>Asian Journal of Andrology</i> , 2016, 18, 452.	1.6	9
75	Factors influencing biochemical recurrence in patients who have received salvage radiotherapy after radical prostatectomy: a systematic review and meta-analysis. <i>Asian Journal of Andrology</i> , 2017, 19, 493.	1.6	9
76	External validation and newly development of a nomogram to predict overall survival of abiraterone-treated, castration-resistant patients with metastatic prostate cancer. <i>Asian Journal of Andrology</i> , 2018, 20, 184.	1.6	9
77	Prognosis of rare pathological primary urethral carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 6815-6822.	1.9	8
78	A single nucleotide polymorphism in CYP1B1 leads to differential prostate cancer risk and telomere length. <i>Journal of Cancer</i> , 2018, 9, 269-274.	2.5	8
79	Intravesical Recurrence After Radical Nephroureterectomy of Upper Urinary Tract Urothelial Carcinoma: A Large Population-Based Investigation of Clinicopathologic Characteristics and Survival Outcomes. <i>Frontiers in Surgery</i> , 2021, 8, 590448.	1.4	8
80	Outcomes of perineal urethrostomy for penile cancer: A 20-year international multicenter experience. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 500.e9-500.e13.	1.6	8
81	The Role of Serine Peptidase Inhibitor Kazal Type 13 (SPINK13) as a Clinicopathological and Prognostic Biomarker in Patients with Clear Cell Renal Cell Carcinoma. <i>Medical Science Monitor</i> , 2019, 25, 9458-9470.	1.1	8
82	Oral etoposide and oral prednisone for the treatment of castration resistant prostate cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 82-85.	1.9	7
83	Preneoplastic and Primary Scrotal Cancer. <i>Urologic Clinics of North America</i> , 2016, 43, 523-530.	1.8	7
84	MTHFR c.677C>T Inhibits Cell Proliferation and Decreases Prostate Cancer Susceptibility in the Han Chinese Population in Shanghai. <i>Scientific Reports</i> , 2016, 6, 36290.	3.3	7
85	Genetic variants in RTEL1 influencing telomere length are associated with prostate cancer risk. <i>Journal of Cancer</i> , 2019, 10, 6170-6174.	2.5	7
86	Development and validation of a nomogram including lymphocyte-to-monocyte ratio for initial prostate biopsy: a double-center retrospective study. <i>Asian Journal of Andrology</i> , 2021, 23, 41.	1.6	7
87	Association of glutathione S-transferase T1 and M1 polymorphisms with prostate cancer susceptibility in populations of Asian descent: a meta-analysis. <i>Oncotarget</i> , 2015, 6, 35843-35850.	1.8	7
88	Prostate volume does not provide additional predictive value to prostate health index for prostate cancer or clinically significant prostate cancer: results from a multicenter study in China. <i>Asian Journal of Andrology</i> , 2020, 22, 539.	1.6	7
89	Alkaline phosphatase velocity in nonmetastatic CRPC. <i>Nature Reviews Urology</i> , 2014, 11, 666-667.	3.8	6
90	The Prognostic Value of Programmed Death-Ligand 1 in a Chinese Cohort With Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 879.	2.8	6

#	ARTICLE	IF	CITATIONS
91	Eosinophil percentage elevation as a prognostic factor for overall survival in patients with metastatic renal cell carcinoma treated with tyrosine kinase inhibitor. <i>Oncotarget</i> , 2016, 7, 68943-68953.	1.8	6
92	Clinical activity of abiraterone plus prednisone in docetaxel-naïve and docetaxel-resistant Chinese patients with metastatic castration-resistant prostate cancer. <i>Asian Journal of Andrology</i> , 2019, 21, 131.	1.6	6
93	Increased expression of tribbles homolog 3 predicts poor prognosis and correlates with tumor immunity in clear cell renal cell carcinoma: a bioinformatics study. <i>Bioengineered</i> , 2022, 13, 14000-14012.	3.2	6
94	Effect of Body mass index on the performance characteristics of PSA-related markers to detect prostate cancer. <i>Scientific Reports</i> , 2016, 6, 19034.	3.3	5
95	Functional variants in the low-density lipoprotein receptor gene are associated with clear cell renal cell carcinoma susceptibility. <i>Carcinogenesis</i> , 2017, 38, 1241-1248.	2.8	5
96	Evaluation of the major changes in eighth edition of the American Joint Committee on Cancer pathological staging for prostate cancer treated with prostatectomy. <i>PLoS ONE</i> , 2017, 12, e0187887.	2.5	5
97	Evaluation of clinical staging of the American Joint Committee on Cancer (eighth edition) for prostate cancer. <i>World Journal of Urology</i> , 2018, 36, 769-774.	2.2	5
98	Preoperative prostate health index predicts poor pathologic outcomes of radical prostatectomy in patients with biopsy-detected low-risk patients prostate cancer: results from a Chinese prospective cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 64-70.	3.9	5
99	The U Shape of Prostate-specific Antigen and Prostate Cancer-specific Mortality in High-grade Metastatic Prostate Adenocarcinoma. <i>European Urology Focus</i> , 2020, 6, 53-62.	3.1	5
100	Diagnostic Performance of Confocal Laser Endomicroscopy for the Detection of Bladder Cancer: Systematic Review and Meta-Analysis. <i>Urologia Internationalis</i> , 2020, 104, 523-532.	1.3	5
101	Phi-based risk calculators performed better in the prediction of prostate cancer in the Chinese population. <i>Asian Journal of Andrology</i> , 2019, 21, 592.	1.6	5
102	Clinical significance of urine prostatic exosomal protein in the diagnosis of prostate cancer. <i>American Journal of Cancer Research</i> , 2019, 9, 1074-1078.	1.4	5
103	Risk factors of perioperative complications in patients undergoing radical retropubic prostatectomy: A ten-year experience. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2017, 37, 379-383.	1.0	4
104	Efficacy and safety of first-line sunitinib in Chinese patients with metastatic renal cell carcinoma. <i>Future Oncology</i> , 2018, 14, 1835-1845.	2.4	4
105	Primary tumor surgery improves survival in non-metastatic primary urethral carcinoma patients: a large population-based investigation. <i>BMC Cancer</i> , 2021, 21, 857.	2.6	4
106	Penile rehabilitation after radical prostatectomy: patients' attitude and feasibility in China. <i>Translational Andrology and Urology</i> , 2013, 2, 4-9.	1.4	4
107	Identification and validation of novel metastasis-related signatures of clear cell renal cell carcinoma using gene expression databases. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 4108-4126.	0.0	4
108	Development of a preliminary nomogram to predict progression of bone scan for castration-resistant prostate cancer. <i>OncoTargets and Therapy</i> , 2015, 8, 713.	2.0	3

#	ARTICLE	IF	CITATIONS
109	Functional interaction of fibroblast growth factor 8b and androgen in prostate cancer cell proliferation. <i>Tumor Biology</i> , 2017, 39, 101042831769596.	1.8	3
110	Triptorelin relieves lower urinary tract symptoms in Chinese advanced prostate cancer patients: a multicenter, non-interventional, prospective study. <i>BMC Urology</i> , 2018, 18, 23.	1.4	3
111	Tumor growth velocity: A modified tumor growth rate defining tumor progression during sorafenib treatment in patients with metastatic renal cell carcinoma. <i>International Journal of Urology</i> , 2019, 26, 75-82.	1.0	3
112	A 5-lncRNA Signature Associated with Smoking Predicts the Overall Survival of Patients with Muscle-Invasive Bladder Cancer. <i>Disease Markers</i> , 2021, 2021, 1-10.	1.3	3
113	Prognostic value of PTEN in de novo diagnosed metastatic prostate cancer. <i>Asian Journal of Andrology</i> , 2022, 24, 50.	1.6	2
114	Clear Cell Papillary Renal Cell Carcinoma Shares Distinct Molecular Characteristics and may be Significantly Associated With Higher Risk of Developing Second Primary Malignancy. <i>Pathology and Oncology Research</i> , 2021, 27, 1609809.	1.9	2
115	Prognostic Value of an Immunohistochemical Signature in Patients With Bladder Cancer Undergoing Radical Cystectomy. <i>Frontiers in Oncology</i> , 2021, 11, 641385.	2.8	1
116	Impact of radiation therapy on perineal urethrostomy for penile cancer. <i>Clinical and Translational Radiation Oncology</i> , 2021, 30, 84-87.	1.7	1
117	C-Reactive Protein Levels and Survival Following Cyto-reductive Nephrectomy in 118 Patients with Metastatic Renal Cell Carcinoma Treated with Sunitinib: A Retrospective Study. <i>Medical Science Monitor</i> , 2019, 25, 8984-8994.	1.1	1
118	Locoregional surgical treatment improves the prognosis in patients with primary metastatic testicular cancer with a single bone or brain metastasis. <i>Molecular and Clinical Oncology</i> , 2020, 13, 146-154.	1.0	1
119	Prognostic value of primary tumor surgery in seminoma patients with distant metastasis at diagnosis: a population-based study. <i>Asian Journal of Andrology</i> , 2020, 22, 602.	1.6	1
120	Survival in Metastatic Renal Cell Carcinoma Patients Treated With Sunitinib With or Without Cryoablation. <i>Frontiers in Oncology</i> , 2021, 11, 762547.	2.8	1
121	Prognosis of the Metachronous and Synchronous Bilateral Renal Cancer and Second Primary Cancer After the Bilateral Renal Cancer: a Population-Based Analysis. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 900-904.	0.6	0
122	ASO Author Reflections: T1b Penile Cancer: An Alarm to Improve Treatment. <i>Annals of Surgical Oncology</i> , 2019, 26, 692-693.	1.5	0
123	Early prostate specific antigen decline and its velocity are independent predictive factors for outcomes of mCRPC patients treated with abiraterone acetate. <i>Military Medical Research</i> , 2022, 9, 5.	3.4	0