Takefumi Furuya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1327112/publications.pdf

Version: 2024-02-01

27 586 14 24
papers citations h-index g-index

27 27 27 557
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	A large observational cohort study of rheumatoid arthritis, IORRA: Providing context for today's treatment options. Modern Rheumatology, 2020, 30, 1-6.	1.8	83
2	Associated factors for falls and fear of falling in Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2009, 28, 1325-1330.	2.2	61
3	Management of rheumatoid arthritis: the 2012 perspective. Modern Rheumatology, 2013, 23, 1-7.	1.8	59
4	Risk factors associated with incident clinical vertebral and nonvertebral fractures in Japanese women with rheumatoid arthritis: a prospective 54-month observational study. Journal of Rheumatology, 2007, 34, 303-10.	2.0	43
5	Prevalence of and factors associated with vitamin D deficiency in 4,793 Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2013, 32, 1081-1087.	2.2	38
6	Management of rheumatoid arthritis: the 2012 perspective. Modern Rheumatology, 2013, 23, 1-7.	1.8	32
7	Risk factors associated with incident fractures in Japanese men with rheumatoid arthritis: a prospective observational cohort study. Journal of Bone and Mineral Metabolism, 2008, 26, 499-505.	2.7	28
8	Risk factors for established vertebral fractures in Japanese patients with rheumatoid arthritis: Results from a large prospective observational cohort study. Modern Rheumatology, 2015, 25, 373-378.	1.8	27
9	Fracture risk assessment and osteoporosis treatment disparities in 3,970 Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2011, 30, 1105-1111.	2.2	23
10	Associations between methotrexate treatment and methylenetetrahydrofolate reductase gene polymorphisms with incident fractures in Japanese female rheumatoid arthritis patients. Journal of Bone and Mineral Metabolism, 2009, 27, 574-583.	2.7	22
11	Incidence of falls and fear of falling in Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2011, 21, 51-56.	1.8	21
12	Sites, frequencies, and causes of self-reported fractures in 9,720 rheumatoid arthritis patients: a large prospective observational cohort study in Japan. Archives of Osteoporosis, 2013, 8, 130.	2.4	20
13	Risk factors associated with the occurrence of distal radius fractures in Japanese patients with rheumatoid arthritis: a prospective observational cohort study. Clinical Rheumatology, 2014, 33, 477-483.	2.2	19
14	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 140-146.	1.8	14
15	Risk factors associated with the occurrence of proximal humerus fractures in patients with rheumatoid arthritis: a custom strategy for preventing proximal humerus fractures. Rheumatology International, 2016, 36, 213-219.	3.0	14
16	Dental treatments, tooth extractions, and osteonecrosis of the jaw in Japanese patients with rheumatoid arthritis: results from the IORRA cohort study. Journal of Bone and Mineral Metabolism, 2017, 35, 344-350.	2.7	14
17	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 140-146.	1.8	11
18	Association between serum vitamin D level and history of falls in elderly Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 460-462.	1.8	9

#	Article	ΙF	CITATIONS
19	Vitamin D deficiency is a risk factor for new fractures in Japanese postmenopausal women with rheumatoid arthritis: results from the IORRA cohort study. Archives of Osteoporosis, 2021, 16, 119.	2.4	8
20	Factors associated with frailty in Japanese patients with rheumatoid arthritis: results from the Institute of Rheumatology Rheumatoid Arthritis cohort study. Clinical Rheumatology, 2022, 41, 405-410.	2.2	8
21	Factors associated with decreasing serum 25(OH)D among Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2019, 29, 430-435.	1.8	7
22	Age and female gender associated with periodontal disease in Japanese patients with rheumatoid arthritis: Results from self-reported questionnaires from the IORRA cohort study. Modern Rheumatology, 2020, 30, 465-470.	1.8	7
23	Factors associated with osteoporosis medication use in Japanese patients with rheumatoid arthritis: Results from the Institute of Rheumatology Rheumatoid Arthritis cohort study. Osteoporosis and Sarcopenia, 2020, 6, 82-87.	1.9	6
24	Polypharmacy, declined walking speed, bent back, and disability associated with a history of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 764-767.	1.8	5
25	Clinical observations of osteoporosis in Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2022, 32, 839-845.	1.8	3
26	A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 506-509.	1.8	2
27	Adherence to denosumab for the treatment of osteoporosis in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 510-513.	1.8	2