## Takefumi Furuya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1327112/publications.pdf

Version: 2024-02-01

27 586 14 24
papers citations h-index g-index

27 27 27 557
all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Factors associated with frailty in Japanese patients with rheumatoid arthritis: results from the Institute of Rheumatology Rheumatoid Arthritis cohort study. Clinical Rheumatology, 2022, 41, 405-410.	2.2	8
2	Clinical observations of osteoporosis in Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2022, 32, 839-845.	1.8	3
3	A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 506-509.	1.8	2
4	Adherence to denosumab for the treatment of osteoporosis in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 510-513.	1.8	2
5	Polypharmacy, declined walking speed, bent back, and disability associated with a history of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2021, 31, 764-767.	1.8	5
6	Vitamin D deficiency is a risk factor for new fractures in Japanese postmenopausal women with rheumatoid arthritis: results from the IORRA cohort study. Archives of Osteoporosis, 2021, 16, 119.	2.4	8
7	Age and female gender associated with periodontal disease in Japanese patients with rheumatoid arthritis: Results from self-reported questionnaires from the IORRA cohort study. Modern Rheumatology, 2020, 30, 465-470.	1.8	7
8	A large observational cohort study of rheumatoid arthritis, IORRA: Providing context for today's treatment options. Modern Rheumatology, 2020, 30, 1-6.	1.8	83
9	Factors associated with osteoporosis medication use in Japanese patients with rheumatoid arthritis: Results from the Institute of Rheumatology Rheumatoid Arthritis cohort study. Osteoporosis and Sarcopenia, 2020, 6, 82-87.	1.9	6
10	Factors associated with decreasing serum 25(OH)D among Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study. Modern Rheumatology, 2019, 29, 430-435.	1.8	7
11	Dental treatments, tooth extractions, and osteonecrosis of the jaw in Japanese patients with rheumatoid arthritis: results from the IORRA cohort study. Journal of Bone and Mineral Metabolism, 2017, 35, 344-350.	2.7	14
12	Association between serum vitamin D level and history of falls in elderly Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 460-462.	1.8	9
13	Risk factors associated with the occurrence of proximal humerus fractures in patients with rheumatoid arthritis: a custom strategy for preventing proximal humerus fractures. Rheumatology International, 2016, 36, 213-219.	3.0	14
14	Risk factors for established vertebral fractures in Japanese patients with rheumatoid arthritis: Results from a large prospective observational cohort study. Modern Rheumatology, 2015, 25, 373-378.	1.8	27
15	Risk factors associated with the occurrence of distal radius fractures in Japanese patients with rheumatoid arthritis: a prospective observational cohort study. Clinical Rheumatology, 2014, 33, 477-483.	2.2	19
16	Sites, frequencies, and causes of self-reported fractures in 9,720 rheumatoid arthritis patients: a large prospective observational cohort study in Japan. Archives of Osteoporosis, 2013, 8, 130.	2.4	20
17	Management of rheumatoid arthritis: the 2012 perspective. Modern Rheumatology, 2013, 23, 1-7.	1.8	59
18	Prevalence of and factors associated with vitamin D deficiency in 4,793 Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2013, 32, 1081-1087.	2.2	38

## Takefumi Furuya

#	Article	IF	CITATION
19	Management of rheumatoid arthritis: the 2012 perspective. Modern Rheumatology, 2013, 23, 1-7.	1.8	32
20	Fracture risk assessment and osteoporosis treatment disparities in 3,970 Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2011, 30, 1105-1111.	2.2	23
21	Incidence of falls and fear of falling in Japanese patients with rheumatoid arthritis. Modern Rheumatology, 2011, 21, 51-56.	1.8	21
22	Associations between methotrexate treatment and methylenetetrahydrofolate reductase gene polymorphisms with incident fractures in Japanese female rheumatoid arthritis patients. Journal of Bone and Mineral Metabolism, 2009, 27, 574-583.	2.7	22
23	Associated factors for falls and fear of falling in Japanese patients with rheumatoid arthritis. Clinical Rheumatology, 2009, 28, 1325-1330.	2.2	61
24	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 140-146.	1.8	14
25	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis. Modern Rheumatology, 2009, 19, 140-146.	1.8	11
26	Risk factors associated with incident fractures in Japanese men with rheumatoid arthritis: a prospective observational cohort study. Journal of Bone and Mineral Metabolism, 2008, 26, 499-505.	2.7	28
27	Risk factors associated with incident clinical vertebral and nonvertebral fractures in Japanese women with rheumatoid arthritis: a prospective 54-month observational study. Journal of Rheumatology, 2007, 34, 303-10.	2.0	43