

Jourdan M Cancienne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1327588/publications.pdf>

Version: 2024-02-01

60
papers

2,199
citations

172207

29
h-index

233125

45
g-index

61
all docs

61
docs citations

61
times ranked

2165
citing authors

#	ARTICLE	IF	CITATIONS
1	Arthroscopic Superior Capsular Reconstruction with Dermal Allograft for the Treatment of a Massive Irreparable Rotator Cuff Tear. <i>JBJS Essential Surgical Techniques</i> , 2020, 10, e19.00012-e19.00012.	0.3	4
2	Perioperative Serum 25-Hydroxyvitamin D Levels Affect Revision Surgery Rates After Arthroscopic Rotator Cuff Repair. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 763-769.	1.3	13
3	The Association of Perioperative Glycemic Control With Adverse Outcomes Within 6 Months After Arthroscopic Rotator Cuff Repair. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1771-1778.	1.3	16
4	The Timing of Corticosteroid Injections Following Simple Knee Arthroscopy Is Associated With Infection Risk. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1688-1694.	1.3	20
5	Do certificate of need regulations impact total shoulder arthroplasty volumes and associated complication rates?. <i>Physician and Sportsmedicine</i> , 2019, 47, 357-363.	1.0	3
6	The Timing of Corticosteroid Injections After Arthroscopic Shoulder Procedures Affects Postoperative Infection Risk. <i>American Journal of Sports Medicine</i> , 2019, 47, 915-921.	1.9	30
7	Peritoneal Dialysis Does Not Carry the Same Risk as Hemodialysis in Patients Undergoing Hip or Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1271-1277.	1.4	18
8	Obstructive Sleep Apnea and Arthroscopic Rotator Cuff Repair—Are Complication Rates Really Increased?. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2019, 27, 486-492.	1.1	2
9	Dialysis dependence and modality impact complication rates after shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, e71-e77.	1.2	13
10	Certificate-of-Need State Laws and Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 401-407.	1.5	6
11	Certificate-of-Need State Laws and Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 2020-2024.	1.5	11
12	Patient-Related Risk Factors for Periprosthetic Ankle Joint Infection: An Analysis of 6977 Total Ankle Arthroplasties. <i>Journal of Foot and Ankle Surgery</i> , 2018, 57, 269-272.	0.5	57
13	Risk Factors for Infection After Shoulder Arthroscopy in a Large Medicare Population. <i>American Journal of Sports Medicine</i> , 2018, 46, 809-814.	1.9	67
14	Association of Perioperative Glycemic Control With Deep Postoperative Infection After Shoulder Arthroplasty in Patients With Diabetes. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2018, 26, e238-e245.	1.1	28
15	Is osteonecrosis due to systemic lupus erythematosus associated with increased risk of complications following total hip arthroplasty?. <i>International Orthopaedics</i> , 2018, 42, 1485-1490.	0.9	17
16	Shoulder Arthroplasty for Humeral Head Avascular Necrosis Is Associated With Increased Postoperative Complications. <i>HSS Journal</i> , 2018, 14, 2-8.	0.7	26
17	Risk Factors for Repeat Debridement, Spacer Retention, Amputation, Arthrodesis, and Mortality After Removal of an Infected Total Knee Arthroplasty With Spacer Placement. <i>Journal of Arthroplasty</i> , 2018, 33, 515-520.	1.5	34
18	Narcotic Use and Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 113-118.	1.5	110

#	ARTICLE	IF	CITATIONS
19	Perioperative Complications Associated With Posterolateral Spine Fusions. <i>Spine</i> , 2018, 43, 16-21.	1.0	19
20	Perioperative Opioid Analgesics and Hip Arthroscopy: Trends, Risk Factors for Prolonged Use, and Complications. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2359-2367.	1.3	55
21	Narcotics and Knee Arthroscopy: Trends in Use and Factors Associated With Prolonged Use and Postoperative Complications. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1931-1939.	1.3	42
22	MPFL graft fixation in low degrees of knee flexion minimizes errors made in the femoral location. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3092-3098.	2.3	25
23	Complications after Fusion for Thoracolumbar Fractures in Patients with Ankylosing Spondylitis. <i>Global Spine Journal</i> , 2017, 7, 28-32.	1.2	12
24	Complication and Reoperation Rates Following Surgical Management of Cervical Spondylotic Myelopathy in Medicare Beneficiaries. <i>Spine</i> , 2017, 42, 1-7.	1.0	27
25	Morbid Obesity and Lumbar Fusion in Patients Older Than 65 Years. <i>Spine</i> , 2017, 42, 122-127.	1.0	55
26	Does the Timing of Preoperative Epidural Steroid Injection Affect Infection Risk After ACDF or Posterior Cervical Fusion?. <i>Spine</i> , 2017, 42, 71-77.	1.0	10
27	Three or more preoperative injections is the most significant risk factor for revision surgery after operative treatment of lateral epicondylitis: an analysis of 3863 patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, 704-709.	1.2	35
28	Is There an Association Between Hemoglobin A1C and Deep Postoperative Infection After TKA?. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 1642-1649.	0.7	54
29	Is There a Threshold Value of Hemoglobin A1c That Predicts Risk of Infection Following Primary Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2017, 32, S236-S240.	1.5	56
30	Ambulatory Total Shoulder Arthroplasty: A Comprehensive Analysis of Current Trends, Complications, Readmissions, and Costs. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 629-637.	1.4	124
31	Removal of an Infected Total Hip Arthroplasty: Risk Factors for Repeat Debridement, Long-term Spacer Retention, and Mortality. <i>Journal of Arthroplasty</i> , 2017, 32, 2519-2522.	1.5	45
32	Hemoglobin A _{1c} as a Predictor of Postoperative Infection Following Elective Forefoot Surgery. <i>Foot and Ankle International</i> , 2017, 38, 832-837.	1.1	12
33	Utility of postoperative radiography in routine primary total shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, e222-e226.	1.2	8
34	Perioperative hemoglobin A1c as a predictor of deep infection following single-level lumbar decompression in patients with diabetes. <i>Spine Journal</i> , 2017, 17, 1100-1105.	0.6	48
35	The Association of Perioperative Glycemic Control with Deep Postoperative Infection After Anterior Cervical Discectomy and Fusion in Patients with Diabetes. <i>World Neurosurgery</i> , 2017, 102, 13-17.	0.7	17
36	Patient-related risk factors for infection following knee arthroscopy: An analysis of over 700,000 patients from two large databases. <i>Knee</i> , 2017, 24, 594-600.	0.8	35

#	ARTICLE	IF	CITATIONS
37	The impact of preoperative epidural injections on postoperative infection in lumbar fusion surgery. <i>Journal of Neurosurgery: Spine</i> , 2017, 26, 645-649.	0.9	30
38	The Transseptal Arthroscopic Knee Portal Is in Close Proximity to the Popliteal Artery: A Cadaveric Study. <i>Journal of Knee Surgery</i> , 2017, 30, 920-924.	0.9	5
39	Perioperative Serum Lipid Status and Statin Use Affect the Revision Surgery Rate After Arthroscopic Rotator Cuff Repair. <i>American Journal of Sports Medicine</i> , 2017, 45, 2948-2954.	1.9	39
40	Early postoperative fluoroquinolone use is associated with an increased revision rate after arthroscopic rotator cuff repair. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2189-2195.	2.3	9
41	High altitude is an independent risk factor for venous thromboembolism following arthroscopic rotator cuff repair: a matched case-control study in Medicare patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, 7-13.	1.2	25
42	High Altitude Is an Independent Risk Factor for Postoperative Symptomatic Venous Thromboembolism After Knee Arthroscopy: A Matched Case-Control Study of Medicare Patients. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 422-427.	1.3	34
43	Removal of an Infected Hip Arthroplasty Is a High-Risk Surgery: Putting Morbidity Into Context With Other Major Nonorthopedic Operations. <i>Journal of Arthroplasty</i> , 2017, 32, 2834-2841.	1.5	27
44	The Effect of Local Intraoperative Steroid Administration on the Rate of Postoperative Dysphagia Following ACDF. <i>Spine</i> , 2016, 41, 1084-1088.	1.0	31
45	Risk factors for revision surgery following primary adult spinal deformity surgery in patients 65 years and older. <i>Journal of Neurosurgery: Spine</i> , 2016, 25, 486-493.	0.9	77
46	The timing of elective shoulder surgery after shoulder injection affects postoperative infection risk in Medicare patients. <i>Journal of Shoulder and Elbow Surgery</i> , 2016, 25, 390-397.	1.2	80
47	Is Hepatitis C Infection Associated With a Higher Risk of Complications After Total Shoulder Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2664-2669.	0.7	69
48	Complications of Primary Total Knee Arthroplasty Among Patients With Rheumatoid Arthritis, Psoriatic Arthritis, Ankylosing Spondylitis, and Osteoarthritis. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2016, 24, 567-574.	1.1	49
49	Tobacco use is associated with increased rates of infection and revision surgery after primary superior labrum anterior and posterior repair. <i>Journal of Shoulder and Elbow Surgery</i> , 2016, 25, 1764-1768.	1.2	26
50	Intraoperative Corticosteroid Injection at the Time of Knee Arthroscopy Is Associated With Increased Postoperative Infection Rates in a Large Medicare Population. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 90-95.	1.3	47
51	Preoperative epidural injections are associated with increased risk of infection after single-level lumbar decompression. <i>Spine Journal</i> , 2016, 16, 191-196.	0.6	46
52	Tobacco Use Is Associated With Increased Complications After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 99-104.	1.9	53
53	The Timing of Total Hip Arthroplasty After Intraarticular Hip Injection Affects Postoperative Infection Risk. <i>Journal of Arthroplasty</i> , 2016, 31, 820-823.	1.5	84
54	Risk of Infection After Intra-articular Steroid Injection at the Time of Ankle Arthroscopy in a Medicare Population. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 350-354.	1.3	17

#	ARTICLE	IF	CITATIONS
55	Shoulder arthroplasty in patients with Parkinson's disease is associated with increased complications. Journal of Shoulder and Elbow Surgery, 2015, 24, 1881-1887.	1.2	53
56	Incidence of Manipulation Under Anesthesia or Lysis of Adhesions After Arthroscopic Knee Surgery. American Journal of Sports Medicine, 2015, 43, 1656-1661.	1.9	48
57	Complications After TKA in Patients With Hemophilia or Von Willebrand's Disease. Journal of Arthroplasty, 2015, 30, 2285-2289.	1.5	40
58	Simultaneous bilateral multiligamentous knee injuries are associated with more severe multisystem trauma compared to unilateral injuries. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3038-3043.	2.3	9
59	Applications of Local Antibiotics in Orthopedic Trauma. Orthopedic Clinics of North America, 2015, 46, 495-510.	0.5	42
60	Does Timing of Previous Intra-Articular Steroid Injection Affect the Post-Operative Rate of Infection in Total Knee Arthroplasty?. Journal of Arthroplasty, 2015, 30, 1879-1882.	1.5	104