

Beibei Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1327737/publications.pdf>

Version: 2024-02-01

219
papers

10,470
citations

31902

53
h-index

49773

87
g-index

222
all docs

222
docs citations

222
times ranked

12020
citing authors

#	ARTICLE	IF	CITATIONS
1	The U6 snRNA m 6 A Methyltransferase METTL16 Regulates SAM Synthetase Intron Retention. <i>Cell</i> , 2017, 169, 824-835.e14.	13.5	756
2	Noncoding RNA NORAD Regulates Genomic Stability by Sequestering PUMILIO Proteins. <i>Cell</i> , 2016, 164, 69-80.	13.5	723
3	A community computational challenge to predict the activity of pairs of compounds. <i>Nature Biotechnology</i> , 2014, 32, 1213-1222.	9.4	264
4	An Argonaute phosphorylation cycle promotes microRNA-mediated silencing. <i>Nature</i> , 2017, 542, 197-202.	13.7	232
5	Magnetic Zr-MOFs nanocomposites for rapid removal of heavy metal ions and dyes from water. <i>Chemosphere</i> , 2018, 199, 435-444.	4.2	225
6	A mercapto functionalized magnetic Zr-MOF by solvent-assisted ligand exchange for Hg ²⁺ removal from water. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5159-5166.	5.2	191
7	A designable magnetic MOF composite and facile coordination-based post-synthetic strategy for the enhanced removal of Hg ²⁺ from water. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11587-11595.	5.2	179
8	Graphene oxide-silica composite coating hollow fiber solid phase microextraction online coupled with inductively coupled plasma mass spectrometry for the determination of trace heavy metals in environmental water samples. <i>Talanta</i> , 2014, 123, 1-9.	2.9	161
9	Simultaneous speciation analysis of inorganic arsenic, chromium and selenium in environmental waters by 3-(2-aminoethylamino) propyltrimethoxysilane modified multi-wall carbon nanotubes packed microcolumn solid phase extraction and ICP-MS. <i>Talanta</i> , 2015, 131, 266-272.	2.9	161
10	Speciation of mercury in water and fish samples by HPLC-ICP-MS after magnetic solid phase extraction. <i>Talanta</i> , 2017, 171, 213-219.	2.9	145
11	Advanced functional materials in solid phase extraction for ICP-MS determination of trace elements and their species - A review. <i>Analytica Chimica Acta</i> , 2017, 973, 1-24.	2.6	145
12	Determination of trace/ultratrare rare earth elements in environmental samples by ICP-MS after magnetic solid phase extraction with Fe ₃ O ₄ @SiO ₂ @polyaniline-graphene oxide composite. <i>Talanta</i> , 2014, 119, 458-466.	2.9	129
13	Magnetic solid phase extraction coupled with inductively coupled plasma mass spectrometry for the speciation of mercury in environmental water and human hair samples. <i>Talanta</i> , 2016, 146, 93-99.	2.9	127
14	A Twist2-dependent progenitor cell contributes to adult skeletal muscle. <i>Nature Cell Biology</i> , 2017, 19, 202-213.	4.6	118
15	Cellular uptake, elimination and toxicity of CdSe/ZnS quantum dots in HepG2 cells. <i>Biomaterials</i> , 2013, 34, 9545-9558.	5.7	115
16	Nanometer-sized materials for solid-phase extraction of trace elements. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 2685-2710.	1.9	114
17	Notch Inhibition Enhances Cardiac Reprogramming by Increasing MEF2C Transcriptional Activity. <i>Stem Cell Reports</i> , 2017, 8, 548-560.	2.3	108
18	Polydimethylsiloxane/metal-organic frameworks coated stir bar sorptive extraction coupled to high performance liquid chromatography-ultraviolet detector for the determination of estrogens in environmental water samples. <i>Journal of Chromatography A</i> , 2013, 1310, 21-30.	1.8	105

#	ARTICLE	IF	CITATIONS
19	Facile Green Synthesis of Magnetic Porous Organic Polymers for Rapid Removal and Separation of Methylene Blue. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4050-4055.	3.2	101
20	Recent developments in stir bar sorptive extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2001-2026.	1.9	95
21	Magnetic solid phase microextraction on a microchip combined with electrothermal vaporization-inductively coupled plasma mass spectrometry for determination of Cd, Hg and Pb in cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1931.	1.6	93
22	Chip-based array magnetic solid phase microextraction on-line coupled with inductively coupled plasma mass spectrometry for the determination of trace heavy metals in cells. <i>Analyst</i> , The, 2015, 140, 5619-5626.	1.7	93
23	Polydimethylsiloxane/covalent triazine frameworks coated stir bar sorptive extraction coupled with high performance liquid chromatography-ultraviolet detection for the determination of phenols in environmental water samples. <i>Journal of Chromatography A</i> , 2016, 1441, 8-15.	1.8	93
24	Predictors and Intensity of Online Access to Electronic Medical Records Among Patients With Cancer. <i>Journal of Oncology Practice</i> , 2014, 10, e307-e312.	2.5	90
25	ZNF281 enhances cardiac reprogramming by modulating cardiac and inflammatory gene expression. <i>Genes and Development</i> , 2017, 31, 1770-1783.	2.7	87
26	A Facile Droplet-Chip-Time-Resolved Inductively Coupled Plasma Mass Spectrometry Online System for Determination of Zinc in Single Cell. <i>Analytical Chemistry</i> , 2017, 89, 4931-4938.	3.2	86
27	Size-dependent cytotoxicity study of ZnO nanoparticles in HepG2 cells. <i>Ecotoxicology and Environmental Safety</i> , 2019, 171, 337-346.	2.9	86
28	Simultaneous determination of polar and apolar compounds in environmental samples by a polyaniline/hydroxyl multi-walled carbon nanotubes composite-coated stir bar sorptive extraction coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2015, 1394, 36-45.	1.8	82
29	Liquid phase microextraction for the analysis of trace elements and their speciation. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 86, 14-30.	1.5	78
30	Characterization and causes of land subsidence in Beijing, China. <i>International Journal of Remote Sensing</i> , 2017, 38, 808-826.	1.3	77
31	Aptamer-Based Dual-Functional Probe for Rapid and Specific Counting and Imaging of MCF-7 Cells. <i>Analytical Chemistry</i> , 2018, 90, 2355-2361.	3.2	77
32	Polydimethylsiloxane/metal-organic frameworks coated stir bar sorptive extraction coupled to gas chromatography-flame photometric detection for the determination of organophosphorus pesticides in environmental water samples. <i>Talanta</i> , 2016, 156-157, 126-133.	2.9	75
33	Magnetic covalent triazine framework for rapid extraction of phthalate esters in plastic packaging materials followed by gas chromatography-flame ionization detection. <i>Journal of Chromatography A</i> , 2017, 1525, 32-41.	1.8	73
34	eIF5B drives integrated stress response-dependent translation of PD-L1 in lung cancer. <i>Nature Cancer</i> , 2020, 1, 533-545.	5.7	73
35	Chip-Based Magnetic Solid-Phase Microextraction Online Coupled with MicroHPLC-ICPMS for the Determination of Mercury Species in Cells. <i>Analytical Chemistry</i> , 2016, 88, 796-802.	3.2	71
36	Metal organic frameworks-derived magnetic nanoporous carbon for preconcentration of organophosphorus pesticides from fruit samples followed by gas chromatography-flame photometric detection. <i>Journal of Chromatography A</i> , 2019, 1583, 19-27.	1.8	69

#	ARTICLE	IF	CITATIONS
37	Hollow fiber liquid-liquid-liquid microextraction combined with high performance liquid chromatography-ultraviolet detection for the determination of various environmental estrogens in environmental and biological samples. <i>Journal of Chromatography A</i> , 2013, 1305, 17-26.	1.8	67
38	A sol-gel polydimethylsiloxane/polythiophene coated stir bar sorptive extraction combined with gas chromatography-flame photometric detection for the determination of organophosphorus pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 2013, 1275, 25-31.	1.8	67
39	Simultaneous detection of MCF-7 and HepG2 cells in blood by ICP-MS with gold nanoparticles and quantum dots as elemental tags. <i>Biosensors and Bioelectronics</i> , 2017, 90, 343-348.	5.3	66
40	Immunomagnetic Separation Combined with Inductively Coupled Plasma Mass Spectrometry for the Detection of Tumor Cells Using Gold Nanoparticle Labeling. <i>Analytical Chemistry</i> , 2014, 86, 8082-8089.	3.2	65
41	Graphene oxide-TiO ₂ composite as a novel adsorbent for the preconcentration of heavy metals and rare earth elements in environmental samples followed by on-line inductively coupled plasma optical emission spectrometry detection. <i>RSC Advances</i> , 2015, 5, 5996-6005.	1.7	65
42	Application of inductively coupled plasma mass spectrometry in the quantitative analysis of biomolecules with exogenous tags: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 93, 78-101.	5.8	65
43	PUMILIO hyperactivity drives premature aging of Norad-deficient mice. <i>ELife</i> , 2019, 8, .	2.8	65
44	Gold nanoparticles labeling with hybridization chain reaction amplification strategy for the sensitive detection of HepG2 cells by inductively coupled plasma mass spectrometry. <i>Biosensors and Bioelectronics</i> , 2016, 86, 736-740.	5.3	62
45	Novel ion imprinted magnetic mesoporous silica for selective magnetic solid phase extraction of trace Cd followed by graphite furnace atomic absorption spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 107, 115-124.	1.5	61
46	Simultaneous speciation of inorganic arsenic, selenium and tellurium in environmental water samples by dispersive liquid liquid microextraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry. <i>Talanta</i> , 2015, 142, 213-220.	2.9	61
47	Stir bar sorptive extraction and its application. <i>Journal of Chromatography A</i> , 2021, 1637, 461810.	1.8	61
48	Graphene oxide/polyethyleneglycol composite coated stir bar for sorptive extraction of fluoroquinolones from chicken muscle and liver. <i>Journal of Chromatography A</i> , 2015, 1418, 36-44.	1.8	60
49	Sorptive extraction using polydimethylsiloxane/metal-organic framework coated stir bars coupled with high performance liquid chromatography-fluorescence detection for the determination of polycyclic aromatic hydrocarbons in environmental water samples. <i>Journal of Chromatography A</i> , 2014, 1356, 45-53.	1.8	59
50	Water-compatible graphene oxide/molecularly imprinted polymer coated stir bar sorptive extraction of propranolol from urine samples followed by high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2016, 1443, 1-9.	1.8	58
51	Magnetic solid-phase extraction using sulfur-containing functional magnetic polymer for high-performance liquid chromatography-inductively coupled plasma-mass spectrometric speciation of mercury in environmental samples. <i>Journal of Chromatography A</i> , 2019, 1595, 19-27.	1.8	57
52	Simultaneous speciation of inorganic selenium and tellurium in environmental water samples by polyaniline functionalized magnetic solid phase extraction coupled with ICP-MS detection. <i>Talanta</i> , 2020, 207, 120314.	2.9	57
53	Ionic liquids improved reversed-phase HPLC on-line coupled with ICP-MS for selenium speciation. <i>Talanta</i> , 2011, 83, 724-731.	2.9	56
54	Speciation of selenium in cells by HPLC-ICP-MS after (on-chip) magnetic solid phase extraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 334.	1.6	56

#	ARTICLE	IF	CITATIONS
55	A novel strategy for sequential analysis of gold nanoparticles and gold ions in water samples by combining magnetic solid phase extraction with inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 444-453.	1.6	55
56	Chitosan modified magnetic nanoparticles based solid phase extraction combined with ICP-OES for the speciation of Cr(III) and Cr(VI). <i>Analytical Methods</i> , 2014, 6, 8577-8583.	1.3	54
57	Titania immobilized polypropylene hollow fiber as a disposable coating for stir bar sorptive extraction—high performance liquid chromatography—inductively coupled plasma mass spectrometry speciation of arsenic in chicken tissues. <i>Journal of Chromatography A</i> , 2011, 1218, 1-9.	1.8	53
58	Spatial correlation between land subsidence and urbanization in Beijing, China. <i>Natural Hazards</i> , 2015, 75, 2637-2652.	1.6	53
59	Thiol-Functionalized Magnetic Porous Organic Polymers for Highly Efficient Removal of Mercury. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 13696-13703.	1.8	52
60	Magnetic porous organic polymers for magnetic solid-phase extraction of triazole fungicides in vegetables prior to their determination by gas chromatography-flame ionization detection. <i>Journal of Chromatography A</i> , 2019, 1601, 1-8.	1.8	51
61	Boronic acid recognition based-gold nanoparticle-labeling strategy for the assay of sialic acid expression on cancer cell surface by inductively coupled plasma mass spectrometry. <i>Analyst</i> , The, 2016, 141, 1286-1293.	1.7	50
62	Size- and dose-dependent cytotoxicity of ZIF-8 based on single cell analysis. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111110.	2.9	50
63	Tumor-suppressor function of Beclin 1 in breast cancer cells requires E-cadherin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	50
64	Composition of Intracellular Protein Corona around Nanoparticles during Internalization. <i>ACS Nano</i> , 2021, 15, 3108-3122.	7.3	49
65	Immunoaffinity monolithic capillary microextraction coupled with ICP-MS for immunoassay with quantum dot labels. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1674.	1.6	46
66	Covalent triazine framework-1 as adsorbent for inline solid phase extraction-high performance liquid chromatographic analysis of trace nitroimidazoles in porcine liver and environmental waters. <i>Journal of Chromatography A</i> , 2017, 1483, 40-47.	1.8	46
67	Bimetallic (Au@Cu core)@(ceria shell) nanotubes for photocatalytic oxidation of benzyl alcohol: improved reactivity by Cu. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13382-13391.	5.2	46
68	Myocardin-related transcription factors are required for cardiac development and function. <i>Developmental Biology</i> , 2015, 406, 109-116.	0.9	44
69	Study on uptake of gold nanoparticles by single cells using droplet microfluidic chip-inductively coupled plasma mass spectrometry. <i>Talanta</i> , 2019, 200, 398-407.	2.9	44
70	Quantum Dots Labeling Strategy for “Counting and Visualization” of HepG2 Cells. <i>Analytical Chemistry</i> , 2017, 89, 1879-1886.	3.2	43
71	MNAzyme-Catalyzed Amplification Assay with Lanthanide Tags for the Simultaneous Detection of Multiple microRNAs by Inductively Coupled Plasma—Mass Spectrometry. <i>Analytical Chemistry</i> , 2021, 93, 737-744.	3.2	43
72	Nanoparticle labelling-based magnetic immunoassay on chip combined with electrothermal vaporization - inductively coupled plasma mass spectrometry for the determination of carcinoembryonic antigen in human serum. <i>Analyst</i> , The, 2011, 136, 3934.	1.7	42

#	ARTICLE	IF	CITATIONS
73	Synthesis of mixed coating with multi-functional groups for in-tube hollow fiber solid phase microextraction—high performance liquid chromatography—inductively coupled plasma mass spectrometry speciation of arsenic in human urine. <i>Journal of Chromatography A</i> , 2012, 1227, 19-28.	1.8	41
74	Multifunctional Gold Nanocluster Decorated Metal—Organic Framework for Real-Time Monitoring of Targeted Drug Delivery and Quantitative Evaluation of Cellular Therapeutic Response. <i>Analytical Chemistry</i> , 2019, 91, 10596-10603.	3.2	41
75	A Multifunctional Platform for the Capture, Release, And Enumeration of Circulating Tumor Cells Based on Aptamer Binding, Nicking Endonuclease-Assisted Amplification, And Inductively Coupled Plasma Mass Spectrometry Detection. <i>Analytical Chemistry</i> , 2020, 92, 10308-10315.	3.2	41
76	Cloud point extraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry for the speciation of inorganic selenium in environmental water samples. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2894-2900.	0.7	40
77	TiO ₂ Nanoparticles Functionalized Monolithic Capillary Microextraction Online Coupled with Inductively Coupled Plasma Mass Spectrometry for the Analysis of Gd Ion and Gd-Based Contrast Agents in Human Urine. <i>Analytical Chemistry</i> , 2015, 87, 8949-8956.	3.2	40
78	KLHL41 stabilizes skeletal muscle sarcomeres by nonproteolytic ubiquitination. <i>ELife</i> , 2017, 6, .	2.8	40
79	Polymer monolithic capillary microextraction combined online with inductively coupled plasma MS for the determination of trace rare earth elements in biological samples. <i>Journal of Separation Science</i> , 2013, 36, 2158-2167.	1.3	39
80	One-pot synthesis of zeolitic imidazolate framework-8/poly (methyl methacrylate-ethyleneglycol) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 samples followed by high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2017, 1524, 57-65.	1.8	39
81	Determination of Estrogens in Pork and Chicken Samples by Stir Bar Sorptive Extraction Combined with High-Performance Liquid Chromatography—Ultraviolet Detection. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10494-10500.	2.4	38
82	Membrane protected C18 coated stir bar sorptive extraction combined with high performance liquid chromatography-ultraviolet detection for the determination of non-steroidal anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2016, 1472, 27-34.	1.8	38
83	Polyaniline/cyclodextrin composite coated stir bar sorptive extraction combined with high performance liquid chromatography-ultraviolet detection for the analysis of trace polychlorinated biphenyls in environmental waters. <i>Talanta</i> , 2016, 150, 310-318.	2.9	38
84	Polydimethylsiloxane/MIL-100(Fe) coated stir bar sorptive extraction-high performance liquid chromatography for the determination of triazines in environmental water samples. <i>Talanta</i> , 2017, 175, 158-167.	2.9	38
85	Sensitive determination of seven triazine herbicide in honey, tomato and environmental water samples by hollow fiber based liquid-liquid-liquid microextraction combined with sweeping micellar electrokinetic capillary chromatography. <i>Talanta</i> , 2018, 186, 88-96.	2.9	38
86	Study on speciation of aluminum in human serum using zwitterionic bile acid derivative dynamically coated C18 column HPLC separation with UV and on-line ICP-MS detection. <i>Talanta</i> , 2010, 81, 180-186.	2.9	37
87	Hydrophilic Polymer Monolithic Capillary Microextraction Online Coupled to ICPMS for the Determination of Carboxyl Group-Containing Gold Nanoparticles in Environmental Waters. <i>Analytical Chemistry</i> , 2015, 87, 1789-1796.	3.2	37
88	Fast preconcentration of trace rare earth elements from environmental samples by di(2-ethylhexyl)phosphoric acid grafted magnetic nanoparticles followed by inductively coupled plasma mass spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 136, 73-80.	1.5	37
89	Metallomics Study of CdSe/ZnS Quantum Dots in HepG2 Cells. <i>ACS Nano</i> , 2015, 9, 10324-10334.	7.3	35
90	An integrative somatic mutation analysis to identify pathways linked with survival outcomes across 19 cancer types. <i>Bioinformatics</i> , 2016, 32, 1643-1651.	1.8	35

#	ARTICLE	IF	CITATIONS
91	One-pot polymerization of monolith coated stir bar for high efficient sorptive extraction of perfluoroalkyl acids from environmental water samples followed by high performance liquid chromatography-electrospray tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2018, 1553, 7-15.	1.8	35
92	Dihydromyricetin Inhibits $\text{A}\beta$ -Synuclein Aggregation, Disrupts Preformed Fibrils, and Protects Neuronal Cells in Culture against Amyloid-Induced Cytotoxicity. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 3946-3955.	2.4	35
93	Recent advances in single-cell analysis by inductively coupled plasma-mass spectrometry: A review. <i>Analytica Chimica Acta</i> , 2020, 1137, 191-207.	2.6	35
94	Automated dynamic hollow fiber liquid-liquid microextraction combined with capillary electrophoresis for speciation of mercury in biological and environmental samples. <i>Journal of Chromatography A</i> , 2015, 1415, 48-56.	1.8	34
95	Speciation of mercury in various samples from the micro-ecosystem of East Lake by hollow fiber-liquid-liquid microextraction-HPLC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 875-881.	1.6	34
96	Upconversion nanoparticle as elemental tag for the determination of alpha-fetoprotein in human serum by inductively coupled plasma mass spectrometry. <i>Analyst, The</i> , 2017, 142, 197-205.	1.7	34
97	Advances in ICP-MS-based techniques for trace elements and their species analysis in cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1650-1659.	1.6	34
98	Ligand-assisted magnetic solid phase extraction for fast speciation of silver nanoparticles and silver ions in environmental water. <i>Talanta</i> , 2018, 183, 268-275.	2.9	34
99	Loss of <i>Dis3l2</i> partially phenocopies Perlman syndrome in mice and results in up-regulation of <i>Igf2</i> in nephron progenitor cells. <i>Genes and Development</i> , 2018, 32, 903-908.	2.7	34
100	3D Droplet-Based Microfluidic Device Easily Assembled from Commercially Available Modules Online Coupled with ICPMS for Determination of Silver in Single Cell. <i>Analytical Chemistry</i> , 2019, 91, 2869-2875.	3.2	34
101	Thiol-grafted magnetic polymer for preconcentration of Cd, Hg, Pb from environmental water followed by inductively coupled plasma mass spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021, 177, 106071.	1.5	34
102	Magnetic quantitative immunoanalysis of carcinoembryonic antigen by ICP-MS with mercury labels. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1217.	1.6	33
103	Chip-based liquid phase microextraction combined with electrothermal vaporization-inductively coupled plasma mass spectrometry for trace metal determination in cell samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1660.	1.6	32
104	Facile Chip-Based Array Monolithic Microextraction System Online Coupled with ICPMS for Fast Analysis of Trace Heavy Metals in Biological Samples. <i>Analytical Chemistry</i> , 2017, 89, 6878-6885.	3.2	32
105	Simultaneous determination of acidic phytohormones in cucumbers and green bean sprouts by ion-pair stir bar sorptive extraction-high performance liquid chromatography. <i>Talanta</i> , 2017, 170, 128-136.	2.9	32
106	Magnetic sulfur-doped porous carbon for preconcentration of trace mercury in environmental water prior to ICP-MS detection. <i>Analyst, The</i> , 2017, 142, 4570-4579.	1.7	31
107	Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 58-77.	1.6	31
108	Chip-based magnetic solid phase microextraction coupled with ICP-MS for the determination of Cd and Se in HepG2 cells incubated with CdSe quantum dots. <i>Talanta</i> , 2018, 179, 279-284.	2.9	31

#	ARTICLE	IF	CITATIONS
109	Gold nanoparticle labeling with tyramide signal amplification for highly sensitive detection of alpha fetoprotein in human serum by ICP-MS. <i>Talanta</i> , 2018, 176, 40-46.	2.9	31
110	Porous organic frameworks-based (micro)extraction. <i>Journal of Chromatography A</i> , 2020, 1609, 460477.	1.8	31
111	Porous aromatic framework coated stir bar sorptive extraction coupled with high performance liquid chromatography for the analysis of triazine herbicides in maize samples. <i>Journal of Chromatography A</i> , 2020, 1614, 460728.	1.8	31
112	Ionic liquid based carrier mediated hollow fiber liquid liquid liquid microextraction combined with HPLC-ICP-MS for the speciation of phenylarsenic compounds in chicken and feed samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1638.	1.6	30
113	Membrane-supported liquid-liquid-liquid microextraction combined with anion-selective exhaustive injection capillary electrophoresis-ultraviolet detection for sensitive analysis of phytohormones. <i>Journal of Chromatography A</i> , 2014, 1343, 10-17.	1.8	30
114	Oxygen vacancies dependent Au nanoparticle deposition and CO oxidation. <i>RSC Advances</i> , 2016, 6, 87978-87987.	1.7	30
115	Graphene oxide-TiO ₂ composite solid phase extraction combined with graphite furnace atomic absorption spectrometry for the speciation of inorganic selenium in water samples. <i>Talanta</i> , 2016, 154, 474-480.	2.9	29
116	A multifunctional probe for ICP-MS determination and multimodal imaging of cancer cells. <i>Biosensors and Bioelectronics</i> , 2017, 96, 77-83.	5.3	29
117	Melamine-based porous organic polymers inline solid phase extraction coupled with high performance liquid chromatography for the analysis of phytohormones in juice samples. <i>Journal of Chromatography A</i> , 2018, 1567, 64-72.	1.8	29
118	A porous organic polymer with magnetic nanoparticles on a chip array for preconcentration of platinum(IV), gold(III) and bismuth(III) prior to their on-line quantitation by ICP-MS. <i>Mikrochimica Acta</i> , 2019, 186, 107.	2.5	29
119	Aminopropyltriethoxysilane-silica hybrid monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry for the determination of trace elements in biological samples. <i>Journal of Separation Science</i> , 2011, 34, 2247-2254.	1.3	28
120	Myocardin-related transcription factors are required for skeletal muscle development. <i>Development (Cambridge)</i> , 2016, 143, 2853-61.	1.2	28
121	Magnetic immunoassay coupled with inductively coupled plasma mass spectrometry for simultaneous quantification of alpha-fetoprotein and carcinoembryonic antigen in human serum. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 106, 20-27.	1.5	27
122	Microfluidic chip-inductively coupled plasma mass spectrometry for trace elements and their species analysis in cells. <i>Applied Spectroscopy Reviews</i> , 2019, 54, 250-263.	3.4	27
123	Iminodiacetic acid functionalized magnetic nanoparticles for speciation of Cr(III) and Cr(VI) followed by graphite furnace atomic absorption spectrometry detection. <i>RSC Advances</i> , 2017, 7, 8504-8511.	1.7	26
124	Magnetic metal-organic framework composites for dual-column solid-phase microextraction combined with ICP-MS for speciation of trace levels of arsenic. <i>Mikrochimica Acta</i> , 2020, 187, 48.	2.5	25
125	Increase in Cancer Center Staff Effort Related to Electronic Patient Portal Use. <i>Journal of Oncology Practice</i> , 2016, 12, e981-e990.	2.5	24
126	Arsenic speciation in tree moss by mass spectrometry based hyphenated techniques. <i>Talanta</i> , 2018, 183, 48-54.	2.9	24

#	ARTICLE	IF	CITATIONS
127	Ionic liquid-based magnetic solid phase extraction coupled with inductively coupled plasma-optical emission spectrometry for the determination of Cu, Cd, and Zn in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 1110.	1.6	23
128	Polymer monolithic capillary microextraction on-line coupled with inductively coupled plasma-mass spectrometry for the determination of trace Au and Pd in biological samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 101, 254-260.	1.5	23
129	A nanoprobe based on molybdenum disulfide nanosheets and silver nanoclusters for imaging and quantification of intracellular adenosine triphosphate. <i>Analytica Chimica Acta</i> , 2020, 1134, 75-83.	2.6	23
130	Hydroxyl-containing porous organic framework coated stir bar sorption extraction combined with high performance liquid chromatography-diode array detector for analysis of triazole fungicides in grape and cabbage samples. <i>Journal of Chromatography A</i> , 2020, 1633, 461628.	1.8	23
131	Magnetic porous coordination networks for preconcentration of various metal ions from environmental water followed by inductively coupled plasma mass spectrometry detection. <i>Talanta</i> , 2022, 245, 123470.	2.9	23
132	A Model-Based Approach to Identify Binding Sites in CLIP-Seq Data. <i>PLoS ONE</i> , 2014, 9, e93248.	1.1	22
133	Room-Temperature Synthesis of Magnetic Metal-Organic Frameworks Composites in Water for Efficient Removal of Methylene Blue and As(V). <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 6201-6209.	1.8	22
134	Facile Fabrication of N-Doped Magnetic Porous Carbon for Highly Efficient Mercury Removal. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10191-10199.	3.2	22
135	Preparation, characterization and application of <i>Saussurea tridactyla</i> Sch-Bip as green adsorbents for preconcentration of rare earth elements in environmental water samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2016, 121, 1-10.	1.5	21
136	Poly(1-vinylimidazole) functionalized magnetic ion imprinted polymer for fast and selective extraction of trace gold in geological, environmental and biological samples followed by graphite furnace atomic absorption spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2018, 143, 32-41.	1.5	21
137	Azo-linked porous organic polymers/polydimethylsiloxane coated stir bar for extraction of benzotriazole ultraviolet absorbers from environmental water and soil samples followed by high performance liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 2020, 1616, 460793.	1.8	21
138	Selenocystine against methyl mercury cytotoxicity in HepG2 cells. <i>Scientific Reports</i> , 2017, 7, 147.	1.6	20
139	Determination of avian influenza A (H9N2) virions by inductively coupled plasma mass spectrometry based magnetic immunoassay with gold nanoparticles labeling. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 138, 90-96.	1.5	20
140	Immunodetection and counting of circulating tumor cells (HepG2) by combining gold nanoparticle labeling, rolling circle amplification and ICP-MS detection of gold. <i>Mikrochimica Acta</i> , 2019, 186, 344.	2.5	20
141	Fe ₃ O ₄ nanoparticles coated with double imprinted polymers for magnetic solid phase extraction of lead(II) from biological and environmental samples. <i>Mikrochimica Acta</i> , 2019, 186, 775.	2.5	20
142	Magnetic quantitative analysis for multiplex glycoprotein with polymer-based elemental tags. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 1112.	1.6	19
143	Ion pair hollow fiber liquid-liquid microextraction combined with capillary electrophoresis-ultraviolet detection for the determination of thyroid hormones in human serum. <i>Journal of Chromatography A</i> , 2014, 1356, 23-31.	1.8	19
144	A Homogeneous Multicomponent Nucleic Acid Enzyme Assay for Universal Nucleic Acid Detection by Single-Particle Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2021, 93, 4952-4959.	3.2	19

#	ARTICLE	IF	CITATIONS
145	Elemental Mass Spectrometry and Fluorescence Dual-Mode Strategy for Ultrasensitive Label-Free Detection of HBV DNA. <i>Analytical Chemistry</i> , 2021, 93, 9454-9461.	3.2	19
146	MED12 regulates a transcriptional network of calcium-handling genes in the heart. <i>JCI Insight</i> , 2017, 2, .	2.3	18
147	A dual-functional probe for quantification and imaging of intracellular telomerase. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 164-171.	4.0	18
148	J-Aggregation of Perylene Diimides in Silica Nanocapsules for Stable Near-Infrared Photothermal Conversion. <i>ACS Applied Bio Materials</i> , 2019, 2, 1569-1577.	2.3	18
149	Spiral stir bar sorptive extraction with polyaniline-polydimethylsiloxane sol-gel packings for the analysis of trace estrogens in environmental water and animal-derived food samples. <i>Journal of Separation Science</i> , 2020, 43, 1137-1144.	1.3	18
150	Chip-based monolithic microextraction combined with ICP-MS for the determination of bismuth in HepG2 cells. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 1391-1399.	1.6	17
151	Gold nanoparticles as intermediate ligands for polymer monolithic capillary microextraction of trace rare earth elements followed by inductively coupled plasma mass spectrometry detection. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 127, 56-63.	1.5	17
152	Magnetic Mesoporous Carbons Derived from in Situ MgO Template Formation for Fast Removal of Heavy Metal Ions. <i>ACS Omega</i> , 2018, 3, 3752-3759.	1.6	17
153	Facile Design of Phase Separation for Microfluidic Droplet-Based Liquid Phase Microextraction as a Front End to Electrothermal Vaporization-ICPMS for the Analysis of Trace Metals in Cells. <i>Analytical Chemistry</i> , 2018, 90, 10078-10086.	3.2	17
154	Droplet-Splitting Microchip Online Coupled with Time-Resolved ICPMS for Analysis of Released Fe and Pt in Single Cells Treated with FePt Nanoparticles. <i>Analytical Chemistry</i> , 2020, 92, 12208-12215.	3.2	17
155	Core-shell magnetic porous organic polymer for magnetic solid-phase extraction of fluoroquinolone antibiotics in honey samples followed by high-performance liquid chromatography with fluorescence detection. <i>Journal of Separation Science</i> , 2022, 45, 874-882.	1.3	17
156	Ti-containing mesoporous silica packed microcolumn separation/preconcentration combined with inductively coupled plasma-mass spectrometry for the determination of trace Cr, Cu, Cd and Pb in environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 1386-1394.	1.6	16
157	Application of inductively coupled plasma mass spectrometry in the study of apoptosis: determination of caspase-3 using a gold nanoparticle tag. <i>Analyst, The</i> , 2016, 141, 926-933.	1.7	16
158	Size-Based Analysis of Au NPs by Online Monolithic Capillary Microextraction-ICPMS. <i>Analytical Chemistry</i> , 2017, 89, 560-564.	3.2	16
159	Microfluidic array surface ion-imprinted monolithic capillary microextraction chip on-line hyphenated with ICP-MS for the high throughput analysis of gadolinium in human body fluids. <i>Analyst, The</i> , 2019, 144, 2736-2745.	1.7	16
160	The amino-functionalized magnetic graphene oxide combined with graphite furnace atomic absorption spectrometry for determination of trace inorganic arsenic species in water samples. <i>Talanta</i> , 2021, 232, 122425.	2.9	16
161	Imine-linked covalent organic frameworks coated stir bar sorptive extraction of non-steroidal anti-inflammatory drugs from environmental water followed by high performance liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2021, 1659, 462647.	1.8	16
162	Amino functionalized magnetic covalent organic framework for magnetic solid-phase extraction of sulfonyleurea herbicides in environmental samples from tobacco land. <i>Journal of Separation Science</i> , 2022, 45, 1746-1756.	1.3	16

#	ARTICLE	IF	CITATIONS
163	A dual extraction technique combined with HPLC-ICP-MS for speciation of seleno-amino acids in rice and yeast samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 406-414.	1.6	15
164	Dual-mode detection of avian influenza virions (H9N2) by ICP-MS and fluorescence after quantum dot labeling with immuno-rolling circle amplification. <i>Analytica Chimica Acta</i> , 2020, 1096, 18-25.	2.6	15
165	Online simultaneous speciation of ultra-trace inorganic antimony and tellurium in environmental water by polymer monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020, 168, 105854.	1.5	15
166	A homogeneous nucleic acid assay for simultaneous detection of SARS-CoV-2 and influenza A (H3N2) by single-particle inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2021, 1186, 339134.	2.6	15
167	C ₁₈ -coated stir bar sorptive extraction combined with HPLC-ICP-MS for the speciation of butyltins in environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 162-171.	1.6	14
168	Argon Enclosed Droplet Based 3D Microfluidic Device Online Coupled with Time-Resolved ICPMS for Determination of Cadmium and Zinc in Single Cells Exposed to Cadmium Ion. <i>Analytical Chemistry</i> , 2020, 92, 13550-13557.	3.2	14
169	Bromine and iodine species in drinking water supply system along the Changjiang River in China: Occurrence and transformation. <i>Water Research</i> , 2021, 202, 117401.	5.3	14
170	Magnetic nanoparticle sorbents. , 2020, , 235-284.		13
171	Highly integrated and one-step triggered cascade DNA walker based on entropy-driven catalytic and DNAzyme amplification. <i>Sensors and Actuators B: Chemical</i> , 2021, 345, 130370.	4.0	13
172	Triazine covalent organic polymer coated stir bar sorptive extraction coupled with high performance liquid chromatography for the analysis of trace phthalate esters in mineral water and liquor samples. <i>Journal of Chromatography A</i> , 2021, 1660, 462665.	1.8	13
173	Negative Magnetophoresis Focusing Microchips Online-Coupled with ICP-MS for High-Throughput Single-Cell Analysis. <i>Analytical Chemistry</i> , 2022, 94, 6649-6656.	3.2	13
174	Lectin affinity based elemental labeling with hybridization chain reaction for the sensitive determination of avian influenza A (H9N2) virions. <i>Talanta</i> , 2018, 188, 442-447.	2.9	12
175	Polymer monolithic capillary microextraction on-line coupled with ICP-MS for determination of inorganic selenium species in natural waters. <i>Talanta</i> , 2018, 188, 736-743.	2.9	12
176	Simultaneous determination of two phosphorylated p53 proteins in SCC-7 cells by an ICP-MS immunoassay using apoferritin-templated europium(III) and lutetium(III) phosphate nanoparticles as labels. <i>Mikrochimica Acta</i> , 2019, 186, 424.	2.5	12
177	Cd (II) imprinted polymer modified silica monolithic capillary microextraction combined with inductively coupled plasma mass spectrometry for the determination of trace Cd (II) in biological samples. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2020, 164, 105751.	1.5	12
178	Reduced graphene oxide coated nickel foam for stir bar sorptive extraction of benzotriazole ultraviolet absorbents from environmental water. <i>Talanta</i> , 2021, 231, 122332.	2.9	12
179	DNA Tetrahedron-Based MNAzyme for Sensitive Detection of microRNA with Elemental Tagging. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 59076-59084.	4.0	12
180	Chiral speciation of selenoamino acids in biological samples. <i>Journal of Chromatography A</i> , 2014, 1363, 62-70.	1.8	11

#	ARTICLE	IF	CITATIONS
181	Monolithic capillary microextraction on-line combined with ICP-MS for determining Ni, Cu and Cd in biological samples. <i>Analytical Methods</i> , 2016, 8, 4680-4688.	1.3	11
182	Imidazole functionalized organic monoliths for capillary microextraction of Co(II), Ni(II) and Cd(II) from urine prior to on-line ICP-MS detection. <i>Mikrochimica Acta</i> , 2017, 184, 927-934.	2.5	11
183	Elemental-tagged immunoassay combined with inductively coupled plasma mass spectrometry for the detection of tumor cells using a lead sulfide nanoparticle label. <i>Talanta</i> , 2017, 167, 499-505.	2.9	11
184	Biomethylation metabolism study of arsenite in SCC-7 cells by reversed phase ion pair high performance liquid chromatography-inductively coupled plasma-mass spectrometry. <i>Talanta</i> , 2018, 188, 210-217.	2.9	11
185	Integration of sub-organ quantitative imaging LA-ICP-MS and fractionation reveals differences in translocation and transformation of CeO ₂ and Ce ³⁺ in mice. <i>Analytica Chimica Acta</i> , 2019, 1082, 18-29.	2.6	11
186	Magnetic nanomaterials as sorbents for trace elements analysis in environmental and biological samples. <i>Talanta</i> , 2021, 230, 122306.	2.9	11
187	Solidification of floating organic drop microextraction combined with gas chromatography-flame photometric detection for the analysis of organophosphorus pesticides in water samples. <i>Analytical Methods</i> , 2015, 7, 6182-6189.	1.3	10
188	Membrane supported liquid-liquid-liquid microextraction combined with field-amplified sample injection CE-UV for high-sensitivity analysis of six cardiovascular drugs in human urine sample. <i>Electrophoresis</i> , 2016, 37, 1201-1211.	1.3	10
189	Study on cytotoxicity, cellular uptake and elimination of rare-earth-doped upconversion nanoparticles in human hepatocellular carcinoma cells. <i>Ecotoxicology and Environmental Safety</i> , 2020, 203, 110951.	2.9	10
190	Multi-wall carbon nanotubes chemically modified silica microcolumn preconcentration/separation combined with inductively coupled plasma optical emission spectrometry for the determination of trace elements in environmental waters. <i>International Journal of Environmental Analytical Chemistry</i> , 2016, 96, 212-224.	1.8	9
191	A highly sensitive assay of DNA based on inductively coupled plasma mass spectrometry detection with gold nanoparticle amplification and isothermal circular strand-displacement polymerization reaction. <i>Talanta</i> , 2019, 202, 207-213.	2.9	9
192	Phosphoric acid functionalized magnetic sorbents for selective enrichment of TiO ₂ nanoparticles in surface water followed by inductively coupled plasma mass spectrometry detection. <i>Science of the Total Environment</i> , 2020, 703, 135464.	3.9	9
193	Magnetic N-doped porous carbon for analysis of trace Pb and Cd in environmental water by magnetic solid phase extraction with inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021, 184, 106273.	1.5	9
194	Agarose-Droplet-Based Digital LAMP Assay for Counting Virus DNA in Single-Particle ICP-MS. <i>Analytical Chemistry</i> , 2022, 94, 6582-6590.	3.2	9
195	Covalent organic framework-based magnetic solid phase extraction coupled with micellar electrokinetic chromatography for the analysis of trace organophosphorus pesticides in environmental water and atmospheric particulates. <i>Journal of Chromatography A</i> , 2022, 1673, 463030.	1.8	9
196	Sensitive detection of exosomes by gold nanoparticles labeling inductively coupled plasma mass spectrometry based on cholesterol recognition and rolling circle amplification. <i>Analytica Chimica Acta</i> , 2022, 1212, 339938.	2.6	9
197	Association genetics in <i>Populus</i> reveals the interactions between Pt-miR397a and its target genes. <i>Scientific Reports</i> , 2015, 5, 11672.	1.6	8
198	Sustainable method towards magnetic ordered mesoporous polymers for efficient Methylene Blue removal. <i>Journal of Environmental Sciences</i> , 2021, 99, 168-174.	3.2	8

#	ARTICLE	IF	CITATIONS
199	Preparation of functional magnetic porous organic polymer as sorbent for mercury speciation followed by HPLC-ICP-MS analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 1568-1575.	1.6	8
200	One-step synthesis of mercapto modified hierarchical porous polymer capillary monolithic column for chip based array microextraction of mercury species in cells. <i>Chemical Engineering Journal</i> , 2021, 420, 130414.	6.6	8
201	Single Particle Inductively Coupled Plasma Mass Spectrometry-Based Homogeneous Detection of HBV DNA with Rolling Circle Amplification-Induced Gold Nanoparticle Agglomeration. <i>Analytical Chemistry</i> , 2022, 94, 10011-10018.	3.2	8
202	Analysis of metallothioneins by mass spectrometry-based hyphenated techniques. <i>Applied Spectroscopy Reviews</i> , 2016, 51, 94-116.	3.4	7
203	Monolithic capillary microextraction combined with ICP-MS for the determination of TiO ₂ NPs in environmental water samples. <i>Talanta</i> , 2019, 197, 334-340.	2.9	7
204	Inhibition of arsenite methylation induces synergistic genotoxicity of arsenite and benzo(a)pyrene diol epoxide in SCC-7 cells. <i>Metallomics</i> , 2019, 11, 176-182.	1.0	6
205	In vitro study on antagonism mechanism of glutathione, sodium selenite and mercuric chloride. <i>Talanta</i> , 2017, 171, 262-269.	2.9	5
206	Magnetic porous organic polymers for extraction of cardiovascular drugs in human urine samples followed by HPLC-UV. <i>Analytical Methods</i> , 2020, 12, 141-148.	1.3	5
207	Porous aromatic framework coated stir bar sorptive extraction coupled with gas chromatography for the analysis of 16 polycyclic aromatic hydrocarbons in atmospheric particles and environmental water samples. <i>Journal of Chromatography A</i> , 2022, 1673, 463139.	1.8	5
208	Hollow fiber supported TiO ₂ monolithic microextraction combined with capillary HPLC-ICP-MS for sensitive absolute quantification of phosphopeptides. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1186-1195.	1.6	4
209	Analysis of Main Components in Jujube and Mulberry Extracts by High-Sensitive HPLC-ESI-Q-TOF-MS/MS. <i>Journal of Chromatographic Science</i> , 2021, 59, 806-812.	0.7	4
210	Identification of cadmium containing metabolites in HepG2 cells after treatment with cadmium-selenium quantum dots. <i>Chinese Chemical Letters</i> , 2023, 34, 107262.	4.8	4
211	A cascade amplification strategy for the detection of DNA methyltransferase activity by elemental labeling inductively coupled plasma mass spectrometry. <i>Sensors and Actuators B: Chemical</i> , 2022, 362, 131758.	4.0	4
212	Ti (IV) modified vinyl phosphate magnetic nanoparticles for simultaneous preconcentration of multiple arsenic species from chicken samples followed by HPLC-ICP-MS analysis. <i>Electrophoresis</i> , 2021, 42, 465-472.	1.3	3
213	A dual-functional magnetic microsphere for ICP-MS quantification and fluorescence imaging of matrix metalloproteinase 2 in cell secretion. <i>Analytica Chimica Acta</i> , 2021, 1161, 338479.	2.6	3
214	Combined effects of different sizes of ZnO and ZIF-8 nanoparticles co-exposure with Cd ²⁺ on HepG2 cells. <i>Science of the Total Environment</i> , 2021, 786, 147402.	3.9	3
215	Analysis of arsenic binding proteins in HepG2 cells based on a biotinylated phenylarsenite probe. <i>Analytica Chimica Acta</i> , 2021, 1183, 339007.	2.6	3
216	Phytic acid functionalized magnetic adsorbents for facile enrichment of trace rare earth elements in environmental water, digested atmospheric particulates and the extracts followed by inductively coupled plasma mass spectrometry detection. <i>Talanta</i> , 2022, 244, 123426.	2.9	3

#	ARTICLE	IF	CITATIONS
217	Covalent triazine frameworks/cobalt composites for magnetic solid phase extraction of pyrethroids from food samples followed by gas chromatography-flame ionization detection. <i>Advances in Sample Preparation</i> , 2022, 1, 100006.	1.1	2
218	Tolcapone Derivative (Tol-D) Inhibits A β 42 Fibrillogenesis and Ameliorates A β 42-Induced Cytotoxicity and Cognitive Impairment. <i>ACS Chemical Neuroscience</i> , 2022, 13, 638-647.	1.7	2
219	Cancer center staff effort related to electronic patient portal use: A growing demand.. <i>Journal of Clinical Oncology</i> , 2016, 34, e18012-e18012.	0.8	0