

Hynek Pikhart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/132783/publications.pdf>

Version: 2024-02-01

202
papers

22,371
citations

38660

50
h-index

9553

142
g-index

208
all docs

208
docs citations

208
times ranked

35528
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
2	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	6.3	3,941
3	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
4	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
5	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet, The</i> , 2012, 379, 1214-1224.	6.3	886
6	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015, 385, 351-361.	6.3	562
7	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014, 349, g4164-g4164.	3.0	528
8	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	1.0	491
9	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	13.7	469
10	Association of Adherence to a Healthy Diet with Cognitive Decline in European and American Older Adults: A Meta-Analysis within the CHANCES Consortium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 215-227.	0.7	372
11	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017, 5, 97-105.	5.5	298
12	Socioeconomic factors, material inequalities, and perceived control in self-rated health: cross-sectional data from seven post-communist countries. <i>Social Science and Medicine</i> , 2000, 51, 1343-1350.	1.8	296
13	Socioeconomic factors, perceived control and self-reported health in Russia. A cross-sectional survey. <i>Social Science and Medicine</i> , 1998, 47, 269-279.	1.8	272
14	Determinants of cardiovascular disease and other non-communicable diseases in Central and Eastern Europe: Rationale and design of the HAPIEE study. <i>BMC Public Health</i> , 2006, 6, 255.	1.2	269
15	Job insecurity and health: A study of 16 European countries. <i>Social Science and Medicine</i> , 2010, 70, 867-874.	1.8	242
16	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
17	Education and coronary heart disease: mendelian randomisation study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3542.	2.4	191
18	Psychosocial factors at work and depression in three countries of Central and Eastern Europe. <i>Social Science and Medicine</i> , 2004, 58, 1475-1482.	1.8	161

#	ARTICLE	IF	CITATIONS
19	Social inequalities in early childhood health and development: a European-wide systematic review. <i>Pediatric Research</i> , 2014, 76, 418-424.	1.1	155
20	Mother's education and the risk of preterm and small for gestational age birth: a DRIVERS meta-analysis of 12 European cohorts. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 826-833.	2.0	146
21	A multilevel analysis of social capital and self-rated health: Evidence from the British Household Panel Survey. <i>Social Science and Medicine</i> , 2009, 68, 1993-2001.	1.8	142
22	Psychosocial work characteristics and self rated health in four post-communist countries. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 624-630.	2.0	137
23	Contribution of drinking patterns to differences in rates of alcohol related problems between three urban populations. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 238-242.	2.0	128
24	Health-Related Quality of Life Measurement in Randomized Clinical Trials in Surgical Oncology. <i>Journal of Clinical Oncology</i> , 2006, 24, 3178-3186.	0.8	117
25	Neighbourhood socioeconomic status and cardiovascular risk factors: a multilevel analysis of nine cities in the Czech Republic and Germany. <i>BMC Public Health</i> , 2007, 7, 255.	1.2	115
26	Association of daily coffee and tea consumption and metabolic syndrome: results from the Polish arm of the HAPIEE study. <i>European Journal of Nutrition</i> , 2015, 54, 1129-1137.	1.8	100
27	Adherence to a Healthy Diet According to the World Health Organization Guidelines and All-Cause Mortality in Elderly Adults From Europe and the United States. <i>American Journal of Epidemiology</i> , 2014, 180, 978-988.	1.6	95
28	The effect of exposure to long working hours on ischaemic heart disease: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2020, 142, 105739.	4.8	95
29	Dietary habits in three Central and Eastern European countries: the HAPIEE study. <i>BMC Public Health</i> , 2009, 9, 439.	1.2	88
30	Mediterranean diet score and total and cardiovascular mortality in Eastern Europe: the HAPIEE study. <i>European Journal of Nutrition</i> , 2017, 56, 421-429.	4.6	87
31	Dental Caries and Growth in School-Age Children. <i>Pediatrics</i> , 2014, 133, e616-e623.	1.0	85
32	Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: a meta-analysis of individual participant data. <i>BMC Medicine</i> , 2015, 13, 300.	2.3	83
33	Domains and Measurements of Healthy Aging in Epidemiological Studies: A Review. <i>Gerontologist</i> , The, 2019, 59, e294-e310.	2.3	79
34	Impact of Low Maternal Education on Early Childhood Overweight and Obesity in Europe. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 274-284.	0.8	72
35	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. <i>British Journal of Psychiatry</i> , 2006, 188, 359-365.	1.7	71
36	Assessing the minimally important difference in the Oral Impact on Daily Performances index in patients treated for periodontitis. <i>Journal of Clinical Periodontology</i> , 2010, 37, 903-909.	2.3	69

#	ARTICLE	IF	CITATIONS
37	Socioeconomic inequalities in oral health in different European welfare state regimes. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 728-735.	2.0	69
38	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
39	Socioeconomic inequalities in cause-specific mortality in 15 European cities. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 432-441.	2.0	64
40	APOE polymorphism and its effect on plasma C-reactive protein levels in a large general population sample. <i>Human Immunology</i> , 2010, 71, 304-308.	1.2	63
41	The association of depressive symptoms with cardiovascular and all-cause mortality in Central and Eastern Europe: Prospective results of the HAPIEE study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1839-1847.	0.8	62
42	The <i>FTO</i> Gene and Obesity in a Large Eastern European Population Sample: The HAPIEE Study. <i>Obesity</i> , 2008, 16, 2764-2766.	1.5	61
43	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. <i>Public Health Nutrition</i> , 2011, 14, 678-687.	1.1	61
44	WHO guidelines for a healthy diet and mortality from cardiovascular disease in European and American elderly: the CHANCES project. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 745-756.	2.2	61
45	Alcohol, drinking pattern and all-cause, cardiovascular and alcohol-related mortality in Eastern Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 21-30.	2.5	60
46	Outdoor sulphur dioxide and respiratory symptoms in Czech and Polish school children: a small-area study (SAVIAH). <i>International Archives of Occupational and Environmental Health</i> , 2001, 74, 574-578.	1.1	57
47	Incidence and prevalence of psoriatic arthritis, ankylosing spondylitis, and reactive arthritis in the first descriptive population-based study in the Czech Republic. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 310-317.	0.6	57
48	Methods to decrease blood loss and transfusion requirements for liver transplantation. , 2011, , CD009052.		56
49	Systematic review of parenting interventions in European countries aiming to reduce social inequalities in children's health and development. <i>BMC Public Health</i> , 2014, 14, 1040.	1.2	55
50	Cohort Profile: The European Longitudinal Study of Pregnancy and Childhood (ELSPAC) in the Czech Republic. <i>International Journal of Epidemiology</i> , 2017, 46, dyw091.	0.9	54
51	Social differences in avoidable mortality between small areas of 15 European cities: an ecological study. <i>International Journal of Health Geographics</i> , 2014, 13, 8.	1.2	53
52	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , 2008, 105, 125-136.	2.0	52
53	Life Course Socioeconomic Position and Mid-Late Life Cognitive Function in Eastern Europe. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014, 69, 470-481.	2.4	52
54	Psychometric properties and confirmatory factor analysis of the CASP-19, a measure of quality of life in early old age: the HAPIEE study. <i>Aging and Mental Health</i> , 2015, 19, 595-609.	1.5	51

#	ARTICLE	IF	CITATIONS
55	Evidence informing the UK's COVID-19 public health response must be transparent. <i>Lancet</i> , The, 2020, 395, 1036-1037.	6.3	50
56	Fruit and vegetable consumption and mortality in Eastern Europe: Longitudinal results from the Health, Alcohol and Psychosocial Factors in Eastern Europe study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 493-501.	0.8	49
57	Age at natural menopause in three Central and Eastern European urban populations: The HAPIEE study. <i>Maturitas</i> , 2013, 75, 87-93.	1.0	47
58	Relationship between parental locus of control and caries experience in preschool children – a cross-sectional survey. <i>BMC Public Health</i> , 2008, 8, 208.	1.2	45
59	Socioeconomic inequalities in mortality in 16 European cities. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 245-254.	1.2	45
60	Outdoor Air Concentrations of Nitrogen Dioxide and Sulfur Dioxide and Prevalence of Wheezing in School Children. <i>Epidemiology</i> , 2000, 11, 153-160.	1.2	45
61	Is alcohol consumption in older adults associated with poor self-rated health? Cross-sectional and longitudinal analyses from the English Longitudinal Study of Ageing. <i>BMC Public Health</i> , 2015, 15, 703.	1.2	43
62	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41
63	Work stress and health in Western European and post-communist countries: an East-West comparison study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 57-62.	2.0	40
64	Psychosocial and socioeconomic determinants of cardiovascular mortality in Eastern Europe: A multicentre prospective cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002459.	3.9	40
65	Life span and disability: a cross sectional comparison of Russian and Swedish community based data. <i>BMJ: British Medical Journal</i> , 2004, 329, 767.	2.4	39
66	The FTO gene polymorphism is associated with end-stage renal disease: two large independent case-control studies in a general population. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1030-1035.	0.4	39
67	Impact of treating dental caries on schoolchildren's anthropometric, dental, satisfaction and appetite outcomes: a randomized controlled trial. <i>BMC Public Health</i> , 2012, 12, 706.	1.2	39
68	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on ischaemic heart disease. <i>Environment International</i> , 2018, 119, 558-569.	4.8	39
69	Healthy diet indicator and mortality in Eastern European populations: prospective evidence from the HAPIEE cohort. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 1346-1352.	1.3	38
70	Alcohol consumption, drinking patterns, and cognitive function in older Eastern European adults. <i>Neurology</i> , 2015, 84, 287-295.	1.5	38
71	Is regular drinking in later life an indicator of good health? Evidence from the English Longitudinal Study of Ageing. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 764-770.	2.0	38
72	Socioeconomic inequalities in all-cause mortality in the Czech Republic, Russia, Poland and Lithuania in the 2000s: findings from the HAPIEE Study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 297-303.	2.0	37

#	ARTICLE	IF	CITATIONS
73	Parental food involvement predicts parent and child intakes of fruits and vegetables. <i>Appetite</i> , 2013, 69, 8-14.	1.8	36
74	The association between psychosocial characteristics at work and problem drinking: a cross-sectional study of men in three Eastern European urban populations. <i>Occupational and Environmental Medicine</i> , 2005, 62, 546-550.	1.3	35
75	Application of item response theory to achieve cross-cultural comparability of occupational stress measurement. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 58-67.	1.1	35
76	Job loss and lower healthcare utilisation due to COVID-19 among older adults across 27 European countries. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1078-1083.	2.0	35
77	Obesity and Education in Three Countries of the Central and Eastern Europe: The HAPIEE Study. <i>Central European Journal of Public Health</i> , 2007, 15, 140-142.	0.4	35
78	Time Absent from School due to Dental Conditions and Dental Care in Thai Schoolchildren. <i>Journal of Public Health Dentistry</i> , 2008, 68, 76-81.	0.5	34
79	Socioeconomic inequalities in injury mortality in small areas of 15 European cities. <i>Health and Place</i> , 2013, 24, 165-172.	1.5	34
80	Binge Drinking and Blood Pressure: Cross-Sectional Results of the HAPIEE Study. <i>PLoS ONE</i> , 2013, 8, e65856.	1.1	33
81	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , 2016, 55, 547-560.	1.8	32
82	Household item ownership and self-rated health: material and psychosocial explanations. <i>BMC Public Health</i> , 2003, 3, 38.	1.2	30
83	Depressive symptoms and levels of C-reactive protein. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 217-222.	1.6	29
84	SCORE performance in Central and Eastern Europe and former Soviet Union: MONICA and HAPIEE results. <i>European Heart Journal</i> , 2014, 35, 571-577.	1.0	29
85	Down syndrome, paternal age and education: comparison of California and the Czech Republic. <i>BMC Public Health</i> , 2005, 5, 69.	1.2	28
86	MLXIPL variant in individuals with low and high triglyceridemia in white population in Central Europe. <i>Human Genetics</i> , 2008, 124, 553-555.	1.8	28
87	Alcohol consumption and cognitive performance: a Mendelian randomization study. <i>Addiction</i> , 2014, 109, 1462-1471.	1.7	27
88	Association between soft drink, fruit juice consumption and obesity in Eastern Europe: cross-sectional and longitudinal analysis of the HAPIEE study. <i>Journal of Human Nutrition and Dietetics</i> , 2020, 33, 66-77.	1.3	27
89	Generic quality of life predicts all-cause mortality in the short term: evidence from British Household Panel Survey. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 962-966.	2.0	26
90	Alcohol consumption and physical functioning among middle-aged and older adults in Central and Eastern Europe: Results from the HAPIEE study. <i>Age and Ageing</i> , 2015, 44, 84-89.	0.7	26

#	ARTICLE	IF	CITATIONS
91	Mother's education and offspring asthma risk in 10 European cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 797-805.	2.5	25
92	The self-reported health of legal and illegal/irregular immigrants in the Czech Republic. <i>International Journal of Public Health</i> , 2010, 55, 401-411.	1.0	24
93	Lifecourse transitions, gender and drinking in later life. <i>Ageing and Society</i> , 2017, 37, 462-494.	1.2	24
94	The prospective relationship between social cohesion and depressive symptoms among older adults from Central and Eastern Europe. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 117-122.	2.0	24
95	Social inequalities in alcohol consumption in the Czech Republic: A multilevel analysis. <i>Health and Place</i> , 2010, 16, 590-597.	1.5	23
96	Serum folate, vitamin B-12 and cognitive function in middle and older age: The HAPIEE study. <i>Experimental Gerontology</i> , 2016, 76, 33-38.	1.2	23
97	Work Stress and Subsequent Risk of Internet Addiction Among Information Technology Engineers in Taiwan. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 542-550.	2.1	22
98	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 240.	0.7	22
99	Mortality in the Visegrad countries from the perspective of socioeconomic inequalities. <i>International Journal of Public Health</i> , 2019, 64, 365-376.	1.0	22
100	Adverse health effects of low levels of perceived control in Swedish and Russian community samples. <i>BMC Public Health</i> , 2007, 7, 314.	1.2	21
101	The association between glutathione S-transferase gene polymorphisms and pancreatic cancer in a central European Slavonic population. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2009, 680, 78-81.	0.9	20
102	Inequalities in oral impacts and welfare regimes: analysis of 21 European countries. <i>Community Dentistry and Oral Epidemiology</i> , 2014, 42, 517-525.	0.9	20
103	Blood-Based Oxidative Stress Markers and Cognitive Performance in Early Old Age: The HAPIEE Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 297-309.	0.7	20
104	Childhood socio-economic position and adult smoking: are childhood psychosocial factors important? Evidence from a British birth cohort. <i>European Journal of Public Health</i> , 2011, 21, 725-731.	0.1	19
105	Do depressive symptoms predict cancer incidence?. <i>Journal of Psychosomatic Research</i> , 2015, 79, 595-603.	1.2	19
106	Allelic variants in vitamin D receptor gene are associated with adiposity measures in the central-European population. <i>BMC Medical Genetics</i> , 2017, 18, 90.	2.1	19
107	Traditional Eastern European diet and mortality: prospective evidence from the HAPIEE study. <i>European Journal of Nutrition</i> , 2021, 60, 1091-1100.	1.8	19
108	Parental separation and adult psychological distress: an investigation of material and relational mechanisms. <i>BMC Public Health</i> , 2014, 14, 272.	1.2	18

#	ARTICLE	IF	CITATIONS
109	Early-life exposure to household chemicals and wheezing in children. <i>Science of the Total Environment</i> , 2019, 663, 418-425.	3.9	18
110	Neighbourhood socioeconomic indicators and depressive symptoms in the Czech Republic: a population based study. <i>International Journal of Public Health</i> , 2009, 54, 283-293.	1.0	17
111	Role of allostatic load and health behaviours in explaining socioeconomic disparities in mortality: a structural equation modelling approach. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 545-551.	2.0	17
112	Development and validation of two SCORE-based cardiovascular risk prediction models for Eastern Europe: a multicohort study. <i>European Heart Journal</i> , 2020, 41, 3325-3333.	1.0	17
113	Risk Factors Indoors and Prevalences of Childhood Respiratory Health in Four Countries in Western and Central Europe. <i>Indoor Air</i> , 1998, 8, 244-254.	2.0	16
114	Early childhood caries trends and surveillance shortcomings in the Czech Republic. <i>BMC Public Health</i> , 2012, 12, 547.	1.2	16
115	Mortality patterns in the Russian Federation: indirect technique using widowhood data. <i>Bulletin of the World Health Organization</i> , 2002, 80, 876-81.	1.5	16
116	Maternal socioeconomic characteristics and infant mortality from injuries in the Czech Republic 1989-92. <i>Injury Prevention</i> , 2000, 6, 195-198.	1.2	15
117	DO LIPIDS CONTRIBUTE TO THE LACK OF CARDIO-PROTECTIVE EFFECT OF BINGE DRINKING: ALCOHOL CONSUMPTION AND LIPIDS IN THREE EASTERN EUROPEAN COUNTRIES. <i>Alcohol and Alcoholism</i> , 2005, 40, 431-435.	0.9	14
118	Health inequalities in European cities: perceptions and beliefs among local policymakers. <i>BMJ Open</i> , 2014, 4, e004454.	0.8	14
119	Comparing socio-economic inequalities in healthy ageing in the United States of America, England, China and Japan: evidence from four longitudinal studies of ageing. <i>Ageing and Society</i> , 2021, 41, 1495-1520.	1.2	14
120	Inequalities in smoking in the Czech Republic: Societal or individual effects?. <i>Health and Place</i> , 2011, 17, 215-221.	1.5	13
121	Association between Year of Birth and Cognitive Functions in Russia and the Czech Republic: Cross-Sectional Results of the HAPIEE Study. <i>Neuroepidemiology</i> , 2009, 33, 231-239.	1.1	12
122	Fruit, vegetable intake and blood pressure trajectories in older age. <i>Journal of Human Hypertension</i> , 2019, 33, 671-678.	1.0	12
123	Apolipoprotein E Polymorphism in Hemodialyzed Patients and Healthy Controls. <i>Biochemical Genetics</i> , 2009, 47, 688-693.	0.8	11
124	Methodological development of an exploratory randomised controlled trial of an early years' nutrition intervention: the CHERRY programme (Childhood Cognition and Hoousing Healthy) Trial. <i>BMJ Open</i> , 2019, 9, e002094.	1.4	11
125	Impact of perceived control on all-cause and cardiovascular disease mortality in three urban populations of Central and Eastern Europe: the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 771-778.	2.0	11
126	Cardiovascular health among the Czech population at the beginning of the 21st century: a 12-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 442-448.	2.0	11

#	ARTICLE	IF	CITATIONS
127	Association between Stress Urinary Incontinence and Depressive Symptoms after Birth: the Czech ELSPAC Study. <i>Scientific Reports</i> , 2020, 10, 6233.	1.6	11
128	Non-fatal injuries in three Central and Eastern European urban population samples: the HAPIEE study. <i>European Journal of Public Health</i> , 2010, 20, 695-701.	0.1	10
129	Risk of depressive symptoms before and after the first hospitalisation for cancer: Evidence from a 16-year cohort study in the Czech Republic. <i>Journal of Affective Disorders</i> , 2020, 276, 76-83.	2.0	10
130	Association Between Fasting Plasma Triglycerides, All-Cause and Cardiovascular Mortality in Czech Population. Results From the HAPIEE Study. <i>Physiological Research</i> , 2015, 64, S355-S361.	0.4	10
131	Nationwide increases in anti-SARS-CoV-2 IgG antibodies between October 2020 and March 2021 in the unvaccinated Czech population. <i>Communications Medicine</i> , 2022, 2, .	1.9	10
132	Prevalence, awareness, treatment and control of hypertension, diabetes and hypercholesterolemia, and associated risk factors in the Czech Republic, Russia, Poland and Lithuania: a cross-sectional study. <i>BMC Public Health</i> , 2022, 22, 883.	1.2	10
133	<i>ADH1B</i> Polymorphism, Alcohol Consumption, and Binge Drinking in Slavic Caucasians: Results from the Czech HAPIEE Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 900-905.	1.4	9
134	Lack of an association between left-handedness and <i>APOE</i> polymorphism in a large sample of adults: Results of the Czech HAPIEE study. <i>Laterality</i> , 2013, 18, 513-519.	0.5	9
135	Socioeconomic indicators of health inequalities and female mortality: a nested cohort study within the United Kingdom Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>BMC Public Health</i> , 2015, 15, 253.	1.2	9
136	Parental heights and maternal education as predictors of length/height of children at birth, age 3 and 19 years, independently on diet: the ELSPAC study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1193-1199.	1.3	9
137	Education as inefficient resource against depressive symptoms in the Czech Republic: cross-sectional analysis of the HAPIEE study. <i>European Journal of Public Health</i> , 2020, 30, 948-952.	0.1	9
138	The Risk of Type 2 Diabetes Mellitus in a Russian Population Cohort According to Data from the HAPIEE Project. <i>Journal of Personalized Medicine</i> , 2021, 11, 119.	1.1	9
139	Socioeconomic circumstances, health behaviours and functional limitations in older persons in four Central and Eastern European populations. <i>Age and Ageing</i> , 2012, 41, 728-735.	0.7	8
140	Alcohol Consumption and Longitudinal Trajectories of Physical Functioning in Central and Eastern Europe: A 10-Year Follow-up of HAPIEE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1063-1068.	1.7	8
141	The association between the FTO gene variant and alcohol consumption and binge and problem drinking in different gene-environment background: The HAPIEE study. <i>Gene</i> , 2019, 707, 30-35.	1.0	8
142	Socioeconomic characteristics, family structure and trajectories of children's psychosocial problems in a period of social transition. <i>PLoS ONE</i> , 2020, 15, e0234074.	1.1	8
143	FAT MASS AND OBESITY-ASSOCIATED (FTO) GENE AND ALCOHOL INTAKE. <i>Addiction</i> , 2012, 107, 1185-1186.	1.7	7
144	Considerations and lessons learned from designing a motivational interviewing obesity intervention for young people attending dental practices: A study protocol paper. <i>Contemporary Clinical Trials</i> , 2013, 36, 126-134.	0.8	7

#	ARTICLE	IF	CITATIONS
145	Developing a nutrition intervention in children's centres: exploring views of parents in rural/urban settings in the UK. <i>Public Health Nutrition</i> , 2013, 16, 1516-1521.	1.1	7
146	The association between APOA5 haplotypes and plasma lipids is not modified by energy or fat intake: The Czech HAPIEE study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 243-247.	1.1	7
147	Effort-reward imbalance at work, over-commitment personality and diet quality in Central and Eastern European populations. <i>British Journal of Nutrition</i> , 2016, 115, 1254-1264.	1.2	7
148	Education, material condition and physical functioning trajectories in middle-aged and older adults in Central and Eastern Europe: a cross-country comparison. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 1128-1135.	2.0	7
149	Role of combined prenatal and postnatal paracetamol exposure on asthma development: the Czech ELSPAC study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 349-355.	2.0	7
150	Mediterranean diet and physical functioning trajectories in Eastern Europe: Findings from the HAPIEE study. <i>PLoS ONE</i> , 2018, 13, e0200460.	1.1	7
151	Children's behavioural problems and its associations with socioeconomic position and early parenting environment: findings from the UK Millennium Cohort Study. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e155.	1.8	7
152	Dysglycemia and Abnormal Adiposity Drivers of Cardiometabolic-Based Chronic Disease in the Czech Population: Biological, Behavioral, and Cultural/Social Determinants of Health. <i>Nutrients</i> , 2021, 13, 2338.	1.7	7
153	Socioeconomic position in childhood and depressive symptoms in later adulthood in the Czech Republic. <i>Journal of Affective Disorders</i> , 2020, 272, 17-23.	2.0	7
154	Does Inclusion of Education and Marital Status Improve SCORE Performance in Central and Eastern Europe and Former Soviet Union? Findings from MONICA and HAPIEE Cohorts. <i>PLoS ONE</i> , 2014, 9, e94344.	1.1	6
155	Socioeconomic determinants of healthy ageing: evidence from the English Longitudinal Study of Ageing. <i>Lancet, The</i> , 2018, 392, S54.	6.3	6
156	The Relationship between Epigenetic Age and Myocardial Infarction/Acute Coronary Syndrome in a Population-Based Nested Case-Control Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 110.	1.1	6
157	Apolipoprotein E Arg136-Cys mutation and hyperlipidemia in a large central European population sample. <i>Clinica Chimica Acta</i> , 2008, 388, 217-218.	0.5	5
158	Interventions to reduce inequalities in health and early child development in Europe from a qualitative perspective. <i>International Journal for Equity in Health</i> , 2017, 16, 87.	1.5	5
159	The relationship between body mass index and 10-year trajectories of physical functioning in middle-aged and older Russians: Prospective results of the Russian HAPIEE study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 381-388.	1.5	5
160	Sleeping habits of adolescents in relation to their physical activity and exercise output: results from the ELSPAC study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1141-1146.	2.0	5
161	Multilevel analysis of health risk behaviour in Czech teenagers. <i>Acta Universitatis Carolinae, Geographica</i> , 2015, 50, 91-100.	0.1	5
162	Association of Picky Eating with Weight and Height-The European Longitudinal Study of Pregnancy and Childhood (ELSPAC-CZ). <i>Nutrients</i> , 2022, 14, 444.	1.7	5

#	ARTICLE	IF	CITATIONS
163	Social Patterning in Grip Strength, Chair Rise, and Walk Speed in an Aging Population: The Czech HAPIEE Study. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 264-271.	0.5	4
164	Assessing the feasibility of screening and providing brief advice for alcohol misuse in general dental practice: a clustered randomised control trial protocol for the DART study. <i>BMJ Open</i> , 2015, 5, e008586.	0.8	4
165	Total and cardiovascular mortality and plasma lipids. Czech part of the hapiee study. <i>Atherosclerosis</i> , 2017, 263, e174.	0.4	3
166	Visceral fat area and cardiometabolic risk: The Kardiovizie study. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 368-374.	0.8	3
167	The Determinants of the 13-Year Risk of Incident Atrial Fibrillation in a Russian Population Cohort of Middle and Elderly Age. <i>Journal of Personalized Medicine</i> , 2022, 12, 122.	1.1	3
168	Inclusion of hazardous drinking does not improve the SCORE performance in men from Central and Eastern Europe: the findings from the HAPIEE cohorts. <i>BMC Public Health</i> , 2014, 14, 1187.	1.2	2
169	Lack of Association between NYD-SP18 Variant and Obesity. The Health Alcohol and Psychosocial Factors in Eastern Europe Study. <i>Annals of Nutrition and Metabolism</i> , 2016, 68, 244-248.	1.0	2
170	FTO gene variant and risk of spontaneous abortion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 118-118.	1.3	2
171	Alcohol Screening and Brief Advice in NHS General Dental Practices: A Cluster Randomized Controlled Feasibility Trial. <i>Alcohol and Alcoholism</i> , 2019, 54, 235-242.	0.9	2
172	Dietary pattern longitudinality during 8 years in children: results from the European Longitudinal Study of Pregnancy and Childhood (ELSPAC-CZ). <i>Public Health Nutrition</i> , 2021, 24, 2611-2617.	1.1	2
173	Neonatal mortality of low birthweight babies is increased in mothers with higher education. <i>BMJ: British Medical Journal</i> , 1997, 315, 886-886.	2.4	2
174	PP06...Healthy diet indicator score and metabolic syndrome in the Czech Republic, Russia, and Poland: cross-sectional findings from the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A49.2-A50.	2.0	1
175	Johannes Siegrist and Morten Wahrendorf (eds). <i>Work Stress and Health in a Globalized Economy. The Model of Effort-Reward Imbalance</i> . <i>European Journal of Public Health</i> , 2017, 27, 383-383.	0.1	1
176	Does adiposity mediate the relationship between socioeconomic position and non-allergic asthma in childhood?. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 390-396.	2.0	1
177	Association of Glutathione S-Transferase Polymorphisms with Dietary Composition but Not Anthropometry in Obese as Well as Nonobese Individuals. <i>Journal of the American College of Nutrition</i> , 2018, 37, 87-92.	1.1	1
178	Estimated dietary iodine intake as a predictor of placental size: evidence from the ELSPAC study. <i>Nutrition and Metabolism</i> , 2018, 15, 5.	1.3	1
179	Alcohol's harm to others and subjective well-being: Cross-sectional studies in Lao People's Democratic Republic and Thailand. <i>Drug and Alcohol Review</i> , 2020, 39, 546-554.	1.1	1
180	OP32...Job loss and lower healthcare utilization due to COVID-19 among older adults across 27 European countries. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
181	Longitudinal trajectories of blood lipid levels in an ageing population sample of Russian Western-Siberian urban population. PLoS ONE, 2021, 16, e0260229.	1.1	1
182	Prenatal psychosocial stress and children's sleep problems: Evidence from the ELSPAC study. Journal of Sleep Research, 2021, , e13531.	1.7	1
183	Low fruit and vegetable intake is associated with poor self-rated health in the Czech part of the HAPIEE study. Nutrition and Health, 2021, , 026010602110692.	0.6	1
184	Impaired lung function and mortality in Eastern Europe: results from multi-centre cohort study. Respiratory Research, 2022, 23, .	1.4	1
185	010 Parental separation and psychological distress in early adulthood: has the effect reduced over time? Evidence from two British birth cohort studies. Journal of Epidemiology and Community Health, 2010, 64, A4-A4.	2.0	0
186	P22 Childhood socioeconomic position and adult smoking: are childhood cognitive ability, psychosocial adjustment and parental involvement important?. Journal of Epidemiology and Community Health, 2010, 64, A42-A42.	2.0	0
187	575 PROINFLAMMATION STATUS IN DEPRESSION AND ISCHEMIC HEART DISEASE. Atherosclerosis Supplements, 2011, 12, 122.	1.2	0
188	The long and short term effects of alcohol consumption on cognitive decline. Journal of Epidemiology and Community Health, 2011, 65, A33-A34.	2.0	0
189	PS52...Are There Gender Differences In The Social Patterning Of Binge Drinking In The Czech Republic, Russia, Poland And Lithuania? A Cross-Sectional Study. Journal of Epidemiology and Community Health, 2012, 66, A58.2-A58.	2.0	0
190	OP19...Social Networks and Depressive Symptoms in Russia, Poland and the Czech Republic: Evidence from the Hapiee Study. Journal of Epidemiology and Community Health, 2012, 66, A8.1-A8.	2.0	0
191	PS49...Food For Thought! The Role Of Dietary Choices On Cognitive Behaviour. Journal of Epidemiology and Community Health, 2012, 66, A57.2-A57.	2.0	0
192	European Comparative Cohort Study of Social Inequalities in Child Health and Development: Findings from the DRIVERS Birth Cohorts.. International Journal of Epidemiology, 2015, 44, i229-i230.	0.9	0
193	Childhood Social Disadvantage and Health and Development Later in Life: the DRIVERS Project.. International Journal of Epidemiology, 2015, 44, i286-i287.	0.9	0
194	Use of AUDIT-C alcohol screening tool in NHS general dental practices in North London. British Dental Journal, 2021, , .	0.3	0
195	The Impact of Sociopolitical Upheaval: Russia and Eastern Europe. , 2020, , 3-11.		0
196	The Impact of Sociopolitical Upheaval: Russia and Eastern Europe. , 2020, , 1-9.		0
197	Title is missing!. , 2020, 15, e0234074.		0
198	Title is missing!. , 2020, 15, e0234074.		0

#	ARTICLE	IF	CITATIONS
199	Title is missing!. , 2020, 15, e0234074.		0
200	Title is missing!. , 2020, 15, e0234074.		0
201	Title is missing!.. , 2020, 15, e0234074.		0
202	Title is missing!.. , 2020, 15, e0234074.		0