

Hynek Pikhart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/132783/publications.pdf>

Version: 2024-02-01

202
papers

22,371
citations

38742
50
h-index

9589
142
g-index

208
all docs

208
docs citations

208
times ranked

35528
citing authors

#	ARTICLE	IF	CITATIONS
1	The Relationship between Epigenetic Age and Myocardial Infarction/Acute Coronary Syndrome in a Population-Based Nested Case-Control Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 110.	2.5	6
2	The Determinants of the 13-Year Risk of Incident Atrial Fibrillation in a Russian Population Cohort of Middle and Elderly Age. <i>Journal of Personalized Medicine</i> , 2022, 12, 122.	2.5	3
3	Association of Picky Eating with Weight and Height—The European Longitudinal Study of Pregnancy and Childhood (ELSPAC—CZ). <i>Nutrients</i> , 2022, 14, 444.	4.1	5
4	Nationwide increases in anti-SARS-CoV-2 IgG antibodies between October 2020 and March 2021 in the unvaccinated Czech population. <i>Communications Medicine</i> , 2022, 2, .	4.2	10
5	Prevalence, awareness, treatment and control of hypertension, diabetes and hypercholesterolemia, and associated risk factors in the Czech Republic, Russia, Poland and Lithuania: a cross-sectional study. <i>BMC Public Health</i> , 2022, 22, 883.	2.9	10
6	Impaired lung function and mortality in Eastern Europe: results from multi-centre cohort study. <i>Respiratory Research</i> , 2022, 23, .	3.6	1
7	Traditional Eastern European diet and mortality: prospective evidence from the HAPIEE study. <i>European Journal of Nutrition</i> , 2021, 60, 1091-1100.	3.9	19
8	Comparing socio-economic inequalities in healthy ageing in the United States of America, England, China and Japan: evidence from four longitudinal studies of ageing. <i>Ageing and Society</i> , 2021, 41, 1495-1520.	1.7	14
9	Dietary pattern longitudinality during 8 years in children: results from the European Longitudinal Study of Pregnancy and Childhood (ELSPAC—CZ). <i>Public Health Nutrition</i> , 2021, 24, 2611-2617.	2.2	2
10	The Risk of Type 2 Diabetes Mellitus in a Russian Population Cohort According to Data from the HAPIEE Project. <i>Journal of Personalized Medicine</i> , 2021, 11, 119.	2.5	9
11	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
12	Use of AUDIT-C alcohol screening tool in NHS general dental practices in North London. <i>British Dental Journal</i> , 2021, , .	0.6	0
13	Job loss and lower healthcare utilisation due to COVID-19 among older adults across 27 European countries. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1078-1083.	3.7	35
14	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	2.2	491
15	Visceral fat area and cardiometabolic risk: The KardioVize study. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 368-374.	1.8	3
16	Dysglycemia and Abnormal Adiposity Drivers of Cardiometabolic-Based Chronic Disease in the Czech Population: Biological, Behavioral, and Cultural/Social Determinants of Health. <i>Nutrients</i> , 2021, 13, 2338.	4.1	7
17	OP32—Job loss and lower healthcare utilization due to COVID-19 among older adults across 27 European countries. , 2021, , .		1
18	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet</i> , The, 2021, 398, 957-980.	13.7	1,289

#	ARTICLE	IF	CITATIONS
19	Longitudinal trajectories of blood lipid levels in an ageing population sample of Russian Western-Siberian urban population. PLoS ONE, 2021, 16, e0260229.	2.5	1
20	Prenatal psychosocial stress and children's sleep problems: Evidence from the ELSPAC study. Journal of Sleep Research, 2021, , e13531.	3.2	1
21	Low fruit and vegetable intake is associated with poor self-rated health in the Czech part of the HAPIEE study. Nutrition and Health, 2021, , 026010602110692.	1.5	1
22	Association between soft drink, fruit juice consumption and obesity in Eastern Europe: cross-sectional and longitudinal analysis of the HAPIEE study. Journal of Human Nutrition and Dietetics, 2020, 33, 66-77.	2.5	27
23	Development and validation of two SCORE-based cardiovascular risk prediction models for Eastern Europe: a multicohort study. European Heart Journal, 2020, 41, 3325-3333.	2.2	17
24	Risk of depressive symptoms before and after the first hospitalisation for cancer: Evidence from a 16-year cohort study in the Czech Republic. Journal of Affective Disorders, 2020, 276, 76-83.	4.1	10
25	Children's behavioural problems and its associations with socioeconomic position and early parenting environment: findings from the UK Millennium Cohort Study. Epidemiology and Psychiatric Sciences, 2020, 29, e155.	3.9	7
26	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. Lancet, The, 2020, 396, 1511-1524.	13.7	219
27	The effect of exposure to long working hours on ischaemic heart disease: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. Environment International, 2020, 142, 105739.	10.0	95
28	Socioeconomic characteristics, family structure and trajectories of children's psychosocial problems in a period of social transition. PLoS ONE, 2020, 15, e0234074.	2.5	8
29	Evidence informing the UK's COVID-19 public health response must be transparent. Lancet, The, 2020, 395, 1036-1037.	13.7	50
30	Alcohol's harm to others and subjective well-being: Cross-sectional studies in Lao People's Democratic Republic and Thailand. Drug and Alcohol Review, 2020, 39, 546-554.	2.1	1
31	Education as inefficient resource against depressive symptoms in the Czech Republic: cross-sectional analysis of the HAPIEE study. European Journal of Public Health, 2020, 30, 948-952.	0.3	9
32	Association between Stress Urinary Incontinence and Depressive Symptoms after Birth: the Czech ELSPAC Study. Scientific Reports, 2020, 10, 6233.	3.3	11
33	Socioeconomic position in childhood and depressive symptoms in later adulthood in the Czech Republic. Journal of Affective Disorders, 2020, 272, 17-23.	4.1	7
34	The Impact of Sociopolitical Upheaval: Russia and Eastern Europe. , 2020, , 3-11.		0
35	The Impact of Sociopolitical Upheaval: Russia and Eastern Europe. , 2020, , 1-9.		0
36	Title is missing!. , 2020, 15, e0234074.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0234074.		0
38	Title is missing!. , 2020, 15, e0234074.		0
39	Title is missing!. , 2020, 15, e0234074.		0
40	Title is missing!. , 2020, 15, e0234074.		0
41	Title is missing!. , 2020, 15, e0234074.		0
42	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240.	1.7	22
43	Early-life exposure to household chemicals and wheezing in children. Science of the Total Environment, 2019, 663, 418-425.	8.0	18
44	Alcohol Screening and Brief Advice in NHS General Dental Practices: A Cluster Randomized Controlled Feasibility Trial. Alcohol and Alcoholism, 2019, 54, 235-242.	1.6	2
45	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	27.8	469
46	The association between the FTO gene variant and alcohol consumption and binge and problem drinking in different gene-environment background: The HAPIEE study. Gene, 2019, 707, 30-35.	2.2	8
47	Fruit, vegetable intake and blood pressure trajectories in older age. Journal of Human Hypertension, 2019, 33, 671-678.	2.2	12
48	The prospective relationship between social cohesion and depressive symptoms among older adults from Central and Eastern Europe. Journal of Epidemiology and Community Health, 2019, 73, 117-122.	3.7	24
49	Mortality in the Visegrad countries from the perspective of socioeconomic inequalities. International Journal of Public Health, 2019, 64, 365-376.	2.3	22
50	Domains and Measurements of Healthy Aging in Epidemiological Studies: A Review. Gerontologist, The, 2019, 59, e294-e310.	3.9	79
51	Role of allostatic load and health behaviours in explaining socioeconomic disparities in mortality: a structural equation modelling approach. Journal of Epidemiology and Community Health, 2018, 72, 545-551.	3.7	17
52	Role of combined prenatal and postnatal paracetamol exposure on asthma development: the Czech ELSPAC study. Journal of Epidemiology and Community Health, 2018, 72, 349-355.	3.7	7
53	Does adiposity mediate the relationship between socioeconomic position and non-allergic asthma in childhood?. Journal of Epidemiology and Community Health, 2018, 72, 390-396.	3.7	1
54	Cardiovascular health among the Czech population at the beginning of the 21st century: a 12-year follow-up study. Journal of Epidemiology and Community Health, 2018, 72, 442-448.	3.7	11

#	ARTICLE	IF	CITATIONS
55	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
56	Association of Glutathione S-Transferase Polymorphisms with Dietary Composition but Not Anthropometry in Obese as Well as Nonobese Individuals. <i>Journal of the American College of Nutrition</i> , 2018, 37, 87-92.	1.8	1
57	Socioeconomic determinants of healthy ageing: evidence from the English Longitudinal Study of Ageing. <i>Lancet, The</i> , 2018, 392, S54.	13.7	6
58	Mediterranean diet and physical functioning trajectories in Eastern Europe: Findings from the HAPIEE study. <i>PLoS ONE</i> , 2018, 13, e0200460.	2.5	7
59	Sleeping habits of adolescents in relation to their physical activity and exercise output: results from the ELSPAC study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1141-1146.	3.7	5
60	Estimated dietary iodine intake as a predictor of placental size: evidence from the ELSPAC study. <i>Nutrition and Metabolism</i> , 2018, 15, 5.	3.0	1
61	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on ischaemic heart disease. <i>Environment International</i> , 2018, 119, 558-569.	10.0	39
62	Cohort Profile: The European Longitudinal Study of Pregnancy and Childhood (ELSPAC) in the Czech Republic. <i>International Journal of Epidemiology</i> , 2017, 46, dyw091.	1.9	54
63	Mediterranean diet score and total and cardiovascular mortality in Eastern Europe: the HAPIEE study. <i>European Journal of Nutrition</i> , 2017, 56, 421-429.	4.6	87
64	Parental heights and maternal education as predictors of length/height of children at birth, age 3 and 19 years, independently on diet: the ELSPAC study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1193-1199.	2.9	9
65	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105.	11.4	298
66	Association of Adherence to a Healthy Diet with Cognitive Decline in European and American Older Adults: A Meta-Analysis within the CHANCES Consortium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 215-227.	1.5	372
67	Impact of perceived control on all-cause and cardiovascular disease mortality in three urban populations of Central and Eastern Europe: the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 771-778.	3.7	11
68	Total and cardiovascular mortality and plasma lipids. Czech part of the hapiee study. <i>Atherosclerosis</i> , 2017, 263, e174.	0.8	3
69	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128Â·9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
70	Motherâ€™s education and offspring asthma risk in 10 European cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 797-805.	5.7	25
71	Johannes Siegrist and Morten Wahrendorf (eds). <i>Work Stress and Health in a Globalized Economy. The Model of Effort-Reward Imbalance</i> . <i>European Journal of Public Health</i> , 2017, 27, 383-383.	0.3	1
72	Interventions to reduce inequalities in health and early child development in Europe from a qualitative perspective. <i>International Journal for Equity in Health</i> , 2017, 16, 87.	3.5	5

#	ARTICLE	IF	CITATIONS
73	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19Â·1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
74	The relationship between body mass index and 10-year trajectories of physical functioning in middle-aged and older Russians: Prospective results of the Russian HAPIEE study. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 381-388.	3.3	5
75	Education and coronary heart disease: mendelian randomisation study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3542.	2.3	191
76	Allelic variants in vitamin D receptor gene are associated with adiposity measures in the central-European population. <i>BMC Medical Genetics</i> , 2017, 18, 90.	2.1	19
77	Lifecourse transitions, gender and drinking in later life. <i>Ageing and Society</i> , 2017, 37, 462-494.	1.7	24
78	Psychosocial and socioeconomic determinants of cardiovascular mortality in Eastern Europe: A multicentre prospective cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002459.	8.4	40
79	Impact of Low Maternal Education on Early Childhood Overweight and Obesity in Europe. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 274-284.	1.7	72
80	Blood-Based Oxidative Stress Markers and Cognitive Performance in Early Old Age: The HAPIEE Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 297-309.	1.5	20
81	Is regular drinking in later life an indicator of good health? Evidence from the English Longitudinal Study of Ageing. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 764-770.	3.7	38
82	Alcohol Consumption and Longitudinal Trajectories of Physical Functioning in Central and Eastern Europe: A 10-Year Follow-up of HAPIEE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1063-1068.	3.6	8
83	Effortâ€“reward imbalance at work, over-commitment personality and diet quality in Central and Eastern European populations. <i>British Journal of Nutrition</i> , 2016, 115, 1254-1264.	2.3	7
84	The association of depressive symptoms with cardiovascular and all-cause mortality in Central and Eastern Europe: Prospective results of the HAPIEE study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1839-1847.	1.8	62
85	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19Â·2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	13.7	3,941
86	Alcohol, drinking pattern and all-cause, cardiovascular and alcohol-related mortality in Eastern Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 21-30.	5.7	60
87	Lack of Association between NYD-SP18 Variant and Obesity. The Health Alcohol and Psychosocial Factors in Eastern Europe Study. <i>Annals of Nutrition and Metabolism</i> , 2016, 68, 244-248.	1.9	2
88	Education, material condition and physical functioning trajectories in middle-aged and older adults in Central and Eastern Europe: a cross-country comparison. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 1128-1135.	3.7	7
89	FTOGene variant and risk of spontaneous abortion. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 118-118.	2.8	2
90	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , 2016, 55, 547-560.	3.9	32

#	ARTICLE	IF	CITATIONS
91	Serum folate, vitamin B-12 and cognitive function in middle and older age: The HAPIEE study. <i>Experimental Gerontology</i> , 2016, 76, 33-38.	2.8	23
92	Fruit and vegetable consumption and mortality in Eastern Europe: Longitudinal results from the Health, Alcohol and Psychosocial Factors in Eastern Europe study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 493-501.	1.8	49
93	Social Patterning in Grip Strength, Chair Rise, and Walk Speed in an Aging Population: The Czech HAPIEE Study. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 264-271.	1.0	4
94	Assessing the feasibility of screening and providing brief advice for alcohol misuse in general dental practice: a clustered randomised control trial protocol for the DART study. <i>BMJ Open</i> , 2015, 5, e008586.	1.9	4
95	Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: a meta-analysis of individual participant data. <i>BMC Medicine</i> , 2015, 13, 300.	5.5	83
96	European Comparative Cohort Study of Social Inequalities in Child Health and Development: Findings from the DRIVERS Birth Cohorts.. <i>International Journal of Epidemiology</i> , 2015, 44, i229-i230.	1.9	0
97	Childhood Social Disadvantage and Health and Development Later in Life: the DRIVERS Project.. <i>International Journal of Epidemiology</i> , 2015, 44, i286-i287.	1.9	0
98	Association of daily coffee and tea consumption and metabolic syndrome: results from the Polish arm of the HAPIEE study. <i>European Journal of Nutrition</i> , 2015, 54, 1129-1137.	3.9	100
99	Alcohol consumption, drinking patterns, and cognitive function in older Eastern European adults. <i>Neurology</i> , 2015, 84, 287-295.	1.1	38
100	Socioeconomic indicators of health inequalities and female mortality: a nested cohort study within the United Kingdom Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>BMC Public Health</i> , 2015, 15, 253.	2.9	9
101	Socioeconomic inequalities in cause-specific mortality in 15 European cities. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 432-441.	3.7	64
102	Is alcohol consumption in older adults associated with poor self-rated health? Cross-sectional and longitudinal analyses from the English Longitudinal Study of Ageing. <i>BMC Public Health</i> , 2015, 15, 703.	2.9	43
103	Mother's education and the risk of preterm and small for gestational age birth: a DRIVERS meta-analysis of 12 European cohorts. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 826-833.	3.7	146
104	WHO guidelines for a healthy diet and mortality from cardiovascular disease in European and American elderly: the CHANCES project. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 745-756.	4.7	61
105	Do depressive symptoms predict cancer incidence?. <i>Journal of Psychosomatic Research</i> , 2015, 79, 595-603.	2.6	19
106	Alcohol consumption and physical functioning among middle-aged and older adults in Central and Eastern Europe: Results from the HAPIEE study. <i>Age and Ageing</i> , 2015, 44, 84-89.	1.6	26
107	Psychometric properties and confirmatory factor analysis of the CASP-19, a measure of quality of life in early old age: the HAPIEE study. <i>Ageing and Mental Health</i> , 2015, 19, 595-609.	2.8	51
108	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , 2015, 385, 351-361.	13.7	562

#	ARTICLE	IF	CITATIONS
109	Multilevel analysis of health risk behaviour in Czech teenagers. <i>Acta Universitatis Carolinae, Geographica</i> , 2015, 50, 91-100.	0.2	5
110	Association Between Fasting Plasma Triglycerides, All-Cause and Cardiovascular Mortality in Czech Population. Results From the HAPIEE Study. <i>Physiological Research</i> , 2015, 64, S355-S361.	0.9	10
111	Does Inclusion of Education and Marital Status Improve SCORE Performance in Central and Eastern Europe and Former Soviet Union? Findings from MONICA and HAPIEE Cohorts. <i>PLoS ONE</i> , 2014, 9, e94344.	2.5	6
112	Socioeconomic inequalities in mortality in 16 European cities. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 245-254.	2.3	45
113	Inclusion of hazardous drinking does not improve the SCORE performance in men from Central and Eastern Europe: the findings from the HAPIEE cohorts. <i>BMC Public Health</i> , 2014, 14, 1187.	2.9	2
114	Social inequalities in early childhood health and development: a European-wide systematic review. <i>Pediatric Research</i> , 2014, 76, 418-424.	2.3	155
115	Socioeconomic inequalities in all-cause mortality in the Czech Republic, Russia, Poland and Lithuania in the 2000s: findings from the HAPIEE Study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 297-303.	3.7	37
116	SCORE performance in Central and Eastern Europe and former Soviet Union: MONICA and HAPIEE results. <i>European Heart Journal</i> , 2014, 35, 571-577.	2.2	29
117	PP06â€...Healthy diet indicator score and metabolic syndrome in the Czech Republic, Russia, and Poland: cross-sectional findings from the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A49.2-A50.	3.7	1
118	Work Stress and Subsequent Risk of Internet Addiction Among Information Technology Engineers in Taiwan. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 542-550.	3.9	22
119	Alcohol consumption and cognitive performance: a <sc>M</sc> endelian randomization study. <i>Addiction</i> , 2014, 109, 1462-1471.	3.3	27
120	Systematic review of parenting interventions in European countries aiming to reduce social inequalities in childrenâ€™s health and development. <i>BMC Public Health</i> , 2014, 14, 1040.	2.9	55
121	Social differences in avoidable mortality between small areas of 15 European cities: an ecological study. <i>International Journal of Health Geographics</i> , 2014, 13, 8.	2.5	53
122	Life Course Socioeconomic Position and Mid-Late Life Cognitive Function in Eastern Europe. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014, 69, 470-481.	3.9	52
123	Inequalities in oral impacts and welfare regimes: analysis of 21 <sc>E</sc>uropean countries. <i>Community Dentistry and Oral Epidemiology</i> , 2014, 42, 517-525.	1.9	20
124	The association between APOA5 haplotypes and plasma lipids is not modified by energy or fat intake: The Czech HAPIEE study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 243-247.	2.6	7
125	Methodological development of an exploratory randomised controlled trial of an early years' nutrition intervention: the <sc>CHERRY</sc> programme (<sc>C</sc>hoosing <sc>H</sc>ealthy) Tj ETQq1.10.784314 rgBT 3.0 11	3.0	11
126	Adherence to a Healthy Diet According to the World Health Organization Guidelines and All-Cause Mortality in Elderly Adults From Europe and the United States. <i>American Journal of Epidemiology</i> , 2014, 180, 978-988.	3.4	95

#	ARTICLE	IF	CITATIONS
127	Healthy diet indicator and mortality in Eastern European populations: prospective evidence from the HAPIEE cohort. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 1346-1352.	2.9	38
128	Dental Caries and Growth in School-Age Children. <i>Pediatrics</i> , 2014, 133, e616-e623.	2.1	85
129	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ</i> , The, 2014, 349, g4164-g4164.	6.0	528
130	Parental separation and adult psychological distress: an investigation of material and relational mechanisms. <i>BMC Public Health</i> , 2014, 14, 272.	2.9	18
131	Health inequalities in European cities: perceptions and beliefs among local policymakers. <i>BMJ Open</i> , 2014, 4, e004454.	1.9	14
132	Socioeconomic inequalities in injury mortality in small areas of 15 European cities. <i>Health and Place</i> , 2013, 24, 165-172.	3.3	34
133	Parental food involvement predicts parent and child intakes of fruits and vegetables. <i>Appetite</i> , 2013, 69, 8-14.	3.7	36
134	Age at natural menopause in three Central and Eastern European urban populations: The HAPIEE study. <i>Maturitas</i> , 2013, 75, 87-93.	2.4	47
135	Considerations and lessons learned from designing a motivational interviewing obesity intervention for young people attending dental practices: A study protocol paper. <i>Contemporary Clinical Trials</i> , 2013, 36, 126-134.	1.8	7
136	Lack of an association between left-handedness and APOE polymorphism in a large sample of adults: Results of the Czech HAPIEE study. <i>Laterality</i> , 2013, 18, 513-519.	1.0	9
137	Developing a nutrition intervention in children's centres: exploring views of parents in rural/urban settings in the UK. <i>Public Health Nutrition</i> , 2013, 16, 1516-1521.	2.2	7
138	Socioeconomic inequalities in oral health in different European welfare state regimes. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 728-735.	3.7	69
139	Binge Drinking and Blood Pressure: Cross-Sectional Results of the HAPIEE Study. <i>PLoS ONE</i> , 2013, 8, e65856.	2.5	33
140	The FTO gene polymorphism is associated with end-stage renal disease: two large independent case-control studies in a general population. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1030-1035.	0.7	39
141	Socioeconomic circumstances, health behaviours and functional limitations in older persons in four Central and Eastern European populations. <i>Age and Ageing</i> , 2012, 41, 728-735.	1.6	8
142	Generic quality of life predicts all-cause mortality in the short term: evidence from British Household Panel Survey. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 962-966.	3.7	26
143	PS52...Are There Gender Differences In The Social Patterning Of Binge Drinking In The Czech Republic, Russia, Poland And Lithuania? A Cross-Sectional Study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, A58.2-A58.	3.7	0
144	OP19...Social Networks and Depressive Symptoms in Russia, Poland and the Czech Republic: Evidence from the Hapieee Study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, A8.1-A8.	3.7	0

#	ARTICLE	IF	CITATIONS
145	PS49â€¦Food For Thought! The Role Of Dietary Choices On Cognitive Behaviour. Journal of Epidemiology and Community Health, 2012, 66, A57.2-A57.	3.7	0
146	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. Lancet, The, 2012, 379, 1214-1224.	13.7	886
147	Early childhood caries trends and surveillance shortcomings in the Czech Republic. BMC Public Health, 2012, 12, 547.	2.9	16
148	Impact of treating dental caries on schoolchildrenâ€™s anthropometric, dental, satisfaction and appetite outcomes: a randomized controlled trial. BMC Public Health, 2012, 12, 706.	2.9	39
149	<i>ADH1B</i> Polymorphism, Alcohol Consumption, and Binge Drinking in Slavic Caucasians: Results from the Czech HAPIEE Study. Alcoholism: Clinical and Experimental Research, 2012, 36, 900-905.	2.4	9
150	FAT MASS AND OBESITYâ€™ASSOCIATED (FTO) GENE AND ALCOHOL INTAKE. Addiction, 2012, 107, 1185-1186.	3.3	7
151	Methods to decrease blood loss and transfusion requirements for liver transplantation. , 2011, , CD009052.		56
152	575 PROINFLAMMATION STATUS IN DEPRESSION AND ISCHEMIC HEART DISEASE. Atherosclerosis Supplements, 2011, 12, 122.	1.2	0
153	Inequalities in smoking in the Czech Republic: Societal or individual effects?. Health and Place, 2011, 17, 215-221.	3.3	13
154	The long and short term effects of alcohol consumption on cognitive decline. Journal of Epidemiology and Community Health, 2011, 65, A33-A34.	3.7	0
155	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. Public Health Nutrition, 2011, 14, 678-687.	2.2	61
156	Childhood socio-economic position and adult smoking: are childhood psychosocial factors important? Evidence from a British birth cohort. European Journal of Public Health, 2011, 21, 725-731.	0.3	19
157	The self-reported health of legal and illegal/irregular immigrants in the Czech Republic. International Journal of Public Health, 2010, 55, 401-411.	2.3	24
158	Job insecurity and health: A study of 16 European countries. Social Science and Medicine, 2010, 70, 867-874.	3.8	242
159	Social inequalities in alcohol consumption in the Czech Republic: A multilevel analysis. Health and Place, 2010, 16, 590-597.	3.3	23
160	Assessing the minimally important difference in the Oral Impact on Daily Performances index in patients treated for periodontitis. Journal of Clinical Periodontology, 2010, 37, 903-909.	4.9	69
161	Work stress and health in Western European and post-communist countries: an East-West comparison study. Journal of Epidemiology and Community Health, 2010, 64, 57-62.	3.7	40
162	010 Parental separation and psychological distress in early adulthood: has the effect reduced over time? Evidence from two British birth cohort studies. Journal of Epidemiology and Community Health, 2010, 64, A4-A4.	3.7	0

#	ARTICLE	IF	CITATIONS
163	P22 Childhood socioeconomic position and adult smoking: are childhood cognitive ability, psychosocial adjustment and parental involvement important?. Journal of Epidemiology and Community Health, 2010, 64, A42-A42.	3.7	0
164	Non-fatal injuries in three Central and Eastern European urban population samples: the HAPIEE study. European Journal of Public Health, 2010, 20, 695-701.	0.3	10
165	APOE polymorphism and its effect on plasma C-reactive protein levels in a large general population sample. Human Immunology, 2010, 71, 304-308.	2.4	63
166	Incidence and prevalence of psoriatic arthritis, ankylosing spondylitis, and reactive arthritis in the first descriptive population-based study in the Czech Republic. Scandinavian Journal of Rheumatology, 2010, 39, 310-317.	1.1	57
167	Association between Year of Birth and Cognitive Functions in Russia and the Czech Republic: Cross-Sectional Results of the HAPIEE Study. Neuroepidemiology, 2009, 33, 231-239.	2.3	12
168	A multilevel analysis of social capital and self-rated health: Evidence from the British Household Panel Survey. Social Science and Medicine, 2009, 68, 1993-2001.	3.8	142
169	Dietary habits in three Central and Eastern European countries: the HAPIEE study. BMC Public Health, 2009, 9, 439.	2.9	88
170	Application of item response theory to achieve cross-cultural comparability of occupational stress measurement. International Journal of Methods in Psychiatric Research, 2009, 18, 58-67.	2.1	35
171	Apolipoprotein E Polymorphism in Hemodialyzed Patients and Healthy Controls. Biochemical Genetics, 2009, 47, 688-693.	1.7	11
172	Neighbourhood socioeconomic indicators and depressive symptoms in the Czech Republic: a population based study. International Journal of Public Health, 2009, 54, 283-293.	2.3	17
173	Depressive symptoms and levels of C-reactive protein. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 217-222.	3.1	29
174	The association between glutathione S-transferase gene polymorphisms and pancreatic cancer in a central European Slavonic population. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2009, 680, 78-81.	1.7	20
175	MLXIPL variant in individuals with low and high triglyceridemia in white population in Central Europe. Human Genetics, 2008, 124, 553-555.	3.8	28
176	The <i>FTO</i> Gene and Obesity in a Large Eastern European Population Sample: The HAPIEE Study. Obesity, 2008, 16, 2764-2766.	3.0	61
177	Time Absent from School due to Dental Conditions and Dental Care in Thai Schoolchildren. Journal of Public Health Dentistry, 2008, 68, 76-81.	1.2	34
178	Relationship between parental locus of control and caries experience in preschool children – cross-sectional survey. BMC Public Health, 2008, 8, 208.	2.9	45
179	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. Journal of Affective Disorders, 2008, 105, 125-136.	4.1	52
180	Apolipoprotein E Arg136→Cys mutation and hyperlipidemia in a large central European population sample. Clinica Chimica Acta, 2008, 388, 217-218.	1.1	5

#	ARTICLE	IF	CITATIONS
181	Neighbourhood socioeconomic status and cardiovascular risk factors: a multilevel analysis of nine cities in the Czech Republic and Germany. BMC Public Health, 2007, 7, 255.	2.9	115
182	Adverse health effects of low levels of perceived control in Swedish and Russian community samples. BMC Public Health, 2007, 7, 314.	2.9	21
183	Obesity and Education in Three Countries of the Central and Eastern Europe: The HAPIEE Study. Central European Journal of Public Health, 2007, 15, 140-142.	1.1	35
184	Determinants of cardiovascular disease and other non-communicable diseases in Central and Eastern Europe: Rationale and design of the HAPIEE study. BMC Public Health, 2006, 6, 255.	2.9	269
185	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. British Journal of Psychiatry, 2006, 188, 359-365.	2.8	71
186	Health-Related Quality of Life Measurement in Randomized Clinical Trials in Surgical Oncology. Journal of Clinical Oncology, 2006, 24, 3178-3186.	1.6	117
187	Down syndrome, paternal age and education: comparison of California and the Czech Republic. BMC Public Health, 2005, 5, 69.	2.9	28
188	DO LIPIDS CONTRIBUTE TO THE LACK OF CARDIO-PROTECTIVE EFFECT OF BINGE DRINKING: ALCOHOL CONSUMPTION AND LIPIDS IN THREE EASTERN EUROPEAN COUNTRIES. Alcohol and Alcoholism, 2005, 40, 431-435.	1.6	14
189	The association between psychosocial characteristics at work and problem drinking: a cross-sectional study of men in three Eastern European urban populations. Occupational and Environmental Medicine, 2005, 62, 546-550.	2.8	35
190	Life span and disability: a cross sectional comparison of Russian and Swedish community based data. BMJ: British Medical Journal, 2004, 329, 767.	2.3	39
191	Contribution of drinking patterns to differences in rates of alcohol related problems between three urban populations. Journal of Epidemiology and Community Health, 2004, 58, 238-242.	3.7	128
192	Psychosocial factors at work and depression in three countries of Central and Eastern Europe. Social Science and Medicine, 2004, 58, 1475-1482.	3.8	161
193	Household item ownership and self-rated health: material and psychosocial explanations. BMC Public Health, 2003, 3, 38.	2.9	30
194	Mortality patterns in the Russian Federation: indirect technique using widowhood data. Bulletin of the World Health Organization, 2002, 80, 876-81.	3.3	16
195	Outdoor sulphur dioxide and respiratory symptoms in Czech and Polish school children: a small-area study (SAVIAH). International Archives of Occupational and Environmental Health, 2001, 74, 574-578.	2.3	57
196	Psychosocial work characteristics and self rated health in four post-communist countries. Journal of Epidemiology and Community Health, 2001, 55, 624-630.	3.7	137
197	Socioeconomic factors, material inequalities, and perceived control in self-rated health: cross-sectional data from seven post-communist countries. Social Science and Medicine, 2000, 51, 1343-1350.	3.8	296
198	Maternal socioeconomic characteristics and infant mortality from injuries in the Czech Republic 1989-92. Injury Prevention, 2000, 6, 195-198.	2.4	15

#	ARTICLE	IF	CITATIONS
199	Outdoor Air Concentrations of Nitrogen Dioxide and Sulfur Dioxide and Prevalence of Wheezing in School Children. Epidemiology, 2000, 11, 153-160.	2.7	45
200	Risk Factors Indoors and Prevalences of Childhood Respiratory Health in Four Countries in Western and Central Europe. Indoor Air, 1998, 8, 244-254.	4.3	16
201	Socioeconomic factors, perceived control and self-reported health in Russia. A cross-sectional survey. Social Science and Medicine, 1998, 47, 269-279.	3.8	272
202	Neonatal mortality of low birthweight babies is increased in mothers with higher education. BMJ: British Medical Journal, 1997, 315, 886-886.	2.3	2