

# Vicent Balanzà-Martínez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1327857/publications.pdf>

Version: 2024-02-01

134  
papers

6,699  
citations

71102

41  
h-index

69250

77  
g-index

141  
all docs

141  
docs citations

141  
times ranked

7262  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	4.5	481
2	Nutritional medicine as mainstream in psychiatry. <i>Lancet Psychiatry</i> , 2015, 2, 271-274.	7.4	375
3	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
4	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008, 109, 286-299.	4.1	256
5	The role of long-acting injectable antipsychotics in schizophrenia: a critical appraisal. <i>Therapeutic Advances in Psychopharmacology</i> , 2014, 4, 198-219.	2.7	224
6	Neurocognitive endophenotypes (Endophenocognitypes) from studies of relatives of bipolar disorder subjects: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 1426-1438.	6.1	189
7	Specificity of Cognitive Deficits in Bipolar Disorder versus Schizophrenia. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 72-84.	8.8	185
8	Lifestyle behaviours during the COVID-19 "time to connect". <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 399-400.	4.5	183
9	Staging systems in bipolar disorder: an international Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
10	Inverse and Direct Cancer Comorbidity in People with Central Nervous System Disorders: A Meta-Analysis of Cancer Incidence in 577,013 Participants of 50 Observational Studies. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 89-105.	8.8	164
11	Short-term neuropsychiatric outcomes and quality of life in COVID-19 survivors. <i>Journal of Internal Medicine</i> , 2021, 290, 621-631.	6.0	146
12	Persistent Cognitive Dysfunctions in Bipolar I Disorder and Schizophrenic Patients: A 3-Year Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 113-119.	8.8	143
13	Neurocognitive Impairment in Bipolar Patients With and Without History of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 233-239.	2.2	142
14	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.2	119
15	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, 14, 16-26.	1.8	118
16	Pharmacological approaches in bipolar disorders and the impact on cognition: a critical overview. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 315-331.	4.5	111
17	Neurocognition in bipolar disorders: A closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010, 626, 87-96.	3.5	105
18	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	4.5	103

#	ARTICLE	IF	CITATIONS
19	Ketogenic diet as a metabolic therapy for mood disorders: Evidence and developments. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 94, 11-16.	6.1	102
20	Symptomatic remission in schizophrenia patients: Relationship with social functioning, quality of life, and neurocognitive performance. <i>Schizophrenia Research</i> , 2011, 129, 133-136.	2.0	96
21	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	2.8	95
22	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015, 164, 65-73.	2.0	92
23	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011, 52, 613-622.	3.1	91
24	Comparative study of neurocognitive function in euthymic bipolar patients and stabilized schizophrenic patients. <i>Psychiatry Research</i> , 2009, 169, 220-228.	3.3	90
25	Bipolar I patients with and without a history of psychotic symptoms: Do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007, 41, 265-272.	3.1	89
26	Current understandings of the trajectory and emerging correlates of cognitive impairment in bipolar disorder: An overview of evidence. <i>Bipolar Disorders</i> , 2020, 22, 13-27.	1.9	89
27	Psychiatric Comorbidity at the Time of Diagnosis in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 1066-1075.	2.6	88
28	Therapeutic use of omega-3 fatty acids in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1029-1047.	2.8	87
29	Lifestyle interventions targeting dietary habits and exercise in bipolar disorder: A systematic review. <i>Journal of Psychiatric Research</i> , 2016, 74, 1-7.	3.1	87
30	International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , 2015, 14, 370-371.	10.4	81
31	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 309-317.	4.5	78
32	Functional impairment in bipolar II disorder: Is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010, 127, 71-76.	4.1	75
33	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	4.1	71
34	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 441-455.	4.5	66
35	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	4.5	60
36	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020, 22, e22835.	4.3	56

#	ARTICLE	IF	CITATIONS
37	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.7	52
38	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.	4.1	51
39	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017, 189, 84-90.	2.0	49
40	Specific executive/attentional deficits in patients with schizophrenia or bipolar disorder who have a positive family history of psychosis. <i>Journal of Psychiatric Research</i> , 2003, 37, 479-486.	3.1	47
41	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: A preliminary study. <i>Neuroscience</i> , 2006, 139, 1289-1300.	2.3	47
42	Long-term neuropsychiatric outcomes in COVID-19 survivors: A 1-year longitudinal study. <i>Journal of Internal Medicine</i> , 2022, 291, 247-251.	6.0	44
43	Natural environments, ancestral diets, and microbial ecology: is there a modern "paleo-deficit disorder"? Part I. <i>Journal of Physiological Anthropology</i> , 2015, 34, 1.	2.6	43
44	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	4.5	43
45	Treatment of Comorbid Alcohol Dependence and Anxiety Disorder: Review of the Scientific Evidence and Recommendations for Treatment. <i>Frontiers in Psychiatry</i> , 2017, 8, 173.	2.6	42
46	Attention-deficit hyperactivity disorder (ADHD), substance use disorders, and criminality: a difficult problem with complex solutions. <i>International Journal of Adolescent Medicine and Health</i> , 2015, 27, 163-175.	1.3	41
47	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018, 48, 2247-2256.	4.5	40
48	The Microbiota and Gut-Brain Axis: Contributions to the Immunopathogenesis of Schizophrenia. <i>Current Pharmaceutical Design</i> , 2016, 22, 6122-6133.	1.9	39
49	Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAH). <i>Maturitas</i> , 2016, 83, 83-93.	2.4	39
50	Clinical staging and serum cytokines in bipolar patients during euthymia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 194-201.	4.8	37
51	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015, 6, 108.	2.8	35
52	Tobacco smoking and its association with cognition in first episode psychosis patients. <i>Schizophrenia Research</i> , 2018, 192, 269-273.	2.0	34
53	Recall and recognition confabulation in psychotic and bipolar disorders: evidence for two different types without unitary mechanisms. <i>Comprehensive Psychiatry</i> , 2004, 45, 281-288.	3.1	33
54	Patterns of pharmacological maintenance treatment in a community mental health services bipolar disorder cohort study (SIN-DEPRES). <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 513-523.	2.1	33

#	ARTICLE	IF	CITATIONS
55	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021, 295, 173-182.	4.1	32
56	Is personal and social functioning associated with subjective quality of life in schizophrenia patients living in the community?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 509-517.	3.2	31
57	Individual trajectories of cognitive performance in first episode psychosis: a 2-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 699-711.	3.2	31
58	Development of the insight scale for affective disorders (ISAD): Modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , 2012, 142, 65-71.	4.1	30
59	The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 353-361.	1.7	29
60	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv121.	2.1	29
61	A preliminary study to assess the impact of maternal age on stress-related variables in healthy nulliparous women. <i>Psychoneuroendocrinology</i> , 2017, 78, 97-104.	2.7	29
62	Persistent Negative Symptoms in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1414-1422.	2.2	28
63	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021, 23, 659-678.	1.9	27
64	Neurocognitive Training in Patients with Bipolar Disorders: Current Status and Perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 250-252.	8.8	26
65	Role of quetiapine beyond its clinical efficacy in bipolar disorder: From neuroprotection to the treatment of psychiatric disorders (Review). <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 643-652.	1.8	26
66	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.7	26
67	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017, 215, 156-162.	4.1	26
68	Natural environments, ancestral diets, and microbial ecology: is there a modern "paleo-deficit disorder"? Part II. <i>Journal of Physiological Anthropology</i> , 2015, 34, 9.	2.6	25
69	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020, 98, 683-697H.	3.3	25
70	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019, 210, 21-29.	2.0	23
71	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015 and 2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2022, 24, 354-374.	1.9	23
72	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008, 18, 313-317.	1.1	22

#	ARTICLE	IF	CITATIONS
73	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. PLoS ONE, 2016, 11, e0160949.	2.5	22
74	Rendimiento psicométrico del Cuestionario Oviedo de Sueño en pacientes con trastorno mental grave. Revista De Psiquiatría Y Salud Mental, 2009, 2, 169-177.	1.8	21
75	Staging, Neurocognition and Social Functioning in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 709.	2.6	21
76	Subjective neurocognition and quality of life in patients with bipolar disorder and siblings. Journal of Affective Disorders, 2019, 245, 283-288.	4.1	21
77	Gender Differences in Psychological Stress Factors of Physical Therapy Degree Students in the COVID-19 Pandemic: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 810.	2.6	20
78	“An Apple a Day”?: Psychiatrists, Psychologists and Psychotherapists Report Poor Literacy for Nutritional Medicine: International Survey Spanning 52 Countries. Nutrients, 2021, 13, 822.	4.1	18
79	Detection of Subclinical Depression in Bipolar Disorder. Journal of Clinical Psychiatry, 2010, 71, 1465-1474.	2.2	18
80	Similar effect of family history of psychosis on Sylvian fissure size and auditory P200 amplitude in schizophrenic and bipolar subjects. Psychiatry Research - Neuroimaging, 2001, 108, 29-38.	1.8	16
81	Understanding Bipolar Disorder in Late Life. Journal of Nervous and Mental Disease, 2013, 201, 674-679.	1.0	16
82	Predictors of functional outcome after a manic episode. Journal of Affective Disorders, 2015, 182, 121-125.	4.1	16
83	Clinical factors leading to lamotrigine prescription in bipolar outpatients: Subanalysis of the SIN-DEPRES study. Journal of Affective Disorders, 2012, 143, 102-108.	4.1	14
84	Abnormal motor asymmetry only during bimanual movement in schizophrenic patients compared with healthy subjects. Schizophrenia Research, 2003, 61, 245-253.	2.0	13
85	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. BMC Psychiatry, 2010, 10, 47.	2.6	13
86	Differential associations of cognitive insight components with pretreatment characteristics in first-episode psychosis. Psychiatry Research, 2014, 215, 308-313.	3.3	13
87	Integrated treatment of first episode psychosis with online training (e-learning): study protocol for a randomised controlled trial. Trials, 2014, 15, 416.	1.6	12
88	Duration of euthymia and predominant polarity in bipolar disorder. Journal of Affective Disorders, 2018, 241, 356-359.	4.1	12
89	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study.. Journal of Affective Disorders, 2019, 257, 31-37.	4.1	12
90	Diet and Neurocognition in Mood Disorders - An Overview of the Overlooked. Current Pharmaceutical Design, 2020, 26, 2353-2362.	1.9	11

#	ARTICLE	IF	CITATIONS
91	The effect of concomitant benzodiazepine use on neurocognition in stable, long-term patients with bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 1005-1016.	2.3	10
92	Cumulative Cardiovascular Disease Risk and Triglycerides Differentially Relate to Subdomains of Executive Function in Bipolar Disorder; preliminary findings. <i>Journal of Affective Disorders</i> , 2021, 278, 556-562.	4.1	10
93	Is processing speed a valid neurocognitive endophenotype in bipolar disorder? Evidence from a longitudinal, family study. <i>Journal of Psychiatric Research</i> , 2021, 141, 241-247.	3.1	10
94	Grip Strength, Neurocognition, and Social Functioning in People With Type-2 Diabetes Mellitus, Major Depressive Disorder, Bipolar Disorder, and Schizophrenia. <i>Frontiers in Psychology</i> , 2020, 11, 525231.	2.1	9
95	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 418-423.	1.8	9
96	Peripheral Oxidative Stress Markers in Patients with Bipolar Disorder during Euthymia and in Siblings. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020, 20, 77-86.	1.2	9
97	Motor speed predicts stability of cognitive deficits in both schizophrenic and bipolar I patients at one-year follow-up. <i>European Journal of Psychiatry</i> , 2009, 23, .	1.3	9
98	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021, 150, 106718.	3.4	8
99	Chronic obstructive pulmonary disease in severe mental illness: A timely diagnosis to advance the process of quitting smoking. <i>European Psychiatry</i> , 2021, 64, e22.	0.2	8
100	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8133.	2.6	7
101	A Multicentre, Randomised, Controlled Trial of a Combined Clinical Treatment for First-Episode Psychosis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7239.	2.6	7
102	Virtual meetings and social isolation in COVID-19 times: transposable barriers. <i>Trends in Psychiatry and Psychotherapy</i> , 2020, 42, 221-222.	0.8	7
103	Preparando el escenario para dejar de fumar en el paciente con Trastorno Bipolar: intervenci3n breve en la pr3ctica cl3nica. <i>Revista De Psicología De La Salud</i> , 2019, 31, 136.	0.5	7
104	Prevalence of depressive symptoms and suicidal ideation among Spanish medical students. <i>Actas Espanolas De Psiquiatria</i> , 2020, 48, 154-62.	0.1	7
105	Specific metabolic syndrome components predict cognition and social functioning in people with type 2 diabetes mellitus and severe mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 215-226.	4.5	7
106	Consenso de expertos sobre propuestas de informaci3n al paciente en tratamiento con sales de litio. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2021, 14, 27-39.	1.8	6
107	What Are We Measuring When We Evaluate Digital Interventions for Improving Lifestyle? A Scoping Meta-Review. <i>Frontiers in Public Health</i> , 2021, 9, 735624.	2.7	6
108	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2021, 14, 16-26.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 236, 19-28.	2.0	5
110	Smoking cessation opportunities in severe mental illness (tobacco intensive motivational and estimate) <i>Tj ETQq0 0,0,rgBT /Oyerlock 10</i>	1.6	4
111	Immuneâ€“Inflammatory Biomarkers Predict Cognition and Social Functioning in Patients With Type 2 Diabetes Mellitus, Major Depressive Disorder, Bipolar Disorder, and Schizophrenia: A 1-Year Follow-Up Study. <i>Frontiers in Neurology</i> , 2022, 13, .	2.4	4
112	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011, 1, 45-54.	0.4	3
113	â€œReadiness to Changeâ€•Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , 2019, 25, 256-262.	2.4	3
114	Transdiagnostic neurocognitive deficits in patients with type 2 diabetes mellitus, major depressive disorder, bipolar disorder, and schizophrenia: A 1-year follow-up study. <i>Journal of Affective Disorders</i> , 2022, 300, 99-108.	4.1	3
115	Attention Deficit Hyperactivity Disorder (ADHD) in the adult patients: view of the clinician. <i>Actas Espanolas De Psiquiatria</i> , 2013, 41, 185-95.	0.1	3
116	Longitudinal course of cognition in schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 84-84.	2.8	2
117	Quality of Life, Cognition, and Social Cognition in Schizophrenia. , 2016, , 25-51.		2
118	Cognitive impairment and consumption of mental healthcare resources in outpatients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2021, 138, 535-540.	3.1	2
119	La humanizaci3n en los planes de salud mental en Espa±a. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2021, , .	1.8	2
120	Lifestyle predictors of depression and anxiety during COVID-19: a machine learning approach. <i>Trends in Psychiatry and Psychotherapy</i> , 2022, , .	0.8	2
121	Lifestyle Prescription for Depression with a Focus on Nature Exposure and Screen Time: A Narrative Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5094.	2.6	2
122	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022, 244, 46-54.	2.0	2
123	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Annals of General Psychiatry</i> , 2010, 9, .	2.7	1
124	The possible resilience role of cognitive reserve in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016, 26, S428-S429.	0.7	1
125	Dejar de fumar en el trastorno mental grave: desafÃos y oportunidades en tiempos de la COVID-1. <i>Revista De Psicología De La Salud</i> , 2021, 33, 175.	0.5	1
126	Suitable cognitive endophenotypes from a family and prospective study of schizophrenia and bipolar disorder. <i>International Clinical Psychopharmacology</i> , 2011, 26, e62-e63.	1.7	0



#	ARTICLE	IF	CITATIONS
127	High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017, 41, S116-S116.	0.2	0
128	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 27-39.	0.3	0
129	Spanish validation of the Empirically Developed Clinical Staging Model (EmDe-5) for patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , .	1.8	0
130	The prevalence of bipolar disorders in the general population: a growing trending topic?. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 91-92.	1.7	0
131	Staging and early intervention in bipolar disorder. , 2015, , 269-282.		0
132	Neuroplasticidad y deterioro cognitivo en trastornos mentales graves desde un enfoque neuropsicológico. , 0, , .		0
133	Psiquiatria do Estilo de Vida:Um Horizonte Promissor para os Cuidados de Saúde Mental. , 2022, 8, 2-3.	0.1	0
134	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> , 0, , 155982762211020.	1.9	0