## Yukiteru Katsumoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1328126/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Solvent effect on the competition between weak and strong interactions in phenol solutions studied by near-infrared spectroscopy and DFT calculations. Physical Chemistry Chemical Physics, 2021, 23, 19188-19194.	2.8	9
2	Amphiphilic, Thermoresponsive Polymers Interacting with Explicit Solvent. Physical Chemistry in Action, 2021, , 337-361.	0.6	1
3	Controlling the kinetics of interaction between microtubules and kinesins over a wide temperature range using the deep-sea osmolyte trimethylamineN-oxide. Chemical Communications, 2020, 56, 1187-1190.	4.1	6
4	Microanalysis of Single Poly( <i>N</i> -isopropylacrylamide) Droplet Produced by an Optical Tweezer in Water: Isotacticity Dependence of Growth and Chemical Structure of the Droplet. Journal of Physical Chemistry B, 2020, 124, 8454-8463.	2.6	10
5	Application of a novel chromophoric reagent, 2,2′-binaphthyl-3,3′-dicarbonyl cyanide, to the absolute configuration determination of chiral secondary alcohols. Tetrahedron Letters, 2020, 61, 151984.	1.4	0
6	Characteristic responses of a 1,2-dioleoyl-sn-glycero-3-phosphocholine molecular layer to monovalent and divalent metal cations. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 602, 125115.	4.7	1
7	Effect of Molecular Weight on Cloud Point of Aqueous Solution of Poly (ethylene oxide)–Poly (propylene oxide) Alternating Multiblock Copolymer. Journal of Oleo Science, 2020, 69, 449-453.	1.4	3
8	Unimer Structure and Micellization of Poly(ethylene oxide)-Stereocontrolled Poly( <i>N</i> -isopropylacrylamide) Alternating Multiblock Copolymers in Aqueous Solution. Macromolecules, 2019, 52, 7188-7196.	4.8	12
9	Relationship between the phase diagram and hysteresis in demixing and remixing for atactic and meso-rich Poly(N-isopropylacrylamide)s in water. Polymer, 2019, 161, 92-100.	3.8	11
10	Characteristic responses of a 1,2-dipalmitoleoyl-sn-glycero-3- phosphoethanolamine molecular layer depending on the number of CH(OH) groups in polyols. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 560, 149-153.	4.7	6
11	Micellization of poly(ethylene oxide)-poly(propylene oxide) alternating multiblock copolymers in water. Polymer, 2018, 156, 102-110.	3.8	15
12	Dynamics of the Phase Separation in a Thermoresponsive Polymer: Accelerated Phase Separation of Stereocontrolled Poly(N,N-diethylacrylamide) in Water. Langmuir, 2018, 34, 13690-13696.	3.5	11
13	Synthesis of optically clear molecular organogels using phenol and a sulfosuccinic surfactant in various solvents with cyclic geometries. Journal of Molecular Liquids, 2018, 268, 685-690.	4.9	2
14	Association Behavior of Poly(ethylene oxide)–Poly(propylene oxide) Alternating Multiblock Copolymers in Water toward Thermally Induced Phase Separation. Langmuir, 2017, 33, 14649-14656.	3.5	12
15	Effects of Syndiotacticity on the Dynamic and Static Phase Separation Properties of Poly( <i>N</i> -isopropylacrylamide) in Aqueous Solution. Journal of Physical Chemistry B, 2016, 120, 7724-7730.	2.6	16
16	Solvent-Dependent Properties and Higher-Order Structures of Aryl Alcohol + Surfactant Molecular Gels. Langmuir, 2016, 32, 4352-4360.	3.5	11
17	Reconsidering the activation entropy for anomerization of glucose and mannose in water studied by NMR spectroscopy. Journal of Molecular Structure, 2015, 1093, 195-200.	3.6	19
18	Transient Reciprocating Motion of a Self-Propelled Object Controlled by a Molecular Layer of a <i>N</i> -Stearoyl- <i>p</i> -nitroaniline: Dependence on the Temperature of an Aqueous Phase. Journal of Physical Chemistry C, 2014, 118, 14888-14893.	3.1	5

Yukiteru Katsumoto

#	Article	IF	CITATIONS
19	Kinetic Aspect on Gelation Mechanism of Tetra-PEG Hydrogel. Macromolecules, 2014, 47, 3274-3281.	4.8	76
20	Structures of Naphthol–AOT Self-assembly Organogels and Their Applications to Dispersing Media of Rare-earth Complexes. Chemistry Letters, 2014, 43, 1861-1863.	1.3	6
21	SANS and DLS Study of Tacticity Effects on Hydrophobicity and Phase Separation of Poly( <i>N</i> -isopropylacrylamide). Macromolecules, 2013, 46, 6225-6232.	4.8	65
22	LCST phase separation and thermoreversible gelation in aqueous solutions of stereo-controlled poly(N-isopropylacrylamide)s. Reactive and Functional Polymers, 2013, 73, 894-897.	4.1	15
23	Accelerating the Phase Separation in Aqueous Poly(N-isopropylacrylamide) Solutions by Slight Modification of the Polymer Stereoregularity: A Single Molecule Fluorescence Study. Journal of Physical Chemistry C, 2013, 117, 10818-10824.	3.1	17
24	Infrared spectroscopic study of stereo-controlled poly(N-isopropylacrylamide) with an extended chain conformation induced by adsorption on a gold surface. Analytical and Bioanalytical Chemistry, 2013, 405, 9411-9418.	3.7	5
25	Conformation and Atropisomeric Properties of Indometacin Derivatives. Chemistry - A European Journal, 2013, 19, 7056-7063.	3.3	10
26	Rubber elasticity for incomplete polymer networks. Journal of Chemical Physics, 2012, 137, 224903.	3.0	40
27	Application of multivariate analysis of NMR spectra of poly(N-isopropylacrylamide) to assignment of stereostructures and prediction of tacticity distribution. Polymer Journal, 2012, 44, 815-820.	2.7	14
28	Correlation between the local OH stretching vibration wavenumber and the hydrogen bonding pattern of water in a condensed phase: Quantum chemical approach to analyze the broad OH band. Journal of Molecular Structure, 2012, 1029, 209-216.	3.6	9
29	Kinetic Study for AB-Type Coupling Reaction of Tetra-Arm Polymers. Macromolecules, 2012, 45, 1031-1036.	4.8	45
30	Dissecting the Mechanism of the Heat-Induced Phase Separation and Crystallization of Poly(2-isopropyl-2-oxazoline) in Water through Vibrational Spectroscopy and Molecular Orbital Calculations. Macromolecules, 2012, 45, 3531-3541.	4.8	80
31	Induced circular dichroism in chiral N-methyl amides possessing an achiral binaphthyl chromophore and its application to absolute configuration determination of aliphatic chiral amines. Tetrahedron: Asymmetry, 2012, 23, 981-991.	1.8	7
32	Examination of the Theories of Rubber Elasticity Using an Ideal Polymer Network. Macromolecules, 2011, 44, 5817-5821.	4.8	133
33	Thermoreversible gelation of isotactic-rich poly( <i>N</i> -isopropylacrylamide) in water. Journal of Chemical Physics, 2011, 135, 114903.	3.0	41
34	Infrared spectroscopic study of molecular interaction of tacticity-controlled poly(N-isopropylacrylamide) in a cast film deposited on a solid substrate. Analytical and Bioanalytical Chemistry, 2010, 398, 2203-2209.	3.7	12
35	Straightforward Approach to the Discrimination of (4R)-and (4S)-Î <sup>2</sup> -Isocryptoxanthin from a Conformationally Insensitive CD Band. Natural Product Communications, 2010, 5, 1934578X1000501.	0.5	0
36	Water-Induced Brittle-Ductile Transition of Double Network Hydrogels. Macromolecules, 2010, 43, 9495-9500.	4.8	104

#	Article	IF	CITATIONS
37	Molecular Approach To Understand the Tacticity Effects on the Hydrophilicity of Poly(N-isopropylacrylamide): Solubility of Dimer Model Compounds in Water. Journal of Physical Chemistry B, 2010, 114, 13312-13318.	2.6	37
38	Blue Shift of the Isolated CD Stretching Band of CH2DOH in Water Induced by Changes in the Hydrogen-Bonding Pattern. Journal of Physical Chemistry A, 2010, 114, 11971-11976.	2.5	5
39	Phase Diagrams of Stereocontrolled Poly( <i>N</i> , <i>N</i> -diethylacrylamide) in Water. Macromolecules, 2010, 43, 3120-3121.	4.8	22
40	Multivariate analysis of DSC–XRD simultaneous measurement data: a study of multistage crystalline structure changes in a linear poly(ethylene imine) thin film. Analytical and Bioanalytical Chemistry, 2009, 393, 367-376.	3.7	23
41	Effects of dipole interaction and solvation on the C O stretching band of N,N-dimethylacetamide in nonpolar solutions: Infrared, isotropic and anisotropic Raman measurements. Vibrational Spectroscopy, 2009, 51, 119-124.	2.2	11
42	Thermally induced double proton transfer in GG and wobble GT base pairs: A possible origin of the mutagenic guanine. Chemical Physics Letters, 2008, 457, 232-236.	2.6	29
43	Tacticity Effects on the Phase Diagram for Poly(N-isopropylacrylamide) in Water. Macromolecules, 2008, 41, 5955-5956.	4.8	72
44	Relationship between the Broad OH Stretching Band of Methanol and Hydrogen-Bonding Patterns in the Liquid Phase. Journal of Physical Chemistry A, 2008, 112, 7342-7348.	2.5	77
45	Molecular Understanding of the UCST-Type Phase Separation Behavior of a Stereocontrolled Poly(N-isopropylacrylamide) in Bis(2-methoxyethyl) Ether. Journal of Physical Chemistry B, 2008, 112, 10854-10860.	2.6	44
46	Absolute Configuration and Conformation Analysis of 1-Phenylethanol by Matrix-Isolation Infrared and Vibrational Circular Dichroism Spectroscopy Combined with Density Functional Theory Calculation. Journal of Physical Chemistry A, 2007, 111, 8598-8605.	2.5	32
47	Contribution of Intramolecular CO···Hâ^'N Hydrogen Bonding to the Solvent-Induced Reentrant Phase Separation of Poly( <i>N</i> -isopropylacrylamide). Journal of Physical Chemistry B, 2007, 111, 12730-12737.	2.6	63
48	Picosecond IR-UV pump–probe spectroscopic study on the vibrational energy flow in isolated molecules and clusters. Physical Chemistry Chemical Physics, 2007, 9, 1170-1185.	2.8	50
49	Reversal Phenomenon of Reaction Velocity in a Mixed Reaction System:Â Silylations between Simple Alcohols and α- or β-Hydroxyketones Using Anilinosilanes and Catalytic TBAF Agent. Journal of Organic Chemistry, 2007, 72, 4970-4973.	3.2	3
50	Intramolecular CHâ<¯i€ and CHâ<¯O interactions in the conformational stability of benzyl methyl ether studied by matrix-isolation infrared spectroscopy and theoretical calculations. Journal of Molecular Structure, 2007, 827, 155-164.	3.6	19
51	Dimerization and Double Proton Transfer-Induced Tautomerism of 4(3H)-Pyrimidinone in Solution Studied by IR Spectroscopy and Quantum Chemical Calculations. Journal of Physical Chemistry B, 2006, 110, 26388-26395.	2.6	12
52	Origin of the Blue Shift of the CH Stretching Band for 2-Butoxyethanol in Water. Journal of the American Chemical Society, 2006, 128, 9278-9279.	13.7	54
53	Matrix-isolation infrared spectra of 2-, 3- and 4-pyridinecarboxaldehyde before and after UV irradiation. Journal of Molecular Structure, 2006, 825, 143-150.	3.6	19
54	Two Characteristic H-bonded O–H Stretching Bands for the Compounds Containing Ether Oxygen and Hydroxyl Oxygen. Chemistry Letters, 2005, 34, 250-251.	1.3	5

YUKITERU KATSUMOTO

#	Article	IF	CITATIONS
55	Thermal Stability of the Hydration Structure of Short-chain Poly(oxyethylene) in Carbon Tetrachloride: An Infrared Spectroscopic Observation of the Breakdown of Hydrogen Bonds. Chemistry Letters, 2005, 34, 502-503.	1.3	4
56	Vibrational anharmonicity of acetic acid studied by matrix-isolation near-infrared spectroscopy and DFT calculation. Chemical Physics Letters, 2005, 413, 367-372.	2.6	10
57	Hydration of Short-Chain Poly(oxyethylene) in Carbon Tetrachloride:Â An Infrared Spectroscopic Study. Journal of Physical Chemistry B, 2005, 109, 19704-19710.	2.6	10
58	The effect of cooperative hydrogen bonding on the OH stretching-band shift for water clusters studied by matrix-isolation infrared spectroscopy and density functional theory. Physical Chemistry Chemical Physics, 2005, 7, 3005.	2.8	227
59	Molecular Interpretation for the Solvation of Poly(acrylamide)s. I. Solvent-Dependent Changes in the CO Stretching Band Region of Poly(N,N-dialkylacrylamide)s. Journal of Physical Chemistry B, 2005, 109, 20690-20696.	2.6	41
60	Surface melting and crystallization behavior of polyhydroxyalkanoates studied by attenuated total reflection infrared spectroscopy. Polymer, 2004, 45, 6547-6554.	3.8	57
61	Thermally induced phase transition of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) investigated by two-dimensional infrared correlation spectroscopy. Vibrational Spectroscopy, 2004, 36, 241-249.	2.2	52
62	Crystallization behavior of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) studied by 2D IR correlation spectroscopy. Polymer, 2004, 45, 7159-7165.	3.8	30
63	Relationship between the coil-globule transition of an aqueous poly(N-isopropylacrylamide) solution and structural changes in local conformations of the polymer. Macromolecular Symposia, 2004, 205, 209-224.	0.7	31
64	Applications of Moving Window Two-Dimensional Correlation Spectroscopy to Analysis of Phase Transitions and Spectra Classification. Analytical Chemistry, 2003, 75, 4010-4018.	6.5	59
65	Practical Algorithm for Reducing Convex Spike Noises on a Spectrum. Applied Spectroscopy, 2003, 57, 317-322.	2.2	43
66	Raman, X-ray diffraction and differential scanning calorimetry studies of the melt-induced changes in uncompatibilized and compatibilized blends of high-density polyethylene and nylon 12. Macromolecular Symposia, 2002, 184, 339-348.	0.7	4
67	Near-Infrared Spectroscopic Study of Interaction between Methyl Group and Water in Water—Methanol Mixtures. Applied Spectroscopy, 2002, 56, 357-361.	2.2	38
68	Force Spectroscopy Study on Poly(acrylamide) Derivatives:  Effects of Substitutes and Buffers on Single-Chain Elasticity. Nano Letters, 2002, 2, 1169-1172.	9.1	52
69	Usefulness of a Curve Fitting Method in the Analysis of Overlapping Overtones and Combinations of CH Stretching Modes. Journal of Near Infrared Spectroscopy, 2002, 10, 85-91.	1.5	19
70	Local motions of polystyrene chain in semi-concentrated polymer solutions. European Polymer Journal, 2001, 37, 475-483.	5.4	5
71	Evolutionary behaviour of miniemulsion phases: I. Hard sphere interaction and bound water on miniemulsion droplets. Journal of Physics Condensed Matter, 2000, 12, 249-264.	1.8	4
72	Evolutionary behaviour of miniemulsion phases: II. Growth mechanism of miniemulsion droplets. Journal of Physics Condensed Matter, 2000, 12, 3569-3583.	1.8	13