

Wei-Jen Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1328708/publications.pdf>

Version: 2024-02-01

250
papers

5,203
citations

101384

36
h-index

114278

63
g-index

252
all docs

252
docs citations

252
times ranked

4042
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Smart Meter Data to Improve the Accuracy of Intraday Load Forecasting Considering Customer Behavior Similarities. IEEE Transactions on Smart Grid, 2015, 6, 911-918.	6.2	388
2	Coordinated Control Strategy of Wind Turbine Generator and Energy Storage Equipment for Frequency Support. IEEE Transactions on Industry Applications, 2015, 51, 2732-2742.	3.3	203
3	Stochastic Optimal Operation of Microgrid Based on Chaotic Binary Particle Swarm Optimization. IEEE Transactions on Smart Grid, 2016, 7, 66-73.	6.2	198
4	Forecasting the Wind Generation Using a Two-Stage Network Based on Meteorological Information. IEEE Transactions on Energy Conversion, 2009, 24, 474-482.	3.7	178
5	Combining the Wind Power Generation System With Energy Storage Equipment. IEEE Transactions on Industry Applications, 2009, 45, 2109-2115.	3.3	176
6	A New Measurement Method for Power Signatures of Nonintrusive Demand Monitoring and Load Identification. IEEE Transactions on Industry Applications, 2012, 48, 764-771.	3.3	163
7	Power-Spectrum-Based Wavelet Transform for Nonintrusive Demand Monitoring and Load Identification. IEEE Transactions on Industry Applications, 2014, 50, 2081-2089.	3.3	154
8	Hybrid Forecasting Model for Very-Short Term Wind Power Forecasting Based on Grey Relational Analysis and Wind Speed Distribution Features. IEEE Transactions on Smart Grid, 2014, 5, 521-526.	6.2	147
9	Effects of nonsinusoidal voltage on the operation performance of a three-phase induction motor. IEEE Transactions on Energy Conversion, 1999, 14, 193-201.	3.7	118
10	Particle-Swarm-Optimization-Based Nonintrusive Demand Monitoring and Load Identification in Smart Meters. IEEE Transactions on Industry Applications, 2013, 49, 2229-2236.	3.3	95
11	A Bi-Level Program for the Planning of an Islanded Microgrid Including CAES. IEEE Transactions on Industry Applications, 2016, 52, 2768-2777.	3.3	92
12	Mobility-Aware Charging Scheduling for Shared On-Demand Electric Vehicle Fleet Using Deep Reinforcement Learning. IEEE Transactions on Smart Grid, 2021, 12, 1380-1393.	6.2	90
13	A Coordination Control Strategy of Voltage-Source-Converter-Based MTDC for Offshore Wind Farms. IEEE Transactions on Industry Applications, 2015, 51, 2743-2752.	3.3	88
14	Improved Wind Farm Aggregated Modeling Method for Large-Scale Power System Stability Studies. IEEE Transactions on Power Systems, 2018, 33, 6332-6342.	4.6	87
15	Interactive Model for Energy Management of Clustered Microgrids. IEEE Transactions on Industry Applications, 2017, 53, 1739-1750.	3.3	84
16	A Wind Speed Correction Method Based on Modified Hidden Markov Model for Enhancing Wind Power Forecast. IEEE Transactions on Industry Applications, 2022, 58, 656-666.	3.3	74
17	Probabilistic Short-Term Wind Power Forecast Using Componential Sparse Bayesian Learning. IEEE Transactions on Industry Applications, 2013, 49, 2783-2792.	3.3	73
18	Robustness Analysis of Dynamic Equivalent Model of DFIG Wind Farm for Stability Study. IEEE Transactions on Industry Applications, 2018, 54, 5682-5690.	3.3	65

#	ARTICLE	IF	CITATIONS
19	A Residential Consumer-Centered Load Control Strategy in Real-Time Electricity Pricing Environment. , 2007, , .		62
20	Power-Flow Control and Stability Enhancement of Four Parallel-Operated Offshore Wind Farms Using a Line-Commutated HVDC Link. IEEE Transactions on Power Delivery, 2010, 25, 1190-1202.	2.9	62
21	Combining the Wind Power Generation System with Energy Storage Equipments. , 2008, , .		61
22	An AMI System for the Deregulated Electricity Markets. IEEE Transactions on Industry Applications, 2009, 45, 2104-2108.	3.3	60
23	The Impact of Time-of-Use (TOU) Rate Structure on Consumption Patterns of the Residential Customers. IEEE Transactions on Industry Applications, 2017, 53, 5130-5138.	3.3	60
24	Optimal coordinated operation scheduling for electric vehicle aggregator and charging stations in an integrated electricity-transportation system. International Journal of Electrical Power and Energy Systems, 2020, 121, 106040.	3.3	56
25	A Review of Commonly Used DC Arc Models. IEEE Transactions on Industry Applications, 2015, 51, 1398-1407.	3.3	55
26	A Stochastic Resource-Planning Scheme for PHEV Charging Station Considering Energy Portfolio Optimization and Price-Responsive Demand. IEEE Transactions on Industry Applications, 2018, 54, 5590-5598.	3.3	55
27	Design of an Industrial IoT-Based Monitoring System for Power Substations. IEEE Transactions on Industry Applications, 2019, 55, 5666-5674.	3.3	55
28	Direct Load Control in Microgrids to Enhance the Performance of Integrated Resources Planning. IEEE Transactions on Industry Applications, 2015, 51, 3553-3560.	3.3	52
29	A Survey of Harmonic Emissions of a Commercially Operated Wind Farm. IEEE Transactions on Industry Applications, 2012, 48, 1115-1123.	3.3	48
30	Stochastic Resource Planning Strategy to Improve the Efficiency of Microgrid Operation. IEEE Transactions on Industry Applications, 2015, 51, 1978-1986.	3.3	45
31	Hydrogen Filling Station Design for Fuel Cell Vehicles. IEEE Transactions on Industry Applications, 2011, 47, 245-251.	3.3	44
32	Design and Active Control of a Microgrid Testbed. IEEE Transactions on Smart Grid, 2015, 6, 73-81.	6.2	43
33	Dynamic Equivalent Model Development to Improve the Operation Efficiency of Wind Farm. IEEE Transactions on Industry Applications, 2016, 52, 2759-2767.	3.3	43
34	Practical Considerations to Calibrate Generator Model Parameters Using Phasor Measurements. IEEE Transactions on Smart Grid, 2017, 8, 2228-2238.	6.2	42
35	VSC-MTDC System Integrating Offshore Wind Farms Based Optimal Distribution Method for Financial Improvement on Wind Producers. IEEE Transactions on Industry Applications, 2019, 55, 2232-2240.	3.3	41
36	Deep Reinforcement Learning-Based Charging Pricing for Autonomous Mobility-on-Demand System. IEEE Transactions on Smart Grid, 2022, 13, 1412-1426.	6.2	41

#	ARTICLE	IF	CITATIONS
37	Multi-Area Power Generation Dispatch in Competitive Markets. IEEE Transactions on Power Systems, 2008, 23, 196-203.	4.6	39
38	Two-Stage Bidding Strategy for Peer-to-Peer Energy Trading of Nanogrid. IEEE Transactions on Industry Applications, 2020, 56, 1000-1009.	3.3	39
39	A physical laboratory for protective relay education. IEEE Transactions on Education, 2002, 45, 182-186.	2.0	36
40	Integrated High-Speed Intelligent Utility Tie Unit for Disbursed/Renewable Generation Facilities. IEEE Transactions on Industry Applications, 2005, 41, 507-513.	3.3	35
41	Novel Hybrid Market Price Forecasting Method With Data Clustering Techniques for EV Charging Station Application. IEEE Transactions on Industry Applications, 2015, 51, 1987-1996.	3.3	33
42	Wireless health monitoring system for vibration detection of induction motors. , 2010, , .		31
43	A Dynamic Weighted Aggregation Equivalent Modeling Approach for the DFIG Wind Farm Considering the Weibull Distribution for Fault Analysis. IEEE Transactions on Industry Applications, 2019, 55, 5514-5523.	3.3	30
44	Financial Opportunities by Implementing Renewable Sources and Storage Devices for Households Under ERCOT Demand Response Programs Design. IEEE Transactions on Industry Applications, 2014, 50, 2780-2787.	3.3	29
45	A Contactless Insulator Contamination Levels Detecting Method Based on Infrared Images Features and RBFNN. IEEE Transactions on Industry Applications, 2019, 55, 2455-2463.	3.3	29
46	Approach of Voltage Characteristics Modeling for Medium-Low-Voltage Arc Fault in Short Gaps. IEEE Transactions on Industry Applications, 2019, 55, 2281-2289.	3.3	29
47	Integrated Operation Model for Autonomous Mobility-on-Demand Fleet and Battery Swapping Station. IEEE Transactions on Industry Applications, 2021, 57, 5593-5602.	3.3	28
48	Strategic Prosumers-Based Peer-to-Peer Energy Market Design for Community Microgrids. IEEE Transactions on Industry Applications, 2021, 57, 2048-2057.	3.3	28
49	High-Speed Arcing Fault Detection: Using the Light Spectrum. IEEE Industry Applications Magazine, 2020, 26, 29-36.	0.3	27
50	One Parametric Approach for Short-Term JPDF Forecast of Wind Generation. IEEE Transactions on Industry Applications, 2014, 50, 2837-2843.	3.3	26
51	Insulator Infrared Image Denoising Method Based on Wavelet Generic Gaussian Distribution and MAP Estimation. IEEE Transactions on Industry Applications, 2017, 53, 3279-3284.	3.3	26
52	Real-Time Operation Management for Battery Swapping-Charging System via Multi-Agent Deep Reinforcement Learning. IEEE Transactions on Smart Grid, 2023, 14, 559-571.	6.2	26
53	Pilot-Bus-Centered Automatic Voltage Control With High Penetration Level of Wind Generation. IEEE Transactions on Industry Applications, 2016, 52, 1962-1969.	3.3	25
54	Sub-Synchronous Control Interaction Detection: A Real-Time Application. IEEE Transactions on Power Delivery, 2020, 35, 106-116.	2.9	25

#	ARTICLE	IF	CITATIONS
55	An Integration Scheme of Renewable Energies, Hydrogen Plant, and Logistics Center in the Suburban Power Grid. IEEE Transactions on Industry Applications, 2022, 58, 2771-2779.	3.3	24
56	A Stochastic Microgrid Operation Scheme to Balance between System Reliability and Greenhouse Gas Emission. IEEE Transactions on Industry Applications, 2015, , 1-1.	3.3	23
57	DC Arc Model Based on 3-D DC Arc Simulation. IEEE Transactions on Industry Applications, 2016, 52, 5255-5261.	3.3	23
58	A Linear Program for System-Level Control of Regional PHEV Charging Stations. IEEE Transactions on Industry Applications, 2016, 52, 2046-2052.	3.3	23
59	Ground fault location in radial distribution networks involving distributed voltage measurement. IET Generation, Transmission and Distribution, 2018, 12, 987-996.	1.4	23
60	Typical Fault Cause Recognition of Single-Phase-to-Ground Fault for Overhead Lines in Nonsolidly Earthed Distribution Networks. IEEE Transactions on Industry Applications, 2020, 56, 6298-6306.	3.3	23
61	Spatial-Temporal Demand Management and Benefit Allocation for Geo-Distributed Charging Station and EV Aggregators. IEEE Transactions on Industry Applications, 2020, 56, 6238-6249.	3.3	23
62	Wind Power Prediction for Wind Farm Clusters Based on the Multifeature Similarity Matching Method. IEEE Transactions on Industry Applications, 2020, 56, 4679-4688.	3.3	21
63	Bounds for Optimal Control of a Regional Plug-in Electric Vehicle Charging Station System. IEEE Transactions on Industry Applications, 2018, 54, 977-986.	3.3	21
64	A Novel Nonintrusive Fault Identification for Power Transmission Networks Using Power-Spectrum-Based Hyperbolic S-Transform Part I: Fault Classification. IEEE Transactions on Industry Applications, 2018, 54, 5700-5710.	3.3	20
65	An Adaptive Ensemble Data Driven Approach for Nonparametric Probabilistic Forecasting of Electricity Load. IEEE Transactions on Smart Grid, 2021, 12, 5396-5408.	6.2	20
66	Dynamic Simulator for Thyristor-Controlled Series Capacitor. IEEE Transactions on Industry Applications, 2010, 46, 1096-1102.	3.3	18
67	IEEE/NFPA Collaboration on Arc Flash Phenomena Research Project. IEEE Power and Energy Magazine, 2012, 10, 116-123.	1.6	18
68	Load model development for next generation appliances. , 2011, , .		17
69	Voltage-Sag-Profiles-Based Fault Location in High-Speed Railway Distribution System. IEEE Transactions on Industry Applications, 2017, 53, 5229-5238.	3.3	17
70	Optimization Method With Prediction-Based Maintenance Strategy for Traction Power Supply Equipment Based on Risk Quantification. IEEE Transactions on Transportation Electrification, 2018, 4, 961-970.	5.3	17
71	Potential of the Commercial Sector to Participate in the Demand Side Management Program. IEEE Transactions on Industry Applications, 2019, 55, 7261-7269.	3.3	17
72	Dynamic formulation and approximation methods to solve economic dispatch problems. IET Generation, Transmission and Distribution, 2013, 7, 866-873.	1.4	16

#	ARTICLE	IF	CITATIONS
73	3-D Magnetohydrodynamic Modeling of DC Arc in Power System. IEEE Transactions on Industry Applications, 2016, 52, 4549-4555.	3.3	16
74	Effects of voltage harmonics on the electrical and mechanical performance of a three-phase induction motor. , 0, , .		15
75	An AMI System for the Deregulated Electricity Markets. , 2008, , .		15
76	Electrical Safety, Electrical Hazards, and the 2018 NFPA 70E: Time to Update Annex K?. IEEE Transactions on Industry Applications, 2015, 51, 2709-2716.	3.3	15
77	Dynamic equivalent model development to improve the operation efficiency of wind farm. , 2015, , .		15
78	Development of a Real-Time Web-Based Power Monitoring System for the Substation of Petrochemical Facilities. IEEE Transactions on Industry Applications, 2019, 55, 43-50.	3.3	15
79	The Design of a Remote Online Holistic Monitoring System for a Wind Turbine. IEEE Transactions on Industry Applications, 2020, 56, 14-21.	3.3	15
80	Transient Stability Evaluation Criterion of Multi-Wind Farms Integrated Power System. IEEE Transactions on Power Systems, 2022, 37, 3137-3140.	4.6	14
81	Transmission Line Overload Risk Assessment Considering Dynamic Line Rating Mechanism in a High-Wind-Penetrated Power System: A Data-Driven Approach. IEEE Transactions on Sustainable Energy, 2022, 13, 1112-1122.	5.9	14
82	An AMI based measurement and control system in smart distribution grid. , 2011, , .		13
83	An autonomous operation microgrid for rural electrification. , 2013, , .		13
84	A Novel Hierarchical Demand Response Strategy for Residential Microgrid. IEEE Transactions on Industry Applications, 2021, 57, 3262-3271.	3.3	13
85	A new approach for emissions and security constrained economic dispatch. , 2009, , .		12
86	The co-optimal bidding strategy of pumped-storage unit in ERCOT energy market. , 2009, , .		12
87	Assessing Risk in Chinese Shale Gas Investments Abroad: Modelling and Policy Recommendations. Sustainability, 2016, 8, 708.	1.6	12
88	Design of an Industrial IoT-Based Monitoring System for Power Substations. , 2019, , .		12
89	Development of a real-time power system dynamic performance monitoring system. IEEE Transactions on Industry Applications, 1997, 33, 1055-1060.	3.3	11
90	A micro hydro power generation system for sustainable microgrid development in rural electrification of Africa. , 2009, , .		11

#	ARTICLE	IF	CITATIONS
91	A Study on Mode-Switching Control of TCSC Based on Conditional Firing of Thyristor. IEEE Transactions on Power Delivery, 2011, 26, 1196-1202.	2.9	11
92	Arc Flash Light Intensity Measurement System Design. IEEE Transactions on Industry Applications, 2015, 51, 4267-4274.	3.3	11
93	“Arc Flash” Hazards, Incident Energy, PPE Ratings, and Thermal Burn Injury—A Deeper Look. IEEE Transactions on Industry Applications, 2015, 51, 4275-4283.	3.3	11
94	A Redundancy Mechanism Design for Hall-Based Electronic Current Transformers. Energies, 2017, 10, 312.	1.6	11
95	Reframing Our View of Workplace “Electrical” Injuries. IEEE Transactions on Industry Applications, 2019, 55, 4370-4376.	3.3	11
96	A Contactless Zero-Value Insulators Detection Method Based on Infrared Images Matching. IEEE Access, 2020, 8, 133882-133889.	2.6	11
97	Wind Farm Dynamic Equivalent Modeling Method for Power System Probabilistic Stability Assessment. IEEE Transactions on Industry Applications, 2020, 56, 2273-2280.	3.3	11
98	Robustness-Improved Method for Measurement-Based Equivalent Modeling of Active Distribution Network. IEEE Transactions on Industry Applications, 2021, 57, 2146-2155.	3.3	11
99	PMU Based Problematic Parameter Identification Approach for Calibrating Generating Unit Models. IEEE Transactions on Industry Applications, 2021, 57, 4520-4527.	3.3	11
100	Quality-of-Service Aware Battery Swapping Navigation and Pricing for Autonomous Mobility-on-Demand System. IEEE Transactions on Industrial Informatics, 2022, 18, 8247-8257.	7.2	11
101	Wireless sensor network for performance monitoring of electrical machine. , 2009, , .		10
102	Design optimization of PHEV charging station. , 2012, , .		10
103	Renewable Energy Integration in Intelligent Railway of China: Configurations, Applications and Issues. IEEE Intelligent Transportation Systems Magazine, 2021, 13, 13-33.	2.6	10
104	Multilabel Classification Model for Type Recognition of Single-Phase-to-Ground Fault Based on KNN-Bayesian Method. IEEE Transactions on Industry Applications, 2021, 57, 1294-1302.	3.3	10
105	A Comparative Study on Voltage Level Standard for DC Residential Power Systems. IEEE Transactions on Industry Applications, 2022, 58, 1446-1455.	3.3	10
106	Novel Approach for Arc Fault Identification With Transient and Steady State Based Time-Frequency Analysis. IEEE Transactions on Industry Applications, 2022, 58, 4359-4369.	3.3	10
107	Using coreless hall effect sensor for accurate current measurement in ZigBee based wireless sensor network. , 2011, , .		9
108	A stochastic microgrid operation scheme to balance between system reliability and greenhouse gas emission. , 2015, , .		9

#	ARTICLE	IF	CITATIONS
109	A Multistage Dynamic Equivalent Modeling of a Wind Farm for the Smart Grid Development. IEEE Transactions on Industry Applications, 2019, 55, 4451-4461.	3.3	9
110	Introduction to IEEE Standard 1584: Guide for Performing Arc-Flash Hazard Calculations, 2018 Edition. IEEE Industry Applications Magazine, 2020, 26, 64-76.	0.3	9
111	Transfer Learning Featured Short-Term Combining Forecasting Model for Residential Loads With Small Sample Sets. IEEE Transactions on Industry Applications, 2022, 58, 4279-4288.	3.3	9
112	Elimination of System-Induced Torque Pulsations in Doubly-Fed Induction Generators Via Field Reconstruction Method. IEEE Transactions on Energy Conversion, 2015, 30, 1228-1236.	3.7	8
113	Medium-term Operation for an Industrial Customer Considering Demand Side Management and Risk Management. IEEE Transactions on Industry Applications, 2015, , 1-1.	3.3	8
114	A Priority Decision Making Based Bidding Strategy for Interactive Aggregators. IEEE Transactions on Industry Applications, 2018, 54, 5569-5578.	3.3	8
115	Integration of Renewable Energy into Electric Vehicle Charging Infrastructure. , 2018, , .		8
116	Frequency Compensation Control Strategy of Energy Storage in the Wind-energy storage Hybrid System for Improving Frequency Response Performance. , 2019, , .		8
117	Effect of Electrode Geometry on Arc Flash Protection Boundary. IEEE Transactions on Industry Applications, 2020, 56, 57-64.	3.3	8
118	Preemptive Medium-Low Voltage Arc Flash Detection With Geometric Distribution Analysis on Magnetic Field. IEEE Transactions on Industry Applications, 2021, 57, 2129-2137.	3.3	8
119	Impact of Wind Generation on a Transmission System. , 2007, , .		7
120	Dynamic parameter identification of generators for smart grid development. , 2011, , .		7
121	Evaluating the use of a MicroGrid as a power solution for Africa's rural areas. , 2012, , .		7
122	Study of the Effects of Smart Meter RF Transmissions on GFCI Outlets. IEEE Transactions on Electromagnetic Compatibility, 2014, 56, 1361-1369.	1.4	7
123	A bi-level program for the planning of an islanded microgrid including CAES. , 2015, , .		7
124	Reliability assessment of automated substation and functional integration. , 2016, , .		7
125	A Dual Modular Redundancy Scheme for CPU-FPGA Platform-Based Systems. IEEE Transactions on Industry Applications, 2018, 54, 5621-5629.	3.3	7
126	A Dynamic Weighted Aggregation Equivalent Modeling Approach for the DFIG Wind Farm Considering the Weibull Distribution. , 2019, , .		7

#	ARTICLE	IF	CITATIONS
127	Study on Additional Dynamic Component of Electronic Current Transducer Based on Rogowski Coil and Its Test Approach. IEEE Transactions on Industry Applications, 2020, 56, 1258-1265.	3.3	7
128	Optimized Frequency Scanning of Nonlinear Devices Applied to Subsynchronous Resonance Screening. IEEE Transactions on Industry Applications, 2020, 56, 2281-2291.	3.3	7
129	Holistic approach for grid interconnection in Africa. , 0, , .		6
130	Emission Constraints Economic Dispatch with Mixed Fuel Cost Curves. , 2007, , .		6
131	Role and Value of Pumped Storage Units in an Ancillary Services Market for Isolated Power Systems - Simulation in the Taiwan Power System. , 2007, , .		6
132	A hybrid method for the dynamic parameter identification of generators via on-line measurements. , 2010, , .		6
133	PEM fuel cell and battery hybrid power supply system design based on fuel flow rate control. , 2011, , .		6
134	Wind and PV hybrid renewable system dispatch using battery energy storage. , 2013, , .		6
135	Arc Flash Pressure Measurement System Design. IEEE Transactions on Industry Applications, 2016, 52, 5241-5247.	3.3	6
136	Arc Flash Visible Light Intensity as Viewed From Human Eyes. IEEE Transactions on Industry Applications, 2017, 53, 5068-5077.	3.3	6
137	Continuation Power Flow Model for Interconnected Systems Considering the Electricity Market Influence and Its Corresponding Distributed Algorithm. IEEE Access, 2019, 7, 75910-75924.	2.6	6
138	Robustness Improvement on PMU Based Dynamic Equivalent Modeling of Distributed Small Hydropower Generator Stacks. IEEE Transactions on Power Systems, 2020, 35, 3388-3399.	4.6	6
139	Impact of Societal Events on Frequency Stability Considering LED TVs in Low Inertia Trending Power Systems. IEEE Transactions on Industry Applications, 2021, 57, 5649-5657.	3.3	6
140	System impact study for the interconnection of wind generation and utility system. , 0, , .		5
141	Impact Study on Intentional Islanding of Distributed Generation Connected to Radial Subtransmission System in Thailand's Electric Power System. Conference Record - IAS Annual Meeting (IEEE Industry) Tj ETQq1 1 0.784314 rgBT /Overlo		5
142	Hydrogen filling station design for fuel cell vehicles. , 2010, , .		5
143	Developing important renewable energies in Thailand. , 2011, , .		5
144	Development of Frequency Variable Inverter Based on SOPC and Nios II. IEEE Transactions on Industry Applications, 2013, 49, 2237-2243.	3.3	5

#	ARTICLE	IF	CITATIONS
145	Electrical substation automation system modernization through the adoption of IEC61850. , 2015, , .		5
146	An efficient stochastic algorithm for mid-term scheduling of cascaded hydro systems. Journal of Modern Power Systems and Clean Energy, 2019, 7, 163-173.	3.3	5
147	Linear Programming for Multi-Agent Demand Response. IEEE Access, 2019, 7, 181479-181490.	2.6	5
148	Typical Fault Cause Recognition of Single-Phase-to-Ground Fault for Overhead Lines in Non-Solidly Earthed Distribution Networks. , 2020, , .		5
149	Automatic Power System Restoration With Inrush Current Estimation for Industrial Facility. IEEE Transactions on Industry Applications, 2021, 57, 5772-5781.	3.3	5
150	Soft Actorâ€“Critic Algorithm Featured Residential Demand Response Strategic Bidding for Load Aggregators. IEEE Transactions on Industry Applications, 2022, 58, 4298-4308.	3.3	5
151	Closure to Discussion of â€œReactive Compensation Techniques to Improve the Ride-Through Capability of Wind Turbine During Disturbanceâ€“. IEEE Transactions on Industry Applications, 2005, 41, 1484-1484.	3.3	4
152	PEA Guidelines of Impact Study and Operation of DG for Islanding Operation. , 2007, , .		4
153	Dynamic Simulator for Thyristor Controlled Series Capacitor. , 2008, , .		4
154	Theoretical and Experimental Investigation of Dual-impedance Phenomenon in Thyristor-controlled Series Capacitor. Electric Power Components and Systems, 2010, 38, 918-936.	1.0	4
155	Control and simulation of grid-connected micro-grid. , 2012, , .		4
156	One parametric approach for short-term JPDF forecast of wind generation. , 2013, , .		4
157	The impact of power quality when high power pulsed DC and continuous AC loads are simultaneously operated on a MicroGrid testbed. , 2013, , .		4
158	Redeveloping the 2018 NFPA 70E Annex K and contemplating beyond. , 2015, , .		4
159	Medium-Voltage Arc Flash in Switchgear and Live-Front Transformers. IEEE Transactions on Industry Applications, 2016, 52, 5280-5288.	3.3	4
160	Bounds for optimal control of a regional plug-in electric vehicle charging station system. , 2017, , .		4
161	Operation and control for multi-voltage-level dc network to improve the utilization rate of renewable energies. , 2017, , .		4
162	Arc Voltage Characteristics of Medium-Low Voltage Arc Fault in Short Gaps. , 2018, , .		4

#	ARTICLE	IF	CITATIONS
163	A novel nonintrusive fault identification for power transmission networks using power-spectrum-based hyperbolic S-transform " Part I: Fault classification. , 2018, , .		4
164	A Continuation Power Flow Model of Multi-Area AC/DC Interconnected Bulk Systems Incorporating Voltage Source Converter-Based Multi-Terminal DC Networks and Its Decoupling Algorithm. Energies, 2019, 12, 733.	1.6	4
165	A Multiattribute and Multidimensional Based Comprehensive Evaluation Method for New Multipulse Integrated Metro Traction Power Supply System. IEEE Transactions on Industry Applications, 2020, 56, 6138-6149.	3.3	4
166	A Comparative Study on Voltage Level Standard for DC Residential Power Systems. , 2020, , .		4
167	Charging Cost-Aware Fleet Management for Shared On-Demand Green Logistic System. IEEE Internet of Things Journal, 2023, 10, 7505-7516.	5.5	4
168	A microcomputer-based testing station for dynamic and static testing of protective relay systems. , 0, , .		3
169	Artificial neural network based on-line partial discharge monitoring system for motors. , 0, , .		3
170	Power Quality and Reliability of University Campus Equipment - Industry and Academic Partnership Program. , 2005, , .		3
171	Performance analysis of a large-scale hybrid offshore wind and marine-current farm connected to a power grid via an HVDC link. , 2010, , .		3
172	An integrated three-level transformer condition assessment model based on optimal weights and uncertainty theory. , 2013, , .		3
173	Novel hybrid market price forecasting method with data clustering techniques for EV charging station application. , 2014, , .		3
174	Electronic power transformer to secure the power supply of a mission critical microgrid. , 2014, , .		3
175	A coordination control strategy of voltage source converter based MTDC for offshore wind farms. , 2014, , .		3
176	Using a Microgrid test bed to evaluate the strategies for seamless renewable energy integration. , 2014, , .		3
177	A linear program for system level control of regional PHEV charging stations. , 2015, , .		3
178	Arc Flash Study in large scale industrial plant with internal generation and complex interconnected network. , 2017, , .		3
179	Medium-term operation strategy for a grid-connected microgrid via minimax regret optimization. , 2017, , .		3
180	Energy efficiency improvement of a single-phase ac spot welding machine by using an advanced thyristor switched detuning capacitor bank. IEEE Transactions on Industry Applications, 2018, , 1-1.	3.3	3

#	ARTICLE	IF	CITATIONS
181	What Occupational Injury Costs and Workersâ€™ Compensation Tell Us About Electrical Injuries and the Need to Invest in Electrically Safer Workplaces. IEEE Transactions on Industry Applications, 2019, 55, 4377-4383.	3.3	3
182	Spatial-Temporal Demand Management and Benefit Allocation for Geo-Distributed Charging Station and EV Aggregators. , 2020, , .		3
183	Fault Location Identification in Power Transmission Networks: Using Novel Nonintrusive Fault-Monitoring Systems. IEEE Industry Applications Magazine, 2021, 27, 76-89.	0.3	3
184	Impact of Societal Events on Frequency Stability Considering LED TVs in Low Inertia Trending Power Systems. , 2021, , .		3
185	On Mitigation of Sub-Synchronous Control Interactions in Hybrid Generation Resources. IEEE Transactions on Industrial Informatics, 2022, 18, 4372-4382.	7.2	3
186	Fault Location Identifications in HV Transmission Networks and Different MV Wind Farms Using Nonintrusive Monitoring Techniques. IEEE Transactions on Industry Applications, 2022, 58, 1822-1830.	3.3	3
187	Using a static VAr compensator to balance a distribution system. , 0, , .		2
188	The design of a capacitor bank early warning system. IEEE Transactions on Industry Applications, 2003, 39, 306-312.	3.3	2
189	Evaluating Autonomous Systems with Hybrid Generation Facilities in support of Fishing Villages. IEEE Power Engineering Society General Meeting, 2007, , .	0.0	2
190	Biomass power generation development in Thailand. , 2009, , .		2
191	A novel method for advanced dispatch considering response risk constraints. , 2009, , .		2
192	Energy saving of green buildings using natural daylight. , 2009, , .		2
193	A small hydro power (SHP) system in Taiwan using outlet-water energy of a reservoir: System introduction and measured results. , 2009, , .		2
194	Probabilistic short-term wind power forecast using componential Sparse Bayesian Learning. , 2012, , .		2
195	Development of frequency variable inverter based on SOPC and Nios II. , 2012, , .		2
196	Financial opportunities by implementing renewable sources and storage devices for households under ERCOT demand response programs design. , 2013, , .		2
197	Financial opportunities for LSE under scarcity price environment. , 2014, , .		2
198	Medium-term operation for an industrial customer considering demand side management and risk management. , 2015, , .		2

#	ARTICLE	IF	CITATIONS
199	Arc flash visible light intensity as viewed from human eyes. , 2017, , .		2
200	A new self-calibration method for electronic current transformers. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 2018, 41, 77-85.	0.6	2
201	A stochastic resource planning scheme for PHEV charging station considering energy portfolio optimization and price-responsive demand. , 2018, , .		2
202	A Multi-stage Dynamic Equivalent Modeling of a Wind Farm for the Smart Grid Development. , 2019, , .		2
203	Wind Power Prediction for Wind Farm Clusters Based on the Multi-feature Similarity Matching Method. , 2019, , .		2
204	Determine the Electrode Configuration and Sensitivity of the Enclosure Dimensions when Performing Arc Flash Analysis. , 2020, , .		2
205	Special Issue on Advanced Approaches and Applications for Electric Vehicle Charging Demand Management. IEEE Transactions on Industry Applications, 2020, 56, 5682-5683.	3.3	2
206	Automatic Power System Restoration With Inrush Current Estimation For Industrial Facility. , 2021, , .		2
207	Problematic Parameter Identification Featured Model Calibration Method to Microgrid. , 2021, , .		2
208	Beyond the normal testing procedure-a closer look at the microcomputer based relay. , 0, , .		1
209	The application of digital relay in fault location identification for cable in steel-pipe. , 0, , .		1
210	The design of a capacitor bank early warning system. , 0, , .		1
211	Improve the unit commitment scheduling by using the neural network based short term load forecasting. , 0, , .		1
212	The Optimal LC Compensator Corresponding to Maximum Annual Reduction in the Source Losses. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2006, , .	0.0	1
213	Voltage Stability Assessment of the Salvadorian Power System. , 2006, , .		1
214	Development of an Online Real Time Web Accessible Low-Voltage Switchgear Arcing Fault Early Warning System. , 2007, , .		1
215	CCVT calibration for harmonic voltage measurement by digital simulation and field test. , 2009, , .		1
216	Detection and Severity Classification of Rotor Imbalance Faults in Induction Machines. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
217	Weighted parallel algorithm to improve the performance of short-term wind power forecasting. , 2012, , .		1
218	ARC flash pressure measurement system design. , 2016, , .		1
219	Optimal operation strategy of an industrial plant under deregulated electricity market. , 2017, , .		1
220	VSC-MTDC System Integrating Offshore Wind Farms Based Optimal Distribution Method for Financial Improvement on Wind Producers. , 2018, , .		1
221	Priority assessment model of on-line monitoring devices investment for power transformers. Journal of Intelligent and Fuzzy Systems, 2018, 35, 589-599.	0.8	1
222	A CPU-FPGA heterogeneous platform-based monitoring system and redundant mechanisms. , 2018, , .		1
223	An Optimized Frequency Scanning Tool for Sub-Synchronous Interaction Analysis of Non-Linear Devices. , 2019, , .		1
224	Approach to Enhance the Robustness on PMU based Power System Dynamic Equivalent Modeling. , 2019, , .		1
225	Wind Farm Dynamic Equivalent Modeling Method for Power System Probabilistic Stability Assessment. , 2019, , .		1
226	A Multi-attribute and Multi-dimensional based Comprehensive Evaluation Method for New Multi-Pulse Integrated Metro Traction Power Supply System. , 2020, , .		1
227	A Novel DC Outlet with Adaptive Output Control for LVDC Household Power System. , 2020, , .		1
228	A Multi-label Classification Model for Type Recognition of Single-Phase-to-Ground Fault Based on KNN-Bayesian Method. , 2020, , .		1
229	Fault Location Identification in Power Transmission Networks using Novel Non-intrusive Fault Monitoring Systems. , 2020, , .		1
230	Determine the Electrode Configuration and Sensitivity of the Enclosure Dimensions When Performing Arc Flash Analysis. IEEE Transactions on Industry Applications, 2020, 56, 6307-6313.	3.3	1
231	Online load transfer criterion using soft normally-open points for distribution networks with renewable energies integration. , 2020, , .		1
232	Transmission-Line Fault Location Identifications in HV Transmission Networks and different MV Wind Farms using Non-intrusive Monitoring Techniques. , 2021, , .		1
233	Novel Approach to Arc Fault Identification with Both Transient and Steady State based Time-Frequency Analysis. , 2021, , .		1
234	Microprocessor Based Wide Bandwidth Fast Active Power Transducer. IEEE Transactions on Industry Applications, 1995, 31, 201-205.	3.3	0

#	ARTICLE	IF	CITATIONS
235	Development of a real time power system dynamic performance monitoring system. , 0, , .		0
236	Power system deregulation and smd - status and future projections. , 0, , .		0
237	Parametric study to evaluate the transient stability of an industrial power system. , 0, , .		0
238	Transient Behavior of Three-Phase Shell Transformers in a Distribution Feeder. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2006, , .	0.0	0
239	Fuel Cell to Serve as Emergency and Standby Power for Critical Loads. , 2007, , .		0
240	Analysis of a commercial wind farm in Taiwan Part I: Measurement results and simulations. , 2009, , .		0
241	Enabling customer demand and budget management in the real-time pricing environment. , 2009, , .		0
242	Analysis of a commercial wind farm in Taiwan Part II: Different current-limit reactors and load tap changers on system performance. , 2009, , .		0
243	Optimal pulse width modulation for current source converter based static exciter. , 2011, , .		0
244	Parameter identification for an industrial plant with in-house generators. , 2011, , .		0
245	Dynamic simulator for multi-terminal direct current transmission system. , 2016, , .		0
246	Effectiveness of zero pricing in TOU demand reponses at the residential level. , 2017, , .		0
247	My Best Decision [Memoirs]. IEEE Industry Applications Magazine, 2017, 23, 80-80.	0.3	0
248	An Improved Aggregated Equivalent Modeling of DFIG Wind Farm Based on Dynamic Clustering Strategy for Post-fault Analysis. , 2019, , .		0
249	Integrated Model for Recognition of Single-Phase-to-Ground Fault Caused by Insulation Deterioration in Medium-Voltage Distribution Networks. , 2021, , .		0
250	Approach for Parameter Calibration to Microgrid Model With Problematic Parameter Identification. IEEE Transactions on Industry Applications, 2022, 58, 4289-4297.	3.3	0