

Marius Trãseid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1329149/publications.pdf>

Version: 2024-02-01

67
papers

2,730
citations

218677

26
h-index

197818

49
g-index

72
all docs

72
docs citations

72
times ranked

4433
citing authors

#	ARTICLE	IF	CITATIONS
1	Neutrophil count predicts clinical outcome in hospitalized COVID-19 patients: Results from the NOR-Solidarity trial. <i>Journal of Internal Medicine</i> , 2022, 291, 241-243.	6.0	9
2	Probiotics to HIV-Infected Immunological Nonresponders: Altered Mucosal Immunity and Microbial Diversity Restricted to Ileum. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022, 89, 77-86.	2.1	3
3	Accelerating clinical trial implementation in the context of the COVID-19 pandemic: challenges, lessons learned and recommendations from DisCoVeRy and the EU-SolidAct EU response group. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1-5.	6.0	15
4	Human Immunodeficiency Virus-Infected Immunological Nonresponders Have Colon-Restricted Gut Mucosal Immune Dysfunction. <i>Journal of Infectious Diseases</i> , 2022, 225, 661-674.	4.0	16
5	Association of the Kynurenine Pathway of Tryptophan Metabolism With Human Immunodeficiency Virus-Related Gut Microbiota Alterations and Visceral Adipose Tissue Accumulation. <i>Journal of Infectious Diseases</i> , 2022, 225, 1948-1954.	4.0	7
6	Accelerating clinical trial implementation in the context of the COVID-19 pandemic: author's response. <i>Clinical Microbiology and Infection</i> , 2022, , .	6.0	0
7	Respiratory dysfunction three months after severe COVID-19 is associated with gut microbiota alterations. <i>Journal of Internal Medicine</i> , 2022, 291, 801-812.	6.0	38
8	Monocyte count and soluble markers of monocyte activation in people living with HIV and uninfected controls. <i>BMC Infectious Diseases</i> , 2022, 22, 451.	2.9	10
9	Independent Association of Interleukin 6 With Low Dynamic Lung Function and Airflow Limitation in Well-Treated People With Human Immunodeficiency Virus. <i>Journal of Infectious Diseases</i> , 2021, 223, 1690-1698.	4.0	10
10	Elevated markers of gut leakage and inflammasome activation in COVID-19 patients with cardiac involvement. <i>Journal of Internal Medicine</i> , 2021, 289, 523-531.	6.0	76
11	Associations of neopterin and kynurenine-tryptophan ratio with survival in primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 443-452.	1.5	8
12	Independent Associations of Tumor Necrosis Factor-Alpha and Interleukin-1 Beta With Radiographic Emphysema in People Living With HIV. <i>Frontiers in Immunology</i> , 2021, 12, 668113.	4.8	7
13	Real-World Experiences With Facilitated Subcutaneous Immunoglobulin Substitution in Patients With Hypogammaglobulinemia, Using a Three-Step Ramp-Up Schedule. <i>Frontiers in Immunology</i> , 2021, 12, 670547.	4.8	1
14	Gut related inflammation and cardiorespiratory fitness in patients with CAD and type 2 diabetes: a sub-study of a randomized controlled trial on exercise training. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 36.	2.7	4
15	Altered Gut Microbial Metabolism of Essential Nutrients in Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2021, 160, 1784-1798.e0.	1.3	69
16	Mortality and microbial diversity after allogeneic hematopoietic stem cell transplantation: secondary analysis of a randomized nutritional intervention trial. <i>Scientific Reports</i> , 2021, 11, 11593.	3.3	9
17	Alterations in the Kynurenine Pathway of Tryptophan Metabolism Are Associated With Depression in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, e177-e181.	2.1	4
18	Rifaximin or <i>Saccharomyces boulardii</i> in heart failure with reduced ejection fraction: Results from the randomized GutHeart trial. <i>EBioMedicine</i> , 2021, 70, 103511.	6.1	34

#	ARTICLE	IF	CITATIONS
19	Gut Leakage Markers in Response to Strenuous Exercise in Patients with Suspected Coronary Artery Disease. <i>Cells</i> , 2021, 10, 2193.	4.1	6
20	Evaluation of the Effects of Remdesivir and Hydroxychloroquine on Viral Clearance in COVID-19. <i>Annals of Internal Medicine</i> , 2021, 174, 1261-1269.	3.9	84
21	Plasma extracellular vesicles in people living with HIV and type 2 diabetes are related to microbial translocation and cardiovascular risk. <i>Scientific Reports</i> , 2021, 11, 21936.	3.3	3
22	Assessing the evidence on remdesivir. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1630-1631.	9.1	8
23	Persistent pulmonary pathology after COVID-19 is associated with high viral load, weak antibody response, and high levels of matrix metalloproteinase-9. <i>Scientific Reports</i> , 2021, 11, 23205.	3.3	26
24	Synergistic Interferon-Alpha-Based Combinations for Treatment of SARS-CoV-2 and Other Viral Infections. <i>Viruses</i> , 2021, 13, 2489.	3.3	20
25	Impact of Human Immunodeficiency Virus-Related Gut Microbiota Alterations on Metabolic Comorbid Conditions. <i>Clinical Infectious Diseases</i> , 2020, 71, e359-e367.	5.8	36
26	Probiotics to manage inflammation in HIV infection. <i>Current Opinion in Infectious Diseases</i> , 2020, 33, 34-43.	3.1	19
27	No evidence of a synergistic effect of HIV infection and diabetes mellitus type 2 on fat distribution, plasma adiponectin or inflammatory markers. <i>BMC Infectious Diseases</i> , 2020, 20, 882.	2.9	0
28	Gut Microbiota-Dependent Trimethylamine N-Oxide Associates With Inflammation in Common Variable Immunodeficiency. <i>Frontiers in Immunology</i> , 2020, 11, 574500.	4.8	38
29	Soluble T-Cell Immunoglobulin Mucin Domain-3 Is Associated With Hepatitis C Virus Coinfection and Low-Grade Inflammation During Chronic Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa033.	0.9	9
30	The gut microbiome in coronary artery disease and heart failure: Current knowledge and future directions. <i>EBioMedicine</i> , 2020, 52, 102649.	6.1	209
31	Low fibre intake is associated with gut microbiota alterations in chronic heart failure. <i>ESC Heart Failure</i> , 2020, 7, 456-466.	3.1	56
32	Rosuvastatin alters the genetic composition of the human gut microbiome. <i>Scientific Reports</i> , 2020, 10, 5397.	3.3	20
33	Fecal microbiota transplantation in systemic sclerosis: A double-blind, placebo-controlled randomized pilot trial. <i>PLoS ONE</i> , 2020, 15, e0232739.	2.5	47
34	The carnitine-butyrobetaine-TMAO pathway after cardiac transplant: Impact on cardiac allograft vasculopathy and acute rejection. <i>Journal of Heart and Lung Transplantation</i> , 2019, 38, 1097-1103.	0.6	13
35	Effects of dietary intervention and n-3 PUFA supplementation on markers of gut-related inflammation and their association with cardiovascular events in a high-risk population. <i>Atherosclerosis</i> , 2019, 286, 53-59.	0.8	16
36	Soluble Markers of Interleukin 1 Activation as Predictors of First-Time Myocardial Infarction in HIV-Infected Individuals. <i>Journal of Infectious Diseases</i> , 2019, 221, 506-509.	4.0	14

#	ARTICLE	IF	CITATIONS
37	Reply: Potential risk associated with direct modulation of the gut flora in patients with heart failure. <i>ESC Heart Failure</i> , 2019, 6, 557-558.	3.1	3
38	Microbial translocation revisited. <i>Aids</i> , 2019, 33, 645-653.	2.2	11
39	Activated dendritic cells and monocytes in HIV immunological nonresponders. <i>Aids</i> , 2019, 33, 1117-1129.	2.2	22
40	Circulating markers of gut barrier function associated with disease severity in primary sclerosing cholangitis. <i>Liver International</i> , 2019, 39, 371-381.	3.9	51
41	The microbial metabolite trimethylamine-N-oxide in association with inflammation and microbial dysregulation in three HIV cohorts at various disease stages. <i>Aids</i> , 2018, 32, 1589-1598.	2.2	26
42	Effect of <i>Lactobacillus rhamnosus</i> GG Supplementation on Intestinal Inflammation Assessed by PET/MRI Scans and Gut Microbiota Composition in HIV-Infected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2018, 78, 450-457.	2.1	26
43	Impact of HIV and Type 2 diabetes on Gut Microbiota Diversity, Tryptophan Catabolism and Endothelial Dysfunction. <i>Scientific Reports</i> , 2018, 8, 6725.	3.3	35
44	Markers of metabolic endotoxemia as related to metabolic syndrome in an elderly male population at high cardiovascular risk: a cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 59.	2.7	35
45	Design of the GutHeart™ targeting gut microbiota to treat heart failure trial: a Phase II, randomized clinical trial. <i>ESC Heart Failure</i> , 2018, 5, 977-984.	3.1	39
46	The gut microbial profile in patients with primary sclerosing cholangitis is distinct from patients with ulcerative colitis without biliary disease and healthy controls. <i>Gut</i> , 2017, 66, 611-619.	12.1	308
47	HIV-infected persons with type 2 diabetes show evidence of endothelial dysfunction and increased inflammation. <i>BMC Infectious Diseases</i> , 2017, 17, 234.	2.9	19
48	Bariatric surgery reduces fasting total fatty acids and increases n-3 polyunsaturated fatty acids in morbidly obese individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 628-633.	1.2	9
49	Increased Secondary/Primary Bile Acid Ratio in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017, 23, 666-671.	1.7	98
50	Microbiota-dependent metabolite and cardiovascular disease marker trimethylamine-N-oxide (TMAO) is associated with monocyte activation but not platelet function in untreated HIV infection. <i>BMC Infectious Diseases</i> , 2017, 17, 445.	2.9	30
51	Immune activation and HIV-specific T cell responses are modulated by a cyclooxygenase-2 inhibitor in untreated HIV-infected individuals: An exploratory clinical trial. <i>PLoS ONE</i> , 2017, 12, e0176527.	2.5	10
52	Major Increase in Microbiota-Dependent Proatherogenic Metabolite TMAO One Year After Bariatric Surgery. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 197-201.	1.3	61
53	Soluble CD14 in cerebrospinal fluid is associated with markers of inflammation and axonal damage in untreated HIV-infected patients: a retrospective cross-sectional study. <i>BMC Infectious Diseases</i> , 2016, 16, 176.	2.9	23
54	Altered gut microbiota profile in common variable immunodeficiency associates with levels of lipopolysaccharide and markers of systemic immune activation. <i>Mucosal Immunology</i> , 2016, 9, 1455-1465.	6.0	130

#	ARTICLE	IF	CITATIONS
55	The Carnitine-butyrobetaine-trimethylamine-N-oxide pathway and its association with cardiovascular mortality in patients with carotid atherosclerosis. <i>Atherosclerosis</i> , 2016, 247, 64-69.	0.8	116
56	T-cell homeostasis in chronic HCV-infected patients treated with interferon and ribavirin or an interferon-free regimen. <i>Apmis</i> , 2015, 123, 903-911.	2.0	9
57	Antiretroviral treatment failure predicts mortality in rural Tanzania. <i>International Journal of STD and AIDS</i> , 2015, 26, 633-639.	1.1	3
58	Soluble CD14 Is Associated with Markers of Vascular Dysfunction in Bariatric Surgery Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 119-124.	1.3	3
59	Microbiota-dependent metabolite trimethylamine-N-oxide is associated with disease severity and survival of patients with chronic heart failure. <i>Journal of Internal Medicine</i> , 2015, 277, 717-726.	6.0	359
60	Microbial Translocation and Cardiometabolic Risk Factors in HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 514-522.	1.1	37
61	Reduced Trunk Fat and Triglycerides After Strength Training Are Associated With Reduced LPS Levels in HIV-Infected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, e52-e54.	2.1	7
62	A Parameter for IL-10 and TGF- β Mediated Regulation of HIV-1 Specific T Cell Activation Provides Novel Information and Relates to Progression Markers. <i>PLoS ONE</i> , 2014, 9, e85604.	2.5	8
63	Circulating levels of HMGB1 are correlated strongly with MD2 in HIV-infection: Possible implication for TLR4-signalling and chronic immune activation. <i>Innate Immunity</i> , 2013, 19, 290-297.	2.4	22
64	High Mobility Group Box Protein-1 in HIV-1 Infection: Connecting Microbial Translocation, Cell Death and Immune Activation. <i>Current HIV Research</i> , 2011, 9, 6-10.	0.5	23
65	The role of interleukin-18 in the metabolic syndrome. <i>Cardiovascular Diabetology</i> , 2010, 9, 11.	6.8	121
66	The Effect of Exercise on Serum Levels of Interleukin-18 and Components of the Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 579-584.	1.3	33
67	Serum levels of interleukin-18 are reduced by diet and n-3 fatty acid intervention in elderly high-risk men. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1543-1549.	3.4	65