Christa A Schorr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1330152/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----------------|-----------------|
| 1 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Intensive Care Medicine, 2017, 43, 304-377. | 3.9 | 4,590 |
| 2 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Critical Care Medicine, 2017, 45, 486-552. | 0.4 | 2,336 |
| 3 | Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247. | 3.9 | 1,503 |
| 4 | The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. Intensive Care Medicine, 2010, 36, 222-231. | 3.9 | 1,180 |
| 5 | Empiric Antibiotic Treatment Reduces Mortality in Severe Sepsis and Septic Shock From the First Hour. Critical Care Medicine, 2014, 42, 1749-1755. | 0.4 | 1,159 |
| 6 | The Surviving Sepsis Campaign: Results of an international guideline-based performance improvement program targeting severe sepsis*. Critical Care Medicine, 2010, 38, 367-374. | 0.4 | 1,094 |
| 7 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143. | 0.4 | 927 |
| 8 | Surviving Sepsis Campaign. Critical Care Medicine, 2015, 43, 3-12. | 0.4 | 444 |
| 9 | Lactate Measurements in Sepsis-Induced Tissue Hypoperfusion. Critical Care Medicine, 2015, 43, 567-573. | 0.4 | 367 |
| 10 | Serum lactate as aÂpredictor of mortality in patients with infection. Intensive Care Medicine, 2007, 33, 970-977. | 3.9 | 335 |
| 11 | MULTICENTER STUDY OF EARLY LACTATE CLEARANCE AS A DETERMINANT OF SURVIVAL IN PATIENTS WITH PRESUMED SEPSIS. Shock, 2009, 32, 35-39. | 1.0 | 322 |
| 12 | Effect of Targeted Polymyxin B Hemoperfusion on 28-Day Mortality in Patients With Septic Shock and Elevated Endotoxin Level. JAMA - Journal of the American Medical Association, 2018, 320, 1455. | 3.8 | 286 |
| 13 | Surviving Sepsis Campaign: association between performance metrics and outcomes in a 7.5-year study. Intensive Care Medicine, 2014, 40, 1623-1633. | 3.9 | 209 |
| 14 | Society of Critical Care Medicine's International Consensus Conference on Prediction and Identification of Long-Term Impairments After Critical Illness. Critical Care Medicine, 2020, 48, 1670-1679. | 0.4 | 200 |
| 15 | Performance Improvement in the Management of Sepsis. Critical Care Clinics, 2009, 25, 857-867. | 1.0 | 130 |
| 16 | Impact of Sepsis Bundle Strategy on Outcomes of Patients Suffering from Severe Sepsis and Septic Shock in China. Journal of Emergency Medicine, 2013, 44, 735-741. | 0.3 | 121 |
| 17 | The EUPHRATES trial (Evaluating the Use of Polymyxin B Hemoperfusion in a Randomized controlled) Tj ETQq1 1 controlled trial. Trials, 2014, 15, 218. | 0.784314 0.7 | rgBT /Ove 92 |
| 18 | Clinical characteristics and outcomes of septic patients with new-onset atrial fibrillation. Journal of Critical Care, 2008, 23, 532-536. | 1.0 | 87 |

CHRISTA A SCHORR

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reducing Mortality in Severe Sepsis: The Surviving Sepsis Campaign. Clinics in Chest Medicine, 2008, 29, 721-733. | 0.8 | 55 |
| 20 | Sepsis Severity Score. Critical Care Medicine, 2014, 42, 1969-1976. | 0.4 | 54 |
| 21 | Prevention of central venous catheter-related bloodstream infections: is it time to add simulation training to the prevention bundle?. Journal of Clinical Anesthesia, 2012, 24, 555-560. | 0.7 | 53 |
| 22 | The epidemiology of spontaneous fever and hypothermia on admission of brain injury patients to intensive care units: a multicenter cohort study. Journal of Neurosurgery, 2014, 121, 950-960. | 0.9 | 53 |
| 23 | Severe sepsis and septic shock. Virulence, 2014, 5, 190-199. | 1.8 | 50 |
| 24 | A users' guide to the 2016 Surviving Sepsis Guidelines. Intensive Care Medicine, 2017, 43, 299-303. | 3.9 | 49 |
| 25 | Implications of the New International Sepsis Guidelines for Nursing Care. American Journal of Critical Care, 2013, 22, 212-222. | 0.8 | 43 |
| 26 | The Surviving Sepsis Campaign: past, present and future. Trends in Molecular Medicine, 2014, 20, 192-194. | 3.5 | 42 |
| 27 | A Users' Guide to the 2016 Surviving Sepsis Guidelines. Critical Care Medicine, 2017, 45, 381-385. | 0.4 | 38 |
| 28 | Brain Injury as a Risk Factor for Fever Upon Admission to the Intensive Care Unit and Association With In-Hospital Case Fatality. Journal of Intensive Care Medicine, 2015, 30, 107-114. | 1.3 | 34 |
| 29 | Occurrence of implantable defibrillator events in patients with syncope and nonischemic dilated cardiomyopathy. American Journal of Cardiology, 2001, 88, 1444-1446. | 0.7 | 32 |
| 30 | The fallacy of the BUN:creatinine ratio in critically ill patients. Nephrology Dialysis Transplantation, 2012, 27, 2248-2254. | 0.4 | 32 |
| 31 | Implementation of a multicenter performance improvement program for early detection and treatment of severe sepsis in general medical–surgical wards. Journal of Hospital Medicine, 2016, 11, S32-S39. | 0.7 | 28 |
| 32 | Incidence and mortality of sepsis, severe sepsis, and septic shock in intensive care unit patients with candidemia. Infectious Diseases, 2015, 47, 584-587. | 1.4 | 26 |
| 33 | Transfusion of Packed Red Blood Cells is Not Associated with Improved Central Venous Oxygen Saturation or Organ Function inÂPatients with Septic Shock. Journal of Emergency Medicine, 2012, 43, 593-598. | 0.3 | 23 |
| 34 | Location of patients before transfer to a tertiary care intensive care unit: Impact on outcome. Journal of Critical Care, 2009, 24, 108-113. | 1.0 | 21 |
| 35 | The impact of packed red blood cell transfusion on clinical outcomes in patients with septic shock treated with early goal directed therapy. Indian Journal of Critical Care Medicine, 2010, 14, 165-169. | 0.3 | 21 |
| 36 | Knowledge translation and the multifaceted intervention in the intensive care unit. Critical Care Medicine, 2012, 40, 1324-1328. | 0.4 | 19 |

CHRISTA A SCHORR

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Association between out-of-hospital emergency department transfer and poor hospital outcome in critically ill stroke patients. Journal of Critical Care, 2011, 26, 620-625. | 1.0 | 17 |
| 38 | Famotidine Versus Pantoprazole for Preventing Bleeding in the Upper Gastrointestinal Tract of Critically III Patients Receiving Mechanical Ventilation. American Journal of Critical Care, 2008, 17, 142-147. | 0.8 | 17 |
| 39 | Percutaneous Dilational Tracheostomy in Patients Receiving Antiplatelet Therapy. Journal of Bronchology and Interventional Pulmonology, 2013, 20, 322-325. | 0.8 | 15 |
| 40 | The New Sepsis Definitions: Implications for Critical Care Practitioners. American Journal of Critical Care, 2016, 25, 457-464. | 0.8 | 15 |
| 41 | COUNTERPOINT: Should the Surviving Sepsis Campaign Guidelines Be Retired? No. Chest, 2019, 155, 14-17. | 0.4 | 15 |
| 42 | Outcomes of Trauma Victims With Cardiac Arrest Who Survive to Intensive Care Unit Admission. Journal of Trauma, 2011, 71, E12-E16. | 2.3 | 10 |
| 43 | Rapid Development and Deployment of an Intensivist-Led Venovenous Extracorporeal Membrane Oxygenation Cannulation Program. Critical Care Medicine, 2022, 50, e154-e161. | 0.4 | 10 |
| 44 | Understandability and Actionability of the CDC'S Printable Sepsis Patient Education Material. American Journal of Critical Care, 2018, 27, 418-427. | 0.8 | 8 |
| 45 | The Association of Increasing Hospice Use With Decreasing Hospital Mortality. Journal of Healthcare Management, 2020, 65, 107-120. | 0.4 | 8 |
| 46 | Targeting Endotoxin in the Treatment of Sepsis. Sub-Cellular Biochemistry, 2010, 53, 323-338. | 1.0 | 7 |
| 47 | The association of prior statin use in septic shock treated with early goal directed therapy. European Journal of Emergency Medicine, 2012, 19, 226-230. | 0.5 | 7 |
| 48 | Comparison of Chemical and Mechanical Prophylaxis of Venous Thromboembolism in Nonsurgical Mechanically Ventilated Patients. Thrombosis, 2015, 2015, 1-6. | 1.4 | 7 |
| 49 | Implementation of the Affordable Care Act: A Comparison of Outcomes in Patients With Severe Sepsis and Septic Shock Using the National Inpatient Sample*. Critical Care Medicine, 2020, 48, 783-789. | 0.4 | 7 |
| 50 | Risk of cardiac arrhythmias and conduction abnormalities in patients with acute myocardial infarction receiving packed red blood cell transfusions. Journal of Critical Care, 2011, 26, 335-341. | 1.0 | 6 |
| 51 | Performance Improvement in the Management of Sepsis. Critical Care Nursing Clinics of North America, 2011, 23, 203-213. | 0.4 | 5 |
| 52 | Risk of <i>Clostridium difficile</i> infection in intensive care unit patients with sepsis exposed to metronidazole. Infectious Diseases, 2015, 47, 197-202. | 1.4 | 5 |
| 53 | Fishing for answers to avoid intensive care unit readmissions. Critical Care Medicine, 2012, 40, 295-296. | 0.4 | 4 |
| 54 | Incidence of Seizures in Fat Embolism Syndrome Over a 10-Year Period. Neurologist, 2019, 24, 84-86. | 0.4 | 4 |

CHRISTA A SCHORR

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Nursing Implications of the Updated 2021 Surviving Sepsis Campaign Guidelines. American Journal of Critical Care, 2022, 31, 329-336. | 0.8 | 4 |
| 56 | Severe sepsis in an emergency department: Prevalence, rapid identification, and appropriate treatment*. Critical Care Medicine, 2007, 35, 2461-2462. | 0.4 | 3 |
| 57 | Multicenter Clinical Trials in Sepsis: Understanding the Big Picture and Building a Successful Operation at Your Hospital. Critical Care Clinics, 2009, 25, 869-879. | 1.0 | 3 |
| 58 | 50 Years of Sepsis Investigation/Enlightenment Among Adults—The Long and Winding Road. Critical Care Medicine, 2021, 49, 1606-1625. | 0.4 | 3 |
| 59 | SURVIVING SEPSIS CAMPAIGN(SSC)PERFORMANCE IMPROVEMENT PROGRAM: DEMONSTRATION OF PROCESS CHANGE Critical Care Medicine, 2006, 34, A107. | 0.4 | 2 |
| 60 | Targeting Sepsis as a Performance Improvement Metric. AACN Advanced Critical Care, 2014, 25, 179-186. | 0.6 | 2 |
| 61 | Planes, trains, and the intensive care unit: The impact of stress on the multidisciplinary team*. Critical Care Medicine, 2009, 37, 1494-1495. | 0.4 | 1 |
| 62 | Multicenter Clinical Trials in Sepsis: Understanding the Big Picture and Building a Successful Operation at Your Hospital. Critical Care Nursing Clinics of North America, 2011, 23, 215-225. | 0.4 | 1 |
| 63 | The authors reply. Critical Care Medicine, 2014, 42, e802-e803. | 0.4 | 1 |
| 64 | Targeting Sepsis as a Performance Improvement Metric. AACN Advanced Critical Care, 2014, 25, 179-186. | 0.6 | 1 |
| 65 | Updating and Improving Severity and Prognostic Measures. Critical Care Medicine, 2015, 43, 1543-1544. | 0.4 | 1 |
| 66 | Nurse-driven sedation: Will it steer patients toward early weaning?*. Critical Care Medicine, 2008, 36, 2199-2200. | 0.4 | 0 |
| 67 | Goldilocks in the ICU. Critical Care Medicine, 2013, 41, 2820-2821. | 0.4 | 0 |
| 68 | The authors reply. Critical Care Medicine, 2015, 43, e320-e321. | 0.4 | 0 |
| 69 | Skill retention with ultrasound curricula. , 2020, 15, e0243086. | | 0 |
| 70 | Skill retention with ultrasound curricula. , 2020, 15, e0243086. | | 0 |
| 71 | Skill retention with ultrasound curricula. , 2020, 15, e0243086. | | 0 |
| 72 | Skill retention with ultrasound curricula. , 2020, 15, e0243086. | | 0 |

72 Skill retention with ultrasound curricula., 2020, 15, e0243086.

0

| # | Article | IF | CITATIONS |
|----|--|----|-----------|
| 73 | Skill retention with ultrasound curricula. , 2020, 15, e0243086. | | 0 |
| | | | |

54 Skill retention with ultrasound curricula. , 2020, 15, e0243086.