

Christa A Schorr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1330152/christa-a-schorr-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

10,394

citations

27

h-index

74

g-index

74

ext. papers

13,453

ext. citations

3.7

avg, IF

5.53

L-index

#	Paper	IF	Citations
68	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
67	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021 , 47, 1181-1247	14.5	199
66	50 Years of Sepsis Investigation/Enlightenment Among Adults-The Long and Winding Road. <i>Critical Care Medicine</i> , 2021 , 49, 1606-1625	1.4	2
65	Rapid Development and Deployment of an Intensivist-Led Venovenous Extracorporeal Membrane Oxygenation Cannulation Program. <i>Critical Care Medicine</i> , 2021 ,	1.4	1
64	The Association of Increasing Hospice Use With Decreasing Hospital Mortality: An Analysis of the National Inpatient Sample. <i>Journal of Healthcare Management</i> , 2020 , 65, 107-120	0.6	4
63	Implementation of the Affordable Care Act: A Comparison of Outcomes in Patients With Severe Sepsis and Septic Shock Using the National Inpatient Sample. <i>Critical Care Medicine</i> , 2020 , 48, 783-789	1.4	4
62	Society of Critical Care Medicine's International Consensus Conference on Prediction and Identification of Long-Term Impairments After Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, 1670-1679	1.4	62
61	Skill retention with ultrasound curricula 2020 , 15, e0243086		
60	Skill retention with ultrasound curricula 2020 , 15, e0243086		
59	Skill retention with ultrasound curricula 2020 , 15, e0243086		
58	Skill retention with ultrasound curricula 2020 , 15, e0243086		
57	Skill retention with ultrasound curricula 2020 , 15, e0243086		
56	Skill retention with ultrasound curricula 2020 , 15, e0243086		
55	Incidence of Seizures in Fat Embolism Syndrome Over a 10-Year Period: Analysis of the National Inpatient Sample Database. <i>Neurologist</i> , 2019 , 24, 84-86	1.6	1
54	Effect of Targeted Polymyxin B Hemoperfusion on 28-Day Mortality in Patients With Septic Shock and Elevated Endotoxin Level: The EUPHRATES Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1455-1463	27.4	153
53	Understandability and Actionability of the CDC's Printable Sepsis Patient Education Material. <i>American Journal of Critical Care</i> , 2018 , 27, 418-427	1.7	3
52	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017 , 43, 304-377	14.5	3178

51	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Critical Care Medicine</i> , 2017 , 45, 486-552	1.4	1683
50	A UsersTGuide to the 2016 Surviving Sepsis Guidelines. <i>Critical Care Medicine</i> , 2017 , 45, 381-385	1.4	26
49	Implementation of a multicenter performance improvement program for early detection and treatment of severe sepsis in general medical-surgical wards. <i>Journal of Hospital Medicine</i> , 2016 , 11 Suppl 1, S32-S39	2.7	15
48	The New Sepsis Definitions: Implications for Critical Care Practitioners. <i>American Journal of Critical Care</i> , 2016 , 25, 457-64	1.7	9
47	Risk of Clostridium difficile infection in intensive care unit patients with sepsis exposed to metronidazole. <i>Infectious Diseases</i> , 2015 , 47, 197-202	3.1	4
46	Surviving Sepsis Campaign: association between performance metrics and outcomes in a 7.5-year study. <i>Critical Care Medicine</i> , 2015 , 43, 3-12	1.4	339
45	Lactate measurements in sepsis-induced tissue hypoperfusion: results from the Surviving Sepsis Campaign database. <i>Critical Care Medicine</i> , 2015 , 43, 567-73	1.4	260
44	The authors reply. <i>Critical Care Medicine</i> , 2015 , 43, e320-1	1.4	
43	Comparison of Chemical and Mechanical Prophylaxis of Venous Thromboembolism in Nonsurgical Mechanically Ventilated Patients. <i>Thrombosis</i> , 2015 , 2015, 849142		6
42	Incidence and mortality of sepsis, severe sepsis, and septic shock in intensive care unit patients with candidemia. <i>Infectious Diseases</i> , 2015 , 47, 584-7	3.1	22
41	Brain injury as a risk factor for fever upon admission to the intensive care unit and association with in-hospital case fatality: a matched cohort study. <i>Journal of Intensive Care Medicine</i> , 2015 , 30, 107-14	3.3	27
40	Surviving Sepsis Campaign: association between performance metrics and outcomes in a 7.5-year study. <i>Intensive Care Medicine</i> , 2014 , 40, 1623-33	14.5	164
39	The epidemiology of spontaneous fever and hypothermia on admission of brain injury patients to intensive care units: a multicenter cohort study. <i>Journal of Neurosurgery</i> , 2014 , 121, 950-60	3.2	38
38	The EUPHRATES trial (Evaluating the Use of Polymyxin B Hemoperfusion in a Randomized controlled trial of Adults Treated for Endotoxemia and Septic shock): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 218	2.8	73
37	Severe sepsis and septic shock: management and performance improvement. <i>Virulence</i> , 2014 , 5, 190-9	4.7	43
36	The authors reply. <i>Critical Care Medicine</i> , 2014 , 42, e802-3	1.4	1
35	Targeting sepsis as a performance improvement metric: role of the nurse. <i>AACN Advanced Critical Care</i> , 2014 , 25, 179-86	1	
34	Empiric antibiotic treatment reduces mortality in severe sepsis and septic shock from the first hour: results from a guideline-based performance improvement program. <i>Critical Care Medicine</i> , 2014 , 42, 1749-55	1.4	855

33	Sepsis severity score: an internationally derived scoring system from the surviving sepsis campaign database*. <i>Critical Care Medicine</i> , 2014 , 42, 1969-76	1.4	41
32	The Surviving Sepsis Campaign: past, present and future. <i>Trends in Molecular Medicine</i> , 2014 , 20, 192-4	11.5	32
31	Targeting Sepsis as a Performance Improvement Metric. <i>AACN Advanced Critical Care</i> , 2014 , 25, 179-186	1	1
30	Impact of sepsis bundle strategy on outcomes of patients suffering from severe sepsis and septic shock in china. <i>Journal of Emergency Medicine</i> , 2013 , 44, 735-41	1.5	113
29	Percutaneous dilational tracheostomy in patients receiving antiplatelet therapy: is it safe?. <i>Journal of Bronchology and Interventional Pulmonology</i> , 2013 , 20, 322-5	1.8	11
28	Implications of the new international sepsis guidelines for nursing care. <i>American Journal of Critical Care</i> , 2013 , 22, 212-22	1.7	36
27	Prevention of central venous catheter-related bloodstream infections: is it time to add simulation training to the prevention bundle?. <i>Journal of Clinical Anesthesia</i> , 2012 , 24, 555-60	1.9	44
26	Transfusion of packed red blood cells is not associated with improved central venous oxygen saturation or organ function in patients with septic shock. <i>Journal of Emergency Medicine</i> , 2012 , 43, 593-8	1.5	22
25	The Fallacy of the BUN:creatinine ratio in critically ill patients. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2248-54	4.3	26
24	The association of prior statin use in septic shock treated with early goal directed therapy. <i>European Journal of Emergency Medicine</i> , 2012 , 19, 226-30	2.3	7
23	Knowledge translation and the multifaceted intervention in the intensive care unit. <i>Critical Care Medicine</i> , 2012 , 40, 1324-8	1.4	17
22	Multicenter clinical trials in sepsis: understanding the big picture and building a successful operation at your hospital. <i>Critical Care Nursing Clinics of North America</i> , 2011 , 23, 215-25	1.5	
21	Performance improvement in the management of sepsis. <i>Critical Care Nursing Clinics of North America</i> , 2011 , 23, 203-13	1.5	4
20	Outcomes of trauma victims with cardiac arrest who survive to intensive care unit admission. <i>Journal of Trauma</i> , 2011 , 71, E12-6		10
19	Risk of cardiac arrhythmias and conduction abnormalities in patients with acute myocardial infarction receiving packed red blood cell transfusions. <i>Journal of Critical Care</i> , 2011 , 26, 335-41	4	4
18	Association between out-of-hospital emergency department transfer and poor hospital outcome in critically ill stroke patients. <i>Journal of Critical Care</i> , 2011 , 26, 620-5	4	17
17	The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. <i>Critical Care Medicine</i> , 2010 , 38, 367-74	1.4	797
16	Targeting endotoxin in the treatment of sepsis. <i>Sub-Cellular Biochemistry</i> , 2010 , 53, 323-38	5.5	7

15	The Surviving Sepsis Campaign: results of an international guideline-based performance improvement program targeting severe sepsis. <i>Intensive Care Medicine</i> , 2010 , 36, 222-31	14.5	1022
14	The impact of packed red blood cell transfusion on clinical outcomes in patients with septic shock treated with early goal directed therapy. <i>Indian Journal of Critical Care Medicine</i> , 2010 , 14, 165-9	1.3	15
13	Location of patients before transfer to a tertiary care intensive care unit: impact on outcome. <i>Journal of Critical Care</i> , 2009 , 24, 108-13	4	19
12	Multicenter clinical trials in sepsis: understanding the big picture and building a successful operation at your hospital. <i>Critical Care Clinics</i> , 2009 , 25, 869-79, xi	4.5	2
11	Performance improvement in the management of sepsis. <i>Critical Care Clinics</i> , 2009 , 25, 857-67, x	4.5	122
10	Multicenter study of early lactate clearance as a determinant of survival in patients with presumed sepsis. <i>Shock</i> , 2009 , 32, 35-9	3.4	259
9	Planes, trains, and the intensive care unit: The impact of stress on the multidisciplinary team. <i>Critical Care Medicine</i> , 2009 , 37, 1494-5	1.4	
8	Clinical characteristics and outcomes of septic patients with new-onset atrial fibrillation. <i>Journal of Critical Care</i> , 2008 , 23, 532-6	4	68
7	Reducing mortality in severe sepsis: the Surviving Sepsis Campaign. <i>Clinics in Chest Medicine</i> , 2008 , 29, 721-33, x	5.3	42
6	Nurse-driven sedation: will it steer patients toward early weaning?. <i>Critical Care Medicine</i> , 2008 , 36, 2199-200		
5	Famotidine Versus Pantoprazole for Preventing Bleeding in the Upper Gastrointestinal Tract of Critically Ill Patients Receiving Mechanical Ventilation. <i>American Journal of Critical Care</i> , 2008 , 17, 142-147	1.7	12
4	Serum lactate as a predictor of mortality in patients with infection. <i>Intensive Care Medicine</i> , 2007 , 33, 970-7	14.5	265
3	Severe sepsis in an emergency department: prevalence, rapid identification, and appropriate treatment. <i>Critical Care Medicine</i> , 2007 , 35, 2461-2	1.4	2
2	SURVIVING SEPSIS CAMPAIGN(SSC)PERFORMANCE IMPROVEMENT PROGRAM: DEMONSTRATION OF PROCESS CHANGE.. <i>Critical Care Medicine</i> , 2006 , 34, A107	1.4	2
1	Occurrence of implantable defibrillator events in patients with syncope and nonischemic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2001 , 88, 1444-6, A9	3	28