Brenda W J H Penninx

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1331362/brenda-w-j-h-penninx-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

794	59,830	125	218
papers	citations	h-index	g-index
842	73,321 ext. citations	7.5	7.68
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
794	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones <i>JMIR MHealth and UHealth</i> , 2022 , 10, e28095	5.5	3
793	Dissection of depression heterogeneity using proteomic clusters <i>Psychological Medicine</i> , 2022 , 1-9	6.9	0
792	Charting brain growth and aging at high spatial precision <i>ELife</i> , 2022 , 11,	8.9	2
791	Genome-wide analysis of 102,084 migraine cases identifies 123 risk loci and subtype-specific risk alleles <i>Nature Genetics</i> , 2022 , 54, 152-160	36.3	13
790	Metabolomic and inflammatory signatures of symptom dimensions in major depression <i>Brain, Behavior, and Immunity</i> , 2022 , 102, 42-52	16.6	1
789	Fifteen years of the Netherlands study of depression and anxiety: An introduction to the special issue. <i>Journal of Affective Disorders</i> , 2022 , 298, 355-356	6.6	1
788	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110463	5.5	O
787	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, 2022 , 91, 102-117	7.9	11
786	Identifying mismatch and match between clinical needs and mental healthcare use trajectories in people with anxiety and depression: Results of a longitudinal study. <i>Journal of Affective Disorders</i> , 2022 , 297, 657-670	6.6	1
7 ⁸ 5	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study <i>BMC Psychiatry</i> , 2022 , 22, 136	4.2	2
784	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals <i>Nature Genetics</i> , 2022 ,	36.3	7
783	Attitudes towards COVID-19 vaccination: A comparison between persons with different chronicity of pre-pandemic depressive, anxiety or obsessive-compulsive disorders <i>Acta Psychiatrica Scandinavica</i> , 2022 , 145, 412-415	6.5	2
782	Time for united action on depression: a Lancet-World Psychiatric Association Commission <i>Lancet, The,</i> 2022 , 399, 957-1022	40	23
781	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study <i>JMIR Mental Health</i> , 2022 , 9, e34898	6	О
780	Genetic variants associated with longitudinal changes in brain structure across the lifespan <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
779	Mental health and perceived impact during the first Covid-19 pandemic year: A longitudinal study in Dutch case-control cohorts of persons with and without depressive, anxiety, and obsessive-compulsive disorders <i>Journal of Affective Disorders</i> , 2022 , 305, 85-93	6.6	5
778	Associations of three major physiological stress systems with suicidal ideation and suicide attempts in patients with a depressive and/or anxiety disorder <i>Brain, Behavior, and Immunity</i> , 2022 , 102, 195-205	16.6	0

(2021-2022)

777	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression <i>Journal of Affective Disorders</i> , 2022 , 307, 254-263	6.6	1
776	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimerß disease patients <i>PLoS ONE</i> , 2022 , 17, e0263769	3.7	O
775	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
774	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2021 , 26, 2111-2125	15.1	3
773	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
772	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders: Evidence through univariate and multivariate mega-analysis including 6420 participants from the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2021 , 26, 4839-4852	15.1	29
771	Associations between depressive symptom profiles and immunometabolic characteristics in individuals with depression and their siblings. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 128-138	3.8	2
770	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4179-4190	15.1	8
769	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
768	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
767	Higher thyrotropin leads to unfavorable lipid profile and somewhat higher cardiovascular disease risk: evidence from multi-cohort Mendelian randomization and metabolomic profiling. <i>BMC Medicine</i> , 2021 , 19, 266	11.4	3
766	Psychotherapy for comorbid depression and somatic disorders: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	2
765	Dual methylation and hydroxymethylation study of alcohol use disorder. <i>Addiction Biology</i> , 2021 , 27, e13114	4.6	1
764	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis <i>Frontiers in Psychiatry</i> , 2021 , 12, 734077	5	O
763	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. <i>Molecular Psychiatry</i> , 2021 ,	15.1	2
762	Cortical thickness and resting-state cardiac function across the lifespan: A cross-sectional pooled mega-analysis. <i>Psychophysiology</i> , 2021 , 58, e13688	4.1	7
761	Childhood Trauma in Adult Depressive and Anxiety Disorders: An Integrated Review on Psychological and Biological Mechanisms in the NESDA Cohort. <i>Journal of Affective Disorders</i> , 2021 , 283, 179-191	6.6	15
760	Prevalence, course, and determinants of suicide ideation and attempts in patients with a depressive and/or anxiety disorder: A review of NESDA findings. <i>Journal of Affective Disorders</i> , 2021 , 283, 267-277	6.6	9

759	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021 , 283, 139-146	6.6	11
75 ⁸	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. <i>BMC Medicine</i> , 2021 , 19, 69	11.4	1
757	Dissecting Depression Biological and Clinical Heterogeneity-The Importance of Symptom Assessment Resolution. <i>JAMA Psychiatry</i> , 2021 , 78, 341	14.5	8
756	Multi-ancestry genome-wide gene-sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021 ,	15.1	3
755	Evaluating a dimensional approach to treatment resistance in anxiety disorders: A two-year follow-up study. <i>Journal of Affective Disorders Reports</i> , 2021 , 4, 100139	1.4	
754	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24604	5.5	6
753	Predicting Depressive Symptom Severity Through IndividualsPNearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e2984	o ^{5.5}	6
75 ²	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
751	Overweight and obese individuals with depressive symptoms from the MooDFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. <i>Journal of Affective Disorders Reports</i> , 2021 , 4, 100126	1.4	
75°	The long-lasting impact of childhood trauma on adult chronic physical disorders. <i>Journal of Psychiatric Research</i> , 2021 , 136, 87-94	5.2	4
749	Educational attainment does not influence brain aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	15
748	How childhood trauma and recent adverse events are related to hair cortisol levels in a large adult cohort. <i>Psychoneuroendocrinology</i> , 2021 , 126, 105150	5	4
747	Brain-immune crosstalk in the treatment of major depressive disorder. <i>European Neuropsychopharmacology</i> , 2021 , 45, 89-107	1.2	19
746	Depressive and anxiety disorders in concert-A synthesis of findings on comorbidity in the NESDA study. <i>Journal of Affective Disorders</i> , 2021 , 284, 85-97	6.6	12
745	Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021 , 46, 162	28 ./ 163	42
744	Hair Cortisol, Obesity and the Immune System: Results From a 3 Year Longitudinal Study. <i>Journal of the Endocrine Society</i> , 2021 , 5, A14-A14	0.4	78
743	Metabolomic profiles discriminating anxiety from depression. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 178-193	6.5	4
742	Associations between depression, lifestyle and brain structure: A longitudinal MRI study. Neurolmage, 2021 , 231, 117834	7.9	4

(2021-2021)

8 8 8	28 1 3 33 46
8.8	3
.8	33
.8	33
.8	
	46
3	
	187
,	O
	16
,	3
	33
-	4
}	6
)	6
	1
	5
	6

723	Anger and cluster B personality traits and the conversion from unipolar depression to bipolar disorder. <i>Depression and Anxiety</i> , 2021 , 38, 671-681	8.4	2	
722	An integrative study of five biological clocks in somatic and mental health. <i>ELife</i> , 2021 , 10,	8.9	11	
721	Plasma androgens and the presence and course of depression in a large cohort of women. <i>Translational Psychiatry</i> , 2021 , 11, 124	8.6	4	
720	Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. <i>Brain, Behavior,</i> & <i>Immunity - Health,</i> 2021 , 11, 100197	5.1	O	
719	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , 2021 , 11, 96	8.6	6	
718	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20700	7.6	3	
717	A network perspective on suicidal behavior: Understanding suicidality as a complex system. <i>Suicide and Life-Threatening Behavior</i> , 2021 , 51, 115-126	3.9	9	
716	Changes in peripheral blood compounds following psychopharmacological treatment in drug-nalle first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 538-549	6.9	7	
715	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. <i>Journal of Affective Disorders</i> , 2021 , 283, 165-171	6.6	5	
714	Diet, Obesity, and Depression: A Systematic Review. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	6	
713	Contributing factors to advanced brain aging in depression and anxiety disorders. <i>Translational Psychiatry</i> , 2021 , 11, 402	8.6	3	
712	Benzodiazepines for the long-term treatment of anxiety disorders? - AuthorsPreply. <i>Lancet, The</i> , 2021 , 398, 120	40	O	
711	Plasma androgens and the presence and course of depression in a large cohort of men. <i>Psychoneuroendocrinology</i> , 2021 , 130, 105278	5	2	
710	Education and Income Show Heterogeneous Relationships to Lifespan Brain and Cognitive Differences Across European and US Cohorts. <i>Cerebral Cortex</i> , 2021 ,	5.1	5	
709	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4	
708	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 23	04 ⁸ - 7 31	1 ¹	
707	Psychiatric symptoms and cognitive impairment in "Long COVID": the relevance of immunopsychiatry. <i>World Psychiatry</i> , 2021 , 20, 357-358	14.4	6	
706	Psychosocial factors and cancer incidence (PSY-CA): Protocol for individual participant data meta-analyses. <i>Brain and Behavior</i> , 2021 , 11, e2340	3.4	2	

(2020-2021)

705	Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. <i>PLoS ONE</i> , 2021 , 16, e0248254	3.7	2
704	Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimerß disease. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-14	3.8	2
703	Hair cortisol, obesity and the immune system: Results from a 3 year longitudinal study. <i>Psychoneuroendocrinology</i> , 2021 , 134, 105422	5	1
702	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
701	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. <i>BMC Psychiatry</i> , 2021 , 21, 435	4.2	2
700	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
699	Major Depressive Disorder and Lifestyle: Correlated Genetic Effects in Extended Twin Pedigrees. <i>Genes</i> , 2021 , 12,	4.2	2
698	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021 , 53, 1300-1310	36.3	60
697	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2021 , 293, 295-304	6.6	3
696	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. <i>American Journal of Psychiatry</i> , 2021 , 178, 914-920	11.9	3
695	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity,</i> 2021 , 97, 167-175	16.6	8
694	Familial resemblance in mental health symptoms, social and cognitive vulnerability, and personality: A study of patients with depressive and anxiety disorders and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 294, 420-429	6.6	4
693	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity,</i> 2021 , 98, 378-387	16.6	1
692	A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. <i>Child Abuse and Neglect</i> , 2021 , 121, 105228	4.3	O
691	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. <i>Journal of Affective Disorders</i> , 2021 , 295, 1269-1279	6.6	3
690	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	3
689	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer® disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2020 , 145, 302-302	5.2	2
688	Reply to interleukin-6 in schizophrenia: Cause of death matters. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 383-384	16.6	1

687	Working memory moderates the relation between the brain-derived neurotropic factor (BDNF) and psychotherapy outcome for depression. <i>Journal of Psychiatric Research</i> , 2020 , 130, 424-432	5.2	7
686	Habitual sleep disturbances and migraine: a Mendelian randomization study. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 2370-2380	5.3	6
685	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020 , 12,	6.7	2
684	Refining Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Genetic Loci by Integrating Summary Data From Genome-wide Association, Gene Expression, and DNA Methylation Studies. <i>Biological Psychiatry</i> , 2020 , 88, 470-479	7.9	6
683	It is a family affair: individual experiences and sibling exposure to emotional, physical and sexual abuse and the impact on adult depressive symptoms. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	5
682	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020 , 10, 172	8.6	46
681	Predicting the naturalistic course in anxiety disorders using clinical and biological markers: a machine learning approach. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
680	Getting under the skin: Does biology help predict chronicity of depression?. <i>Journal of Affective Disorders</i> , 2020 , 274, 1013-1021	6.6	2
679	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020 , 367,	33.3	156
678	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020 , 52, 437-447	36.3	80
677	Predicting individual clinical trajectories of depression with generative embedding. <i>NeuroImage: Clinical</i> , 2020 , 26, 102213	5.3	18
676	A genome-wide cross-phenotype meta-analysis of the association of blood pressure with migraine. <i>Nature Communications</i> , 2020 , 11, 3368	17.4	22
675	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	1
674	Measurement and genetic architecture of lifetime depression in the Netherlands as assessed by LIDAS (Lifetime Depression Assessment Self-report). <i>Psychological Medicine</i> , 2020 , 1-10	6.9	2
673	Stability of chronotype over a 7-year follow-up period and its association with severity of depressive and anxiety symptoms. <i>Depression and Anxiety</i> , 2020 , 37, 466-474	8.4	12
672	Bidirectional longitudinal associations of omega-3 polyunsaturated fatty acid plasma levels with depressive disorders. <i>Journal of Psychiatric Research</i> , 2020 , 124, 1-8	5.2	4
671	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
670	Integration of epidemiologic, pharmacologic, genetic and gut microbiome data in a drug-metabolite atlas. <i>Nature Medicine</i> , 2020 , 26, 110-117	50.5	19

(2020-2020)

669	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
668	The neuroscience of sadness: A multidisciplinary synthesis and collaborative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 111, 199-228	9	23
667	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. <i>Biological Psychiatry</i> , 2020 , 88, 369-380	7.9	76
666	Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. <i>Scientific Reports</i> , 2020 , 10, 194	4.9	9
665	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	14
664	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 174-183	16.6	41
663	Physiological stress markers, mental health and objective physical function. <i>Journal of Psychosomatic Research</i> , 2020 , 133, 109996	4.1	7
662	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	14
661	Altered peripheral blood compounds in drug-nalle first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis. <i>Brain, Behavior, and Immunity,</i> 2020 , 88, 547-558	16.6	37
660	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. Journal of Medical Internet Research, 2020 , 22, e19992	7.6	70
659	Predictive value of implicit and explicit self-esteem for the recurrence of depression and anxiety disorders: A 3-year follow-up study. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 788-798	7	4
658	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020,		7
657	Cell Type-Specific Methylome-wide Association Studies Implicate Neurotrophin and Innate Immune Signaling in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2020 , 87, 431-442	7.9	21
656	Are People Ready for Personalized Brain Health? Perspectives of Research Participants in the Lifebrain Consortium. <i>Gerontologist, The</i> , 2020 , 60, 1050-1059	5	5
655	Response to "International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder" by Guu et al. (2019). <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 48	9.4	4
654	A clinical staging approach to improving diagnostics in anxiety disorders: Is it the way to go?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 173-184	2.6	8
653	Social dysfunction in mood disorders and schizophrenia: Clinical modulators in four independent samples. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109835	5.5	7
652	A characterization of cis- and trans-heritability of RNA-Seq-based gene expression. <i>European Journal of Human Genetics</i> , 2020 , 28, 253-263	5.3	8

651	The predictive performance of the bipolarity index in a Dutch epidemiological sample manuscript. Journal of Affective Disorders, 2020 , 262, 373-380	6.6	2
650	Network outcome analysis identifies difficulty initiating sleep as a primary target for prevention of depression: a 6-year prospective study. <i>Sleep</i> , 2020 , 43,	1.1	24
649	Comorbidity between depression and anxiety: assessing the role of bridge mental states in dynamic psychological networks. <i>BMC Medicine</i> , 2020 , 18, 308	11.4	30
648	Childhood trauma and dysregulation of multiple biological stress systems in adulthood: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2020 , 121, 104835	5	18
647	Non-alcoholic fatty liver disease (NAFLD) as a neglected metabolic companion of psychiatric disorders: common pathways and future approaches. <i>BMC Medicine</i> , 2020 , 18, 261	11.4	30
646	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry,the</i> , 2020 , 7, 1032-1045	23.3	43
645	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , 2020 , 10, 235	8.6	21
644	The associations between childhood trauma and work functioning in adult workers with and without depressive and anxiety disorders. <i>European Psychiatry</i> , 2020 , 63, e76	6	3
643	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 309-330	3.5	8
642	A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. <i>Translational Psychiatry</i> , 2020 , 10, 211	8.6	13
641	Novel neuronal surface autoantibodies in plasma of patients with depression and anxiety. <i>Translational Psychiatry</i> , 2020 , 10, 404	8.6	5
640	AuthorsPreply. British Journal of Psychiatry, 2020 , 216, 235	5.4	
639	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MooDFOOD Randomized Clinical Trial. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110206	4.1	3
638	Acceptability and feasibility of two interventions in the MooDFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. <i>BMJ Open</i> , 2020 , 10, e034025	3	2
637	Metabolic Age Based on the BBMRI-NL H-NMR Metabolomics Repository as Biomarker of Age-related Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020 , 13, 541-547	5.2	7
636	Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MooDFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020 , 37, 1079-1088	8.4	3
635	Exercise interventions for the prevention of depression: a systematic review of meta-analyses. <i>BMC Public Health</i> , 2020 , 20, 1255	4.1	39
634	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020 , 25, 584-602	15.1	24

633	Methylome-wide association findings for major depressive disorder overlap in blood and brain and replicate in independent brain samples. <i>Molecular Psychiatry</i> , 2020 , 25, 1344-1354	15.1	28
632	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020 , 50, 1020-1031	6.9	30
631	Association of food groups with depression and anxiety disorders. <i>European Journal of Nutrition</i> , 2020 , 59, 767-778	5.2	29
630	Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MooDFOOD prevention trial. <i>European Journal of Nutrition</i> , 2020 , 59, 2579-	2 ⁵ 5 ² 91	7
629	Association of dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020 , 50, 1872-1883	6.9	24
628	A methylation study of long-term depression risk. <i>Molecular Psychiatry</i> , 2020 , 25, 1334-1343	15.1	22
627	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020 , 260, 77-83	6.6	10
626	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020 , 25, 1511-1525	15.1	89
625	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
624	Metabolomics Profile in Depression: A Pooled Analysis of 230 Metabolic Markers in 5283 Cases With Depression and 10,145 Controls. <i>Biological Psychiatry</i> , 2020 , 87, 409-418	7.9	51
623	Cross-trait analyses with migraine reveal widespread pleiotropy and suggest a vascular component to migraine headache. <i>International Journal of Epidemiology</i> , 2020 , 49, 1022-1031	7.8	15
622	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , 2019 , 36, 1163-1172	8.4	15
621	Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019 , 259, 259-265	6.6	12
620	Major depression and enhanced molecular senescence abnormalities in young and middle-aged adults. <i>Translational Psychiatry</i> , 2019 , 9, 198	8.6	16
619	A role for vitamin D and omega-3 fatty acids in major depression? An exploration using genomics. <i>Translational Psychiatry</i> , 2019 , 9, 219	8.6	19
618	The association between overall and abdominal adiposity and depressive mood: A cross-sectional analysis in 6459 participants. <i>Psychoneuroendocrinology</i> , 2019 , 110, 104429	5	10
617	Examining the antidepressant scattergun approach. Lancet Psychiatry, the, 2019, 6, 878-879	23.3	2
616	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. Nature Genetics, 2019 , 51, 1459-1474	36.3	122

615	Predictive value of attentional bias for the recurrence of depression: A 4-year prospective study in remitted depressed individuals. <i>Behaviour Research and Therapy</i> , 2019 , 114, 25-34	5.2	8
614	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39
613	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019 , 10, 376	17.4	41
612	Measuring social support in psychiatric patients and controls: Validation and reliability of the shortened Close Persons Questionnaire. <i>Journal of Psychiatric Research</i> , 2019 , 116, 118-125	5.2	3
611	Aligning the many definitions of treatment resistance in anxiety disorders: A systematic review. <i>Depression and Anxiety</i> , 2019 , 36, 801-812	8.4	8
610	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 835-846	1.2	17
609	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
608	Smoking does not accelerate leucocyte telomere attrition: a meta-analysis of 18 longitudinal cohorts. <i>Royal Society Open Science</i> , 2019 , 6, 190420	3.3	16
607	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019 , 176, 651-660	11.9	103
606	Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. <i>British Journal of Psychiatry</i> , 2019 , 215, 468-475	5.4	33
605	Course and predictors of symptomatic remission in late-life schizophrenia: A 5-year follow-up study in a Dutch psychiatric catchment area. <i>Schizophrenia Research</i> , 2019 , 209, 179-184	3.6	8
604	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. <i>Scientific Reports</i> , 2019 , 9, 4314	4.9	14
603	Genome-Wide Association Scan of Serum Urea in European Populations Identifies Two Novel Loci. <i>American Journal of Nephrology</i> , 2019 , 49, 193-202	4.6	3
602	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms: The MooDFOOD Randomized Clinical Trial. <i>JAMA - Journal of the American</i>	27.4	54
601	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019 , 85, 1065-1073	7.9	14
600	Accelerating research on biological aging and mental health: Current challenges and future directions. <i>Psychoneuroendocrinology</i> , 2019 , 106, 293-311	5	24
599	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019 , 253, 26-34	6.6	26
598	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019 , 51, 636-648	36.3	59

(2019-2019)

597	Childhood maltreatment, vulnerability characteristics and adult incident common mental disorders: 3-year longitudinal data among >10,000 adults in the general population. <i>Journal of Psychiatric Research</i> , 2019 , 113, 199-207	5.2	8
596	Evaluating the evidence for biotypes of depression: Methodological replication and extension of. <i>NeuroImage: Clinical</i> , 2019 , 22, 101796	5.3	132
595	Large-scale plasma metabolome analysis reveals alterations in HDL metabolism in migraine. <i>Neurology</i> , 2019 , 92, e1899-e1911	6.5	26
594	Associations of depressive symptoms and history with three a priori diet quality indices in middle-aged and older adults. <i>Journal of Affective Disorders</i> , 2019 , 249, 394-403	6.6	16
593	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019 , 49, 617-627	6.9	12
592	A 6-year longitudinal study of predictors for suicide attempts in major depressive disorder. <i>Psychological Medicine</i> , 2019 , 49, 911-921	6.9	24
591	Overview of the clinical implementation of a study exploring social withdrawal in patients with schizophrenia and Alzheimerß disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 87-93	9	15
590	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimerß disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 38-46	9	10
589	Involvement of inflammatory gene expression pathways in depressed patients with hyperphagia. <i>Translational Psychiatry</i> , 2019 , 9, 193	8.6	8
588	Longitudinal course of suicidal ideation and predictors of its persistence - A NESDA study. <i>Journal of Affective Disorders</i> , 2019 , 257, 365-375	6.6	15
587	Vitamin D supplementation for the prevention of depression and poor physical function in older persons: the D-Vitaal study, a randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1119-1130	7	28
586	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019 , 36, 975-986	8.4	53
585	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019 , 3, 950-961	12.8	32
584	Integrating proteomic, sociodemographic and clinical data to predict future depression diagnosis in subthreshold symptomatic individuals. <i>Translational Psychiatry</i> , 2019 , 9, 277	8.6	8
583	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019 , 10, 5121	17.4	31
582	The impact of depression and anxiety treatment on biological aging and metabolic stress: study protocol of the MOod treatment with antidepressants or running (MOTAR) study. <i>BMC Psychiatry</i> , 2019 , 19, 425	4.2	9
581	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019 , 10, 858	5	5
580	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019 , 51, 16	24 3 663	6 81

579	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
578	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019 , 134, 10	3-4.50	24
577	Unraveling the association between depression and telomere length using genomics. <i>Psychoneuroendocrinology</i> , 2019 , 102, 121-127	5	8
576	Bidirectional associations between food groups and depressive symptoms: longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2019 , 121, 439-450	3.6	20
575	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448	3.8	11
574	Long-term glucocorticoid levels measured in hair in patients with depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2019 , 101, 246-252	5	26
573	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019 , 85, 829-837	7.9	72
572	Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. <i>Journal of Affective Disorders</i> , 2019 , 245, 180-187	6.6	11
571	A quantitative approach to neuropsychiatry: The why and the how. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 3-9	9	47
570	Not urbanization level but socioeconomic, physical and social neighbourhood characteristics are associated with presence and severity of depressive and anxiety disorders. <i>Psychological Medicine</i> , 2019 , 49, 149-161	6.9	47
569	Depression and obesity: evidence of shared biological mechanisms. <i>Molecular Psychiatry</i> , 2019 , 24, 18-3	33 15.1	237
568	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018 , 35, 551-559	8.4	22
567	Epigenetic Aging in Major Depressive Disorder. American Journal of Psychiatry, 2018, 175, 774-782	11.9	92
566	The relation between obesity and depressed mood in a multi-ethnic population. The HELIUS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 629-638	4.5	15
565	The Mindful Eating Behavior Scale: Development and Psychometric Properties in a Sample of Dutch Adults Aged 55 Years and Older. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 1277-129	0. ë 4	22
564	Associations Between Cellular Aging Markers and Metabolic Syndrome: Findings From the CARDIA Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 148-157	5.6	30
563	Hypothalamus-Pituitary-Adrenal-axis activity and cognitive functioning in older adults. <i>Psychoneuroendocrinology</i> , 2018 , 91, 50-54	5	1
562	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301

(2018-2018)

561	The association between depression and eating styles in four European countries: The MooDFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018 , 108, 85-92	4.1	27
560	The association of omega-3 fatty acid levels with personality and cognitive reactivity. <i>Journal of Psychosomatic Research</i> , 2018 , 108, 93-101	4.1	6
559	Healthy minds 0-100 years: Optimising the use of European brain imaging cohorts ("Lifebrain"). <i>European Psychiatry</i> , 2018 , 50, 47-56	6	21
558	Vitamin D Status and Depressive Symptoms in Older Adults: A Role for Physical Functioning?. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 1131-1143	6.5	5
557	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. <i>Journal of Attention Disorders</i> , 2018 , 22, 460-471	3.7	9
556	Omega-3 and omega-6 fatty acid levels in depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2018 , 87, 53-62	5	55
555	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
554	Uric acid in major depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 684-690	6.6	46
553	Structural and Functional Brain Abnormalities Associated With Exposure to Different Childhood Trauma Subtypes: A Systematic Review of Neuroimaging Findings. <i>Frontiers in Psychiatry</i> , 2018 , 9, 329	5	44
552	Change in serum 25-hydroxyvitamin D and parallel change in depressive symptoms in Dutch older adults. <i>European Journal of Endocrinology</i> , 2018 , 179, 239-249	6.5	7
551	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
550	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. <i>Frontiers in Neuroscience</i> , 2018 , 12, 375	5.1	2
549	A characterization of postzygotic mutations identified in monozygotic twins. <i>Human Mutation</i> , 2018 , 39, 1393-1401	4.7	8
548	Omega-3 polyunsaturated fatty acid levels and dysregulations in biological stress systems. <i>Psychoneuroendocrinology</i> , 2018 , 97, 206-215	5	21
547	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. <i>Psychosomatic Medicine</i> , 2018 , 80, 475-482	3.7	5
546	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , 2018 , 103, 10-17	5.2	13
545	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 308-310	9.4	11
544	Leucocyte telomere length is no molecular marker of physical frailty in late-life depression. <i>Experimental Gerontology</i> , 2018 , 111, 229-234	4.5	6

543	Convergence of evidence from a methylome-wide CpG-SNP association study and GWAS of major depressive disorder. <i>Translational Psychiatry</i> , 2018 , 8, 162	8.6	12
542	Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. <i>Behaviour Research and Therapy</i> , 2018 , 107, 76-82	5.2	6
541	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry,the</i> , 2018 , 5, 581-590	23.3	56
540	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018 , 13, e0198166	3.7	31
539	Associations of immunometabolic risk factors with symptoms of depression and anxiety: The role of cardiac vagal activity. <i>Brain, Behavior, and Immunity</i> , 2018 , 73, 493-503	16.6	8
538	Metabolic syndrome in psychiatric patients: overview, mechanisms, and implications. <i>Dialogues in Clinical Neuroscience</i> , 2018 , 20, 63-73	5.7	141
537	Validity of the Maudsley Staging Method in Predicting Treatment-Resistant Depression Outcome Using the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	8
536	Genome-wide gene-environment interaction in depression: A systematic evaluation of candidate genes: The childhood trauma working-group of PGC-MDD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 40-49	3.5	43
535	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. <i>Chronobiology International</i> , 2018 , 35, 1-7	3.6	29
534	Offspring of depressed and anxious patients: Help-seeking after first onset of a mood and/or anxiety disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 618-626	6.6	2
533	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018 , 97, 38-46	5.2	31
532	Patients with anxious depression: overview of prevalence, pathophysiology and impact on course and treatment outcome. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 17-25	4.9	59
531	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
530	Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. <i>Translational Psychiatry</i> , 2018 , 8, 241	8.6	52
529	Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. <i>Cognitive Therapy and Research</i> , 2018 , 42, 813-822	2.7	3
528	Age and major depressive disorder: what factors should be investigated? - AuthorsPreply. <i>Lancet Psychiatry,the</i> , 2018 , 5, 784-785	23.3	
527	Attentional bias for negative, positive, and threat words in current and remitted depression. <i>PLoS ONE</i> , 2018 , 13, e0205154	3.7	14
526	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. <i>American Journal of Human Genetics</i> , 2018, 103, 691-706	11	151

525	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018 , 106, 1-7	5.2	46
524	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018 , 50, 1412-1425	36.3	386
523	Cohort profile: the Geoscience and Health Cohort Consortium (GECCO) in the Netherlands. <i>BMJ Open</i> , 2018 , 8, e021597	3	18
522	Offspring of parents with mood disorders: time for more transgenerational research, screening and preventive intervention for this high-risk population. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 349-357	4.9	23
521	The association of depression and posttraumatic stress disorder with the metabolic syndrome in a multi-ethnic cohort: the HELIUS study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 921-930	4.5	7
520	Depression Subtypes and Inflammation: Atypical Rather Than Melancholic Depression Is Linked With Immunometabolic Dysregulations 2018 , 455-471		1
519	Contributions of depression and body mass index to body image. <i>Journal of Psychiatric Research</i> , 2018 , 103, 18-25	5.2	21
518	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , 2017 , 81, 807-814	7.9	100
517	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
516	Perceived stress and cognitive function in older adults: which aspect of perceived stress is important?. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 439-445	3.9	33
515	Loss of brain graph network efficiency in alcohol dependence. Addiction Biology, 2017, 22, 523-534	4.6	36
514	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017 , 8, 13624	17.4	173
513	Impact of Anxiety and/or Depressive Disorders and Chronic Somatic Diseases on disability and work impairment. <i>Journal of Psychosomatic Research</i> , 2017 , 94, 10-16	4.1	14
512	Heritability and GWAS Studies for Monocyte-Lymphocyte Ratio. <i>Twin Research and Human Genetics</i> , 2017 , 20, 97-107	2.2	15
511	Oxidative stress and brain morphology in individuals with depression, anxiety and healthy controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 76, 140-144	5.5	33
510	The association between three major physiological stress systems and oxidative DNA and lipid damage. <i>Psychoneuroendocrinology</i> , 2017 , 80, 56-66	5	29
509	Correcting for cell-type effects in DNA methylation studies: reference-based method outperforms latent variable approaches in empirical studies. <i>Genome Biology</i> , 2017 , 18, 24	18.3	16
508	Conditional eQTL analysis reveals allelic heterogeneity of gene expression. <i>Human Molecular Genetics</i> , 2017 , 26, 1444-1451	5.6	87

507	Risk Factors for Depression: Differential Across Age?. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 966-977	6.5	49
506	Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2017 , 97, 96-101	4.1	10
505	Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. <i>Lancet Psychiatry,the</i> , 2017 , 4, 477-485	23.3	137
504	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , 2017 , 254, 96-103	9.9	6
503	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017 , 7, 45040	4.9	70
502	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017 , 8, 15805	17.4	50
501	Experiential Avoidance and Bordering Psychological Constructs as Predictors of the Onset, Relapse and Maintenance of Anxiety Disorders: One or Many?. <i>Cognitive Therapy and Research</i> , 2017 , 41, 867-88	0 ^{2.7}	25
500	The impact of conscientiousness, mastery, and work circumstances on subsequent absenteeism in employees with and without affective disorders. <i>BMC Psychology</i> , 2017 , 5, 10	2.8	8
499	HPA Axis Genes, and Their Interaction with Childhood Maltreatment, are Related to Cortisol Levels and Stress-Related Phenotypes. <i>Neuropsychopharmacology</i> , 2017 , 42, 2446-2455	8.7	45
498	Genome-Wide Significance for PCLO as a Gene for Major Depressive Disorder. <i>Twin Research and Human Genetics</i> , 2017 , 20, 267-270	2.2	16
497	The association of childhood maltreatment with depression and anxiety is not moderated by the oxytocin receptor gene. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 517-526	5.1	24
496	Genetic Variants Associated with Circulating Parathyroid Hormone. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1553-1565	12.7	37
495	Childhood adversity impacts on brain subcortical structures relevant to depression. <i>Journal of Psychiatric Research</i> , 2017 , 86, 58-65	5.2	50
494	Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. <i>Brain, Behavior, and Immunity,</i> 2017 , 60, 361-368	16.6	14
493	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 312-321	7.9	17
492	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. <i>European Journal of Public Health</i> , 2017 , 27, 965-971	2.1	8
491	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017 , 74, 1214-1225	14.5	109
490	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017 , 15, 215	11.4	45

(2017-2017)

489	Seasonal affective disorder and non-seasonal affective disorders: results from the NESDA study. <i>BJPsych Open</i> , 2017 , 3, 196-203	5	8
488	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017 ,	8.5	85
487	Apathy in early and late-life depression. <i>Journal of Affective Disorders</i> , 2017 , 223, 76-81	6.6	16
486	Associations between chronotypes and psychological vulnerability factors of depression. <i>Chronobiology International</i> , 2017 , 34, 1125-1135	3.6	56
485	Temporal stability and drivers of change in cardiac autonomic nervous system activity. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 208, 117-125	2.4	6
484	2SNP heritability and effects of genetic variants for neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio. <i>Journal of Human Genetics</i> , 2017 , 62, 979-988	4.3	12
483	The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. <i>Psychoneuroendocrinology</i> , 2017 , 85, 88-95	5	13
482	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2017 , 7, 1268	8.6	31
481	Huntingtin gene repeat size variations affect risk of lifetime depression. <i>Translational Psychiatry</i> , 2017 , 7, 1277	8.6	28
480	A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. <i>Hgre Utbildning</i> , 2017 , 8, 1380470	5	11
479	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017 , 103, 70-76	4.1	2
478	Interaction between the gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017 , 211, 70-76	5.4	33
477	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017 , 256, 475-481	9.9	20
476	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , 2017 , 34, 188-197	8.4	19
475	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. <i>Preventive Medicine</i> , 2017 , 94, 12-19	4.3	17
474	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017 , 18, 155-165	5.2	8
473	Depression and cardiovascular disease: Epidemiological evidence on their linking mechanisms. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 74, 277-286	9	217
472	Gene-based analysis of regulatory variants identifies 4 putative novel asthma risk genes related to nucleotide synthesis and signaling. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1148-1157	11.5	43

471	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017 , 81, 316-324	7.9	26
470	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2017 , 84, 41-48	5.2	39
469	Systematic Evaluation of Corticosteroid Use in Obese and Non-obese Individuals: A Multi-cohort Study. <i>International Journal of Medical Sciences</i> , 2017 , 14, 615-621	3.7	11
468	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
467	Doomed for Disorder? High Incidence of Mood and Anxiety Disorders in Offspring of Depressed and Anxious Patients: A Prospective Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e8-e17	4.6	32
466	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 207-2	1 3 .6	40
465	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017 , 40,	1.1	30
464	Insomnia among current and remitted common mental disorders and the association with role functioning: results from a general population study. <i>Sleep Medicine</i> , 2016 , 25, 34-41	4.6	17
463	Long-term disability in anxiety disorders. <i>BMC Psychiatry</i> , 2016 , 16, 248	4.2	33
462	KLB is associated with alcohol drinking, and its gene product EKlotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14372-14377	11.5	150
461	Genetic Relationship between Schizophrenia and Nicotine Dependence. Scientific Reports, 2016, 6, 2567	14 .9	50
460	Identification of an Immune-Neuroendocrine Biomarker Panel for Detection of Depression: A Joint Effects Statistical Approach. <i>Neuroendocrinology</i> , 2016 , 103, 693-710	5.6	10
459	Exploring Boundaries for the Genetic Consequences of Assortative Mating for Psychiatric Traits. <i>JAMA Psychiatry</i> , 2016 , 73, 1189-1195	14.5	36
45 ⁸	Unresolved Issues in Longitudinal Telomere Length Research: Response to Susser et al. <i>American Journal of Psychiatry</i> , 2016 , 173, 1147-1149	11.9	5
457	Genome-Wide Meta-Analysis of Cotinine Levels in Cigarette Smokers Identifies Locus at 4q13.2. <i>Scientific Reports</i> , 2016 , 6, 20092	4.9	37
456	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016 , 48, 1462-1472	36.3	198
455	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13366-13371	11.5	90
454	Variation in serum biomarkers with sex and female hormonal status: implications for clinical tests. <i>Scientific Reports</i> , 2016 , 6, 26947	4.9	22

(2016-2016)

453	The Association Between Psychiatric Disorders and Telomere Length: A Meta-Analysis Involving 14,827 Persons. <i>Psychosomatic Medicine</i> , 2016 , 78, 776-87	3.7	126
452	Meta-analysis of 375,000 individuals identifies 38 susceptibility loci for migraine. <i>Nature Genetics</i> , 2016 , 48, 856-66	36.3	355
451	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. <i>Psychoneuroendocrinology</i> , 2016 , 71, 119-26	5	11
450	Medically unexplained physical symptoms and work functioning over 2 years: their association and the influence of depressive and anxiety disorders and job characteristics. <i>BMC Family Practice</i> , 2016 , 17, 46	2.6	7
449	The association between medically unexplained physical symptoms and health care use over two years and the influence of depressive and anxiety disorders and personality traits: a longitudinal study. <i>BMC Health Services Research</i> , 2016 , 16, 100	2.9	24
448	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016 , 12,	3.4	16
447	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 847-54	2.4	28
446	Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 84-93	8.5	5
445	Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. <i>Journal of Affective Disorders</i> , 2016 , 190, 310-315	6.6	25
444	Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. <i>Psychoneuroendocrinology</i> , 2016 , 68, 148-55	5	24
443	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 75-83	8.4	133
442	CHILDHOOD MALTREATMENT AND THE COURSE OF DEPRESSIVE AND ANXIETY DISORDERS: THE CONTRIBUTION OF PERSONALITY CHARACTERISTICS. <i>Depression and Anxiety</i> , 2016 , 33, 27-34	8.4	44
441	The role of obesity measures in the development and persistence of major depressive disorder. Journal of Affective Disorders, 2016 , 198, 222-9	6.6	22
440	Towards a blood-based diagnostic panel for bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2016 , 52, 49-57	16.6	43
439	Baseline biopsychosocial determinants of telomere length and 6-year attrition rate. <i>Psychoneuroendocrinology</i> , 2016 , 67, 153-62	5	74
438	Integrative approaches for large-scale transcriptome-wide association studies. <i>Nature Genetics</i> , 2016 , 48, 245-52	36.3	843
437	Disease and Polygenic Architecture: Avoid Trio Design and Appropriately Account for Unscreened Control Subjects for Common Disease. <i>American Journal of Human Genetics</i> , 2016 , 98, 382-91	11	27
436	Oxidative stress, anti-oxidants and the cross-sectional and longitudinal association with depressive symptoms: results from the CARDIA study. <i>Translational Psychiatry</i> , 2016 , 6, e743	8.6	30

435	Anxiety and new onset of cardiovascular disease: critical review and meta-analysis. <i>British Journal of Psychiatry</i> , 2016 , 208, 223-31	5.4	143
434	Depressive and Anxiety Disorders Showing Robust, but Non-Dynamic, 6-Year Longitudinal Association With Short Leukocyte Telomere Length. <i>American Journal of Psychiatry</i> , 2016 , 173, 617-24	11.9	41
433	Prevalence of ADHD symptoms across clinical stages of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 197, 29-35	6.6	29
432	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. <i>Behavior Genetics</i> , 2016 , 46, 170-82	3.2	122
431	Longitudinal Associations Between Biopsychosocial Factors and Sustainable Return to Work of Sick-Listed Workers with a Depressive or Anxiety Disorder. <i>Journal of Occupational Rehabilitation</i> , 2016 , 26, 70-9	3.6	26
430	Depressive Trajectories and Risk of Disability and Mortality in Older Adults: Longitudinal Findings From the Health, Aging, and Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 228-35	6.4	38
429	Personality and social support as predictors of first and recurrent episodes of depression. <i>Journal of Affective Disorders</i> , 2016 , 190, 156-161	6.6	33
428	Implicit and Explicit Self-Esteem in Current, Remitted, Recovered, and Comorbid Depression and Anxiety Disorders: The NESDA Study. <i>PLoS ONE</i> , 2016 , 11, e0166116	3.7	14
427	Major depressive disorder, antidepressant use, and subsequent 2-year weight change patterns in the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e144-51	4.6	25
426	Sociodemographic and Lifestyle Determinants of Plasma Oxidative Stress Markers 8-OHdG and F2-Isoprostanes and Associations with Metabolic Syndrome. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 7530820	6.7	41
425	Effects of Two-Year Vitamin B and Folic Acid Supplementation on Depressive Symptoms and Quality of Life in Older Adults with Elevated Homocysteine Concentrations: Additional Results from the B-PROOF Study, an RCT. <i>Nutrients</i> , 2016 , 8,	6.7	34
424	Consistency of biological networks inferred from microarray and sequencing data. <i>BMC Bioinformatics</i> , 2016 , 17, 254	3.6	3
423	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , 2016 , 11, e0156624	3.7	41
422	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. <i>Psychosomatic Medicine</i> , 2016 , 78, 562-72	3.7	46
421	Meta-analysis of 49 549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in ANGPTL4 determining fasting TG levels. <i>Journal of Medical Genetics</i> , 2016 , 53, 441-	.9 ^{5.8}	27
420	Early and recent psychosocial stress and telomere length in older adults. <i>International Psychogeriatrics</i> , 2016 , 28, 405-13	3.4	29
419	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , 2016 , 241, 224-3	19.9	12
418	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2016 , 195, 185-90	6.6	39

(2015-2016)

417	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016 , 40, 150-163	2.7	40	
416	Association of CRTC1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016 , 198, 43-9	6.6	15	
415	Pleiotropy between neuroticism and physical and mental health: findings from 108 038 men and women in UK Biobank. <i>Translational Psychiatry</i> , 2016 , 6, e791	8.6	105	
414	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016 , 533, 539-42	50.4	850	
413	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 1841-1852	4	34	
412	Blood-based immune-endocrine biomarkers of treatment response in depression. <i>Journal of Psychiatric Research</i> , 2016 , 83, 249-259	5.2	18	
411	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016 , 19, 1569-1582	25.5	147	
410	Mechanisms Linking Depression to Cardiovascular Disease: What Do Epidemiological Studies Tell Us? 2016 , 37-52			
409	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. <i>Depression and Anxiety</i> , 2016 , 33, 754-64	8.4	44	
408	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. <i>Journal of Psychosomatic Research</i> , 2016 , 89, 26-31	4.1	11	
407	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015 , 520, 224-9	50.4	601	
406	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015 , 183, 300-9	6.6	21	
405	Determinants of hair cortisol and hair cortisone concentrations in adults. <i>Psychoneuroendocrinology</i> , 2015 , 60, 182-94	5	88	
404	Connecting clinical and actuarial prediction with rule-based methods. <i>Psychological Assessment</i> , 2015 , 27, 636-44	5.3	6	
403	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , 2015 , 175, 351-8	6.6	17	
402	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015 , 227, 230-7	9.9	14	
401	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015 , 180, 36-43	6.6	12	
400	Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. <i>Neuropsychobiology</i> , 2015 , 71, 76-84	4	50	

399	Metabolic syndrome in patients with bipolar disorder: comparison with major depressive disorder and non-psychiatric controls. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 391-8	4.1	27
398	Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2015 , 55, 154-63	5	23
397	The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015 , 47, 589-97	36.3	229
396	Operating characteristics of depression and anxiety disorder phenotype dimensions and trait neuroticism: a theoretical examination of the fear and distress disorders from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2015 , 174, 611-8	6.6	3
395	Long-term work disability and absenteeism in anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 178, 121-30	6.6	40
394	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 332-9	4.1	51
393	Predicting the Naturalistic Course of Major Depressive Disorder Using Clinical and Multimodal Neuroimaging Information: A Multivariate Pattern Recognition Study. <i>Biological Psychiatry</i> , 2015 , 78, 278-86	7.9	62
392	Genome of The Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. <i>Nature Communications</i> , 2015 , 6, 6065	17.4	32
391	Somatisation as a risk factor for incident depression and anxiety. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 614-9	4.1	11
390	Longitudinal Associations Between Metabolic Syndrome Components and Telomere Shortening. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3050-9	5.6	55
389	Telomerase activation as a possible mechanism of action for psychopharmacological interventions. Drug Discovery Today, 2015 , 20, 1305-9	8.8	35
388	Longitudinal association between pain, and depression and anxiety over four years. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 64-70	4.1	92
387	Leukocyte telomere length and late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 423-432	6.5	42
386	Sleep duration, insomnia, and markers of systemic inflammation: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Psychiatric Research</i> , 2015 , 60, 95-102	5.2	68
385	Association between smoking, nicotine dependence, and BDNF Val66Met polymorphism with BDNF concentrations in serum. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 323-9	4.9	47
384	Is depression associated with increased oxidative stress? A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2015 , 51, 164-75	5	368
383	Depression and anxiety: their insidious dance. Lancet Psychiatry, the, 2015, 2, 479-80	23.3	11
382	Fine mapping the region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015 , 1, 15011	5.5	5

(2015-2015)

381	The association between depressive disorder and cardiac autonomic control in adults 60 years and older. <i>Psychosomatic Medicine</i> , 2015 , 77, 279-91	3.7	18
380	The longitudinal joint effect of obesity and major depression on work performance impairment. <i>American Journal of Public Health</i> , 2015 , 105, e80-6	5.1	11
379	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015 , 11, e1005230	6	59
378	Where You Live May Make You Old: The Association between Perceived Poor Neighborhood Quality and Leukocyte Telomere Length. <i>PLoS ONE</i> , 2015 , 10, e0128460	3.7	39
377	Anxious or Depressed and Still Happy?. PLoS ONE, 2015, 10, e0139912	3.7	16
376	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015 , 72, 642-50	14.5	222
375	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015 , 20, 735-43	15.1	39
374	In Silico Post Genome-Wide Association Studies Analysis of C-Reactive Protein Loci Suggests an Important Role for Interferons. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 487-97		19
373	The Association of Early and Recent Psychosocial Life Stress With Leukocyte Telomere Length. <i>Psychosomatic Medicine</i> , 2015 , 77, 882-91	3.7	60
372	Association of Symptom Network Structure With the Course of [corrected] Depression. <i>JAMA Psychiatry</i> , 2015 , 72, 1219-26	14.5	328
371	Associations of financial strain and income with depressive and anxiety disorders. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 660-5	5.1	76
370	Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. <i>BMC Geriatrics</i> , 2015 , 15, 151	4.1	21
369	A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: findings from the AGES-Reykjavik study. <i>Social Science and Medicine</i> , 2015 , 127, 143-9	5.1	4
368	Differential reporting of depressive symptoms across distinct clinical subpopulations: what DIFference does it make?. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 130-6	4.1	9
367	Anxiety disorders and accelerated cellular ageing. British Journal of Psychiatry, 2015, 206, 371-8	5.4	41
366	Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. <i>Psychoneuroendocrinology</i> , 2015 , 54, 90-102	5	61
365	Effect of variation in BDNF Val(66)Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. <i>Drug and Alcohol Dependence</i> , 2015 , 148, 150-7	4.9	13
364	Major depressive and anxiety disorders in visually impaired older adults. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 849-54		107

363	Heritability of liver enzyme levels estimated from genome-wide SNP data. <i>European Journal of Human Genetics</i> , 2015 , 23, 1223-8	5.3	9
362	Educational attainment influences levels of homozygosity through migration and assortative mating. <i>PLoS ONE</i> , 2015 , 10, e0118935	3.7	28
361	Disturbances in Hypothalamic-Pituitary-Adrenal Axis and Immunological Activity Differentiating between Unipolar and Bipolar Depressive Episodes. <i>PLoS ONE</i> , 2015 , 10, e0133898	3.7	22
360	Current and remitted depression and anxiety disorders as risk factors for medication nonadherence. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1114-21	4.6	13
359	Impact of childhood life events and childhood trauma on the onset and recurrence of depressive and anxiety disorders. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 931-8	4.6	67
358	Clinical staging of major depressive disorder: an empirical exploration. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 1200-8	4.6	31
357	Functional versus syndromal recovery in patients with major depressive disorder and bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e809-14	4.6	49
356	Dysregulated physiological stress systems and accelerated cellular aging. <i>Neurobiology of Aging</i> , 2014 , 35, 1422-30	5.6	78
355	Sex differences in the human peripheral blood transcriptome. <i>BMC Genomics</i> , 2014 , 15, 33	4.5	97
354	Heritability and genomics of gene expression in peripheral blood. <i>Nature Genetics</i> , 2014 , 46, 430-7	36.3	258
353	High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 571-7	3.8	6
352	The association between leptin and depressive symptoms is modulated by abdominal adiposity. <i>Psychoneuroendocrinology</i> , 2014 , 42, 1-10	5	32
351	Stress exposure across the life span cumulatively increases depression risk and is moderated by neuroticism. <i>Depression and Anxiety</i> , 2014 , 31, 737-45	8.4	99
350	Telomere length as a marker of cellular aging is associated with prevalence and progression of metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4607-15	5.6	82
349	Cellular aging in depression: Permanent imprint or reversible process?: An overview of the current evidence, mechanistic pathways, and targets for interventions. <i>BioEssays</i> , 2014 , 36, 968-78	4.1	33
348	Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in	· ·	80
	antidepressant users. <i>Neuropsychopharmacology</i> , 2014 , 39, 1624-34	8.7	
347	Genome-wide association study of sexual maturation in males and females highlights a role for body mass and menarche loci in male puberty. <i>Human Molecular Genetics</i> , 2014 , 23, 4452-64	5.6	66

345	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014 , 26, 953-63	3.4	38
344	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 227	2.8	48
343	Harmonization of Neuroticism and Extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. <i>Behavior Genetics</i> , 2014 , 44, 295-313	3.2	80
342	Disorder-specific cognitive profiles in major depressive disorder and generalized anxiety disorder. <i>BMC Psychiatry</i> , 2014 , 14, 96	4.2	21
341	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2014 , 50, 62-71	5	37
340	Pain and the onset of depressive and anxiety disorders. <i>Pain</i> , 2014 , 155, 53-59	8	135
339	Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. <i>Brain, Behavior, and Immunity,</i> 2014 , 36, 71-9	16.6	61
338	Gender differences in major depressive disorder: results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014 , 156, 156-63	6.6	152
337	Implicit and explicit self-associations in bipolar disorder: a comparison with healthy controls and unipolar depressive disorder. <i>Psychiatry Research</i> , 2014 , 215, 329-34	9.9	12
336	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014 , 155, 1605-1612	8	39
335	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <i>Brain, Behavior, and Immunity,</i> 2014 , 41, 109-15	16.6	22
334	Hemoglobin levels in persons with depressive and/or anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 317-21	4.1	20
333	Brugada syndrome ECG is highly prevalent in schizophrenia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 384-91	6.4	22
332	Effect of polygenic risk scores on depression in childhood trauma. <i>British Journal of Psychiatry</i> , 2014 , 205, 113-9	5.4	133
331	The metabolic syndrome and related characteristics in major depression: inpatients and outpatients compared: metabolic differences across treatment settings. <i>General Hospital Psychiatry</i> , 2014 , 36, 509-15	5.6	13
330	Does self-medication predict the persistence or rather the recurrence of alcohol dependence?. <i>JAMA Psychiatry</i> , 2014 , 71, 205	14.5	1
329	Cue reactivity is associated with duration and severity of alcohol dependence: an FMRI study. <i>PLoS ONE</i> , 2014 , 9, e84560	3.7	40
328	Maintenance use of antidepressants in Dutch general practice: non-guideline concordant. <i>PLoS ONE</i> , 2014 , 9, e97463	3.7	17

327	Role of nicotine dependence in the association between the dopamine receptor gene DRD3 and major depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e98199	3.7	8
326	Predictors of the onset of manic symptoms and a (hypo)manic episode in patients with major depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e106871	3.7	13
325	Identifying genetic variants for heart rate variability in the acetylcholine pathway. <i>PLoS ONE</i> , 2014 , 9, e112476	3.7	9
324	Longitudinal associations between depressive problems, academic performance, and social functioning in adolescent boys and girls. <i>Developmental Psychology</i> , 2014 , 50, 247-57	3.7	151
323	Applying polygenic risk scores to postpartum depression. <i>Archives of Womenis Mental Health</i> , 2014 , 17, 519-28	5	49
322	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 2026-33	4	71
321	Reporting suicide attempts: consistency and its determinants in a large mental health study. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 257-66	4.3	18
320	Meta-analysis on blood transcriptomic studies identifies consistently coexpressed protein-protein interaction modules as robust markers of human aging. <i>Aging Cell</i> , 2014 , 13, 216-25	9.9	37
319	The longitudinal prediction of costs due to health care uptake and productivity losses in a cohort of employees with and without depression or anxiety. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 794-801	2	7
318	Interaction of neuropeptide Y genotype and childhood emotional maltreatment on brain activity during emotional processing. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 601-9	4	10
317	Plasma cotinine levels in cigarette smokers: impact of mental health and other correlates. <i>European Addiction Research</i> , 2014 , 20, 183-91	4.6	2
316	Adverse Childhood and Recent Negative Life Events: Contrasting Associations With Cognitive Decline in Older Persons. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 128-38	3.8	27
315	The four-year course of major depressive disorder: the role of staging and risk factor determination. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 279-88	9.4	33
314	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 159, 73-9	6.6	22
313	The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. <i>Journal of Affective Disorders</i> , 2014 , 156, 126-33	6.6	10
312	Race-related differences in depression onset and recovery in older persons over time: the health, aging, and body composition study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 682-91	6.5	20
311	Disability in anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 166, 227-33	6.6	40
310	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014 , 45, 202	2-10	65

309	Self-attributed seasonality of mood and behavior: a report from the Netherlands study of depression and anxiety. <i>Depression and Anxiety</i> , 2014 , 31, 517-23	8.4	27
308	Genetic risk score analysis indicates migraine with and without comorbid depression are genetically different disorders. <i>Human Genetics</i> , 2014 , 133, 173-86	6.3	47
307	The association of depression and anxiety with pain: a study from NESDA. <i>PLoS ONE</i> , 2014 , 9, e106907	3.7	164
306	Depression in older persons with mobility limitations. <i>Current Pharmaceutical Design</i> , 2014 , 20, 3114-8	3.3	16
305	Sleep duration, but not insomnia, predicts the 2-year course of depressive and anxiety disorders. Journal of Clinical Psychiatry, 2014 , 75, 119-26	4.6	55
304	Two-year course trajectories of anxiety disorders: do DSM classifications matter?. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 985-93	4.6	32
303	The associations between personality characteristics and absenteeism: a cross-sectional study in workers with and without depressive and anxiety disorders. <i>Journal of Occupational Rehabilitation</i> , 2013 , 23, 309-17	3.6	24
302	Recurrence of anxiety disorders and its predictors. <i>Journal of Affective Disorders</i> , 2013 , 147, 180-5	6.6	89
301	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. <i>BMC Medicine</i> , 2013 , 11, 129	11.4	406
300	Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychiatry Research</i> , 2013 , 208, 41-6	9.9	13
299	The Mood Disorder Questionnaire (MDQ) for detecting (hypo)manic episodes: its validity and impact of recall bias. <i>Journal of Affective Disorders</i> , 2013 , 151, 203-8	6.6	19
298	The role of somatic health problems in the recognition of depressive and anxiety disorders by general practitioners. <i>Journal of Affective Disorders</i> , 2013 , 151, 1025-32	6.6	11
297	Association between autozygosity and major depression: stratification due to religious assortment. <i>Behavior Genetics</i> , 2013 , 43, 455-67	3.2	20
296	Unhealthy lifestyles do not mediate the relationship between socioeconomic status and incident depressive symptoms: the Health ABC study. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 664-74	6.5	12
295	Sensitivity to depression or anxiety and subclinical cardiovascular disease. <i>Journal of Affective Disorders</i> , 2013 , 146, 126-31	6.6	28
294	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2013 , 38, 1573-85	5	167
293	Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. <i>Psychiatry Research</i> , 2013 , 210, 594-600	9.9	22
292	The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. Psychoneuroendocrinology, 2013, 38, 209-18	5	81

291	Recurrence of major depressive disorder across different treatment settings: results from the NESDA study. <i>Journal of Affective Disorders</i> , 2013 , 147, 225-31	6.6	53
290	Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2013 , 38, 1494-502	5	73
289	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013 , 150, 201-8	6.6	15
288	Strong effects of environmental factors on prevalence and course of major depressive disorder are not moderated by 5-HTTLPR polymorphisms in a large Dutch sample. <i>Journal of Affective Disorders</i> , 2013 , 146, 91-9	6.6	23
287	Sleep disturbances and reduced work functioning in depressive or anxiety disorders. <i>Sleep Medicine</i> , 2013 , 14, 1170-7	4.6	15
286	Exposure to secondhand smoke and depression and anxiety: a report from two studies in the Netherlands. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 431-6	4.1	37
285	Side effects of antidepressants during long-term use in a naturalistic setting. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1443-51	1.2	132
284	Depression, Vascular Conditions and Chronicity 2013,		2
283	Population structure, migration, and diversifying selection in the Netherlands. <i>European Journal of Human Genetics</i> , 2013 , 21, 1277-85	5.3	107
282	Anxiety and depression are associated with migraine and pain in general: an investigation of the interrelationships. <i>Journal of Pain</i> , 2013 , 14, 363-70	5.2	66
281	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013 , 45, 501-12	36.3	437
280	A genome-wide association study of depressive symptoms. <i>Biological Psychiatry</i> , 2013 , 73, 667-78	7.9	135
279	Recurrent suicide attempts in patients with depressive and anxiety disorders: the role of borderline personality traits. <i>Journal of Affective Disorders</i> , 2013 , 151, 23-30	6.6	29
278	GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. <i>Science</i> , 2013 , 340, 1467-71	33.3	563
277	Hair cortisol, stress exposure, and mental health in humans: a systematic review. <i>Psychoneuroendocrinology</i> , 2013 , 38, 1220-35	5	419
276	Dysregulation of the autonomic nervous system predicts the development of the metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2484-93	5.6	92
275	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 565-73	3.8	21
274	Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. <i>PLoS Genetics</i> , 2013 , 9, e1003500	6	277

(2012-2013)

273	Time-to-death-related change in positive and negative affect among older adults approaching the end of life. <i>Psychology and Aging</i> , 2013 , 28, 128-41	3.6	40
272	The role of adiposity in cardiometabolic traits: a Mendelian randomization analysis. <i>PLoS Medicine</i> , 2013 , 10, e1001474	11.6	144
271	Longitudinal relationship of depressive and anxiety symptoms with dyslipidemia and abdominal obesity. <i>Psychosomatic Medicine</i> , 2013 , 75, 83-9	3.7	56
270	Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. <i>Social Cognitive and Affective Neuroscience</i> , 2013 , 8, 362-9	4	164
269	Hidden scars in depression? Implicit and explicit self-associations following recurrent depressive episodes. <i>Journal of Abnormal Psychology</i> , 2013 , 122, 951-60	7	25
268	Two-year course of anxiety disorders: different across disorders or dimensions?. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 212-21	6.5	38
267	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. <i>European Journal of Personality</i> , 2013 , 27, 389-397	5.1	14
266	Course and risk factors of functional impairment in subthreshold depression and anxiety. <i>Depression and Anxiety</i> , 2013 , 30, 386-94	8.4	39
265	Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. <i>PLoS ONE</i> , 2013 , 8, e53859	3.7	11
264	Lipid peroxidation and depressed mood in community-dwelling older men and women. <i>PLoS ONE</i> , 2013 , 8, e65406	3.7	32
263	Cognitive reactivity, implicit associations, and the incidence of depression: a two-year prospective study. <i>PLoS ONE</i> , 2013 , 8, e70245	3.7	34
262	Depressive and anxiety disorders predicting first incidence of alcohol use disorders: results of the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 1233-40	4.6	39
261	Perceived need for care and health care utilization among depressed and anxious patients with and without suicidal ideation. <i>Crisis</i> , 2013 , 34, 192-9	2.8	6
260	Physical function as predictor for the persistence of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 828-32	6.6	17
259	Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. Journal of Affective Disorders, 2012 , 136, 1198-203	6.6	36
258	Determinants of (non-)recognition of depression by general practitioners: results of the Netherlands Study of Depression and Anxiety. <i>Journal of Affective Disorders</i> , 2012 , 138, 397-404	6.6	26
257	Early and late onset depression in young and middle aged adults: differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , 2012 , 138, 259-67	6.6	70
256	Psychological distress, cortisol stress response and subclinical coronary calcification. <i>Psychoneuroendocrinology</i> , 2012 , 37, 48-55	5	30

255	The relationships of working conditions, recent stressors and childhood trauma with salivary cortisol levels. <i>Psychoneuroendocrinology</i> , 2012 , 37, 801-9	5	20
254	The state effect of depressive and anxiety disorders on big five personality traits. <i>Journal of Psychiatric Research</i> , 2012 , 46, 644-50	5.2	100
253	Do depression and anxiety converge or diverge in their association with suicidality?. <i>Journal of Psychiatric Research</i> , 2012 , 46, 608-15	5.2	21
252	Impact of pain on the course of depressive and anxiety disorders. <i>Pain</i> , 2012 , 153, 429-436	8	126
251	Predictors of the 2-year recurrence and persistence of alcohol dependence. Addiction, 2012, 107, 1639-	4. 0.6	53
250	Longevity candidate genes and their association with personality traits in the elderly. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 192-200	3.5	11
249	Correlates of benzodiazepine dependence in the Netherlands Study of Depression and Anxiety. <i>Addiction</i> , 2012 , 107, 2173-82	4.6	30
248	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1655-61	5.2	9
247	Depressive and anxiety disorders on-the-job: the importance of job characteristics for good work functioning in persons with depressive and anxiety disorders. <i>Psychiatry Research</i> , 2012 , 200, 382-8	9.9	32
246	Determinants of receiving mental health care for depression in older adults. <i>Journal of Affective Disorders</i> , 2012 , 143, 69-74	6.6	12
245	Personality traits and childhood trauma as correlates of metabolic risk factors: the Netherlands Study of Depression and Anxiety (NESDA). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 36, 85-91	5.5	42
244	Determinants of salivary evening \textrm{\textrm{\textrm{H}mylase in a large sample free of psychopathology.}} International Journal of Psychophysiology, 2012 , 84, 33-8	2.9	10
243	Salivary testosterone: associations with depression, anxiety disorders, and antidepressant use in a large cohort study. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 205-13	4.1	88
242	Prognostic value of implicit and explicit self-associations for the course of depressive and anxiety disorders. <i>Behaviour Research and Therapy</i> , 2012 , 50, 479-86	5.2	19
241	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012 , 490, 267-72	50.4	304
240	Estimating the genetic variance of major depressive disorder due to all single nucleotide polymorphisms. <i>Biological Psychiatry</i> , 2012 , 72, 707-9	7.9	112
239	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 138-46	4.9	65
238	Recognition of anxiety disorders by family physicians after rigorous medical record case extraction: results of the Netherlands Study of Depression and Anxiety. <i>General Hospital Psychiatry</i> , 2012 , 34, 460-7	75.6	19

(2011-2012)

237	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 535-43	3.8	40
236	A genome-wide association search for type 2 diabetes genes in African Americans. <i>PLoS ONE</i> , 2012 , 7, e29202	3.7	138
235	Serum BDNF concentrations show strong seasonal variation and correlations with the amount of ambient sunlight. <i>PLoS ONE</i> , 2012 , 7, e48046	3.7	55
234	Leptin, abdominal obesity, and onset of depression in older men and women. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1205-11	4.6	65
233	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012 , 44, 659-69	36.3	615
232	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012 , 64, 1209-16	4.7	10
231	Different gene sets contribute to different symptom dimensions of depression and anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 519-28	3.5	13
230	A systematic review and meta-analysis on the association between BDNF val(66)met and hippocampal volumea genuine effect or a winners curse?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 731-40	3.5	77
229	Depressive symptoms, chronic pain, and falls in older community-dwelling adults: the MOBILIZE Boston Study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 230-7	5.6	91
228	Personality and changes in comorbidity patterns among anxiety and depressive disorders. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 874-84	7	49
227	A randomized controlled trial of a tailored primary care program to reverse excessive alcohol consumption. <i>Journal of the American Board of Family Medicine</i> , 2012 , 25, 712-22	1.6	23
226	Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. <i>PLoS Genetics</i> , 2012 , 8, e1002607	6	326
225	Effects of antidepressants, but not psychopathology, on cardiac sympathetic control: a longitudinal study. <i>Neuropsychopharmacology</i> , 2012 , 37, 2487-95	8.7	47
224	Orbitofrontal gray matter relates to early morning awakening: a neural correlate of insomnia complaints?. <i>Frontiers in Neurology</i> , 2012 , 3, 105	4.1	82
223	Alcohol use disorders and the course of depressive and anxiety disorders. <i>British Journal of Psychiatry</i> , 2012 , 200, 476-84	5.4	70
222	Panic attacks as a dimension of psychopathology: evidence for associations with onset and course of mental disorders and level of functioning. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1195-202	4.6	23
221	Depression and Other Common Mental Health Disorders in Old Age 2012 , 583-598		4
220	Dimensions of depression and anxiety and the hypothalamo-pituitary-adrenal axis. <i>Biological Psychiatry</i> , 2011 , 69, 366-73	7.9	68

219	Depression, anxiety, and arterial stiffness. <i>Biological Psychiatry</i> , 2011 , 69, 795-803	7.9	70
218	Reply to: Effects of Serotonin Reuptake Inhibitors on Heart Rate Variability: Methodological Issues, Medical Comorbidity, and Clinical Relevance. <i>Biological Psychiatry</i> , 2011 , 69, e27-e28	7.9	8
217	Depression, hypothalamic pituitary adrenal axis, and hippocampal and entorhinal cortex volumesthe SMART Medea study. <i>Biological Psychiatry</i> , 2011 , 70, 373-80	7.9	101
216	Heavy alcohol use, rather than alcohol dependence, is associated with dysregulation of the hypothalamic-pituitary-adrenal axis and the autonomic nervous system. <i>Drug and Alcohol Dependence</i> , 2011 , 116, 170-6	4.9	51
215	Salivary cortisol, APOE-A allele and cognitive decline in a prospective study of older persons. <i>Neurobiology of Aging</i> , 2011 , 32, 1615-25	5.6	46
214	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011 , 186, 239-43	9.9	97
213	One-year severity of depressive symptoms: results from the NESDA study. <i>Psychiatry Research</i> , 2011 , 190, 226-31	9.9	9
212	Antidepressant use and salivary cortisol in depressive and anxiety disorders. <i>European Neuropsychopharmacology</i> , 2011 , 21, 691-9	1.2	50
211	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011 , 198, 206-12	5.4	91
210	The effects of neuroticism, extraversion, and positive and negative life events on a one-year course of depressive symptoms in euthymic previously depressed patients versus healthy controls. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 684-9	1.8	12
209	Symptom dimensions of depression and anxiety and the metabolic syndrome. <i>Psychosomatic Medicine</i> , 2011 , 73, 257-64	3.7	39
208	Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 263-72	3.8	59
207	The costs of guideline-concordant care and of care according to patientsPneeds in anxiety and depression. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 537-46	2.5	8
206	Replication of association of 3p21.1 with susceptibility to bipolar disorder but not major depression. <i>Nature Genetics</i> , 2011 , 43, 3-5; author reply 5	36.3	23
205	Meta-analysis of genome-wide association for migraine in six population-based European cohorts. <i>European Journal of Human Genetics</i> , 2011 , 19, 901-7	5.3	70
204	Co-occurring manic symptomatology influences HPA axis alterations in depression. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1208-13	5.2	19
203	Psychological traits and the cortisol awakening response: results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , 2011 , 36, 240-8	5	73
202	Common functional mineralocorticoid receptor polymorphisms modulate the cortisol awakening response: Interaction with SSRIs. <i>Psychoneuroendocrinology</i> , 2011 , 36, 484-94	5	40

(2011-2011)

201	Outcomes for depression and anxiety in primary care and details of treatment: a naturalistic longitudinal study. <i>BMC Psychiatry</i> , 2011 , 11, 180	4.2	21
200	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011 , 4, 524	2.3	113
199	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2011 , 131, 193-9	6.6	44
198	Co-occurring manic symptomatology as a dimension which may help explaining heterogeneity of depression. <i>Journal of Affective Disorders</i> , 2011 , 131, 224-32	6.6	4
197	Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 131, 233-42	6.6	143
196	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 133, 76-85	6.6	223
195	Perceived need for mental health care and barriers to care in the Netherlands and Australia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 1033-44	4.5	47
194	Referral of patients with depression to mental health care by Dutch general practitioners: an observational study. <i>BMC Family Practice</i> , 2011 , 12, 41	2.6	18
193	Is the Beck Anxiety Inventory a good tool to assess the severity of anxiety? A primary care study in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Family Practice</i> , 2011 , 12, 66	2.6	71
192	Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , 2011 , 25, 443-452	5.1	60
191	LPAR1 and ITGA4 regulate peripheral blood monocyte counts. <i>Human Mutation</i> , 2011 , 32, 873-6	4.7	17
190	A 3p26-3p25 genetic linkage finding for DSM-IV major depression in heavy smoking families. <i>American Journal of Psychiatry</i> , 2011 , 168, 848-52	11.9	33
189	Determinants of initiated and continued benzodiazepine use in the Netherlands study of depression and anxiety. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 774-9	1.7	18
188	Accumulated and differential effects of life events on cognitive decline in older persons: depending on depression, baseline cognition, or ApoE epsilon4 status?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011 , 66 Suppl 1, i111-20	4.6	58
187	Predictive validity of automatic self-associations for the onset of anxiety disorders. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 607-16	7	19
186	Age at smoking onset and the onset of depression and anxiety disorders. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 809-19	4.9	32
185	Carotid atherosclerosis in depression and anxiety: associations for age of depression onset. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 549-58	3.8	25
184	Eight common genetic variants associated with serum DHEAS levels suggest a key role in ageing mechanisms. <i>PLoS Genetics</i> , 2011 , 7, e1002025	6	69

183	Genetic determinants of serum testosterone concentrations in men. <i>PLoS Genetics</i> , 2011 , 7, e1002313	6	148
182	Most antidepressant use in primary care is justified; results of the Netherlands Study of Depression and Anxiety. <i>PLoS ONE</i> , 2011 , 6, e14784	3.7	23
181	Psychological characteristics of chronic depression: a longitudinal cohort study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 288-94	4.6	108
180	Comorbidity patterns of anxiety and depressive disorders in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 341-8	4.6	423
179	Metabolic depression: a chronic depressive subtype? Findings from the InCHIANTI study of older persons. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 598-604	4.6	64
178	Biological, clinical and population relevance of 95 loci for blood lipids. <i>Nature</i> , 2010 , 466, 707-13	50.4	2742
177	Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies. <i>Archives of General Psychiatry</i> , 2010 , 67, 220-9		2313
176	Migraine symptomatology and major depressive disorder. <i>Cephalalgia</i> , 2010 , 30, 1073-81	6.1	18
175	The functional c2G>C variant of the mineralocorticoid receptor modulates blood pressure, renin, and aldosterone levels. <i>Hypertension</i> , 2010 , 56, 995-1002	8.5	40
174	Economic costs of neuroticism: a population-based study. <i>Archives of General Psychiatry</i> , 2010 , 67, 1086	-93	180
173	Reasons and determinants for not receiving treatment for common mental disorders. <i>Psychiatric Services</i> , 2010 , 61, 250-7	3.3	89
172	A minimal psychological intervention in chronically ill elderly patients with depression: a randomized trial. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 217-26	9.4	61
171	Urinary cortisol and six-year risk of all-cause and cardiovascular mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4959-64	5.6	98
171 170		5.6 5.6	98 167
	Endocrinology and Metabolism, 2010 , 95, 4959-64 Increased sympathetic and decreased parasympathetic activity rather than changes in hypothalamic-pituitary-adrenal axis activity is associated with metabolic abnormalities. <i>Journal of</i>		
170	Increased sympathetic and decreased parasympathetic activity rather than changes in hypothalamic-pituitary-adrenal axis activity is associated with metabolic abnormalities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2458-66 The association between serum cortisol and cognitive decline in older persons. <i>American Journal of</i>	5.6	167
170 169	Increased sympathetic and decreased parasympathetic activity rather than changes in hypothalamic-pituitary-adrenal axis activity is associated with metabolic abnormalities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2458-66 The association between serum cortisol and cognitive decline in older persons. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 42-50 Late-life depressed mood and weight change contribute to the risk of each other. <i>American Journal</i>	5.6 6.5	167 69

(2010-2010)

165	Longitudinal evidence for unfavorable effects of antidepressants on heart rate variability. <i>Biological Psychiatry</i> , 2010 , 68, 861-8	7.9	159
164	Depressive and anxiety disorders and risk of subclinical atherosclerosis Findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Psychosomatic Research</i> , 2010 , 69, 203-10	4.1	29
163	Child abuse and negative explicit and automatic self-associations: the cognitive scars of emotional maltreatment. <i>Behaviour Research and Therapy</i> , 2010 , 48, 486-94	5.2	115
162	The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. <i>Psychiatry Research</i> , 2010 , 176, 45-50	9.9	115
161	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). <i>Psychiatry Research</i> , 2010 , 179, 101-6	9.9	100
160	Depression and obesity: a meta-analysis of community-based studies. <i>Psychiatry Research</i> , 2010 , 178, 230-5	9.9	503
159	Salivary cortisol levels in persons with and without different anxiety disorders. <i>Psychosomatic Medicine</i> , 2010 , 72, 340-7	3.7	191
158	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010 , 197, 180-5	5.4	67
157	Long-term benzodiazepine use and salivary cortisol: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 160-8	1.7	17
156	Which physician and practice characteristics are associated with adherence to evidence-based guidelines for depressive and anxiety disorders?. <i>Medical Care</i> , 2010 , 48, 240-8	3.1	52
155	Patient factors associated with guideline-concordant treatment of anxiety and depression in primary care. <i>Journal of General Internal Medicine</i> , 2010 , 25, 648-55	4	43
154	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010 , 32, 428-437	2	28
153	Cognitive reactivity: investigation of a potentially treatable marker of suicide risk in depression. Journal of Affective Disorders, 2010 , 122, 46-52	6.6	51
152	Trajectories of recovery of social and physical functioning in major depression, dysthymic disorder and double depression: a 3-year follow-up. <i>Journal of Affective Disorders</i> , 2010 , 124, 148-56	6.6	77
151	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010 , 125, 146-54	6.6	52
150	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 125, 241-8	6.6	116
149	Manic symptoms in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 126, 252-6	6.6	8
148	The specificity of childhood adversities and negative life events across the life span to anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2010 , 126, 103-12	6.6	205

147	The performance of the Alcohol Use Disorder Identification Test (AUDIT) in detecting alcohol abuse and dependence in a population of depressed or anxious persons. <i>Journal of Affective Disorders</i> , 2010 , 126, 441-6	6.6	33
146	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010 , 27, 1057-65	8.4	107
145	The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. <i>BMC Psychiatry</i> , 2010 , 10, 86	4.2	74
144	The shared genetics of migraine and anxious depression. <i>Headache</i> , 2010 , 50, 1549-60	4.2	43
143	Obesity and onset of significant depressive symptoms: results from a prospective community-based cohort study of older men and women. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 391-9	4.6	102
142	Associations between serum lipids and major depressive disorder: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 729-36	4.6	85
141	Insomnia and sleep duration in a large cohort of patients with major depressive disorder and anxiety disorders. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 239-46	4.6	157
140	Identifying depressive subtypes in a large cohort study: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1582-9	4.6	183
139	Aging and Behavioral Medicine 2010 , 603-615		1
138	Response to Depression and Blood Pressure Control: All Antidepressants Are not the Same. <i>Hypertension</i> , 2009 , 54,	8.5	3
137	Metabolic syndrome and physical decline in older persons: results from the Health, Aging And Body Composition Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 96-102	6.4	58
136	Major depressive disorder and hypothalamic-pituitary-adrenal axis activity: results from a large cohort study. <i>Archives of General Psychiatry</i> , 2009 , 66, 617-26		554
135	Depression is associated with decreased blood pressure, but antidepressant use increases the risk for hypertension. <i>Hypertension</i> , 2009 , 53, 631-8	8.5	202
134	Associations between sociodemographic, sampling and health factors and various salivary cortisol indicators in a large sample without psychopathology. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1109-20	5	148
133	Depression and body mass index, a u-shaped association. <i>BMC Public Health</i> , 2009 , 9, 14	4.1	224
132	Receiving treatment for common mental disorders. <i>General Hospital Psychiatry</i> , 2009 , 31, 46-55	5.6	53
131	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. <i>General Hospital Psychiatry</i> , 2009 , 31, 470-7	5.6	33
130	Adherence to evidence-based guidelines for depression and anxiety disorders is associated with recording of the diagnosis. <i>General Hospital Psychiatry</i> , 2009 , 31, 460-9	5.6	56

(2008-2009)

129	The three-year naturalistic course of major depressive disorder, dysthymic disorder and double depression. <i>Journal of Affective Disorders</i> , 2009 , 115, 450-9	6.6	63
128	Primary care patients with anxiety and depression: need for care from the patient® perspective. Journal of Affective Disorders, 2009, 119, 163-71	6.6	44
127	Glucocorticoid receptor gene polymorphisms and childhood adversity are associated with depression: New evidence for a gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 660-9	3.5	102
126	Hierarchical functional modularity in the resting-state human brain. <i>Human Brain Mapping</i> , 2009 , 30, 2220-31	5.9	147
125	Global similarity with local differences in linkage disequilibrium between the Dutch and HapMap-CEU populations. <i>European Journal of Human Genetics</i> , 2009 , 17, 802-10	5.3	12
124	Loci influencing lipid levels and coronary heart disease risk in 16 European population cohorts. <i>Nature Genetics</i> , 2009 , 41, 47-55	36.3	708
123	Variants in MTNR1B influence fasting glucose levels. <i>Nature Genetics</i> , 2009 , 41, 77-81	36.3	584
122	Estrogen receptor genotype and risk of cognitive impairment in elders: findings from the Health ABC study. <i>Neurobiology of Aging</i> , 2009 , 30, 607-14	5.6	66
121	A genome-wide association study of northwestern Europeans involves the C-type natriuretic peptide signaling pathway in the etiology of human height variation. <i>Human Molecular Genetics</i> , 2009 , 18, 3516-24	5.6	70
120	Late-life depression, cortisol, and the metabolic syndrome. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 716-21	6.5	35
119	Onset of anxiety and depression in the aging population: comparison of risk factors in a 9-year prospective study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 642-52	6.5	66
118	Personality characteristics and hypothalamic-pituitary-adrenal axis regulation in older persons. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 1077-84	6.5	59
117	Association between anxiety disorders and heart rate variability in The Netherlands Study of Depression and Anxiety (NESDA). <i>Psychosomatic Medicine</i> , 2009 , 71, 508-18	3.7	138
116	The importance of childhood trauma and childhood life events for chronicity of depression in adults. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 983-9	4.6	206
115	Genome-wide association of major depression: description of samples for the GAIN Major Depressive Disorder Study: NTR and NESDA biobank projects. <i>European Journal of Human Genetics</i> , 2008 , 16, 335-42	5.3	131
114	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 679-8	7 5·7	131
113	Depression is associated with decreased 25-hydroxyvitamin D and increased parathyroid hormone levels in older adults. <i>Archives of General Psychiatry</i> , 2008 , 65, 508-12		303
112	Depressive symptoms and change in abdominal obesity in older persons. <i>Archives of General Psychiatry</i> , 2008 , 65, 1386-93		135

111	Association between major depressive disorder and heart rate variability in the Netherlands Study of Depression and Anxiety (NESDA). <i>Archives of General Psychiatry</i> , 2008 , 65, 1358-67		267
110	Cardiac disease, depressive symptoms, and incident stroke in an elderly population. <i>Archives of General Psychiatry</i> , 2008 , 65, 596-602		39
109	Depressive and anxiety disorders in different ethnic groups: a population based study among native Dutch, and Turkish, Moroccan and Surinamese migrants in Amsterdam. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 905-12	4.5	134
108	Treatment of chronically depressed patients: a multisite randomized controlled trial testing the effectiveness of <code>Cognitive</code> Behavioral Analysis System of PsychotherapyP(CBASP) for chronic depressions versus usual secondary care. <i>BMC Psychiatry</i> , 2008 , 8, 18	4.2	13
107	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
106	Scared to death: results from the Health, Aging, and Body Composition study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 262-5	6.5	19
105	Late-life depressive symptoms are associated with both hyperactivity and hypoactivity of the hypothalamo-pituitary-adrenal axis. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 522-9	6.5	94
104	Urinary Cortisol Level and Urine Volume. American Journal of Geriatric Psychiatry, 2007, 15, 985-986	6.5	Ο
103	Major depression in late life is associated with both hypo- and hypercortisolemia. <i>Biological Psychiatry</i> , 2007 , 62, 479-86	7.9	145
102	Lifestyle factors and incident mobility limitation in obese and non-obese older adults. <i>Obesity</i> , 2007 , 15, 3122-32	8	72
101	Clinical effectiveness of usual care with or without antidepressant medication for primary care patients with minor or mild-major depression: a randomized equivalence trial. <i>BMC Medicine</i> , 2007 , 5, 36	11.4	28
100	Associations between sex steroid hormone levels and depressive symptoms in elderly men and women: results from the Health ABC study. <i>Psychoneuroendocrinology</i> , 2007 , 32, 874-83	5	95
99	The contribution of working conditions and social support to the onset of depressive and anxiety disorders among male and female employees. <i>Social Science and Medicine</i> , 2007 , 64, 401-10	5.1	152
98	Chronic disease and lifestyle transitions: results from the Longitudinal Aging Study Amsterdam. <i>Journal of Aging and Health</i> , 2007 , 19, 416-38	2.6	26
97	Psychosocial risk factors and the metabolic syndrome in elderly persons: findings from the Health, Aging and Body Composition study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 563-9	6.4	58
96	The Four-Dimensional Symptom Questionnaire (4DSQ): a validation study of a multidimensional		202
,	self-report questionnaire to assess distress, depression, anxiety and somatization. <i>BMC Psychiatry</i> , 2006 , 6, 34	4.2	293
95		4.1	64

(2005-2006)

93	Interpersonal psychotherapy for elderly patients in primary care. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 777-86	6.5	70
92	Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. Results from the arthritis, diet, and activity promotion trial. <i>Contemporary Clinical Trials</i> , 2006 , 27, 227-37	2.3	38
91	Socioeconomic differences in incident depression in older adults: the role of psychosocial factors, physical health status, and behavioral factors. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 619-27	4.1	118
90	Association of inflammatory markers with socioeconomic status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 284-90	6.4	95
89	Abdominal obesity is an independent risk factor for chronic heart failure in older people. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 413-20	5.6	142
88	RESPONSE TO DR. CHENG. Journal of the American Geriatrics Society, 2006 , 54, 1298-1298	5.6	
87	Benzodiazepine use and physical disability in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 224-30	5.6	101
86	Anemia in the elderly: current understanding and emerging concepts. <i>Blood Reviews</i> , 2006 , 20, 213-26	11.1	160
85	Correlates of Anxiety Symptoms in Physically Disabled Older Women. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 15-22	6.5	15
84	Change in serum albumin and subsequent decline in functional status in older persons. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 297-305	4.8	10
83	Socioeconomic differences in cognitive decline and the role of biomedical factors. <i>Annals of Epidemiology</i> , 2005 , 15, 564-71	6.4	75
82	Anemia is associated with depression in older adults: results from the InCHIANTI study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 1168-72	6.4	79
81	Late-life anemia is associated with increased risk of recurrent falls. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 2106-11	5.6	132
80	The influence of anxiety on the progression of disability. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 34-9	5.6	111
79	Predictors of combined cognitive and physical decline. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1197-202	5.6	115
78	Serum albumin and muscle strength: a longitudinal study in older men and women. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1331-8	5.6	78
77	Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005 , 60, 25-36	5.1	60
76	Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 24-32		132

75	Measures of physical performance and risk for progressive and catastrophic disability: results from the Womenß Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 74-9	6.4	242
74	Is there a biomedical explanation for socioeconomic differences in incident mobility limitation?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1022-7	6.4	54
73	Correlates of anxiety symptoms in physically disabled older women. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 15-22	6.5	9
72	Inflammatory markers and physical performance in older persons: the InCHIANTI study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 242-8	6.4	582
71	Association of visceral adipose tissue with incident myocardial infarction in older men and women: the Health, Aging and Body Composition Study. <i>American Journal of Epidemiology</i> , 2004 , 160, 741-9	3.8	195
7º	Activities of daily living function and disability in older adults in a randomized trial of the health enhancement program. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 838-43	6.4	55
69	Anemia is associated with disability and decreased physical performance and muscle strength in the elderly. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 719-24	5.6	380
68	Inflammatory markers and incident mobility limitation in the elderly. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1105-13	5.6	235
67	Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: results from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2004 , 55, 121-8	3.1	59
66	Hemoglobin levels and skeletal muscle: results from the InCHIANTI study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 249-54	6.4	130
65	Diet-induced weight loss, exercise, and chronic inflammation in older, obese adults: a randomized controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 544-51	7	328
64	Antioxidants and physical performance in elderly persons: the Invecchiare in Chianti (InCHIANTI) study. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 289-94	7	218
63	Inflammatory markers and physical function among older adults with knee osteoarthritis. <i>Journal of Rheumatology</i> , 2004 , 31, 2027-31	4.1	95
62	Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003 , 32, 81-7	3	146
61	Visceral adipose tissue cutoffs associated with metabolic risk factors for coronary heart disease in women. <i>Diabetes Care</i> , 2003 , 26, 1413-20	14.6	140
60	Depression and adverse drug reactions among hospitalized older adults. <i>Archives of Internal Medicine</i> , 2003 , 163, 301-5		29
59	Inflammatory markers and cardiovascular disease (The Health, Aging and Body Composition [Health ABC] Study). <i>American Journal of Cardiology</i> , 2003 , 92, 522-8	3	228
58	Prevalence and correlates of anxiety symptoms in well-functioning older adults: findings from the health aging and body composition study. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 499-504	5.6	129

(2001-2003)

57	Benzodiazepine use and physical performance in community-dwelling older women. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1563-70	5.6	44
56	Comparing various short-form Geriatric Depression Scales leads to the GDS-5/15. <i>Journal of Nursing Scholarship</i> , 2003 , 35, 133-7	3.6	66
55	Inflammatory markers and depressed mood in older persons: results from the Health, Aging and Body Composition study. <i>Biological Psychiatry</i> , 2003 , 54, 566-72	7.9	423
54	Anemia and decline in physical performance among older persons. <i>American Journal of Medicine</i> , 2003 , 115, 104-10	2.4	245
53	Inflammatory markers and onset of cardiovascular events: results from the Health ABC study. <i>Circulation</i> , 2003 , 108, 2317-22	16.7	742
52	The influence of differing social ties on decline in physical functioning among older people with and without chronic diseases: the Longitudinal Aging Study Amsterdam. <i>Aging Clinical and Experimental Research</i> , 2003 , 15, 164-73	4.8	47
51	Income differentials in functional disability in old age: relative risks of onset, recovery, decline, attrition and mortality. <i>Aging Clinical and Experimental Research</i> , 2003 , 15, 174-83	4.8	32
50	Sexual satisfaction and risk of disability in older women. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1177-82	2 4.6	13
49	Change in muscle strength explains accelerated decline of physical function in older women with high interleukin-6 serum levels. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1947-54	5.6	451
48	The impact of depression on the well-being, disability and use of services in older adults: a longitudinal perspective. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 20-7	6.5	190
47	The natural history of late-life depression: a 6-year prospective study in the community. <i>Archives of General Psychiatry</i> , 2002 , 59, 605-11		328
46	Change in physical performance over time in older women: the Womenß Health and Aging Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2002, 57, M289-93	6.4	136
45	Obese, older adults with knee osteoarthritis: Weight loss, exercise, and quality of life <i>Health Psychology</i> , 2002 , 21, 419-426	5	152
44	Evaluation and correction for a Rraining effectPin the cognitive assessment of older adults. <i>Neuroepidemiology</i> , 2002 , 21, 87-92	5.4	5
43	Exercise and depressive symptoms: a comparison of aerobic and resistance exercise effects on emotional and physical function in older persons with high and low depressive symptomatology. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2002, 57, P124-32	4.6	212
42	Relation between use of angiotensin-converting enzyme inhibitors and muscle strength and physical function in older women: an observational study. <i>Lancet, The</i> , 2002 , 359, 926-30	40	254
41	Coimpairments as predictors of severe walking disability in older women. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 21-7	5.6	171
40	Physical exercise and the prevention of disability in activities of daily living in older persons with osteoarthritis. <i>Archives of Internal Medicine</i> , 2001 , 161, 2309-16		209

39	Treatment of isolated systolic hypertension is most effective in older patients with high-risk profile. <i>Circulation</i> , 2001 , 104, 1923-6	16.7	29
38	Determinants of different dimensions of disease severity in asthma and COPD: pulmonary function and health-related quality of life. <i>Chest</i> , 2001 , 119, 1034-42	5.3	121
37	Depression and cardiac mortality: results from a community-based longitudinal study. <i>Archives of General Psychiatry</i> , 2001 , 58, 221-7		703
36	Depressed mood and body mass index as predictors of muscle strength decline in old men. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 613-7	5.6	88
35	A happy person, a healthy person?. Journal of the American Geriatrics Society, 2000, 48, 590-2	5.6	8
34	The protective effect of emotional vitality on adverse health outcomes in disabled older women. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1359-66	5.6	103
33	Health care for older persons, a country profile: The Netherlands. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 214-7	5.6	43
32	Characteristics of nondisabled older persons who perform poorly in objective tests of lower extremity function. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1102-10	5.6	114
31	Changes in depression and physical decline in older adults: a longitudinal perspective. <i>Journal of Affective Disorders</i> , 2000 , 61, 1-12	6.6	173
30	Racial differences in prevalence of cobalamin and folate deficiencies in disabled elderly women. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 911-9	7	65
29	Minor and major depression and the risk of death in older persons. <i>Archives of General Psychiatry</i> , 1999 , 56, 889-95		383
28	Social network, social support, and loneliness in older persons with different chronic diseases. <i>Journal of Aging and Health</i> , 1999 , 11, 151-68	2.6	150
27	Serum IL-6 level and the development of disability in older persons. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 639-46	5.6	611
26	Cardiovascular events and mortality in newly and chronically depressed persons > 70 years of age. American Journal of Cardiology, 1998 , 81, 988-94	3	180
25	Depressive symptoms and physical decline in community-dwelling older persons. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 1720-6	27.4	560
24	Emotional vitality among disabled older women: the Womenß Health and Aging Study. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 807-15	5.6	63
23	Effects of social support and personal coping resources on depressive symptoms: Different for various chronic diseases?. <i>Health Psychology</i> , 1998 , 17, 551-558	5	201
22	Direct and buffer effects of social support and personal coping resources in individuals with arthritis. <i>Social Science and Medicine</i> , 1997 , 44, 393-402	5.1	133

21	Psychological status among elderly people with chronic diseases: does type of disease play a part?. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 521-34	128
20	Self-reports and general practitioner information on the presence of chronic diseases in community dwelling elderly. A study on the accuracy of patientsPself-reports and on determinants of 5.7 inaccuracy. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 1407-17	785
19	A criterion-based literature survey of the relationship between family support and incidence and course of chronic disease in the elderly <i>Family Systems Medicine</i> , 1995 , 13, 39-68	10
18	Depression and physical disability125-144	
17	Women® Aging and Depression129-144	4
16	Education and income show heterogeneous relationships to lifespan brain and cognitive differences across European and US cohorts	1
15	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19 (Preprint)	4
14	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression	2
13	Novel blood pressure locus and gene discovery using GWAS and expression datasets from blood and the kidney	1
12	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder	21
11	Genetic Architecture of Subcortical Brain Structures in Over 40,000 Individuals Worldwide	5
10	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors	2
9	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders	7
8	Evaluating the evidence for biotypes of depression: attempted replication of Drysdale et.al. 2017	4
7	Unraveling the polygenic architecture of complex traits using blood eQTL metaanalysis	175
6	Multi-ancestry analysis of gene-sleep interactions in 126,926 individuals identifies multiple novel blood lipid loci that contribute to our understanding of sleep-associated adverse blood lipid profile	1
5	Brain Aging in Major Depressive Disorder: Results from the ENIGMA Major Depressive Disorder working group	24
4	Association of Inflammation with Depression and Anxiety: Evidence for Symptom-Specificity and Potential Causality from UK Biobank and NESDA Cohorts	4

1

3 study using geolocation data from smartphones Genome-wide analysis of 102,084 migraine cases identifies 123 risk loci and subtype-specific risk alleles Role of GeneBtress Interactions in Gene-Finding Studies. Novartis Foundation Symposium,71-86 3

Home stay reflects symptoms severity in major depressive disorder: A multicenter observational