

# Guodong Zhang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1331640/guodong-zhang-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81  
papers

2,203  
citations

25  
h-index

45  
g-index

86  
ext. papers

2,841  
ext. citations

6.5  
avg, IF

5.27  
L-index

#	Paper	IF	Citations
81	Physical and Chemical Stability of Curcumin in Aqueous Solutions and Emulsions: Impact of pH, Temperature, and Molecular Environment. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 1525-1532	5.7	239
80	Epoxy metabolites of docosahexaenoic acid (DHA) inhibit angiogenesis, tumor growth, and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 6530-5	11.5	221
79	Stabilized epoxygenated fatty acids regulate inflammation, pain, angiogenesis and cancer. <i>Progress in Lipid Research</i> , <b>2014</b> , 53, 108-23	14.3	111
78	EB polyunsaturated fatty acids-derived lipid metabolites on angiogenesis, inflammation and cancer. <i>Prostaglandins and Other Lipid Mediators</i> , <b>2014</b> , 113-115, 13-20	3.7	97
77	Biological Implications of Lipid Oxidation Products. <i>JAACS, Journal of the American Oil Chemists Society</i> , <b>2017</b> , 94, 339-351	1.8	95
76	Enhancement of carotenoid bioaccessibility from carrots using excipient emulsions: influence of particle size of digestible lipid droplets. <i>Food and Function</i> , <b>2016</b> , 7, 93-103	6.1	77
75	High Fat Diet Alters Gut Microbiota and the Expression of Paneth Cell-Antimicrobial Peptides Preceding Changes of Circulating Inflammatory Cytokines. <i>Mediators of Inflammation</i> , <b>2017</b> , 2017, 9474896	4.3	75
74	Synthesis and biological evaluation of sorafenib- and regorafenib-like sEH inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2013</b> , 23, 3732-7	2.9	74
73	Dual inhibition of cyclooxygenase-2 and soluble epoxide hydrolase synergistically suppresses primary tumor growth and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 11127-32	11.5	68
72	Curcumin: Recent Advances in the Development of Strategies to Improve Oral Bioavailability. <i>Annual Review of Food Science and Technology</i> , <b>2019</b> , 10, 597-617	14.7	66
71	A common antimicrobial additive increases colonic inflammation and colitis-associated colon tumorigenesis in mice. <i>Science Translational Medicine</i> , <b>2018</b> , 10,	17.5	62
70	Chemopreventive effects of nobiletin and its colonic metabolites on colon carcinogenesis. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 2383-94	5.9	55
69	Enhancing Nutraceutical Bioavailability from Raw and Cooked Vegetables Using Excipient Emulsions: Influence of Lipid Type on Carotenoid Bioaccessibility from Carrots. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 10508-17	5.7	52
68	Dietary Intake of Whole Strawberry Inhibited Colonic Inflammation in Dextran-Sulfate-Sodium-Treated Mice via Restoring Immune Homeostasis and Alleviating Gut Microbiota Dysbiosis. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 9168-9177	5.7	47
67	Stability of curcumin in oil-in-water emulsions: Impact of emulsifier type and concentration on chemical degradation. <i>Food Research International</i> , <b>2018</b> , 111, 178-186	7	47
66	Potential roles of chemical degradation in the biological activities of curcumin. <i>Food and Function</i> , <b>2017</b> , 8, 907-914	6.1	45
65	Influence of Lipid Phase Composition of Excipient Emulsions on Curcumin Solubility, Stability, and Bioaccessibility. <i>Food Biophysics</i> , <b>2016</b> , 11, 213-225	3.2	45

64	Lipidomic profiling reveals soluble epoxide hydrolase as a therapeutic target of obesity-induced colonic inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 5283-5288	11.5	44
63	Structure-Activity Relationship of Curcumin: Role of the Methoxy Group in Anti-inflammatory and Anticolitis Effects of Curcumin. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 4509-4515	5.7	39
62	Impact of Lipid Content on the Ability of Excipient Emulsions to Increase Carotenoid Bioaccessibility from Natural Sources (Raw and Cooked Carrots). <i>Food Biophysics</i> , <b>2016</b> , 11, 71-80	3.2	34
61	Effects of Stable Degradation Products of Curcumin on Cancer Cell Proliferation and Inflammation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 9189-9195	5.7	33
60	Redox modulation of curcumin stability: Redox active antioxidants increase chemical stability of curcumin. <i>Molecular Nutrition and Food Research</i> , <b>2016</b> , 60, 487-94	5.9	31
59	Chemistry and biology of $\Omega$ PUFA peroxidation-derived compounds. <i>Prostaglandins and Other Lipid Mediators</i> , <b>2017</b> , 132, 84-91	3.7	29
58	Targeted Metabolomics Identifies the Cytochrome P450 Monooxygenase Eicosanoid Pathway as a Novel Therapeutic Target of Colon Tumorigenesis. <i>Cancer Research</i> , <b>2019</b> , 79, 1822-1830	10.1	29
57	Cysteine and glutathione mixed-disulfide conjugates of thiosulfinates: chemical synthesis and biological activities. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 1564-71	5.7	29
56	Foodborne Titanium Dioxide Nanoparticles Induce Stronger Adverse Effects in Obese Mice than Non-Obese Mice: Gut Microbiota Dysbiosis, Colonic Inflammation, and Proteome Alterations. <i>Small</i> , <b>2020</b> , 16, e2001858	11	25
55	Lipidomic profiling of high-fat diet-induced obesity in mice: Importance of cytochrome P450-derived fatty acid epoxides. <i>Obesity</i> , <b>2017</b> , 25, 132-140	8	22
54	$\Omega$ Polyunsaturated fatty acids and their cytochrome P450-derived metabolites suppress colorectal tumor development in mice. <i>Journal of Nutritional Biochemistry</i> , <b>2017</b> , 48, 29-35	6.3	21
53	An anaerobic bacterium host system for heterologous expression of natural product biosynthetic gene clusters. <i>Nature Communications</i> , <b>2019</b> , 10, 3665	17.4	18
52	Eicosanoid signaling in carcinogenesis of colorectal cancer. <i>Cancer and Metastasis Reviews</i> , <b>2018</b> , 37, 257-267	9.2	18
51	Glutathione conjugation attenuates biological activities of 6-dehydroshogaol from ginger. <i>Food Chemistry</i> , <b>2013</b> , 140, 1-8	8.5	17
50	Organoselenium compounds modulate extracellular redox by induction of extracellular cysteine and cell surface thioredoxin reductase. <i>Chemical Research in Toxicology</i> , <b>2013</b> , 26, 456-64	4	17
49	S-alk(en)ylmercaptocysteine: chemical synthesis, biological activities, and redox-related mechanism. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 1896-903	5.7	17
48	Intraperitoneal injection of 4-hydroxynonenal (4-HNE), a lipid peroxidation product, exacerbates colonic inflammation through activation of Toll-like receptor 4 signaling. <i>Free Radical Biology and Medicine</i> , <b>2019</b> , 131, 237-242	7.8	17
47	Inhibition of soluble epoxide hydrolase attenuates a high-fat diet-mediated renal injury by activating PAX2 and AMPK. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 5154-5159	11.5	16

46	Triclosan, a common antimicrobial ingredient, on gut microbiota and gut health. <i>Gut Microbes</i> , <b>2019</b> , 10, 434-437	8.8	15
45	In vitro and in vivo inhibitory effects of a <i>Pleurotus eryngii</i> protein on colon cancer cells. <i>Food and Function</i> , <b>2017</b> , 8, 3553-3562	6.1	14
44	Curcumin inhibits lymphangiogenesis in vitro and in vivo. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 2345-54	5.9	14
43	Effects of high-fat diet on plasma profiles of eicosanoid metabolites in mice. <i>Prostaglandins and Other Lipid Mediators</i> , <b>2016</b> , 127, 9-13	3.7	14
42	Thermally Processed Oil Exaggerates Colonic Inflammation and Colitis-Associated Colon Tumorigenesis in Mice. <i>Cancer Prevention Research</i> , <b>2019</b> , 12, 741-750	3.2	13
41	Effects of Consumer Antimicrobials Benzalkonium Chloride, Benzethonium Chloride, and Chloroxylenol on Colonic Inflammation and Colitis-Associated Colon Tumorigenesis in Mice. <i>Toxicological Sciences</i> , <b>2018</b> , 163, 490-499	4.4	13
40	Triclocarban exposure exaggerates colitis and colon tumorigenesis: roles of gut microbiota involved. <i>Gut Microbes</i> , <b>2020</b> , 12, 1690364	8.8	13
39	Layer-by-layer structured gelatin nanofiber membranes with photoinduced antibacterial functions. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 128, 970-975	2.9	12
38	Soluble epoxide hydrolase is an endogenous regulator of obesity-induced intestinal barrier dysfunction and bacterial translocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 8431-8436	11.5	11
37	Allicin inhibits lymphangiogenesis through suppressing activation of vascular endothelial growth factor (VEGF) receptor. <i>Journal of Nutritional Biochemistry</i> , <b>2016</b> , 29, 83-9	6.3	11
36	A tissue homogenate method to prepare gram-scale <i>Allium</i> thiosulfonates and their disulfide conjugates with cysteine and glutathione. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 3030-8	5.7	11
35	Preparation of 20-HETE using multifunctional enzyme type 2-negative <i>Starmerella bombicola</i> . <i>Journal of Lipid Research</i> , <b>2013</b> , 54, 3215-9	6.3	11
34	Gelatin nanofibers fabricated by extruding immiscible polymer solution blend and their application in tissue engineering. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 18674		11
33	Triclocarban Exposure Exaggerates Spontaneous Colonic Inflammation in <i>Il-10<sup>-/-</sup></i> Mice. <i>Toxicological Sciences</i> , <b>2020</b> , 174, 92-99	4.4	11
32	Mapping of Pesticide Transmission on Biological Tissues by Surface Enhanced Raman Microscopy with a Gold Nanoparticle Mirror. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 44894-44904	9.5	10
31	Oxidative Conversion Mediates Antiproliferative Effects of <i>tert</i> -Butylhydroquinone: Structure and Activity Relationship Study. <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 3743-8	5.7	9
30	How To Stabilize $\omega$ Polyunsaturated Fatty Acids (PUFAs) in an Animal Feeding Study?-Effects of the Temperature, Oxygen Level, and Antioxidant on Oxidative Stability of $\omega$ PUFAs in a Mouse Diet. <i>Journal of Agricultural and Food Chemistry</i> , <b>2020</b> , 68, 13146-13153	5.7	8
29	Role of linoleic acid-derived oxylipins in cancer. <i>Cancer and Metastasis Reviews</i> , <b>2020</b> , 39, 581-582	9.6	7

28	Click chemistry approach to characterize curcumin-protein interactions in vitro and in vivo. <i>Journal of Nutritional Biochemistry</i> , <b>2019</b> , 68, 1-6	6.3	6
27	Cytochrome P450 monooxygenase/soluble epoxide hydrolase-mediated eicosanoid pathway in colorectal cancer and obesity-associated colorectal cancer. <i>Oncoscience</i> , <b>2019</b> , 6, 371-375	0.8	5
26	Inhibitory effects of 7,7-dibromo-curcumin on 12-O-tetradecanoylphorbol-13-acetate-induced skin inflammation. <i>European Journal of Pharmacology</i> , <b>2019</b> , 858, 172479	5.3	4
25	Continuous Dermal Exposure to Triclocarban Perturbs the Homeostasis of Liver-Gut Axis in Mice: Insights from Metabolic Interactions and Microbiome Shifts. <i>Environmental Science &amp; Technology</i> , <b>2021</b> , 55, 5117-5127	10.3	4
24	Roles of Lipid Peroxidation-Derived Electrophiles in Pathogenesis of Colonic Inflammation and Colon Cancer. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 665591	5.7	4
23	The lipid peroxidation product EKODE exacerbates colonic inflammation and colon tumorigenesis. <i>Redox Biology</i> , <b>2021</b> , 42, 101880	11.3	4
22	Frequent occurrence of triclosan hydroxylation in mammals: A combined theoretical and experimental investigation. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 407, 124803	12.8	4
21	Rapid capture and SERS detection of triclosan using a silver nanoparticle core - protein satellite substrate. <i>Science of the Total Environment</i> , <b>2020</b> , 716, 137097	10.2	3
20	Microbial enzymes induce colitis by reactivating triclosan in the mouse gastrointestinal tract.. <i>Nature Communications</i> , <b>2022</b> , 13, 136	17.4	3
19	Structure and activity relationship of curcumin: role of methoxy group in anti-inflammatory and anti-colitis effects of curcumin. <i>FASEB Journal</i> , <b>2017</b> , 31, 972.24	0.9	3
18	trans, trans-2,4-Decadienal, a lipid peroxidation product, induces inflammatory responses via Hsp90- or 14-3-3-dependent mechanisms. <i>Journal of Nutritional Biochemistry</i> , <b>2020</b> , 76, 108286	6.3	3
17	EB Polyunsaturated Fatty Acids on Colonic Inflammation and Colon Cancer: Roles of Lipid-Metabolizing Enzymes Involved. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	3
16	Cytochrome P450 monooxygenase-mediated eicosanoid pathway: A potential mechanistic linkage between dietary fatty acid consumption and colon cancer risk. <i>Food Science and Human Wellness</i> , <b>2019</b> , 8, 337-343	8.3	3
15	Consumer Antimicrobials on Gut Microbiota and Gut Health. <i>DNA and Cell Biology</i> , <b>2019</b> , 38, 7-9	3.6	3
14	Beneficial effects of an investigational wristband containing Synsepalum dulcificum (miracle fruit) seed oil on the performance of hand and finger motor skills in healthy subjects: A randomized controlled preliminary study. <i>Phytotherapy Research</i> , <b>2018</b> , 32, 321-332	6.7	3
13	Triclosan has a robust, yet reversible impact on human gut microbial composition in vitro. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234046	3.7	2
12	Cytochrome P450 Eicosanoid Signaling Pathway in Colorectal Tumorigenesis. <i>Advances in Experimental Medicine and Biology</i> , <b>2019</b> , 1161, 115-123	3.6	2
11	Metabolic fate of environmental chemical triclocarban in colon tissues: roles of gut microbiota involved. <i>Science of the Total Environment</i> , <b>2021</b> , 787, 147677	10.2	2

10	Pharmacological inhibition or genetic ablation of soluble epoxide hydrolase attenuates obesity-induced nonalcoholic fatty liver disease. <i>FASEB Journal</i> , <b>2018</b> , 32, 560.7	0.9	1
9	Potential chemopreventive, anticancer and anti-inflammatory properties of a refined artocarpin-rich wood extract of <i>Artocarpus heterophyllus</i> Lam. <i>Scientific Reports</i> , <b>2021</b> , 11, 6854	4.9	1
8	Effects of Linoleic Acid-Rich Diet on Plasma Profiles of Eicosanoids and Development of Colitis in -10 Mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2020</b> , 68, 7641-7647	5.7	0
7	Soluble epoxide hydrolase as a therapeutic target for obesity-induced disorders: roles of gut barrier function involved. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2020</b> , 162, 102180	2.8	0
6	Food Additives: Foodborne Titanium Dioxide Nanoparticles Induce Stronger Adverse Effects in Obese Mice than Non-Obese Mice: Gut Microbiota Dysbiosis, Colonic Inflammation, and Proteome Alterations (Small 36/2020). <i>Small</i> , <b>2020</b> , 16, 2070199	11	0
5	Click chemistry-based imaging to study the tissue distribution of the curcumin-protein complex in mice. <i>Food and Function</i> , <b>2020</b> , 11, 1684-1691	6.1	
4	Inhibitory effects of epoxy metabolites of docosahexaenoic acid on human colon cancer stem cells (261.3). <i>FASEB Journal</i> , <b>2014</b> , 28, 261.3	0.9	
3	Manipulation of Curcumin Degradation to Enhance its Stability and Biological Activity. <i>FASEB Journal</i> , <b>2017</b> , 31, 972.25	0.9	
2	Redox modulation as a mechanistic feature of biological effects of cysteine and glutathione mixed disulfide conjugates of <i>Allium</i> thiosulfinates. <i>FASEB Journal</i> , <b>2010</b> , 24, 217.7	0.9	
1	A chemoenzymatic method to prepare gram-scale <i>Allium</i> organosulfur compounds and their presumptive metabolic products, and associated biological activities. <i>FASEB Journal</i> , <b>2010</b> , 24, 928.1	0.9	