

# Junichiro Miake

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1332028/publications.pdf>

Version: 2024-02-01

91  
papers

2,042  
citations

361413

20  
h-index

243625

44  
g-index

91  
all docs

91  
docs citations

91  
times ranked

2249  
citing authors

#	ARTICLE	IF	CITATIONS
1	$\beta$ 1-Adrenergic receptor mediates adipose-derived stem cell sheet-induced protection against chronic heart failure after myocardial infarction in rats. Hypertension Research, 2022, 45, 283-291.	2.7	2
2	Thrombin induces a temporal biphasic vascular response through the differential phosphorylation of endothelial nitric oxide synthase via protease-activated receptor-1 and protein kinase C. Journal of Pharmacological Sciences, 2022, 148, 351-357.	2.5	1
3	TRAb-IgM induced by Epstein-Barr virus reactivation does not have thyroid stimulating effect, but injures the thyroid follicular epithelial cells and releases thyroid antigens. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2022, 95, 1-O-016.	0.0	0
4	<scp>JCS</scp>/<scp>JHRS</scp> 2020 Guideline on Pharmacotherapy of Cardiac Arrhythmias. Journal of Arrhythmia, 2022, 38, 833-973.	1.2	8
5	CAMKII inhibitor as novel cardioprotective agent on doxorubicin cardiotoxicity. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2021, 94, 3-Y-G2-3.	0.0	0
6	Involvement of microRNA-133a-3p with the conversion of muscle fiber type in human skeletal myogenesis.. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2021, 94, 2-Y-G2-3.	0.0	0
7	MicroRNA-494-3p inhibits formation of fast oxidative muscle fibres by targeting E1A-binding protein p300 in human-induced pluripotent stem cells. Scientific Reports, 2021, 11, 1161.	3.3	2
8	Esm1 and Stc1 as Angiogenic Factors Responsible for Protective Actions of Adipose-Derived Stem Cell Sheets on Chronic Heart Failure After Rat Myocardial Infarction. Circulation Journal, 2021, 85, 657-666.	1.6	13
9	Uric Acid as a Risk Factor for Chronic Kidney Disease and Cardiovascular Disease—Japanese Guideline on the Management of Asymptomatic Hyperuricemia—. Circulation Journal, 2021, 85, 130-138.	1.6	56
10	Pretreatment with cilnidipine attenuates hypoxia/reoxygenation injury in HL-1 cardiomyocytes through enhanced NO production and action potential shortening. Hypertension Research, 2020, 43, 380-388.	2.7	4
11	A Novel Treatment for Arrhythmias via the Control of the Degradation of Ion Channel Proteins. Yonago Acta Medica, 2020, 63, 146-153.	0.7	1
12	Evidence for Urate Uptake Through Monocarboxylate Transporter 9 Expressed in Mammalian Cells and Its Enhancement by Heat Shock. Circulation Reports, 2020, 2, 425-432.	1.0	2
13	The effect of copper chelating compound, cuprizone, on adipocyte differentiation in vitro. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 2-O-026.	0.0	0
14	Novel inhibitory effects of dotinurad, a selective urate reabsorption inhibitor, on urate crystal-induced activation of NLRP3 inflammasomes in macrophages. Vascular Failure, 2020, 3, 59-67.	0.2	4
15	$\beta$ 2-Adrenergic Blocker, Carvedilol, Abolishes Ameliorating Actions of Adipose-Derived Stem Cell Sheets on Cardiac Dysfunction and Remodeling After Myocardial Infarction. Circulation Journal, 2019, 83, 2282-2291.	1.6	7
16	Uric Acid-Induced Enhancements of Kv1.5 Protein Expression and Channel Activity via the Akt-HSF1-Hsp70 Pathway in HL-1 Atrial Myocytes. Circulation Journal, 2019, 83, 718-726.	1.6	20
17	Inhibitory effects of class I antiarrhythmic agents on Na <sup>+</sup> and Ca <sup>2+</sup> currents of human iPS cell-derived cardiomyocytes. Regenerative Therapy, 2019, 10, 104-111.	3.0	17
18	Hyperuricemia as a Risk Factor for Atrial Fibrillation Due to Soluble and Crystallized Uric Acid. Circulation Reports, 2019, 1, 469-473.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Different Effects of Pulmonary Vein Isolation on Quality of Life Between Patients with Persistent and Paroxysmal Atrial Fibrillation. <i>International Heart Journal</i> , 2019, 60, 1328-1333.	1.0	5
20	Pre-ablation levels of brain natriuretic peptide are independently associated with the recurrence of atrial fibrillation after radiofrequency catheter ablation in patients with nonvalvular atrial fibrillation. <i>Heart and Vessels</i> , 2019, 34, 517-526.	1.2	11
21	Successful Treatment with Tokishakuyakusan for de Quervain Disease and Carpal Tunnel Syndrome after Delivery. <i>Kampo Medicine</i> , 2019, 70, 236-239.	0.1	0
22	Exploring the applicability of regenerative medicine technology using human embryonic or induced pluripotent stem cells to the diagnosis and treatment of arrhythmia. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2019, 92, 1-S06-1.	0.0	0
23	A Case of Stomachache Successfully Treated with Yokukansankachinpihange. <i>Kampo Medicine</i> , 2019, 70, 361-365.	0.1	0
24	Pretreatment with topiroxostat and irbesartan improves cardiac function after myocardial infarction in rats. <i>Vascular Failure</i> , 2018, 2, 74-79.	0.2	0
25	Establishment of a Novel In Situ Rat Model for Direct Measuring of Intestinal Drug Absorption: Confirmation of Inhibitory Effects of Daijokito on the Absorption of Ranitidine. <i>Yonago Acta Medica</i> , 2018, 61, 192-196.	0.7	1
26	Pretreatment with an angiotensin II receptor blocker abolished ameliorating actions of adipose-derived stem cell sheets on cardiac dysfunction and remodeling after myocardial infarction. <i>Regenerative Therapy</i> , 2018, 9, 79-88.	3.0	10
27	Protective Effects of Topiroxostat on an Ischemia-Reperfusion Model of Rat Hearts. <i>Circulation Journal</i> , 2018, 82, 1101-1111.	1.6	13
28	Molecular mechanisms underlying the pilsicainide-induced stabilization of hERG proteins in transfected mammalian cells. <i>Journal of Arrhythmia</i> , 2017, 33, 226-233.	1.2	1
29	Cited4 is related to cardiogenic induction and maintenance of proliferation capacity of embryonic stem cell-derived cardiomyocytes during in vitro cardiogenesis. <i>PLoS ONE</i> , 2017, 12, e0183225.	2.5	6
30	Electrophysiological properties of iPS cell-derived cardiomyocytes from a patient with long QT syndrome type 1 harboring the novel mutation M437V of KCNQ1. <i>Regenerative Therapy</i> , 2016, 4, 9-17.	3.0	13
31	Impact of postprocedural antiarrhythmic drug therapy with bepridil on maintaining sinus rhythm after catheter ablation for persistent atrial fibrillation. <i>Journal of Cardiology</i> , 2016, 68, 229-235.	1.9	12
32	M3 Muscarinic Receptor Signaling Stabilizes a Novel Mutant Human Ether-a-Go-Go-Related Gene Channel Protein via Phosphorylation of Heat Shock Factor 1 in Transfected Cells. <i>Circulation Journal</i> , 2016, 80, 2443-2452.	1.6	6
33	Characterization of the novel mutant A78T-hERG from a long QT syndrome type 2 patient: Instability of the mutant protein and stabilization by heat shock factor 1. <i>Journal of Arrhythmia</i> , 2016, 32, 433-440.	1.2	3
34	Ultra-Rapid and Massive Thrombus Formation in Cardiac Chambers. <i>Internal Medicine</i> , 2015, 54, 1947-1947.	0.7	1
35	Stabilization of Kv1.5 channel protein by the inotropic agent olprinone. <i>European Journal of Pharmacology</i> , 2015, 765, 488-494.	3.5	3
36	Instability of KCNE1-D85N that Causes Long QT Syndrome: Stabilization by Verapamil. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 853-863.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Hsp90 prevents interaction between CHIP and HERG proteins to facilitate maturation of wild-type and mutant HERG proteins. Cardiovascular Research, 2013, 100, 520-528.	3.8	22
38	Electrophysiological Properties of Prion-Positive Cardiac Progenitors Derived From Murine Embryonic Stem Cells. Circulation Journal, 2012, 76, 2875-2883.	1.6	4
39	Stabilization of Kv1.5 channel protein by bepridil through its action as a chemical chaperone. European Journal of Pharmacology, 2012, 696, 28-34.	3.5	8
40	Impairment of Ubiquitinâ€“Proteasome System by E334K cMyBPC Modifies Channel Proteins, Leading to Electrophysiological Dysfunction. Journal of Molecular Biology, 2011, 413, 857-878.	4.2	30
41	Novel Effects of Extracts from Poisonous Mushrooms on Expression and Function of the Human ether-a-go-go-Related Gene Channel. Biological and Pharmaceutical Bulletin, 2011, 34, 1474-1480.	1.4	1
42	Reciprocal Control of hERG Stability by Hsp70 and Hsc70 With Implication for Restoration of LQT2 Mutant Stability. Circulation Research, 2011, 108, 458-468.	4.5	46
43	Enhancing effects of salicylate on quinidine-induced block of human wild type and LQT3 related mutant cardiac Na <sup>+</sup> channels. Biomedical Research, 2011, 32, 303-312.	0.9	0
44	The Partial Reverse Remodeling at the Left Superior Antrum by Pulmonary Vein Isolation. Journal of Arrhythmia, 2011, 27, PJ1_038.	1.2	0
45	Long-Term Follow-Up of Single-Lead VDD Pacing System. Journal of Arrhythmia, 2011, 27, OP61_5.	1.2	0
46	Catheter Ablation on Papillary Muscle in the Patient with Arrhythmogenic Right Ventricular Cardiomyopathy. Journal of Arrhythmia, 2011, 27, PE4_124.	1.2	0
47	How Atrial Premature Beats Could Have Contributed to Inappropriate ICD Therapy?. Journal of Arrhythmia, 2011, 27, PE4_080.	1.2	0
48	New Insight of Electrophysiologic Characteristics and Ablation of Focal Atrial Tachycardia Originating from Left Atrial Appendage. Journal of Arrhythmia, 2011, 27, PE4_035.	1.2	0
49	Different distribution of Cav3.2 and Cav3.1 transcripts encoding T-type Ca <sup>2+</sup> channels in the embryonic heart of mice. Biomedical Research, 2010, 31, 301-305.	0.9	16
50	Identification, Isolation and Characterization of HCN4-Positive Pacemaking Cells Derived from Murine Embryonic Stem Cells during Cardiac Differentiation. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 290-303.	1.2	21
51	Isolation and expansion of functionally-competent cardiac progenitor cells directly from heart biopsies. Journal of Molecular and Cellular Cardiology, 2010, 49, 312-321.	1.9	129
52	Pendrin Is a Novel Autoantigen Recognized by Patients with Autoimmune Thyroid Diseases. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 442-448.	3.6	38
53	Stabilizing effects of eicosapentaenoic acid on Kv1.5 channel protein expressed in mammalian cells. European Journal of Pharmacology, 2009, 604, 93-102.	3.5	13
54	QRS complex widening due to loss of left bundle branch capture: pitfall of para-Hisian pacing. Journal of Interventional Cardiac Electrophysiology, 2009, 25, 213-216.	1.3	4

#	ARTICLE	IF	CITATIONS
55	Left atrial branches of coronary arteries; clinical implications related to linear catheter ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009, 25, 141-144.	1.3	6
56	Exact Location of the Branching Bundle in the Living Heart. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S182-S185.	1.2	2
57	Ectopic Expression of the Sodium-Iodide Symporter Enables Imaging of Transplanted Cardiac Stem Cells In Vivo by Single-Photon Emission Computed Tomography or Positron Emission Tomography. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1652-1660.	2.8	166
58	Ubiquitin-Proteasome System Impairment Caused by a Missense Cardiac Myosin-binding Protein C Mutation and Associated with Cardiac Dysfunction in Hypertrophic Cardiomyopathy. <i>Journal of Molecular Biology</i> , 2008, 384, 896-907.	4.2	80
59	Functional stabilization of Kv1.5 protein by Hsp70 in mammalian cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 469-474.	2.1	17
60	Lentiviral Vectors Bearing the Cardiac Promoter of the Na <sup>+</sup> -Ca <sup>2+</sup> Exchanger Report Cardiogenic Differentiation in Stem Cells. <i>Molecular Therapy</i> , 2008, 16, 957-964.	8.2	40
61	Long-term reliability of AAI mode pacing in patients with sinus node dysfunction and low Wenckebach block rate. <i>Europace</i> , 2008, 10, 134-137.	1.7	10
62	Changes of HCN gene expression and If currents in Nkx2.5-positive cardiomyocytes derived from murine embryonic stem cells during differentiation. <i>Biomedical Research</i> , 2008, 29, 195-203.	0.9	13
63	Brachiocephalic vein perforation on three-dimensional computed tomography. <i>Europace</i> , 2007, 9, 74-75.	1.7	5
64	The small diverticulum in the right anterior wall of the left atrium. <i>Europace</i> , 2007, 10, 120-120.	1.7	12
65	Inhibition of I <sub>2</sub> -adrenergic signaling by intracellular AMP is independent of cell-surface adenosine receptors in rat cardiac cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 43, 648-652.	1.9	2
66	Age-related BM-MNC dysfunction hampers neovascularization. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 511-516.	4.6	41
67	Macroreentrant atrial tachycardia with an isolated pathway mimicking focal activation on three-dimensional electroanatomical mapping. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007, 20, 49-55.	1.3	1
68	Extension of the inferior vena cava into the posteroinferior right atrium. <i>Heart Rhythm</i> , 2006, 3, 1481-1485.	0.7	6
69	Allopurinol Reduces Neointimal Hyperplasia in the Carotid Artery Ligation Model in Spontaneously Hypertensive Rats. <i>Hypertension Research</i> , 2006, 29, 915-921.	2.7	31
70	Delayed onset of beating and decreased expression of T-type Ca <sup>2+</sup> channel in mouse ES cell-derived cardiocytes carrying human chromosome 21. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 126-132.	2.1	6
71	Small Extra-Adrenal Pheochromocytoma Causing Severe Hypertension in an Elderly Patient. <i>Hypertension Research</i> , 2006, 29, 635-638.	2.7	6
72	Inhibition of Inward Rectifier K <sup>+</sup> Currents by Angiotensin II in Rat Atrial Myocytes: Lack of Effects in Cells from Spontaneously Hypertensive Rats. <i>Hypertension Research</i> , 2006, 29, 923-934.	2.7	5

#	ARTICLE	IF	CITATIONS
73	Autoperipheral blood mononuclear cell transplantation improved giant ulcers due to chronic arteriosclerosis obliterans. Heart and Vessels, 2006, 21, 258-262.	1.2	13
74	Acute Myocardial Infarction in a Patient With Essential Thrombocythemia Successful Treatment With Percutaneous Transluminal Coronary Recanalization. Circulation Journal, 2005, 69, 1000-1002.	1.6	18
75	Subtype Switching of T-Type Ca <sup>2+</sup> Channels From Cav3.2 to Cav3.1 During Differentiation of Embryonic Stem Cells to Cardiac Cell Lineage. Circulation Journal, 2005, 69, 1284-1289.	1.6	34
76	Ventricular Tachycardias and Dilated Cardiomyopathy Caused by Fabry Disease. PACE - Pacing and Clinical Electrophysiology, 2005, 28, 1142-1143.	1.2	21
77	Proteasomal degradation of Kir6.2 channel protein and its inhibition by a Na <sup>+</sup> channel blocker aprindine. Biochemical and Biophysical Research Communications, 2005, 331, 1001-1006.	2.1	21
78	Evidence for proteasomal degradation of Kv1.5 channel protein. Biochemical and Biophysical Research Communications, 2005, 337, 343-348.	2.1	35
79	Mechanism of Iodide/Chloride Exchange by Pendrin. Endocrinology, 2004, 145, 4301-4308.	2.8	73
80	Protective effect of edaravone against hypoxia-reoxygenation injury in rabbit cardiomyocytes. British Journal of Pharmacology, 2004, 142, 618-626.	5.4	34
81	State-Dependent Blocking Actions of Azimilide Dihydrochloride (NE-10064) on Human Cardiac Na <sup>+</sup> Channels. Circulation Journal, 2004, 68, 703-711.	1.6	2
82	Developmental Changes of Ni <sup>2+</sup> Sensitivity and Automaticity in Nkx2.5-Positive Cardiac Precursor Cells From Murine Embryonic Stem Cell. Circulation Journal, 2004, 68, 724-726.	1.6	8
83	Functional role of inward rectifier current in heart probed by Kir2.1 overexpression and dominant-negative suppression. Journal of Clinical Investigation, 2003, 111, 1529-1536.	8.2	110
84	Functional role of inward rectifier current in heart probed by Kir2.1 overexpression and dominant-negative suppression. Journal of Clinical Investigation, 2003, 111, 1529-1536.	8.2	184
85	Analysis of moricizine block of sodium current in isolated guinea-pig atrial myocytes. Vascular Pharmacology, 2002, 38, 131-141.	2.1	11
86	Biological pacemaker created by gene transfer. Nature, 2002, 419, 132-133.	27.8	421
87	Functional consequences of the arrhythmogenic G306R KvLQT1 K <sup>+</sup> channel mutant probed by viral gene transfer in cardiomyocytes. Journal of Physiology, 2001, 533, 127-133.	2.9	17
88	Block of Sodium Channels by Divalent Mercury: Role of Specific Cysteine Residues in the P-Loop Region. Biophysical Journal, 2000, 79, 1336-1345.	0.5	19
89	Effects of Amlodipine on Native Cardiac Na <sup>+</sup> Channels and Cloned $\alpha_1$ -Subunits of Cardiac Na <sup>+</sup> Channels. Arzneimittelforschung, 1999, 49, 394-397.	0.4	1
90	Idiopathic Left Ventricular Tachycardia with Block Between Purkinje Potential and Ventricular Myocardium. PACE - Pacing and Clinical Electrophysiology, 1998, 21, 1824-1827.	1.2	3

#	ARTICLE	IF	CITATIONS
91	Impact of BMI and Type of Ablation Procedure on Atrial Fibrillation Recurrence in Japanese Patients. , 0, 1, .		1