

Julia C Costa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1332641/julia-c-costa-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

3,060
citations

28
h-index

54
g-index

78
ext. papers

3,340
ext. citations

4.5
avg, IF

4.83
L-index

#	Paper	IF	Citations
76	Production of high-quality SARS-CoV-2 antigens: Impact of bioprocess and storage on glycosylation, biophysical attributes, and ELISA serologic tests performance. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 2202-2219	4.9	8
75	Investigating LGALS3BP/90 K glycoprotein in the cerebrospinal fluid of patients with neurological diseases. <i>Scientific Reports</i> , 2020 , 10, 5649	4.9	7
74	Exploring Cerebrospinal Fluid IgG N-Glycosylation as Potential Biomarker for Amyotrophic Lateral Sclerosis. <i>Molecular Neurobiology</i> , 2019 , 56, 5729-5739	6.2	10
73	N-Glycosylation of Extracellular Vesicles from HEK-293 and Glioma Cell Lines. <i>Analytical Chemistry</i> , 2018 , 90, 7871-7879	7.8	25
72	A detection and quantification label-free tool to speed up downstream processing of model mucins. <i>PLoS ONE</i> , 2018 , 13, e0190974	3.7	10
71	Glycoconjugates from extracellular vesicles: Structures, functions and emerging potential as cancer biomarkers. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017 , 1868, 157-166	11.2	33
70	Phosphoneurofilament heavy chain and vascular endothelial growth factor as cerebrospinal fluid biomarkers for ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 134-136	3.6	9
69	Emerging molecular biomarker targets for amyotrophic lateral sclerosis. <i>Clinica Chimica Acta</i> , 2016 , 455, 7-14	6.2	24
68	Human carboxylesterase 2: Studies on the role of glycosylation for enzymatic activity. <i>Biochemistry and Biophysics Reports</i> , 2016 , 5, 105-110	2.2	2
67	Multicenter validation of CSF neurofilaments as diagnostic biomarkers for ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016 , 17, 404-13	3.6	65
66	Phosphoneurofilament heavy chain and N-glycomics from the cerebrospinal fluid in amyotrophic lateral sclerosis. <i>Clinica Chimica Acta</i> , 2015 , 438, 342-9	6.2	21
65	Extracellular Vesicles from Ovarian Carcinoma Cells Display Specific Glycosignatures. <i>Biomolecules</i> , 2015 , 5, 1741-61	5.9	49
64	Vascular endothelial growth factor and amyotrophic lateral sclerosis: the interplay with exercise and noninvasive ventilation. <i>Muscle and Nerve</i> , 2014 , 49, 545-50	3.4	9
63	Multicentre quality control evaluation of different biomarker candidates for amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014 , 15, 344-50	3.6	55
62	Sialoglycoproteins and N-glycans from secreted exosomes of ovarian carcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e78631	3.7	70
61	N-glycosylation analysis by HPAEC-PAD and mass spectrometry. <i>Methods in Molecular Biology</i> , 2013 , 1049, 301-12	1.4	7
60	Roadmap and standard operating procedures for biobanking and discovery of neurochemical markers in ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2012 , 13, 1-10		65

59	Expression of glycogenes in differentiating human NT2N neurons. Downregulation of fucosyltransferase 9 leads to decreased Lewis(x) levels and impaired neurite outgrowth. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012 , 1820, 2007-19	4	21
58	Antibody fragments directed against different portions of the human neural cell adhesion molecule L1 act as inhibitors or activators of L1 function. <i>PLoS ONE</i> , 2012 , 7, e52404	3-7	7
57	N-Glycosylation of total cellular glycoproteins from the human ovarian carcinoma SKOV3 cell line and of recombinantly expressed human erythropoietin. <i>Glycobiology</i> , 2011 , 21, 376-86	5-8	54
56	Assessment of the efficacy of solutes from extremophiles on protein aggregation in cell models of Huntington [®] and Parkinson [®] diseases. <i>Neurochemical Research</i> , 2011 , 36, 1005-11	4-6	4
55	Interaction and uptake of exosomes by ovarian cancer cells. <i>BMC Cancer</i> , 2011 , 11, 108	4-8	411
54	Erythropoietin and amyotrophic lateral sclerosis: Plasma level determination. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2011 , 12, 439-43		7
53	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010 , 90, 1102-16	5-9	52
52	Therapeutic antibodies to human L1CAM: functional characterization and application in a mouse model for ovarian carcinoma. <i>Cancer Research</i> , 2010 , 70, 2504-15	10-1	55
51	Mutant superoxide dismutase 1 overexpression in NSC-34 cells: effect of trehalose on aggregation, TDP-43 localization and levels of co-expressed glycoproteins. <i>Neuroscience Letters</i> , 2010 , 475, 145-9	3-3	42
50	Differential expression of alpha-2,3-sialyltransferases and alpha-1,3/4-fucosyltransferases regulates the levels of sialyl Lewis a and sialyl Lewis x in gastrointestinal carcinoma cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 80-9	5-6	91
49	Production and N-glycosylation of recombinant human cell adhesion molecule L1 from insect cells using the stable expression system. Effect of dimethyl sulfoxide. <i>Journal of Biotechnology</i> , 2010 , 145, 130-8	3-7	13
48	Diagnosis, pathogenesis and therapeutic targets in amyotrophic lateral sclerosis. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010 , 9, 764-78	2-6	27
47	Subcellular localization of the carbohydrate Lewis(x) adhesion structure in hippocampus cell cultures. <i>Brain Research</i> , 2009 , 1287, 39-46	3-7	8
46	Cellular localization of Nicastrin affects amyloid beta species production. <i>FEBS Letters</i> , 2008 , 582, 427-33,8		6
45	Human fucosyltransferase IX: specificity towards N-linked glycoproteins and relevance of the cytoplasmic domain in intra-Golgi localization. <i>Biochimie</i> , 2008 , 90, 1279-90	4-6	17
44	Functional role of N-glycosylation from ADAM10 in processing, localization and activity of the enzyme. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008 , 1780, 905-13	4	58
43	Kinetic analysis of L1 homophilic interaction: role of the first four immunoglobulin domains and implications on binding mechanism. <i>Journal of Biological Chemistry</i> , 2008 , 283, 28038-47	5-4	31
42	Proteomic analysis of plasma from Portuguese patients with familial amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2008 , 9, 339-49		13

41	Establishment of a cell model of ALS disease: Golgi apparatus disruption occurs independently from apoptosis. <i>Biotechnology Letters</i> , 2008 , 30, 603-10	3	16
40	Increased levels of fucosyltransferase IX and carbohydrate Lewis(x) adhesion determinant in human NT2N neurons. <i>Journal of Neuroscience Research</i> , 2007 , 85, 1260-70	4.4	20
39	Novel culture strategy for human stem cell proliferation and neuronal differentiation. <i>Journal of Neuroscience Research</i> , 2007 , 85, 3557-66	4.4	23
38	Stable expression of an active soluble recombinant form of human fucosyltransferase IX in <i>Spodoptera frugiperda</i> Sf9 cells. <i>Biotechnology Letters</i> , 2007 , 29, 1623-30	3	3
37	Production and purification of functional truncated soluble forms of human recombinant L1 cell adhesion glycoprotein from <i>Spodoptera frugiperda</i> Sf9 cells. <i>Protein Expression and Purification</i> , 2007 , 52, 182-93	2	13
36	Evidence for secretion of Cu,Zn superoxide dismutase via exosomes from a cell model of amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 2007 , 428, 43-6	3.3	164
35	Ligands for the beta-glucan receptor, Dectin-1, assigned using "designer" microarrays of oligosaccharide probes (neoglycolipids) generated from glucan polysaccharides. <i>Journal of Biological Chemistry</i> , 2006 , 281, 5771-9	5.4	285
34	N-glycosylation of human nicastrin is required for interaction with the lectins from the secretory pathway calnexin and ERGIC-53. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2006 , 1762, 802-10	6.9	17
33	Biochemical characterization of plasma in amyotrophic lateral sclerosis: Amino acid and protein composition. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2005 , 6, 104-110		6
32	Translocation of beta-galactosidase mediated by the cell-penetrating peptide pep-1 into lipid vesicles and human HeLa cells is driven by membrane electrostatic potential. <i>Biochemistry</i> , 2005 , 44, 10189-98	3.2	88
31	Re-evaluating the role of strongly charged sequences in amphipathic cell-penetrating peptides: a fluorescence study using Pep-1. <i>FEBS Letters</i> , 2005 , 579, 4498-502	3.8	37
30	Biochemical characterization of plasma in amyotrophic lateral sclerosis: amino acid and protein composition. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2005 , 6, 104-10		8
29	Role of the human ST6GalNAc-I and ST6GalNAc-II in the synthesis of the cancer-associated sialyl-Tn antigen. <i>Cancer Research</i> , 2004 , 64, 7050-7	10.1	159
28	Effect of the manganese ion on human alpha3/4 fucosyltransferase III activity. <i>BioMetals</i> , 2004 , 17, 35-43	3.4	11
27	Deletion of the cytoplasmic domain of human alpha3/4 fucosyltransferase III causes the shift of the enzyme to early Golgi compartments. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2004 , 1675, 95-104	4	12
26	Importance of Cys, Gln, and Tyr from the transmembrane domain of human alpha 3/4 fucosyltransferase III for its localization and sorting in the Golgi of baby hamster kidney cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 7624-9	5.4	24
25	The transmembrane domain region of nicastrin mediates direct interactions with APH-1 and the gamma-secretase complex. <i>Journal of Biological Chemistry</i> , 2003 , 278, 43284-91	5.4	63
24	Stable expression of recombinant human alpha3/4 fucosyltransferase III in <i>Spodoptera frugiperda</i> Sf9 cells. <i>Journal of Biotechnology</i> , 2003 , 106, 69-75	3.7	16

23	N-glycosylation of recombinant human fucosyltransferase III is required for its in vivo folding in mammalian and insect cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2003 , 1619, 133-8	4	21
22	Expression of mucins (MUC1, MUC2, MUC5AC, and MUC6) and type 1 Lewis antigens in cases with and without <i>Helicobacter pylori</i> colonization in metaplastic glands of the human stomach. <i>Journal of Pathology</i> , 2002 , 197, 37-43	9.4	41
21	Expression and characterization of recombinant human alpha-3/4-fucosyltransferase III from <i>Spodoptera frugiperda</i> (Sf9) and <i>Trichoplusia ni</i> (Tn) cells using the baculovirus expression system. <i>Biochemical Journal</i> , 2001 , 353, 719-25	3.8	17
20	Localization, purification and specificity of the full-length membrane-bound form of human recombinant alpha 1,3/4-fucosyltransferase from BHK-21B cells. <i>Biochemical Journal</i> , 2001 , 357, 803-10	3.8	7
19	Expression and characterization of recombinant human alpha-4-fucosyltransferase III from <i>Spodoptera frugiperda</i> (Sf9) and <i>Trichoplusia ni</i> (Tn) cells using the baculovirus expression system. <i>Biochemical Journal</i> , 2001 , 353, 719-725	3.8	27
18	Localization, purification and specificity of the full-length membrane-bound form of human recombinant alpha 1,3/4-fucosyltransferase from BHK-21B cells. <i>Biochemical Journal</i> , 2001 , 357, 803-810	3.8	8
17	A novel plant alpha-4-fucosyltransferase (<i>Vaccinium myrtillus</i> L.) synthesises the Lewis(a) adhesion determinant. <i>FEBS Letters</i> , 2001 , 499, 235-8	3.8	13
16	Crystal structure of cardosin A, a glycosylated and Arg-Gly-Asp-containing aspartic proteinase from the flowers of <i>Cynara cardunculus</i> L. <i>Journal of Biological Chemistry</i> , 1999 , 274, 27694-701	5.4	73
15	Crystal structure of plant aspartic proteinase prophytepsin: inactivation and vacuolar targeting. <i>EMBO Journal</i> , 1999 , 18, 3947-55	13	143
14	In vitro alpha-1-3 or alpha-1-4 fucosylation of type I and II oligosaccharides with secreted forms of recombinant human fucosyltransferases III and VI. <i>Glycoconjugate Journal</i> , 1998 , 15, 873-83	3	18
13	In vivo specificity of human alpha-1,3/4-fucosyltransferases III-VII in the biosynthesis of LewisX and Sialyl LewisX motifs on complex-type N-glycans. Coexpression studies from bhk-21 cells together with human beta-trace protein. <i>Journal of Biological Chemistry</i> , 1998 , 273, 30985-94	5.4	62
12	Transport and activation of the vacuolar aspartic proteinase phytepsin in barley (<i>Hordeum vulgare</i> L.). <i>Journal of Biological Chemistry</i> , 1998 , 273, 31230-6	5.4	56
11	Structural and functional aspects of cardosins. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 436, 423-33	3.6	12
10	Identification of the human Lewis(a) carbohydrate motif in a secretory peroxidase from a plant cell suspension culture (<i>Vaccinium myrtillus</i> L.). <i>FEBS Letters</i> , 1997 , 415, 186-91	3.8	75
9	Stable expression of the Golgi form and secretory variants of human fucosyltransferase III from BHK-21 cells. Purification and characterization of an engineered truncated form from the culture medium. <i>Journal of Biological Chemistry</i> , 1997 , 272, 11613-21	5.4	46
8	A <i>Lupinus albus</i> root glycoprotein homologous to the polygalacturonase inhibitor proteins. <i>Physiologia Plantarum</i> , 1997 , 99, 263-270	4.6	3
7	The glycosylation of the aspartic proteinases from barley (<i>Hordeum vulgare</i> L.) and cardoon (<i>Cynara cardunculus</i> L.). <i>FEBS Journal</i> , 1997 , 243, 695-700		50
6	A <i>Lupinus albus</i> root glycoprotein homologous to the polygalacturonase inhibitor proteins. <i>Physiologia Plantarum</i> , 1997 , 99, 263-270	4.6	2

5	Characterisation of a developmentally related polypeptide with glutelin solubility characteristics from <i>Lupinus albus</i> L. <i>Planta</i> , 1996 , 198, 221-9	4-7	2
4	Tunicamycin and swainsonine stimulate <i>Lupinus albus</i> L. root growth in vitro. <i>Plant Science</i> , 1994 , 101, 137-142	5-3	4
3	Dibucaine interaction with phospholipid vesicles. A resonance energy-transfer study. <i>FEBS Journal</i> , 1990 , 189, 387-93		15
2	Quantum yield determinations on the [Co(EDTA)] ³⁺ system. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1989 , 48, 233-242	4-7	5
1	Photodecarboxylation of citrate through ion pair photochemistry: the Co(Sep) ₃ +Citratate ³⁻ (n = 1,2,3) system. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1989 , 49, 195-202	4-7	7