

Lifen Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1336313/publications.pdf>

Version: 2024-02-01

100
papers

3,447
citations

126907

33
h-index

168389

53
g-index

100
all docs

100
docs citations

100
times ranked

2504
citing authors

#	ARTICLE	IF	CITATIONS
1	An Alternating Conduction-Insulation Molecular "Fence" Model from Fluorinated Metallopolymers. <i>Chemical Communications</i> , 2022, , .	4.1	1
2	Synthesis and Phase Behavior of (Semifluorinated Alkane)-Based Side-Chain Liquid Crystalline Copolymers. <i>Macromolecular Rapid Communications</i> , 2022, 43, .	3.9	8
3	Multimesophasic transitions of main-chain liquid crystalline copolymers with strictly alternating fluorocarbon chains. <i>Polymer Chemistry</i> , 2021, 12, 736-743.	3.9	11
4	Facile synthesis of micron-size Janus particles by one-pot suspension polymerization and their functional modification. <i>Polymer Chemistry</i> , 2021, 12, 2722-2730.	3.9	0
5	Photocontrolled bromine-to-iodine transformation reversible-deactivation radical polymerization: facile synthesis of star copolymers and unimolecular micelles. <i>Polymer Chemistry</i> , 2021, 12, 2335-2345.	3.9	14
6	Reduction-Induced Crystallization-Driven Self-Assembly of Main-Chain-Type Alternating Copolymers: Transformation from 1D Lines to 2D Platelets. <i>ACS Macro Letters</i> , 2021, 10, 564-569.	4.8	11
7	Facile Synthesis of Unimodal Polymethacrylates with Narrow Dispersity via NIR LED Light-Controlled Bromine-to-Iodine Transformation Reversible-Deactivation Radical Polymerization. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2100211.	3.9	14
8	A novel reversible-deactivation radical polymerization strategy via near-infrared light-controlled photothermal conversion dividing wall-type heat exchanger. <i>Science China Chemistry</i> , 2021, 64, 1242-1250.	8.2	11
9	Facile photochemical synthesis of main-chain-type semifluorinated alternating copolymers catalyzed by conventional amines or halide salts. <i>Chemical Communications</i> , 2021, 57, 11354-11357.	4.1	7
10	Photocontrolled Iodine-Mediated Reversible-Deactivation Radical Polymerization: Solution Polymerization of Methacrylates by Irradiation with NIR LED Light. <i>Angewandte Chemie</i> , 2020, 132, 3938-3944.	2.0	11
11	Photocontrolled Iodine-Mediated Reversible-Deactivation Radical Polymerization: Solution Polymerization of Methacrylates by Irradiation with NIR LED Light. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3910-3916.	13.8	64
12	Photocontrolled iodine-mediated reversible-deactivation radical polymerization with a semifluorinated alternating copolymer as the macroinitiator. <i>Polymer Chemistry</i> , 2020, 11, 7497-7505.	3.9	16
13	Construction of NIR Light Controlled Micelles with Photothermal Conversion Property: Poly(poly(ethylene glycol)methyl ether methacrylate) (PPEGMA) as Hydrophilic Block and Ketocyanine Dye as NIR Photothermal Conversion Agent. <i>Polymers</i> , 2020, 12, 1181.	4.5	5
14	Construction of a near-infrared light-controlled reciprocating piston "pump" based on soft actuators with fluorine-containing alternating polymer. <i>Journal of Materials Chemistry C</i> , 2020, 8, 10238-10247.	5.5	9
15	One-Step Photocontrolled Polymerization-Induced Self-Assembly (Photo-PISA) by Using In Situ Bromine-Iodine Transformation Reversible-Deactivation Radical Polymerization. <i>Polymers</i> , 2020, 12, 150.	4.5	8
16	Facile synthesis of poly(<i>N</i> -vinyl pyrrolidone) block copolymers with "more-activated" monomers by using photoinduced successive RAFT polymerization. <i>Polymer Chemistry</i> , 2020, 11, 2080-2088.	3.9	9
17	Photo-Controlled Polymerization-Induced Self-Assembly (Photo-PISA): A Novel Strategy Using In Situ Bromine-Iodine Transformation Living Radical Polymerization. <i>Macromolecular Rapid Communications</i> , 2019, 40, e1800327.	3.9	34
18	Photocontrolled Iodine-Mediated Green Reversible-Deactivation Radical Polymerization of Methacrylates: Effect of Water in the Polymerization System. <i>ACS Macro Letters</i> , 2019, 8, 1419-1425.	4.8	36

#	ARTICLE	IF	CITATIONS
19	Iodine-mediated reversible-deactivation radical polymerization: a powerful strategy for polymer synthesis. <i>Polymer Chemistry</i> , 2019, 10, 2504-2515.	3.9	63
20	Visible light controlled aqueous RAFT continuous flow polymerization with oxygen tolerance. <i>Polymer Chemistry</i> , 2019, 10, 2064-2072.	3.9	27
21	Surface modification of carbon nanotubes by using iron-mediated activators generated by electron transfer for atom transfer radical polymerization. <i>RSC Advances</i> , 2018, 8, 11150-11156.	3.6	8
22	Poly(Ionic Liquid): A New Phase in a Thermoregulated Phase Separated Catalysis and Catalyst Recycling System of Transition Metal-Mediated ATRP. <i>Polymers</i> , 2018, 10, 347.	4.5	7
23	Construction of dual-functional polymer nanomaterials with near-infrared fluorescence imaging and polymer prodrug by RAFT-mediated aqueous dispersion polymerization. <i>Nanoscale</i> , 2018, 10, 10277-10287.	5.6	21
24	Organocatalytic Approach to Functional Semifluorinated Polymers Driven by Visible Light. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800151.	3.9	18
25	Synthesis of soap-free emulsion with high solid content by differential dripping RAFT polymerization-induced self-assembly. <i>RSC Advances</i> , 2017, 7, 6559-6564.	3.6	16
26	Photocatalyzed iron-based ATRP of methyl methacrylate using 1,3-dimethyl-2-imidazolidinone as both solvent and ligand. <i>RSC Advances</i> , 2017, 7, 3888-3893.	3.6	12
27	The in situ formation of nanoparticles via RAFT polymerization-induced self-assembly in a continuous tubular reactor. <i>Polymer Chemistry</i> , 2017, 8, 1495-1506.	3.9	43
28	Photoinduced Iron-Based Water-Induced Phase Separable Catalysis (WPSC) ICAR ATRP of Poly(ethylene Terephthalate) / Overl...	3.9	8
29	Visible light-induced PET-RAFT polymerization of methacrylates with novel organic photocatalysts. <i>RSC Advances</i> , 2017, 7, 24040-24045.	3.6	19
30	Insight into the polymerization mechanism of photoinduced step transfer-addition & radical-termination (START) polymerizations. <i>Polymer Chemistry</i> , 2017, 8, 3910-3920.	3.9	21
31	Visible-light-induced living radical polymerization using in situ bromine-iodine transformation as an internal boost. <i>Polymer Chemistry</i> , 2017, 8, 2538-2551.	3.9	46
32	Facile synthesis of poly(vinyl acetate)-b-polystyrene copolymers mediated by an iniferter agent using a single methodology. <i>Polymer Chemistry</i> , 2017, 8, 5918-5923.	3.9	13
33	The positive effect of water on photo-induced step transfer-addition & radical-termination (START) polymerization. <i>RSC Advances</i> , 2017, 7, 17988-17996.	3.6	12
34	Metal-Free Atom Transfer Radical Polymerization of Methyl Methacrylate with ppm Level of Organic Photocatalyst. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1600461.	3.9	78
35	Step Transfer-Addition and Radical-Termination (START) Polymerization of Unconjugated Dienes under Irradiation of Blue LED Light. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1600587.	3.9	26
36	Reversible Addition-Fragmentation Chain Transfer Polymerization of Acrylonitrile under Irradiation of Blue LED Light. <i>Polymers</i> , 2017, 9, 4.	4.5	19

#	ARTICLE	IF	CITATIONS
37	A Green Platform for Preparation of the Well-Defined Polyacrylonitrile: 60Co $\hat{\text{I}}^3$ -ray Irradiation-Initiated RAFT Polymerization at Room Temperature. <i>Polymers</i> , 2017, 9, 26.	4.5	8
38	Iron-Mediated Homogeneous ICAR ATRP of Methyl Methacrylate under ppm Level Organometallic Catalyst Iron(III) Acetylacetonate. <i>Polymers</i> , 2016, 8, 29.	4.5	24
39	ICAR ATRP of Acrylonitrile under Ambient and High Pressure. <i>Polymers</i> , 2016, 8, 59.	4.5	23
40	Highly Efficient and Facile Photocatalytic Recycling System Suitable for ICAR ATRP of Hydrophilic Monomers. <i>Macromolecular Rapid Communications</i> , 2016, 37, 1337-1343.	3.9	23
41	Real-time monitoring of a controlled drug delivery system in vivo: construction of a near infrared fluorescence monomer conjugated with pH-responsive polymeric micelles. <i>Journal of Materials Chemistry B</i> , 2016, 4, 3377-3386.	5.8	17
42	Catalyst-free iodine-mediated living radical polymerization under irradiation over a wide visible-light spectral scope. <i>Polymer Chemistry</i> , 2016, 7, 3576-3588.	3.9	44
43	Photosensitizer cross-linked nano-micelle platform for multimodal imaging guided synergistic photothermal/photodynamic therapy. <i>Nanoscale</i> , 2016, 8, 15323-15339.	5.6	70
44	Straightforward catalyst/solvent-free iodine-mediated living radical polymerization of functional monomers driven by visible light irradiation. <i>Chemical Communications</i> , 2016, 52, 10850-10853.	4.1	33
45	Synthesis of amphiphilic nanoparticles and multi-block hydrophilic copolymers by a facile and effective $\hat{\text{e}}\text{living}\hat{\text{e}}$ -radical polymerization in water. <i>Polymer Chemistry</i> , 2016, 7, 2486-2491.	3.9	7
46	Metal-free photoinduced electron transfer $\hat{\text{e}}$ atom transfer radical polymerization (PET $\hat{\text{e}}$ ATRP) via a visible light organic photocatalyst. <i>Polymer Chemistry</i> , 2016, 7, 689-700.	3.9	217
47	Facilely Recyclable Cu(II) Macrocomplex with Thermoregulated Poly(ionic liquid) Macroligand: Serving as a Highly Efficient Atom Transfer Radical Polymerization Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 7066-7073.	6.7	18
48	AGET ATRP of Methyl Methacrylate Based on Thermoregulated Phase Transfer Catalysis in Organic/Aqueous Biphasic System: Facile and Highly Efficient In Situ Catalyst/Ligand Separation and Recycling. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 1171-1179.	2.2	16
49	Reversible addition $\hat{\text{e}}$ fragmentation chain transfer polymerization of vinyl acetate under high pressure. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1430-1436.	2.3	11
50	Recent Progress on Transition Metal Catalyst Separation and Recycling in ATRP. <i>Macromolecular Rapid Communications</i> , 2015, 36, 1702-1721.	3.9	81
51	Recent advances in $\hat{\text{e}}\text{living}\hat{\text{e}}$ -controlled radical polymerization of phosphorus-containing monomers and their potential applications. <i>Science China Chemistry</i> , 2015, 58, 1633-1640.	8.2	13
52	A surfactant-free emulsion RAFT polymerization of methyl methacrylate in a continuous tubular reactor. <i>Polymer Chemistry</i> , 2015, 6, 1937-1943.	3.9	32
53	Diffusion-Regulated Phase-Transfer Catalysis for Atom Transfer Radical Polymerization of Methyl Methacrylate in an Aqueous/Organic Biphasic System. <i>Macromolecular Rapid Communications</i> , 2015, 36, 538-546.	3.9	20
54	A novel methacrylate with a bisphosphonate group: RAFT polymerization and flame retardant property of the resultant polymers. <i>Polymer Chemistry</i> , 2015, 6, 2283-2289.	3.9	17

#	ARTICLE	IF	CITATIONS
55	Magnetic nanomaterials with near-infrared pH-activatable fluorescence via iron-catalyzed AGET ATRP for tumor acidic microenvironment imaging. <i>Journal of Materials Chemistry B</i> , 2015, 3, 2786-2800.	5.8	33
56	Facile iron(III)-mediated ATRP of MMA with phosphorus-containing ligands in the absence of any additional initiators. <i>RSC Advances</i> , 2015, 5, 62577-62584.	3.6	11
57	Thermoregulated phase transfer catalysis in aqueous/organic biphasic system: facile and highly efficient ATRP catalyst separation and recycling in situ using typical alkyl halide as initiator. <i>Polymer Chemistry</i> , 2015, 6, 6394-6401.	3.9	14
58	Fe(III)-mediated ICAR ATRP in a p-xylene/PEG-200 biphasic system: facile and highly efficient separation and recycling of an iron catalyst. <i>Polymer Chemistry</i> , 2015, 6, 6616-6622.	3.9	26
59	Self-assembly of BODIPY based pH-sensitive near-infrared polymeric micelles for drug controlled delivery and fluorescence imaging applications. <i>Nanoscale</i> , 2015, 7, 16399-16416.	5.6	54
60	An atom transfer radical polymerization system: catalyzed by an iron catalyst in PEG-400. <i>Green Chemistry</i> , 2015, 17, 271-278.	9.0	43
61	Bulk AGET ATRP of methyl methacrylate using iron(III) acetylacetonate as a catalyst. <i>Polymer Chemistry</i> , 2014, 5, 6804-6810.	3.9	17
62	A versatile Fe ₃ O ₄ -based platform via iron-catalyzed AGET ATRP: towards various multifunctional nanomaterials. <i>Polymer Chemistry</i> , 2014, 5, 638-645.	3.9	28
63	Cu(II)-Mediated Atom Transfer Radical Polymerization of Methyl Methacrylate via a Strategy of Thermo-Regulated Phase-Separable Catalysis in a Liquid/Liquid Biphasic System: Homogeneous Catalysis, Facile Heterogeneous Separation, and Recycling. <i>Macromolecular Rapid Communications</i> , 2014, 35, 1615-1621.	3.9	22
64	Thermo-regulated phase separable catalysis (TPSC)-based atom transfer radical polymerization in a thermo-regulated ionic liquid. <i>Chemical Communications</i> , 2014, 50, 9266-9269.	4.1	39
65	Bifunctional nanoparticles with magnetism and NIR fluorescence: controlled synthesis from combination of AGET ATRP and "click" reaction. <i>Nanotechnology</i> , 2014, 25, 045602.	2.6	21
66	Highly Active ppm Level Organic Copper Catalyzed Photo-Induced ICAR ATRP of Methyl Methacrylate. <i>Macromolecular Rapid Communications</i> , 2014, 35, 1879-1885.	3.9	23
67	Fabrication of magnetic nanofibers via surface-initiated RAFT polymerization and coaxial electrospinning. <i>Reactive and Functional Polymers</i> , 2013, 73, 1447-1454.	4.1	12
68	Facile Fabrication of Biocompatible and Tunable Multifunctional Nanomaterials via Iron-Mediated Atom Transfer Radical Polymerization with Activators Generated by Electron Transfer. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 9663-9669.	8.0	22
69	Atom transfer radical polymerization of methyl methacrylate with a thermo-responsive ligand: construction of thermoregulated phase-transfer catalysis in an aqueous-organic biphasic system. <i>Polymer Chemistry</i> , 2013, 4, 2876.	3.9	26
70	A highly active homogeneous ICAR ATRP of methyl methacrylate using ppm levels of organocopper catalyst. <i>Polymer Chemistry</i> , 2013, 4, 3725.	3.9	24
71	Synthesis of high molecular weight and narrow molecular weight distribution poly(acrylonitrile) via RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1197-1204.	2.3	24
72	Triphenylphosphine as phosphorus catalyst for reversible chain-transfer catalyzed polymerization (RTCP). <i>Polymer Chemistry</i> , 2013, 4, 3069.	3.9	19

#	ARTICLE	IF	CITATIONS
73	Atom transfer radical polymerization of hydrophilic monomers and its applications. <i>Polymer Chemistry</i> , 2013, 4, 2919.	3.9	66
74	Developing a Synthetic Approach with Thermoregulated Phase-Transfer Catalysis: Facile Access to Metal-Mediated Living Radical Polymerization of Methyl Methacrylate in Aqueous/Organic Biphasic System. <i>Macromolecules</i> , 2013, 46, 2060-2066.	4.8	55
75	Facile Iron-Mediated Dispersant-Free Suspension Polymerization of Methyl Methacrylate via Reverse ATRP in Water. <i>Macromolecular Rapid Communications</i> , 2013, 34, 1747-1754.	3.9	35
76	Facile Soap-Free Miniemulsion Polymerization of Methyl Methacrylate via Reverse Atom Transfer Radical Polymerization. <i>Macromolecular Rapid Communications</i> , 2012, 33, 2121-2126.	3.9	17
77	AGET ATRP of methyl methacrylate via a bimetallic catalyst. <i>RSC Advances</i> , 2012, 2, 840-847.	3.6	17
78	AGET ATRP of water-soluble PEGMA: Fast living radical polymerization mediated by iron catalyst. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2194-2200.	2.3	24
79	Iron-mediated AGET ATRP of methyl methacrylate using metal wire as reducing agent. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2244-2253.	2.3	28
80	Facile Iron-Mediated AGET ATRP for Water-Soluble Poly(ethylene glycol) Monomethyl Ether Methacrylate in Water. <i>Macromolecular Rapid Communications</i> , 2012, 33, 1067-1073.	3.9	46
81	Activators generated by electron transfer for atom transfer radical polymerization: recent advances in catalyst and polymer chemistry. <i>Polymer Chemistry</i> , 2012, 3, 2685.	3.9	108
82	Multistimuli-responsive hybrid nanoparticles with magnetic core and thermoresponsive fluorescence-labeled shell via surface-initiated RAFT polymerization. <i>Soft Matter</i> , 2011, 7, 6958.	2.7	50
83	Bifunctional Nanoparticles with Fluorescence and Magnetism via Surface-Initiated AGET ATRP Mediated by an Iron Catalyst. <i>Langmuir</i> , 2011, 27, 12684-12692.	3.5	77
84	Iron-Mediated ICAR ATRP of Methyl Methacrylate. <i>Macromolecules</i> , 2011, 44, 3233-3239.	4.8	124
85	A novel approach to modify poly(vinylidene fluoride) via iron-mediated atom transfer radical polymerization using activators generated by electron transfer. <i>Journal of Polymer Science Part A</i> , 2011, 49, 2315-2324.	2.3	31
86	Alumina additives for fast iron-mediated AGET ATRP of MMA using onium salt as ligand. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3970-3979.	2.3	39
87	Iron-Mediated ICAR ATRP of Styrene and Methyl Methacrylate in the Absence of Thermal Radical Initiator. <i>Macromolecular Rapid Communications</i> , 2010, 31, 275-280.	3.9	64
88	Air-tolerantly surface-initiated AGET ATRP mediated by iron catalyst from silica nanoparticles. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2006-2015.	2.3	71
89	Iron-Mediated AGET ATRP of Styrene in the Presence of Catalytic Amounts of Base. <i>Macromolecules</i> , 2010, 43, 9283-9290.	4.8	73
90	A Novel and Universal Route to SiO ₂ -Supported Organic/Inorganic Hybrid Noble Metal Nanomaterials via Surface RAFT Polymerization. <i>Langmuir</i> , 2010, 26, 14806-14813.	3.5	55

#	ARTICLE	IF	CITATIONS
91	A Highly Active Iron-Based Catalyst System for the AGET ATRP of Styrene. <i>Macromolecular Rapid Communications</i> , 2009, 30, 543-547.	3.9	65
92	Iron(III)-mediated AGET ATRP of styrene using tris(3,6-dioxahexyl)amine as a ligand. <i>Journal of Polymer Science Part A</i> , 2009, 47, 2002-2008.	2.3	61
93	Surface Functionalization of Chitosan Nanospheres via Surface-Initiated AGET ATRP Mediated by Iron Catalyst in the Presence of Limited Amounts of Air. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 6216-6223.	3.7	58
94	Cellulose Filter Paper with Antibacterial Activity from Surface-Initiated ATRP. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2009, 46, 989-996.	2.2	53
95	Iron(III)-Mediated ATRP of Methyl Methacrylate Using Activators Generated by Electron Transfer. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 1705-1713.	2.2	77
96	AGET ATRP of methyl methacrylate catalyzed by FeCl ₃ /iminodiacetic acid in the presence of air. <i>Polymer</i> , 2008, 49, 3054-3059.	3.8	111
97	Controllable synthesis of poly(N-vinylpyrrolidone) and its block copolymers by atom transfer radical polymerization. <i>Polymer</i> , 2007, 48, 2835-2842.	3.8	85
98	RATRP of MMA in AIBN/FeCl ₃ /PPh ₃ initiation system under microwave irradiation. <i>Polymer Bulletin</i> , 2003, 49, 363-369.	3.3	25
99	Atom transfer radical polymerization of methyl methacrylate with low concentration of initiating system under microwave irradiation. <i>Polymer</i> , 2003, 44, 2243-2247.	3.8	64
100	Homogeneous Solution Reverse Atom Transfer Radical Polymerization of Methyl Methacrylate. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2003, 40, 371-385.	2.2	10