## Xiubao Ren

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1336863/publications.pdf

Version: 2024-02-01

| 126      | 6,603          | 36           | 76             |
|----------|----------------|--------------|----------------|
| papers   | citations      | h-index      | g-index        |
| 131      | 131            | 131          | 10602          |
| all docs | docs citations | times ranked | citing authors |

| #  | Article  | IF               | CITATIONS                   |
|----|--|------------------|-----------------------------|
| 1  | Cancer-Secreted miR-105 Destroys Vascular Endothelial Barriers to Promote Metastasis. Cancer Cell, 2014, 25, 501-515.  | 7.7              | 1,198                       |
| 2  | Breast-cancer-secreted miR-122 reprograms glucoseÂmetabolism in premetastatic niche toÂpromoteÂmetastasis. Nature Cell Biology, 2015, 17, 183-194.   | 4.6              | 895                         |
| 3  | Cancer-cell-secreted exosomal miR-105 promotes tumour growth through the MYC-dependent metabolic reprogramming of stromal cells. Nature Cell Biology, 2018, 20, 597-609.   | 4.6              | 306                         |
| 4  | Macrophage immunomodulation by breast cancer-derived exosomes requires Toll-like receptor 2-mediated activation of NF-ÎB. Scientific Reports, 2014, 4, 5750.   | 1.6              | 270                         |
| 5  | HDAC Inhibitors Enhance T-Cell Chemokine Expression and Augment Response to PD-1 Immunotherapy in Lung Adenocarcinoma. Clinical Cancer Research, 2016, 22, 4119-4132.  | 3.2              | 266                         |
| 6  | Efficacy and Safety of Sintilimab Plus Pemetrexed and Platinum as First-Line Treatment for Locally Advanced or Metastatic Nonsquamous NSCLC: a Randomized, Double-Blind, Phase 3 Study (Oncology) Tj ETQq(   | 0 <b>0.5</b> gBT | /Ovæan4lock 10 <sup>-</sup> |
| 7  | Long non-coding RNA HOTAIR promotes tumor cell invasion and metastasis by recruiting EZH2 and repressing E-cadherin in oral squamous cell carcinoma. International Journal of Oncology, 2015, 46, 2586-2594.   | 1.4              | 211                         |
| 8  | Noncanonical NF-κB Activation Mediates STAT3-Stimulated IDO Upregulation in Myeloid-Derived Suppressor Cells in Breast Cancer. Journal of Immunology, 2014, 193, 2574-2586.  | 0.4              | 181                         |
| 9  | Randomized Study of Autologous Cytokine-Induced Killer Cell Immunotherapy in Metastatic Renal<br>Carcinoma. Clinical Cancer Research, 2012, 18, 1751-1759.   | 3.2              | 134                         |
| 10 | Chemotherapy-Induced Extracellular Vesicle miRNAs Promote Breast Cancer Stemness by Targeting <i>ONECUT2</i> . Cancer Research, 2019, 79, 3608-3621.   | 0.4              | 129                         |
| 11 | IL-8, a novel messenger to cross-link inflammation and tumor EMT via autocrine and paracrine pathways (Review). International Journal of Oncology, 2016, 48, 5-12.   | 1.4              | 122                         |
| 12 | Autologous cytokine-induced killer cell immunotherapy in lung cancer: a phase II clinical study. Cancer Immunology, Immunotherapy, 2012, 61, 2125-2133.  | 2.0              | 105                         |
| 13 | Interleukin-6 Trans-Signaling Pathway Promotes Immunosuppressive Myeloid-Derived Suppressor Cells via Suppression of Suppressor of Cytokine Signaling 3 in Breast Cancer. Frontiers in Immunology, 2017, 8, 1840.  | 2.2              | 92                          |
| 14 | Enhanced antitumor effects of DC-activated CIKs to chemotherapy treatment in a single cohort of advanced non-small-cell lung cancer patients. Cancer Immunology, Immunotherapy, 2013, 62, 65-73.   | 2.0              | 85                          |
| 15 | New Insights into Tumor-Infiltrating B Lymphocytes in Breast Cancer: Clinical Impacts and Regulatory Mechanisms. Frontiers in Immunology, 2018, 9, 470.  | 2.2              | 84                          |
| 16 | Updated Overall Survival Data and Predictive Biomarkers of Sintilimab Plus Pemetrexed and Platinum as First-Line Treatment for Locally Advanced or Metastatic Nonsquamous NSCLC in the Phase 3 ORIENT-11 Study. Journal of Thoracic Oncology, 2021, 16, 2109-2120. | 0.5              | 75                          |
| 17 | Anti-CD47 Antibody As a Targeted Therapeutic Agent for Human Lung Cancer and Cancer Stem Cells. Frontiers in Immunology, 2017, 8, 404.   | 2.2              | 73                          |
| 18 | The role of toll-like receptor 4 in tumor microenvironment. Oncotarget, 2017, 8, 66656-66667.  | 0.8              | 71                          |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | BMP signaling and its paradoxical effects in tumorigenesis and dissemination. Oncotarget, 2016, 7, 78206-78218.  | 0.8 | 70        |
| 20 | Expression signature, prognosis value, and immune characteristics of Siglec-15 identified by pan-cancer analysis. Oncolmmunology, 2020, 9, 1807291.  | 2.1 | 63        |
| 21 | A novel MDSC-induced PD-1 <sup>â^'</sup> PD-L1 <sup>+</sup> B-cell subset in breast tumor microenvironment possesses immuno-suppressive properties. Oncolmmunology, 2018, 7, e1413520.   | 2.1 | 61        |
| 22 | New insight on the correlation of metabolic status on 18F-FDG PET/CT with immune marker expression in patients with non-small cell lung cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1127-1136.   | 3.3 | 59        |
| 23 | A clinically relevant in vivo zebrafish model of human multiple myeloma to study preclinical therapeutic efficacy. Blood, 2016, 128, 249-252.  | 0.6 | 58        |
| 24 | TGFβ Induces "BRCAness―and Sensitivity to PARP Inhibition in Breast Cancer by Regulating DNA-Repair<br>Genes. Molecular Cancer Research, 2014, 12, 1597-1609.  | 1.5 | 56        |
| 25 | New insights into the biological impacts of immune cell-derived exosomes within the tumor environment. Cancer Letters, 2018, 431, 115-122.   | 3.2 | 55        |
| 26 | Identification of a three-miRNA signature as a blood-borne diagnostic marker for early diagnosis of lung adenocarcinoma. Oncotarget, 2016, 7, 26070-26086.   | 0.8 | 52        |
| 27 | Expression of TLR4 in Non-Small Cell Lung Cancer Is Associated with PD-L1 and Poor Prognosis in Patients Receiving Pulmonectomy. Frontiers in Immunology, 2017, 8, 456.  | 2.2 | 51        |
| 28 | Phosphoglyceric acid mutase-1 contributes to oncogenic mTOR-mediated tumor growth and confers non-small cell lung cancer patients with poor prognosis. Cell Death and Differentiation, 2018, 25, 1160-1173.                        | 5.0 | 51        |
| 29 | Role of microRNA-150 in solid tumors. Oncology Letters, 2015, 10, 11-16.   | 0.8 | 50        |
| 30 | Positive and negative functions of B lymphocytes in tumors. Oncotarget, 2016, 7, 55828-55839.  | 0.8 | 46        |
| 31 | Plasma miR-324-3p and miR-1285 as diagnostic and prognostic biomarkers for early stage lung squamous cell carcinoma. Oncotarget, 2016, 7, 59664-59675.   | 0.8 | 45        |
| 32 | Profiling the dynamic expression of checkpoint molecules on cytokine-induced killer cells from non-small-cell lung cancer patients. Oncotarget, 2016, 7, 43604-43615.  | 0.8 | 45        |
| 33 | Combining the negative lymph nodes count with the ratio of positive and removed lymph nodes can better predict the postoperative survival in cervical cancer patients. Cancer Cell International, 2013, 13, 6.                     | 1.8 | 43        |
| 34 | The Sequence of Chemotherapy and Toripalimab Might Influence the Efficacy of Neoadjuvant<br>Chemoimmunotherapy in Locally Advanced Esophageal Squamous Cell Cancer—A Phase II Study.<br>Frontiers in Immunology, 2021, 12, 772450. | 2.2 | 42        |
| 35 | Immunosuppressive checkpoint Siglec-15: a vital new piece of the cancer immunotherapy jigsaw puzzle. Cancer Biology and Medicine, 2019, 16, 205.   | 1.4 | 40        |
| 36 | Chemotherapy Induces Breast Cancer Stemness in Association with Dysregulated Monocytosis. Clinical Cancer Research, 2018, 24, 2370-2382.   | 3.2 | 39        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Autologous Cytokine-Induced Killer Cells Improves Overall Survival of Metastatic Colorectal Cancer Patients: Results From a Phase II Clinical Trial. Clinical Colorectal Cancer, 2016, 15, 228-235.  | 1.0 | 38        |
| 38 | The role and mechanism of CRL4 E3 ubiquitin ligase in cancer and its potential therapy implications. Oncotarget, 2015, 6, 42590-42602.   | 0.8 | 37        |
| 39 | Regulatory B cell: New member of immunosuppressive cell club. Human Immunology, 2015, 76, 615-621.   | 1.2 | 37        |
| 40 | Efficacy of ALK5 inhibition in myelofibrosis. JCI Insight, 2017, 2, e90932.  | 2.3 | 37        |
| 41 | Chromosome Abnormalities: New Insights into Their Clinical Significance in Cancer. Molecular Therapy - Oncolytics, 2020, 17, 562-570.  | 2.0 | 36        |
| 42 | Exhausted T cells and epigenetic status. Cancer Biology and Medicine, 2020, 17, 923-936.   | 1.4 | 32        |
| 43 | Soluble Toll-like receptor 4 is a potential serum biomarker in non-small cell lung cancer. Oncotarget, 2016, 7, 40106-40114.   | 0.8 | 31        |
| 44 | Human umbilical cord mesenchymal stem cells delivering sTRAIL home to lung cancer mediated by MCP-1/CCR2 axis and exhibit antitumor effects. Tumor Biology, 2016, 37, 8425-8435.   | 0.8 | 28        |
| 45 | Can the dual-functional capability of CIK cells be used to improve antitumor effects?. Cellular Immunology, 2014, 287, 18-22.  | 1.4 | 27        |
| 46 | Myeloid-derived suppressor cells regulate the immunosuppressive functions of PD-1â^'PD-L1+ Bregs through PD-L1/PI3K/AKT/NF-ÎB axis in breast cancer. Cell Death and Disease, 2021, 12, 465.  | 2.7 | 25        |
| 47 | Safety and effectiveness of pembrolizumab combined with paclitaxel and cisplatin as neoadjuvant therapy followed by surgery for locally advanced resectable (stage III) esophageal squamous cell carcinoma: a study protocol for a prospective, single-arm, single-center, open-label, phase-II trial (Keystone-001). Annals of Translational Medicine, 2022, 10, 229-229. | 0.7 | 25        |
| 48 | Matrix metalloproteinase 13: a potential intermediate between low expression of microRNA-125b and increasing metastatic potential of non–small cell lung cancer. Cancer Genetics, 2015, 208, 76-84.  | 0.2 | 24        |
| 49 | Tumor CD73/A2aR adenosine immunosuppressive axis and tumorâ€infiltrating lymphocytes in diffuse large Bâ€cell lymphoma: correlations with clinicopathological characteristics and clinical outcome. International Journal of Cancer, 2019, 145, 1414-1422.   | 2.3 | 24        |
| 50 | A new perspective: Exploring future therapeutic strategies for cancer by understanding the dual role of B lymphocytes in tumor immunity. International Journal of Cancer, 2019, 144, 2909-2917.  | 2.3 | 24        |
| 51 | Rack1 Mediates the Interaction of P-Glycoprotein with Anxa2 and Regulates Migration and Invasion of Multidrug-Resistant Breast Cancer Cells. International Journal of Molecular Sciences, 2016, 17, 1718.  | 1.8 | 22        |
| 52 | Knock-down of CIAPIN1 sensitizes K562 chronic myeloid leukemia cells to Imatinib by regulation of cell cycle and apoptosis-associated members via NF-κB and ERK5 signaling pathway. Biochemical Pharmacology, 2016, 99, 132-145.   | 2.0 | 21        |
| 53 | Nicotine promotes the development of non-small cell lung cancer through activating LINC00460 and PI3K/Akt signaling. Bioscience Reports, 2019, 39, .   | 1.1 | 21        |
| 54 | Significantly different immunological score in lung adenocarcinoma and squamous cell carcinoma and a proposal for a new immune staging system. Oncolmmunology, 2020, 9, 1828538.   | 2.1 | 20        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Single-cell profiling of immune cells after neoadjuvant pembrolizumab and chemotherapy in IIIA non-small cell lung cancer (NSCLC). Cell Death and Disease, 2022, 13, .  | 2.7 | 20        |
| 56 | Anlotinib for Patients With Metastatic Renal Cell Carcinoma Previously Treated With One Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor: A Phase 2 Trial. Frontiers in Oncology, 2020, 10, 664.   | 1.3 | 19        |
| 57 | Plasma soluble programmed death ligand 1 levels predict clinical response in peripheral Tâ€cell lymphomas. Hematological Oncology, 2019, 37, 270-276.   | 0.8 | 18        |
| 58 | Pembrolizumab Combined With Neoadjuvant Chemotherapy Versus Neoadjuvant Chemoradiotherapy Followed by Surgery for Locally Advanced Oesophageal Squamous Cell Carcinoma: Protocol for a Multicentre, Prospective, Randomized-Controlled, Phase III Clinical Study (Keystone-002). Frontiers in Oncology, 2022, 12, 831345. | 1.3 | 18        |
| 59 | CD4+ T cells are required to improve the efficacy of CIK therapy in non-small cell lung cancer. Cell Death and Disease, 2022, 13, 441.  | 2.7 | 18        |
| 60 | Herceptin Enhances the Antitumor Effect of Natural Killer Cells on Breast Cancer Cells Expressing Human Epidermal Growth Factor Receptor-2. Frontiers in Immunology, 2017, 8, 1426.   | 2.2 | 17        |
| 61 | Chemoradiotherapy-Induced CD4+ and CD8+ T-Cell Alterations to Predict Patient Outcomes in Esophageal Squamous Cell Carcinoma. Frontiers in Oncology, 2019, 9, 73.   | 1.3 | 17        |
| 62 | Plasma soluble PD-L1 and STAT3 predict the prognosis in diffuse large B cell lymphoma patients. Journal of Cancer, 2020, 11, 7001-7008.   | 1.2 | 17        |
| 63 | Cytokine-Induced Killer Cells Modulates Resistance to Cisplatin in the A549/DDP Cell Line. Journal of Cancer, 2017, 8, 3287-3295.   | 1.2 | 16        |
| 64 | T-cell receptor gene therapy targeting melanoma-associated antigen-A4 by silencing of endogenous TCR inhibits tumor growth in mice and human. Cell Death and Disease, 2019, 10, 475.  | 2.7 | 16        |
| 65 | Factors related to rapid progression of nonâ€small cell lung cancer in Chinese patients treated using singleâ€agent immune checkpoint inhibitor treatment. Thoracic Cancer, 2020, 11, 1170-1179.  | 0.8 | 16        |
| 66 | Morphine-3-glucuronide upregulates PD-L1 expression <i>via</i> TLR4 and promotes the immune escape of non-small cell lung cancer. Cancer Biology and Medicine, 2021, 18, 155-171.   | 1.4 | 16        |
| 67 | Neoadjuvant chemoimmunotherapy in resectable stage IIIA/IIIB non-small cell lung cancer.<br>Translational Lung Cancer Research, 2021, 10, 2193-2204.  | 1.3 | 16        |
| 68 | Genetic characteristics involving the PD-1/PD-L1/L2 and CD73/A2aR axes and the immunosuppressive microenvironment in DLBCL. , 2022, 10, e004114.  |     | 16        |
| 69 | PD-1/PD-L1 Axis, Rather Than High-Mobility Group Alarmins or CD8+ Tumor-Infiltrating Lymphocytes, Is Associated With Survival in Head and Neck Squamous Cell Carcinoma Patients Who Received Surgical Resection. Frontiers in Oncology, 2018, 8, 604.   | 1.3 | 15        |
| 70 | Memory stem T cells generated by Wnt signaling from blood of human renal clear cell carcinoma patients. Cancer Biology and Medicine, 2019, 16, 109.   | 1.4 | 15        |
| 71 | An open label, multicenter, noninterventional study of apatinib in advanced gastric cancer patients (AHEAD-G202). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592090542.  | 1.4 | 15        |
| 72 | TIM-3 and CEACAM1 are Prognostic Factors in Head and Neck Squamous Cell Carcinoma. Frontiers in Molecular Biosciences, 2021, 8, 619765.   | 1.6 | 15        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Adoptive Cellular Therapy (ACT) for Cancer Treatment. Advances in Experimental Medicine and Biology, 2016, 909, 169-239.  | 0.8 | 14        |
| 74 | Prognostic Significance of BCL-2 and BCL-6 Expression in MYC-positive DLBCL. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, e381-e389.  | 0.2 | 14        |
| 75 | Identification of Key Genes With Differential Correlations in Lung Adenocarcinoma. Frontiers in Cell and Developmental Biology, 2021, 9, 675438.  | 1.8 | 14        |
| 76 | Inhibitory effect of Dendrobium officinale polysaccharide on human gastric cancer cell xenografts in nude mice. Food Science and Technology, 2018, 38, 78-83.   | 0.8 | 13        |
| 77 | Prognostic Value of the Neo-Immunoscore in Renal Cell Carcinoma. Frontiers in Oncology, 2019, 9, 439.   | 1.3 | 13        |
| 78 | Rapid Response of Advanced Squamous Non-Small Cell Lung Cancer with Thrombocytopenia after First-Line Treatment with Pembrolizumab Plus Autologous Cytokine-Induced Killer Cells. Frontiers in Immunology, 2015, 6, 633.                            | 2.2 | 12        |
| 79 | High-mobility group nucleosome-binding protein $1$ is a novel clinical biomarker in non-small cell lung cancer. Tumor Biology, 2015, 36, 9405-9410.   | 0.8 | 12        |
| 80 | Efficiency of Cytokine-Induced Killer Cells in Combination with Chemotherapy for Triple-Negative Breast Cancer. Journal of Breast Cancer, 2018, 21, 150.  | 0.8 | 12        |
| 81 | Genetic Mutations of Tim-3 Ligand and Exhausted Tim-3+ CD8+ T Cells and Survival in Diffuse Large B Cell Lymphoma. Journal of Immunology Research, 2020, 2020, 1-9.   | 0.9 | 12        |
| 82 | Prognosis significance of indoleamine 2, 3-dioxygenase, programmed death ligand-1 and tumor-infiltrating immune cells in microenvironment of breast cancer. International Immunopharmacology, 2020, 84, 106506.                                     | 1.7 | 12        |
| 83 | Autologous cytokineâ€induced killer ( <scp>CIK</scp> ) cells enhance the clinical response to <scp>PDâ€1 </scp> blocking antibodies in patients with advanced nonâ€small cell lung cancer: A preliminary study. Thoracic Cancer, 2021, 12, 145-152. | 0.8 | 12        |
| 84 | Efficacy and safety of apatinib for the treatment of AFP-producing gastric cancer. Translational Oncology, 2021, 14, 101004.  | 1.7 | 12        |
| 85 | Indoleamine 2,3-dioxygenase regulates T cell activity through Vav1/Rac pathway. Molecular Immunology, 2017, 81, 102-107.  | 1.0 | 11        |
| 86 | Lung cancer-associated mesenchymal stem cells promote tumor metastasis and tumorigenesis by induction of epithelial–mesenchymal transition and stem-like reprogram. Aging, 2021, 13, 9780-9800.   | 1.4 | 11        |
| 87 | Randomized, multicenter, open-label trial of autologous cytokine-induced killer cell immunotherapy plus chemotherapy for squamous non-small-cell lung cancer: NCT01631357. Signal Transduction and Targeted Therapy, 2020, 5, 244.                  | 7.1 | 10        |
| 88 | Nociceptin Receptor Is Overexpressed in Non-small Cell Lung Cancer and Predicts Poor Prognosis. Frontiers in Oncology, 2019, 9, 235.  | 1.3 | 9         |
| 89 | Expression level of PD-L1 is involved in ALDH1A1-mediated poor prognosis in patients with head and neck squamous cell carcinoma. Pathology Research and Practice, 2020, 216, 153093.  | 1.0 | 9         |
| 90 | Single-Cell Sequencing Reveals the Transcriptome and TCR Characteristics of pTregs and in vitro Expanded iTregs. Frontiers in Immunology, 2021, 12, 619932.   | 2.2 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Prognostic value of pretreatment inflammatory biomarkers in advanced lung adenocarcinoma patients receiving first-line pemetrexed/platinum doublet. Tumor Biology, 2017, 39, 101042831770163.   | 0.8 | 8         |
| 92  | Feasibility of sleeve lobectomy after neo-adjuvant chemo-immunotherapy in non-small cell lung cancer. Translational Lung Cancer Research, 2020, 9, 761-767.   | 1.3 | 7         |
| 93  | Comprehensive insights into the effects and regulatory mechanisms of immune cells expressing programmed death- $1/p$ rogrammed death ligand $1$ in solid tumors. Cancer Biology and Medicine, 2020, 17, 626-639.  | 1.4 | 7         |
| 94  | Tracking the evolution of untreated highâ€intermediate/highâ€isk diffuse large Bâ€cell lymphoma by circulating tumour DNA. British Journal of Haematology, 2022, 196, 617-628.  | 1.2 | 7         |
| 95  | Mesenchymal Cell Associated Fibrosis in Experimental mplW515L Mouse Model of Myelofibrosis.<br>Blood, 2015, 126, 604-604.   | 0.6 | 7         |
| 96  | <i>PIM1</i> genetic alterations associated with distinct molecular profiles, phenotypes and drug responses in diffuse large Bâ€cell lymphoma. Clinical and Translational Medicine, 2022, 12, e808.  | 1.7 | 7         |
| 97  | Concurrent somatic mutations in driver genes were significantly correlated with lymph node metastasis and pathological types in solid tumors. Oncotarget, 2017, 8, 68746-68757.   | 0.8 | 6         |
| 98  | Clinical Significance of Serum Type III Interferons in Patients with Gastric Cancer. Journal of Interferon and Cytokine Research, 2019, 39, 155-163.  | 0.5 | 5         |
| 99  | Downregulation of <scp>PDâ€L1</scp> and <scp>HLAâ€I</scp> in nonâ€small cell lung cancer with <scp>ALK</scp> fusion. Thoracic Cancer, 2022, 13, 1153-1163.  | 0.8 | 5         |
| 100 | EZH2 identifies the precursors of human natural killer cells with trained immunity. Cancer Biology and Medicine, 2021, 18, 1021-1039.   | 1.4 | 5         |
| 101 | Relationship and prognostic significance of IL-33, PD-1/PD-L1, and tertiary lymphoid structures in cervical cancer. Journal of Leukocyte Biology, 2022, 112, 1591-1603.   | 1.5 | 5         |
| 102 | Mesenchymal Cell Reprogramming in Experimental MPLW515L Mouse Model of Myelofibrosis. PLoS ONE, 2017, 12, e0166014.   | 1.1 | 4         |
| 103 | The Distinct Impact of TAM Infiltration on the Prognosis of Patients With Cardia and Non-Cardia Gastric Cancer and Its Association With H. pylori Infection. Frontiers in Oncology, 2021, 11, 737061.   | 1.3 | 4         |
| 104 | Primary tumor standardized uptake value (SUVmax) measured on 18F-FDG PET/CT and mixed NSCLC components predict survival in surgical-resected combined small-cell lung cancer. Journal of Cancer Research and Clinical Oncology, 2020, 146, 2595-2605.   | 1.2 | 3         |
| 105 | An Immune-Clinical Prognostic Index (ICPI) for Patients With De Novo Follicular Lymphoma Treated With R-CHOP/CHOP Chemotherapy. Frontiers in Oncology, 2021, 11, 708784.  | 1.3 | 3         |
| 106 | Bortezomib enhances the anti-cancer effect of the novel Bruton's tyrosine kinase inhibitor (BGB-3111) in mantle cell lymphoma expressing BTK. Aging, 2021, 13, 21102-21121.   | 1.4 | 3         |
| 107 | Vorolanib, an oral VEGFR/PDGFR dual tyrosine kinase inhibitor for treatment of patients with advanced solid tumors: An open-label, phase I dose escalation and dose expansion trial. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2021, 33, 103-114. | 0.7 | 3         |
| 108 | Somatic copy number alterations are predictive of progression-free survival in patients with lung adenocarcinoma undergoing radiotherapy. Cancer Biology and Medicine, 2021, 18, 0-0.   | 1.4 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Somatic copy number alteration predicts clinical benefit of lung adenocarcinoma patients treated with cytokine-induced killer plus chemotherapy. Cancer Gene Therapy, 2022, 29, 1153-1159.   | 2.2 | 3         |
| 110 | High Complete Response Rate in Patients With Metastatic Renal Cell Carcinoma Receiving Autologous Cytokine-Induced Killer Cell Therapy Plus Anti-Programmed Death-1 Agent: A Single-Center Study. Frontiers in Immunology, 2021, 12, 779248. | 2.2 | 3         |
| 111 | Reduced radiotherapy clinical benefit for primary Waldeyer's ring diffuse large Bâ€cell lymphoma in the rituximab era. Hematological Oncology, 2021, 39, 490-497.  | 0.8 | 2         |
| 112 | The prognostic landscape of genes and infiltrating immune cells in cytokine induced killer cell treated-lung squamous cell carcinoma and adenocarcinoma. Cancer Biology and Medicine, 2021, 18, 0-0.   | 1.4 | 2         |
| 113 | Ferritin as a diagnostic, differential diagnostic, and prognostic marker for immune-related adverse events. Cancer Biology and Medicine, 2021, 18, 0-0.  | 1.4 | 2         |
| 114 | Survival benefit and toxicity profile of adjuvant icotinib for patients with EGFR mutation-positive non-small cell lung carcinoma: a retrospective study. Translational Lung Cancer Research, 2020, 9, 2401-2410.                            | 1,3 | 2         |
| 115 | A novel clinical immuneâ€related prognostic model predicts the overall survival of mantle cell lymphoma. Hematological Oncology, 2022, 40, 343-355.  | 0.8 | 2         |
| 116 | Digital Karyotyping with Whole Genomic Sequencing for Complex Congenital Disorder. Journal of Genetics and Genomics, 2015, 42, 651-655.  | 1.7 | 1         |
| 117 | Prospective, multicenter, noninterventional and registry clinical study of apatinib in patients with advanced gastric cancer Journal of Clinical Oncology, 2018, 36, 137-137.  | 0.8 | 1         |
| 118 | Comprehensive analysis of <scp>TP53</scp> mutation characteristics and identification of patients with inferior prognosis and enhanced immune escape in diffuse large Bâ€cell lymphoma. American Journal of Hematology, 2022, 97, .          | 2.0 | 1         |
| 119 | A phase I study of FCN-411, a pan-HER inhibitor, in EGFR-mutated advanced NSCLC after progression on EGFR tyrosine kinase inhibitors. Lung Cancer, 2022, 166, 98-106.  | 0.9 | 1         |
| 120 | Screening of Adverse Prognostic Factors and Construction of Prognostic Index in Previously Untreated Concurrent Follicular Lymphoma and Diffuse Large B-Cell Lymphoma. BioMed Research International, 2022, 2022, 1-18.                      | 0.9 | 1         |
| 121 | Trained Immunity of IL-12-, IL-15-, and IL-18-Induced CD3+CD56+ NKT-Like Cells. Journal of Oncology, 2022, 2022, 1-14.   | 0.6 | 1         |
| 122 | Apurinic/Apyrimidinic Endonuclease 1 Induced Genomic Instability Causes T-Cell Acute Lymphoblastic Leukemia in Zebrafish. Blood, 2015, 126, 1431-1431.   | 0.6 | 0         |
| 123 | PD-L1 expression and its significance in Chinese patients with non-small cell lung cancer Journal of Clinical Oncology, 2016, 34, e20013-e20013.   | 0.8 | 0         |
| 124 | Anti-PD-1 monoclonal antibody combined CD3-retronectin activated T cell in heavy-treated renal cell cancer Journal of Clinical Oncology, 2017, 35, 3047-3047.  | 0.8 | 0         |
| 125 | Plasma Soluble Programmed Death Ligand 1 Levels Predict Clinical Response in Peripheral T-Cell<br>Lymphomas. Blood, 2019, 134, 5231-5231.  | 0.6 | 0         |
| 126 | Cancer immunoinformatics: a new assistant tool for malignant disease research. Chinese Medical Journal, 2014, 127, 1149-54.  | 0.9 | 0         |