

Santiago Nava

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1336889/publications.pdf>

Version: 2024-02-01

111
papers

2,941
citations

212478

28
h-index

232693

48
g-index

114
all docs

114
docs citations

114
times ranked

1760
citing authors

#	ARTICLE	IF	CITATIONS
1	Successive treatments with ivermectin (3.15%) to control the tick <i>Rhipicephalus (Boophilus) microplus</i> in cattle: Pharmacokinetic and efficacy assessment. <i>Ticks and Tick-borne Diseases</i> , 2022, 13, 101848.	1.1	3
2	Reestablishment of <i>Rhipicephalus secundus</i> Feldman-Muhsam, 1952 (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2022, 13, 101897.	1.1	6
3	<i>Rickettsia</i> spp., <i>Ehrlichia</i> sp. and <i>Candidatus Midichloria</i> sp. associated to ticks from a protected urban area in Buenos Aires City (Argentina). <i>Experimental and Applied Acarology</i> , 2022, 86, 271-282.	0.7	4
4	Resistance of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> to fluzaron in Argentina. <i>Experimental and Applied Acarology</i> , 2022, 86, 599-606.	0.7	4
5	Assessment of habitat suitability for the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> in temperate areas. <i>Research in Veterinary Science</i> , 2022, 150, 10-21.	0.9	6
6	<i>Ixodes silvanus</i> n. sp. (Acari: Ixodidae), a new member of the subgenus <i>Trichotoixodes</i> Reznik, 1961 from northwestern Argentina. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101572.	1.1	6
7	Molecular characterization of novel <i>Ehrlichia</i> genotypes in <i>Ixodes auritulus</i> from Uruguay. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100022.	0.7	5
8	<i>Ixodes tropicalis</i> (Acari: Ixodidae) infesting a human and molecular detection of <i>Rickettsia bellii</i> , Colombia. <i>Biomedica</i> , 2021, 41, 347-352.	0.3	2
9	Búsqueda de <i>Borrelia</i> spp. en garrapatas del género <i>Amblyomma</i> de Argentina. <i>Revista MVZ Cordoba</i> , 2021, 26, e2199.	0.2	0
10	Alternative applications of the strategic control against the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> in a subtropical area. <i>Parasitology Research</i> , 2021, 120, 3653-3661.	0.6	3
11	Niche divergence among closely related taxa provides insight on evolutionary patterns of ticks. <i>Journal of Biogeography</i> , 2021, 48, 2865-2876.	1.4	14
12	Epidemiological link between canine monocytic ehrlichiosis caused by <i>Ehrlichia canis</i> and the presence of <i>Rhipicephalus sanguineus sensu stricto</i> in Argentina. <i>Parasitology Research</i> , 2021, 120, 725-729.	0.6	3
13	Phylogenetic divergence between <i>Rickettsia amblyommatis</i> strains from Argentina. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 69, 101418.	0.7	4
14	<i>Borrelia burgdorferi sensu lato</i> infecting <i>Ixodes auritulus</i> ticks in Uruguay. <i>Experimental and Applied Acarology</i> , 2020, 80, 109-125.	0.7	11
15	Detection of <i>Amblyomma mixtum</i> (Acari: Ixodidae) in Germany on a Human Traveler Returning From Cuba. <i>Journal of Medical Entomology</i> , 2020, 57, 962-964.	0.9	15
16	The <i>Ixodes ricinus</i> complex (Acari: Ixodidae) in the Southern Cone of America: <i>Ixodes pararicinus</i> , <i>Ixodes aragaoi</i> , and <i>Ixodes</i> sp. cf. <i>I. affinis</i> . <i>Parasitology Research</i> , 2020, 119, 43-54.	0.6	13
17	In vitro diagnosis of resistance of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> to fipronil in Argentina. <i>Experimental and Applied Acarology</i> , 2020, 82, 397-403.	0.7	12
18	A novel <i>Ehrlichia</i> strain (<i>Rickettsiales</i> : <i>Anaplasmataceae</i>) detected in <i>Amblyomma triste</i> (Acari: Ixodidae), a tick species of public health importance in the Southern Cone of America. <i>Pathogens and Global Health</i> , 2020, 114, 318-322.	1.0	13

#	ARTICLE	IF	CITATIONS
19	Resistance of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> to ivermectin in Argentina. <i>Research in Veterinary Science</i> , 2020, 132, 332-337.	0.9	18
20	Molecular detection of rickettsial bacteria in ticks of the genus <i>Ixodes</i> from the Southern Cone of America. <i>Acta Tropica</i> , 2020, 210, 105588.	0.9	7
21	Characterization of the complete mitochondrial genome of <i>Amblyomma ovale</i> , comparative analyses and phylogenetic considerations. <i>Experimental and Applied Acarology</i> , 2020, 81, 421-439.	0.7	18
22	<i>Ornithodoros cerradoensis</i> n. sp. (Acari: Argasidae), a member of the <i>Ornithodoros talaje</i> (GuÃ©rin-MÃ©neville, 1849) group, parasite of rodents in the Brazilian Savannah. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101497.	1.1	23
23	Clinical and epidemiological comparison of <i>Rickettsia parkeri</i> rickettsiosis, related to <i>Amblyomma triste</i> and <i>Amblyomma tigrinum</i> , in Argentina. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101436.	1.1	10
24	First detection of <i>Candidatus Rickettsia wissemani</i> in <i>Ornithodoros hasei</i> (Schulze, 1935) (Acari: Tj ETQq0 0,0 rgBT /Qverlock 10	1.1	8
25	<i>Borrelia</i> genospecies in <i>Ixodes</i> sp. cf. <i>Ixodes affinis</i> (Acari: Ixodidae) from Argentina. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101546.	1.1	7
26	<i>Borrelia</i> spp. in ticks and birds from a protected urban area in Buenos Aires city, Argentina. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101282.	1.1	20
27	Genetic analysis of <i>Rhipicephalus sanguineus sensu lato</i> ticks, parasites of dogs in the Canary Islands, Cyprus, and Croatia, based on mitochondrial 16S rRNA gene sequences. <i>Parasitology Research</i> , 2019, 118, 1067-1071.	0.6	8
28	Description of <i>Ornithodoros montensis</i> n. sp. (Acari, Ixodida: Argasidae), a parasite of the toad <i>Rhinella arenarum</i> (Amphibia, Anura: Bufonidae) in the Monte Desert of Argentina. <i>Experimental and Applied Acarology</i> , 2019, 78, 133-147.	0.7	7
29	Relationship between pharmacokinetics of ivermectin (3.15%) and its efficacy to control the infestation with the tick <i>Rhipicephalus (Boophilus) microplus</i> in cattle. <i>Veterinary Parasitology</i> , 2019, 268, 81-86.	0.7	7
30	Species occurrence of ticks in South America, and interactions with biotic and abiotic traits. <i>Scientific Data</i> , 2019, 6, 299.	2.4	4
31	Primer reporte de un caso de ehrlichiosis monocÃ©tica canina en la provincia de Santa Fe, Argentina. <i>FAVE Seccion Ciencias Veterinarias</i> , 2019, 18, 49-54.	0.2	4
32	Tick host specificity: An analysis based on host phylogeny and tick ecological features using <i>Amblyomma triste</i> and <i>Amblyomma tigrinum</i> immature stages. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 781-787.	1.1	7
33	Ticks (Acari: Ixodidae) of Nepal: First record of <i>Amblyomma varanense</i> (Supino), with an update of species list. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 526-534.	1.1	9
34	Ticks infesting cattle and humans in the Yungas Biogeographic Province of Argentina, with notes on the presence of tick-borne bacteria. <i>Experimental and Applied Acarology</i> , 2018, 74, 107-116.	0.7	18
35	The <i>Amblyomma maculatum</i> Koch, 1844 (Acari: Ixodidae) group of ticks: phenotypic plasticity or incipient speciation?. <i>Parasites and Vectors</i> , 2018, 11, 610.	1.0	51
36	<i>Ixodes chilensis</i> Kohls, 1956 (Acari: Ixodida: Ixodidae): re-description of the female, description of the nymph, and phylogenetic position inferred from mitochondrial DNA sequences of the 16S rRNA gene. <i>Systematic Parasitology</i> , 2018, 95, 959-967.	0.5	7

#	ARTICLE	IF	CITATIONS
37	<p class="Body">Amblyomma yucumense Krawczak, Martins & Labruna, 2015 (Acari: Tj ETQq1 1 0,784314 rgBT /Ove	0,5	2
38	Seasonal dynamics, geographical range size, hosts, genetic diversity and phylogeography of <i>Amblyomma sculptum</i> in Argentina. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1264-1274.	1.1	11
39	Factors associated with hard tick (Acari: Ixodidae) parasitism in medium-sized mammals in the Atlantic Rainforest region of Argentina. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1451-1458.	1.1	2
40	Redescription, molecular features, and neotype deposition of <i>Rhipicephalus pusillus</i> Gil Collado and <i>Ixodes ventalloi</i> Gil Collado (Acari, Ixodidae). <i>Zootaxa</i> , 2018, 4442, 262.	0.2	7
41	<i>Rhipicephalus sanguineus</i> (Latreille, 1806): Neotype designation, morphological re-description of all parasitic stages and molecular characterization. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1573-1585.	1.1	105
42	Molecular detection of the human pathogen <i>Rickettsia parkeri</i> strain Atlantic rainforest in <i>Amblyomma ovale</i> ticks in Argentina. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1261-1263.	1.1	19
43	Un caso de resistencia de <i>Rhipicephalus microplus</i> (Acari: Ixodidae) al fipronil detectado en pruebas de campo en el este de Santiago del Estero, Argentina. <i>FAVE Seccion Ciencias Veterinarias</i> , 2018, 17, 1-5.	0.2	5
44	Presence of <i>Borrelia</i> in different populations of <i>Ixodes parvicinus</i> from northwestern Argentina. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 488-493.	1.1	13
45	Genetic analysis of <i>Rhipicephalus sanguineus sensu lato</i> ticks parasites of dogs in Africa north of the Sahara based on mitochondrial DNA sequences. <i>Veterinary Parasitology</i> , 2017, 239, 1-6.	0.7	45
46	Strategic control of <i>Rhipicephalus (Boophilus) microplus</i> infestation on beef cattle grazed in <i>Panicum maximum</i> grasses in a subtropical semi-arid region of Argentina. <i>Preventive Veterinary Medicine</i> , 2017, 144, 179-183.	0.7	22
47	Non-parasitic life cycle of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> in <i>Panicum maximum</i> pastures in northern Argentina. <i>Research in Veterinary Science</i> , 2017, 115, 138-145.	0.9	18
48	Two novel <i>Ehrlichia</i> strains detected in <i>Amblyomma tigrinum</i> ticks associated to dogs in peri-urban areas of Argentina. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017, 53, 40-44.	0.7	29
49	Bacteria of the genera <i>Ehrlichia</i> and <i>Rickettsia</i> in ticks of the family Ixodidae with medical importance in Argentina. <i>Experimental and Applied Acarology</i> , 2017, 71, 87-96.	0.7	9
50	Genera and Species of Ixodidae. , 2017, , 25-267.		11
51	Tick Classification, External Tick Anatomy with a Glossary, and Biological Cycles. , 2017, , 1-23.		2
52	Birds and hard ticks (Acari: Ixodidae), with discussions about hypotheses on tick evolution. <i>FAVE Seccion Ciencias Veterinarias</i> , 2017, 16, 13-29.	0.2	6
53	<i>Ehrlichia canis</i> (Rickettsiales: Anaplasmataceae) en garrapatas <i>Rhipicephalus sanguineus sensu lato</i> del linaje templado (Acari. Ixodidae), provincia de Buenos Aires, Argentina. <i>FAVE Seccion Ciencias Veterinarias</i> , 2017, 16, 93-96.	0.2	7
54	<i>Rickettsial</i> infection in ticks infesting wild birds from two eco-regions of Argentina. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 378-382.	0.2	10

#	ARTICLE	IF	CITATIONS
55	<i>Borrelia burgdorferi</i> sensu lato in <i>Ixodes</i> cf. <i>neuquenensis</i> and <i>Ixodes sigelos</i> ticks from the Patagonian region of Argentina. <i>Acta Tropica</i> , 2016, 162, 218-221.	0.9	18
56	Redescription of <i>Ornithodoros dyeri</i> (Ixodida: Argasidae) based on morphologic and molecular data. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 834-841.	1.1	7
57	<i>Amblyomma parvum</i> Aragão, 1908 (Acari: Ixodidae): Phylogeography and systematic considerations. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 817-827.	1.1	26
58	High prevalence of <i>Candidatus Rickettsia amblyommii</i> in <i>Amblyomma</i> ticks from a Spotted Fever Endemic Region in North Argentina. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016, 46, 73-76.	0.7	13
59	A new species of <i>Ornithodoros</i> (Acari: Argasidae) from desert areas of northern Chile. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 901-910.	1.1	36
60	Different lines of evidence used to delimit species in ticks: A study of the South American populations of <i>Amblyomma parvum</i> (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1168-1179.	1.1	17
61	<i>Liolaemus</i> lizards (Squamata: Liolaemidae) as hosts for the nymph of <i>Amblyomma parvitarsum</i> (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1168-1179.	0.7	9
62	A new argasid tick species (Acari: Argasidae) associated with the rock cavy, <i>Kerodon rupestris</i> Wied-Neuwied (Rodentia: Caviidae), in a semiarid region of Brazil. <i>Parasites and Vectors</i> , 2016, 9, 511.	1.0	53
63	Nellore cattle (<i>Bos indicus</i>) and ticks within the Brazilian Pantanal: ecological relationships. <i>Experimental and Applied Acarology</i> , 2016, 68, 227-240.	0.7	22
64	<i>Rickettsia</i> infection in <i>Amblyomma tonelliae</i> , a tick species from the <i>Amblyomma cajennense</i> complex. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 173-177.	1.1	18
65	Two new species of <i>Ornithodoros</i> (Ixodida; Argasidae) from the Southern Cone of South America. <i>Experimental and Applied Acarology</i> , 2015, 66, 127-139.	0.7	22
66	Molecular Detection of the Human Pathogenic <i>Rickettsia</i> sp. Strain Atlantic Rainforest in <i>Amblyomma dubitatum</i> Ticks from Argentina. <i>Vector-Borne and Zoonotic Diseases</i> , 2015, 15, 167-169.	0.6	29
67	Strategic applications of long-acting acaricides against <i>Rhipicephalus (Boophilus) microplus</i> in northwestern Argentina, with an analysis of tick distribution among cattle. <i>Veterinary Parasitology</i> , 2015, 208, 225-230.	0.7	20
68	Infection with <i>Ehrlichia canis</i> and <i>Anaplasma platys</i> (Rickettsiales: Anaplasmataceae) in two lineages of <i>Rhipicephalus sanguineus</i> sensu lato (Acari: Ixodidae) from Argentina. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 724-729.	1.1	46
69	Factors affecting patterns of <i>Amblyomma triste</i> (Acari: Ixodidae) parasitism in a rodent host. <i>Veterinary Parasitology</i> , 2015, 211, 251-258.	0.7	11
70	The taxonomic status of <i>Rhipicephalus sanguineus</i> (Latreille, 1806). <i>Veterinary Parasitology</i> , 2015, 208, 2-8.	0.7	141
71	Ecology of the interaction between <i>Ixodes loricatus</i> (Acari: Ixodidae) and <i>Akodon azarae</i> (Rodentia: Muridae). <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 724-729.	0.6	6
72	Divergent environmental preferences and areas of sympatry of tick species in the <i>Amblyomma cajennense</i> complex (Ixodidae). <i>International Journal for Parasitology</i> , 2014, 44, 1081-1089.	1.3	52

#	ARTICLE	IF	CITATIONS
73	Natural infestation of <i>Hydrochoerus hydrochaeris</i> by <i>Amblyomma dubitatum</i> ticks. <i>Experimental and Applied Acarology</i> , 2014, 63, 285-294.	0.7	10
74	Study of the life cycle of <i>Amblyomma dubitatum</i> (Acari: Ixodidae) based on field and laboratory data. <i>Experimental and Applied Acarology</i> , 2014, 63, 93-105.	0.7	14
75	Seasonality of immature stages of <i>Ixodes loricatus</i> (Acari: Ixodidae) in the Paraná Delta, Argentina. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 701-705.	1.1	5
76	<i>Rickettsia parkeri</i> Rickettsiosis in Different Ecological Regions of Argentina and Its Association with <i>Amblyomma tigrinum</i> as a Potential Vector. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 91, 1156-1160.	0.6	56
77	Taxonomic key to nymphs of the genus <i>Amblyomma</i> (Acari: Ixodidae) in Argentina, with description and redescription of the nymphal stage of four <i>Amblyomma</i> species. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 753-770.	1.1	40
78	Ticks (Acari: Ixodidae) on wild birds in north-central Argentina. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 715-721.	1.1	25
79	<i>Borrelia</i> infection in <i>Ixodes parvicinus</i> ticks (Acari: Ixodidae) from northwestern Argentina. <i>Acta Tropica</i> , 2014, 139, 1-4.	0.9	23
80	<i>Amblyomma hadanii</i> n. sp. (Acari: Ixodidae), a tick from northwestern Argentina previously confused with <i>Amblyomma coelebs</i> Neumann, 1899. <i>Systematic Parasitology</i> , 2014, 88, 261-272.	0.5	22
81	Reestablishment of <i>Amblyomma tenellum</i> Koch, 1844 (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 620-623.	1.1	9
82	Reassessment of the taxonomic status of <i>Amblyomma cajennense</i> (Fabricius, 1787) with the description of three new species, <i>Amblyomma tonelliae</i> n. sp., <i>Amblyomma interandinum</i> n. sp. and <i>Amblyomma patinoi</i> n. sp., and reinstatement of <i>Amblyomma mixtum</i> Koch, 1844, and <i>Amblyomma sculptum</i> Berlese, 1888 (Ixodida: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 252-276.	1.1	314
83	Names for Ixodidae (Acari: Ixodoidea): valid, synonyms, incertae sedis, nomina dubia, nomina nuda, lapsus, incorrect and suppressed names” with notes on confusions and misidentifications. <i>Zootaxa</i> , 2014, 3767, 1.	0.2	72
84	Ticks (Acari: Ixodidae) of northern Misiones Province, Argentina. <i>Systematic and Applied Acarology</i> , 2014, 19, 393.	0.5	5
85	Distribution and genetic variation of <i>Amblyomma triste</i> (Acari: Ixodidae) in Argentina. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 386-390.	1.1	21
86	<i>Amblyomma cajennense</i> (Fabricius, 1787) (Acari: Ixodidae), the Cayenne tick: phylogeography and evidence for allopatric speciation. <i>BMC Evolutionary Biology</i> , 2013, 13, 267.	3.2	117
87	Comparing feeding and reproductive parameters of <i>Amblyomma parvum</i> tick populations (Acari: Tj ETQq1 1 0.784314 rgBT /5 Overloc	0.7	5
88	Effect of deforestation and introduction of exotic grasses as livestock forage on the population dynamics of the cattle tick <i>Rhipicephalus (Boophilus) microplus</i> (Acari: Ixodidae) in northern Argentina. <i>Research in Veterinary Science</i> , 2013, 95, 1046-1054.	0.9	30
89	A new species of <i>Ornithodoros</i> (Acari: Argasidae), parasite of <i>Microlophus</i> spp. (Reptilia: Tropiduridae) from northern Chile. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 128-132.	1.1	30
90	<i>Coxiella burnetii</i> in Ticks, Argentina. <i>Emerging Infectious Diseases</i> , 2013, 19, 344-346.	2.0	51

#	ARTICLE	IF	CITATIONS
91	<i>Ornithodoros guaporensis</i> (Acari, Ixodida: Argasidae), a new tick species from the Guapor© River Basin in the Bolivian Amazon. Zootaxa, 2013, 3666, 579-90.	0.2	29
92	Mitochondrial DNA analysis of <i>Rhipicephalus sanguineus sensu lato</i> (Acari: Ixodidae) in the Southern Cone of South America. Veterinary Parasitology, 2012, 190, 547-555.	0.7	94
93	<i>Ornithodoros quilinensis</i> sp. nov. (Acari, Argasidae), a new tick species from the Chacoan region in Argentina. Acta Parasitologica, 2012, 57, 329-36.	0.4	31
94	Reinstatement of <i>Rhipicephalus</i> (<i>Boophilus</i>) <i>australis</i> (Acari: Ixodidae) With Redescription of the Adult and Larval Stages. Journal of Medical Entomology, 2012, 49, 794-802.	0.9	106
95	Rodents of the subfamily Sigmodontinae (Myomorpha: Cricetidae) as hosts for South American hard ticks (Acari: Ixodidae) with hypotheses on life history. Zootaxa, 2011, 2904, 45.	0.2	25
96	Seasonal dynamics and hosts of <i>Amblyomma triste</i> (Acari: Ixodidae) in Argentina. Veterinary Parasitology, 2011, 181, 301-308.	0.7	44
97	Biological differences between two allopatric populations of <i>Amblyomma cajennense</i> (Acari: Ixodidae) in Argentina. Experimental and Applied Acarology, 2011, 53, 371-375.	0.7	29
98	Relationships of South American marsupials (Didelphimorphia, Microbiotheria and Paucituberculata) and hard ticks (Acari: Ixodidae) with distribution of four species of Ixodes. Zootaxa, 2011, 3086, .	0.2	21
99	Hosts, distribution and genetic divergence (16S rDNA) of <i>Amblyomma dubitatum</i> (Acari: Ixodidae). Experimental and Applied Acarology, 2010, 51, 335-351.	0.7	66
100	Redescription of the male and description of the female of <i>Ixodes abrocomae</i> Lahille, 1916 (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	10
101	Hosts of <i>Amblyomma dissimile</i> Koch, 1844 and <i>Amblyomma rotundatum</i> Koch, 1844 (Acari: Ixodidae). Zootaxa, 2010, 2541, 27.	0.2	52
102	Description of a New Argasid Tick (Acari: Ixodida) from Bat Caves in Brazilian Amazon. Journal of Parasitology, 2010, 96, 1089-1101.	0.3	55
103	<i>Amblyomma boeroi</i> n. sp. (Acari: Ixodidae), a parasite of the Chacoan peccary <i>Catagonus wagneri</i> (Rusconi) (Artiodactyla: Tayassuidae) in Argentina. Systematic Parasitology, 2009, 73, 161-174.	0.5	30
104	Ecology of <i>Amblyomma neumanni</i> (Acari: Ixodidae). Acta Tropica, 2009, 111, 226-236.	0.9	17
105	Aspects of the life cycle of <i>Amblyomma parvum</i> (Acari: Ixodidae) under natural conditions. Veterinary Parasitology, 2008, 156, 270-276.	0.7	22
106	<i>Rickettsia parkeri</i> in Argentina. Emerging Infectious Diseases, 2008, 14, 1894-1897.	2.0	84
107	The <i>Ornithodoros hasei</i> (Schulze, 1935) (Acari: Argasidae) species group in Argentina. Systematic and Applied Acarology, 2007, 12, 27.	0.5	12
108	Detection of a novel spotted fever group rickettsia in <i>Amblyomma parvum</i> ticks (Acari: Ixodidae) from Argentina. Experimental and Applied Acarology, 2007, 43, 63-71.	0.7	55

#	ARTICLE	IF	CITATIONS
109	The phylogenetic position of <i>Ixodes stilesi</i> Neumann, 1911 (Acari: Ixodidae): morphological and preliminary molecular evidences from 16S rDNA sequences. <i>Systematic Parasitology</i> , 2006, 65, 1-11.	0.5	34
110	The natural hosts for larvae and nymphs of <i>Amblyomma neumanni</i> and <i>Amblyomma parvum</i> (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	36
111	The parasitism of immature stages of <i>Ixodes loricatus</i> (Acari: Ixodidae) on wild rodents in Argentina. <i>Experimental and Applied Acarology</i> , 2005, 36, 139-148.	0.7	11