

# Kai Xu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1337574/kai-xu-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88  
papers

4,467  
citations

37  
h-index

65  
g-index

92  
ext. papers

5,305  
ext. citations

9.8  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
88	Recent advances in the fabrication of 2D metal oxides.. <i>IScience</i> , <b>2022</b> , 25, 103598	6.1	8
87	2D Palladium Sulphate for Visible-Light-Driven Optoelectronic Reversible Gas Sensing at Room Temperature. <i>Small Science</i> , <b>2022</b> , 2, 2100097		5
86	A room temperature all-optical sensor based on two-dimensional SnS for highly sensitive and reversible NO sensing. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 127813	12.8	6
85	Highly accurate and label-free discrimination of single cancer cell using a plasmonic oxide-based nanoprobe. <i>Biosensors and Bioelectronics</i> , <b>2021</b> , 113814	11.8	4
84	Atomically thin telluride multiheterostructures: toward spatial modulation of bandgaps. <i>Nanoscale</i> , <b>2021</b> , 13, 19587-19592	7.7	0
83	Plasmonic metal-organic framework nanocomposites enabled by degenerately doped molybdenum oxides. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 588, 305-314	9.3	10
82	Free-standing ultra-thin Janus indium oxysulfide for ultrasensitive visible-light-driven optoelectronic chemical sensing. <i>Nano Today</i> , <b>2021</b> , 37, 101096	17.9	15
81	Engineering two-dimensional metal oxides and chalcogenides for enhanced electro- and photocatalysis. <i>Science Bulletin</i> , <b>2021</b> , 66, 1228-1252	10.6	33
80	Tunable Optical Properties of 2D Materials and Their Applications. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2001313	8.1	24
79	Printable Single-Unit-Cell-Thick Transparent Zinc-Doped Indium Oxides with Efficient Electron Transport Properties. <i>ACS Nano</i> , <b>2021</b> , 15, 4045-4053	16.7	15
78	Hexagonal metal oxide monolayers derived from the metal-gas interface. <i>Nature Materials</i> , <b>2021</b> , 20, 1073-1078	27	34
77	A high-performance visible-light-driven all-optical switch enabled by ultra-thin gallium sulfide. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 3115-3121	7.1	2
76	Recent advances of atomically thin 2D heterostructures in sensing applications. <i>Nano Today</i> , <b>2021</b> , 40, 101287	17.9	14
75	Angstrom-scale-porous plasmonic molybdenum oxide for ultrasensitive optical chemical sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 349, 130740	8.5	4
74	Recent progress in intrinsic and stimulated room-temperature gas sensors enabled by low-dimensional materials. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 3026-3051	7.1	22
73	Reversible Room Temperature H Gas Sensing Based on Self-Assembled Cobalt Oxysulfide.. <i>Sensors</i> , <b>2021</b> , 22,	3.8	5
72	Strong Temperature Effect on the Ferroelectric Properties of CuInPS and Its Heterostructures. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 51820-51826	9.5	7

71	Van der Waals metallic alloy contacts for multifunctional devices. <i>2D Materials</i> , <b>2020</b> , 7, 025035	5.9	3
70	Deciphering the Role of Quaternary N in O <sub>2</sub> Reduction over Controlled N-Doped Carbon Catalysts. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 1384-1392	9.6	25
69	Heterogeneous Electronic and Photonic Devices Based on Monolayer Ternary Telluride Core/Shell Structures. <i>Advanced Materials</i> , <b>2020</b> , 32, e2002548	24	2
68	Resonant Tunneling and Negative Differential Resistance in Black Phosphorus Vertical Heterostructures. <i>Advanced Electronic Materials</i> , <b>2020</b> , 6, 2000318	6.4	6
67	Optical control of ferroelectric switching and multifunctional devices based on van der Waals ferroelectric semiconductors. <i>Nanoscale</i> , <b>2020</b> , 12, 23488-23496	7.7	17
66	Molybdenum Disulfide: Scalable Fabrication of Molybdenum Disulfide Nanostructures and their Assembly (Adv. Mater. 43/2020). <i>Advanced Materials</i> , <b>2020</b> , 32, 2070324	24	0
65	Scalable Fabrication of Molybdenum Disulfide Nanostructures and their Assembly. <i>Advanced Materials</i> , <b>2020</b> , 32, e2003439	24	4
64	Empowering 2D nanoelectronics via ferroelectricity. <i>Applied Physics Letters</i> , <b>2020</b> , 117, 080503	3.4	23
63	Machine Learning-Enabled Smart Sensor Systems. <i>Advanced Intelligent Systems</i> , <b>2020</b> , 2, 2000063	6	38
62	Immobilisation of microperoxidase-11 into layered MoO <sub>3</sub> for applications of enzymatic conversion. <i>Applied Materials Today</i> , <b>2019</b> , 16, 185-192	6.6	15
61	Exploring New Metal Electrodes for Ferroelectric Aluminum-Doped Hafnium Oxide. <i>IEEE Transactions on Electron Devices</i> , <b>2019</b> , 66, 2359-2364	2.9	17
60	Atomically Thin Ga <sub>2</sub> S <sub>3</sub> from Skin of Liquid Metals for Electrical, Optical, and Sensing Applications. <i>ACS Applied Nano Materials</i> , <b>2019</b> , 2, 4665-4672	5.6	37
59	Exciton-Driven Chemical Sensors Based on Excitation-Dependent Photoluminescent Two-Dimensional SnS. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 42462-42468	9.5	24
58	2D Plasmonic Tungsten Oxide Enabled Ultrasensitive Fiber Optics Gas Sensor. <i>Advanced Optical Materials</i> , <b>2019</b> , 7, 1901383	8.1	37
57	A human pilot trial of ingestible electronic capsules capable of sensing different gases in the gut. <i>Nature Electronics</i> , <b>2018</b> , 1, 79-87	28.4	171
56	Material Synthesis and Device Aspects of Monolayer Tungsten Diselenide. <i>Scientific Reports</i> , <b>2018</b> , 8, 5221	4.9	12
55	Synthesis of transition metal dichalcogenides and their heterostructures. <i>Materials Research Express</i> , <b>2018</b> , 5, 095904	1.7	6
54	Esaki Diodes Based on 2-D/3-D Heterojunctions. <i>IEEE Transactions on Electron Devices</i> , <b>2018</b> , 65, 4155-4159	9	7

53	Sub-10 nm Nanopattern Architecture for 2D Material Field-Effect Transistors. <i>Nano Letters</i> , <b>2017</b> , 17, 1065-1070	11.5	126
52	An efficient ternary CoPSe nanowire array for overall water splitting. <i>Nanoscale</i> , <b>2017</b> , 9, 3995-4001	7.7	63
51	Efficient Catalysis of Hydrogen Evolution Reaction from WS <sub>2</sub> Nanoribbons. <i>Small</i> , <b>2017</b> , 13, 1603706	11	50
50	Multifunctional tunneling devices based on graphene/h-BN/MoSe <sub>2</sub> van der Waals heterostructures. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 173507	3.4	38
49	Progress on Electronic and Optoelectronic Devices of 2D Layered Semiconducting Materials. <i>Small</i> , <b>2017</b> , 13, 1604298	11	55
48	Ferroelectric-induced carrier modulation for ambipolar transition metal dichalcogenide transistors. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 123106	3.4	17
47	Dendritic growth of monolayer ternary WSe <sub>2</sub> flakes for enhanced hydrogen evolution reaction. <i>Nanoscale</i> , <b>2017</b> , 9, 5641-5647	7.7	27
46	Synthesis of highly stable UiO-66-NH <sub>2</sub> membranes with high ions rejection for seawater desalination. <i>Microporous and Mesoporous Materials</i> , <b>2017</b> , 252, 207-213	5.3	38
45	Two-Dimensional Non-Layered Materials: Synthesis, Properties and Applications. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1603254	15.6	124
44	Synthesis, properties and applications of 2D layered MX (M = Ga, In; X = S, Se, Te) materials. <i>Nanoscale</i> , <b>2016</b> , 8, 16802-16818	7.7	100
43	High-Crystalline 2D Layered PbI <sub>2</sub> with Ultrasoft Surface: Liquid-Phase Synthesis and Application of High-Speed Photon Detection. <i>Advanced Electronic Materials</i> , <b>2016</b> , 2, 1600291	6.4	80
42	Epitaxial 2D PbS Nanoplates Arrays with Highly Efficient Infrared Response. <i>Advanced Materials</i> , <b>2016</b> , 28, 8051-8057	24	77
41	2D Materials: High-Crystalline 2D Layered PbI <sub>2</sub> with Ultrasoft Surface: Liquid-Phase Synthesis and Application of High-Speed Photon Detection (Adv. Electron. Mater. 11/2016). <i>Advanced Electronic Materials</i> , <b>2016</b> , 2,	6.4	2
40	Toward High-Performance Top-Gate Ultrathin HfS <sub>2</sub> Field-Effect Transistors by Interface Engineering. <i>Small</i> , <b>2016</b> , 12, 3106-11	11	42
39	Rational Design of Ultralarge Pb <sub>1-x</sub> Snx Te Nanoplates for Exploring Crystalline Symmetry-Protected Topological Transport. <i>Advanced Materials</i> , <b>2016</b> , 28, 617-23	24	35
38	Oriented Growth of Pb <sub>1-x</sub> Snx Te Nanowire Arrays for Integration of Flexible Infrared Detectors. <i>Advanced Materials</i> , <b>2016</b> , 28, 3596-601	24	31
37	Electrostatically tunable lateral MoTe <sub>2</sub> p-n junction for use in high-performance optoelectronics. <i>Nanoscale</i> , <b>2016</b> , 8, 13245-50	7.7	34
36	CoS(2x)Se(2(1-x)) nanowire array: an efficient ternary electrocatalyst for the hydrogen evolution reaction. <i>Nanoscale</i> , <b>2016</b> , 8, 4699-704	7.7	89

35	Synthesis of highly stable graphene oxide membranes on polydopamine functionalized supports for seawater desalination. <i>Chemical Engineering Science</i> , <b>2016</b> , 146, 159-165	4.4	141
34	Configuration-Dependent Electrically Tunable Van der Waals Heterostructures Based on MoTe <sub>2</sub> /MoS <sub>2</sub> . <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 5499-5506	15.6	68
33	Engineering the Electronic Structure of 2D WS <sub>2</sub> Nanosheets Using Co Incorporation as Co <sub>x</sub> W <sub>(1-x)</sub> S <sub>2</sub> for Conspicuously Enhanced Hydrogen Generation. <i>Small</i> , <b>2016</b> , 12, 3802-9	11	47
32	High-Performance Phototransistor of Epitaxial PbS Nanoplate-Graphene Heterostructure with Edge Contact. <i>Advanced Materials</i> , <b>2016</b> , 28, 6497-503	24	40
31	Highly sensitive photodetectors based on hybrid 2D-0D SnS <sub>2</sub> -copper indium sulfide quantum dots. <i>Applied Physics Letters</i> , <b>2016</b> , 108, 013101	3.4	22
30	Ultrahigh sensitive MoTe <sub>2</sub> phototransistors driven by carrier tunneling. <i>Applied Physics Letters</i> , <b>2016</b> , 108, 043503	3.4	78
29	Strong electrically tunable MoTe <sub>2</sub> /graphene van der Waals heterostructures for high-performance electronic and optoelectronic devices. <i>Applied Physics Letters</i> , <b>2016</b> , 109, 193111	3.4	39
28	Ultrafast and ultrasensitive phototransistors based on few-layered HfSe <sub>2</sub> . <i>Applied Physics Letters</i> , <b>2016</b> , 109, 213105	3.4	44
27	Integrated High-Performance Infrared Phototransistor Arrays Composed of Nonlayered PbS-MoS Heterostructures with Edge Contacts. <i>Nano Letters</i> , <b>2016</b> , 16, 6437-6444	11.5	79
26	van der Waals epitaxial ultrathin two-dimensional nonlayered semiconductor for highly efficient flexible optoelectronic devices. <i>Nano Letters</i> , <b>2015</b> , 15, 1183-9	11.5	116
25	Highly sensitive and fast phototransistor based on large size CVD-grown SnS <sub>2</sub> nanosheets. <i>Nanoscale</i> , <b>2015</b> , 7, 14093-9	7.7	99
24	Surface plasmon resonance enhanced light absorption of Au decorated composition-tuned ZnO/ZnxCd <sub>1-x</sub> Se <sub>y</sub> Te <sub>1-y</sub> core/shell nanowires for efficient H <sub>2</sub> production. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 123904	3.4	13
23	Ultraclean and large-area monolayer hexagonal boron nitride on Cu foil using chemical vapor deposition. <i>Nanotechnology</i> , <b>2015</b> , 26, 275601	3.4	22
22	Synthesis, properties and applications of 2D non-graphene materials. <i>Nanotechnology</i> , <b>2015</b> , 26, 292001	3.4	82
21	High-performance flexible photodetectors based on GaTe nanosheets. <i>Nanoscale</i> , <b>2015</b> , 7, 7252-8	7.7	97
20	Weak antilocalization effect of topological crystalline insulator Pb <sub>(1-x)</sub> Sn <sub>(x)</sub> Te nanowires with tunable composition and distinct {100} facets. <i>Nano Letters</i> , <b>2015</b> , 15, 2485-90	11.5	18
19	Designing the shape evolution of SnSe <sub>2</sub> nanosheets and their optoelectronic properties. <i>Nanoscale</i> , <b>2015</b> , 7, 17375-80	7.7	96
18	Tunable GaTe-MoS <sub>2</sub> van der Waals p-n Junctions with Novel Optoelectronic Performance. <i>Nano Letters</i> , <b>2015</b> , 15, 7558-66	11.5	303

17	Sulfur vacancy activated field effect transistors based on ReS <sub>2</sub> nanosheets. <i>Nanoscale</i> , <b>2015</b> , 7, 15757-627.7	36
16	Construction of CuInS <sub>2</sub> /Ag sensitized ZnO nanowire arrays for efficient hydrogen generation. <i>RSC Advances</i> , <b>2015</b> , 5, 81723-81727	3-7 13
15	Topological Crystalline Insulator Pb <sub>1-x</sub> Sn <sub>x</sub> Se Nanowires with {100} Facets. <i>Small</i> , <b>2015</b> , 11, 2019-25	11 11
14	Tungsten oxide@polypyrrole core-shell nanowire arrays as novel negative electrodes for asymmetric supercapacitors. <i>Small</i> , <b>2015</b> , 11, 749-55	11 129
13	Au plasmonics in a WS <sub>2</sub> -Au-CuInS <sub>2</sub> photocatalyst for significantly enhanced hydrogen generation. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 223902	3-4 23
12	Short channel field-effect transistors from ultrathin GaTe nanosheets. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 153507	3-4 8
11	BN-Enabled Epitaxy of Pb(1-x)Sn(x)Se Nanoplates on SiO <sub>2</sub> /Si for High-Performance Mid-Infrared Detection. <i>Small</i> , <b>2015</b> , 11, 5388-94	11 34
10	Enhanced Electrochemical H <sub>2</sub> Evolution by Few-Layered Metallic WS <sub>2</sub> (1-x)Se <sub>2x</sub> Nanoribbons. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 6077-6083	15.6 98
9	Ultrasensitive Phototransistors Based on Few-Layered HfS <sub>2</sub> . <i>Advanced Materials</i> , <b>2015</b> , 27, 7881-7	24 144
8	A High-Energy-Density Asymmetric Microsupercapacitor for Integrated Energy Systems. <i>Advanced Electronic Materials</i> , <b>2015</b> , 1, 1400053	6.4 18
7	Efficient CoO nanowire array photocatalysts for H <sub>2</sub> generation. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 153903	34 18
6	Construction of 3D V <sub>2</sub> O <sub>5</sub> /hydrogenated-WO <sub>3</sub> nanotrees on tungsten foil for high-performance pseudocapacitors. <i>Physical Chemistry Chemical Physics</i> , <b>2014</b> , 16, 12214-20	3.6 35
5	Component-controllable WS <sub>2</sub> (1-x)Se <sub>2x</sub> nanotubes for efficient hydrogen evolution reaction. <i>ACS Nano</i> , <b>2014</b> , 8, 8468-76	16.7 285
4	Van der Waals epitaxy and photoresponse of hexagonal tellurium nanoplates on flexible mica sheets. <i>ACS Nano</i> , <b>2014</b> , 8, 7497-505	16.7 198
3	Role of Ga vacancy on a multilayer GaTe phototransistor. <i>ACS Nano</i> , <b>2014</b> , 8, 4859-65	16.7 137
2	Atomic-layer triangular WSe <sub>2</sub> sheets: synthesis and layer-dependent photoluminescence property. <i>Nanotechnology</i> , <b>2013</b> , 24, 465705	3-4 94
1	Topological surface transport properties of single-crystalline SnTe nanowire. <i>Nano Letters</i> , <b>2013</b> , 13, 5344-9	11.5 102