Peter Comba

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1339249/peter-comba-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,361 186 66 48 h-index g-index citations papers 6,844 5.72 200 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
186	Exceptional Manganese(II) Stability and Manganese(II) / Zinc(II) Selectivity with Rigid Polydentate Ligands <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	3
185	Efficient synthesis for a wide variety of patellamide derivatives and phosphatase activity of copper-patellamide complexes <i>Chemistry - A European Journal</i> , 2022 ,	4.8	1
184	Molecular magnetic properties of a dysprosium(III) complex coordinated to a nonadentate bispidine ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 843-849	1.3	2
183	Validation of Ab-Initio-Predicted Magnetic Anisotropies and Magneto-structural Correlations in Linear Hetero-trinuclear Dy -Ni Compounds. <i>Chemistry - A European Journal</i> , 2021 , 27, 9372-9382	4.8	2
182	Excited State Properties of Lanthanide(III) Complexes with a Nonadentate Bispidine Ligand. <i>Chemistry - A European Journal</i> , 2021 , 27, 10303-10312	4.8	7
181	Pathways of the Extremely Reactive Iron(IV)-oxido complexes with Tetradentate Bispidine Ligands. <i>Chemistry - A European Journal</i> , 2021 , 27, 11377-11390	4.8	3
180	Phosphine-Catalyzed Vinylation at Low Acetylene Pressure. <i>Journal of Organic Chemistry</i> , 2021 , 86, 130	044133(0525
179	Redox Potentials of High-Valent Iron-, Cobalt-, and Nickel-Oxido Complexes: Evidence for Exchange Enhanced Reactivity. <i>Israel Journal of Chemistry</i> , 2020 , 60, 957-962	3.4	1
178	Mechanistic Investigation of the Nickel-Catalyzed Carbonylation of Alcohols. <i>Organometallics</i> , 2020 , 39, 870-880	3.8	3
177	Ru or Ru: A Study on Stabilizing the "Activated" Form of Ru-PNP Complexes with Additional Phosphine Ligands in Alcohol Dehydrogenation and Ester Hydrogenation. <i>Inorganic Chemistry</i> , 2020 , 59, 5099-5115	5.1	15
176	First-Generation Bispidine Chelators for Bi Radiopharmaceutical Applications. <i>ChemMedChem</i> , 2020 , 15, 1591-1600	3.7	14
175	Spin state and reactivity of iron(iv)oxido complexes with tetradentate bispidine ligands. <i>Dalton Transactions</i> , 2020 , 49, 2888-2894	4.3	14
174	Versatile Bispidine-Based Bifunctional Chelators for Cu -Labelling of Biomolecules. <i>Chemistry - A European Journal</i> , 2020 , 26, 1989-2001	4.8	11
173	Characterization and Reactivity of a Tetrahedral Copper(II) Alkylperoxido Complex. <i>Chemistry - A European Journal</i> , 2019 , 25, 11157-11165	4.8	6
172	Octadentate Oxine-Armed Bispidine Ligand for Radiopharmaceutical Chemistry. <i>Inorganic Chemistry</i> , 2019 , 58, 8685-8693	5.1	11
171	A Structural and Functional Model for the Tris-Histidine Motif in Cysteine Dioxygenase. <i>Chemistry - A European Journal</i> , 2019 , 25, 9540-9547	4.8	6
170	Optimization of Hexadentate Bispidine Ligands as Chelators for Cu PET Imaging. <i>ChemPlusChem</i> , 2018 , 83, 597-604	2.8	5

(2013-2018)

169	Correlation of Structural and Magnetic Properties in a Set of Mononuclear Lanthanide Complexes. <i>Chemistry - A European Journal</i> , 2018 , 24, 5319-5330	4.8	10
168	Heteroatom-Interchanged Isomers of Lissoclinamide 5: Copper(II) Complexation, Halide Binding, and Biological Activity. <i>European Journal of Organic Chemistry</i> , 2018 , 2018, 1465-1476	3.2	7
167	Direct Asymmetric Ruthenium-Catalyzed Reductive Amination of Alkyl-Aryl Ketones with Ammonia and Hydrogen. <i>Journal of the American Chemical Society</i> , 2018 , 140, 355-361	16.4	75
166	Cu selective chelators relieve copper-induced oxidative stress. <i>Chemical Science</i> , 2018 , 9, 7916-7930	9.4	35
165	Bispidines for radiopharmaceuticals. <i>Dalton Transactions</i> , 2018 , 47, 9202-9220	4.3	36
164	Iron catalyzed demethylation of acetic acid*. <i>Journal of Coordination Chemistry</i> , 2018 , 71, 1704-1714	1.6	1
163	Synthesis, structural analysis, solution equilibria and biological activity of rhodium(III) complexes with a quinquedentate polyaminopolycarboxylate. <i>RSC Advances</i> , 2017 , 7, 5282-5296	3.7	8
162	N-Aryl Groups Are Ubiquitous in Cross-Dehydrogenative Couplings Because They Stabilize Reactive Intermediates. <i>Chemistry - A European Journal</i> , 2017 , 23, 9313-9318	4.8	24
161	Nonheme Iron-Oxo-Catalyzed Methane Formation from Methyl Thioethers: Scope, Mechanism, and Relevance for Natural Systems. <i>Chemistry - A European Journal</i> , 2017 , 23, 10465-10472	4.8	14
160	Is Cu Coordinated to Patellamides inside Prochloron Cells?. <i>Chemistry - A European Journal</i> , 2017 , 23, 12264-12274	4.8	12
159	Octadentate Picolinic Acid-Based Bispidine Ligand for Radiometal Ions. <i>Chemistry - A European Journal</i> , 2017 , 23, 15945-15956	4.8	44
158	Dinuclear Copper(II) Complexes with Distant Metal Centers: Weaker Donor Groups Increase Catecholase Activity. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 56-62	2.3	17
157	Solution and solid state structures and magnetism of a series of linear trinuclear compounds with a hexacoordinate Ln and two terminal Ni centers. <i>Dalton Transactions</i> , 2016 , 46, 138-149	4.3	15
156	Dinuclear Zn and mixed Cu-Zn complexes of artificial patellamides as phosphatase models. <i>Dalton Transactions</i> , 2016 , 45, 18931-18945	4.3	11
155	A Bispidine Iron(IV) Dxo Complex in the Entatic State. <i>Angewandte Chemie</i> , 2016 , 128, 11295-11299	3.6	7
154	A Bispidine Iron(IV)-Oxo Complex in the Entatic State. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11129-33	16.4	32
153	First row transition metal complexes of a hexadentate pyrazole-based bispidine ligand. <i>Polyhedron</i> , 2013 , 52, 1239-1245	2.7	7
152	Optimization of pentadentate bispidines as bifunctional chelators for 64Cu positron emission tomography (PET). <i>Inorganic Chemistry</i> , 2013 , 52, 8131-43	5.1	39

151	An efficient fluctuating charge model for transition metal complexes. <i>Journal of Computational Chemistry</i> , 2013 , 34, 1598-608	3.5	13
150	Nonheme Oxoiron(IV) Complexes of Pentadentate N5 Ligands: Spectroscopy, Electrochemistry, and Oxidative Reactivity. <i>Chemical Science</i> , 2013 , 4, 282-291	9.4	123
149	Purple acid phosphatase: A journey into the function and mechanism of a colorful enzyme. <i>Coordination Chemistry Reviews</i> , 2013 , 257, 473-482	23.2	135
148	Synthesis, magnetic properties, and phosphoesterase activity of dinuclear cobalt(II) complexes. <i>Inorganic Chemistry</i> , 2013 , 52, 2029-43	5.1	54
147	Ensemble and single-molecule studies on fluorescence quenching in transition metal bipyridine-complexes. <i>PLoS ONE</i> , 2013 , 8, e58049	3.7	17
146	Tuning of the properties of transition-metal bispidine complexes by variation of the basicity of the aromatic donor groups. <i>Inorganic Chemistry</i> , 2013 , 52, 6481-501	5.1	47
145	Dinuclear Cobalt(II) Complexes as Metallo-Elactamase Mimics. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 3082-3089	2.3	9
144	Monoesterase activity of a purple acid phosphatase mimic with a cyclam platform. <i>Chemistry - A European Journal</i> , 2012 , 18, 1700-10	4.8	44
143	Cu(II) coordination chemistry of patellamide derivatives: possible biological functions of cyclic pseudopeptides. <i>Chemistry - A European Journal</i> , 2012 , 18, 2578-90	4.8	24
142	Spectroscopic characterization of the active Fe(III)Fe(III) and Fe(III)Fe(II) forms of a purple acid phosphatase model system. <i>Inorganic Chemistry</i> , 2012 , 51, 12195-209	5.1	37
141	Structure, bonding, and catecholase mechanism of copper bispidine complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 9214-25	5.1	53
140	Cyanide-bridged Fe(III)-Cu(II) complexes: Jahn-Teller isomerism and its influence on the magnetic properties. <i>Inorganic Chemistry</i> , 2012 , 51, 9357-68	5.1	15
139	Zero-field splitting in a series of structurally related mononuclear Ni(II)-bispidine complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 12324-35	5.1	33
138	Riboflavin carrier protein-targeted fluorescent USPIO for the assessment of vascular metabolism in tumors. <i>Biomaterials</i> , 2012 , 33, 8822-9	15.6	32
137	Cadmium(II) complexes: mimics of organophosphate pesticide degrading enzymes and metallo-🛘 actamases. <i>Inorganic Chemistry</i> , 2012 , 51, 7669-81	5.1	19
136	Dioxygen reactivity of new bispidine-copper complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 2841-51	5.1	26
135	Cyano-bridged homodinuclear copper(II) complexes. <i>Inorganic Chemistry</i> , 2011 , 50, 6890-901	5.1	27
134	Structures, spectroscopy and modeling of a rare set of isomeric copper(II) complexes. <i>Inorganica Chimica Acta</i> , 2011 , 374, 422-428	2.7	9

(2008-2011)

133	change from the natural thiazole/oxazoline to the artificial imidazole heterocycles. <i>Inorganic Chemistry</i> , 2011 , 50, 5165-74	5.1	23
132	Optimization of the Efficiency of Oxidation Catalysts Based on Iron Bispidine Complexes. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 2610-2615	2.3	11
131	Oxidation versus Dioxygenation of Catechol: The Iron B ispidine System. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 5242-5249	2.3	23
130	An oxocobalt(IV) complex stabilized by Lewis acid interactions with scandium(III) ions. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 1711-5	16.4	119
129	FMN-coated fluorescent iron oxide nanoparticles for RCP-mediated targeting and labeling of metabolically active cancer and endothelial cells. <i>Biomaterials</i> , 2011 , 32, 5863-71	15.6	53
128	Complex formation and stability of westiellamide derivatives with copper(II). <i>Journal of Biological Inorganic Chemistry</i> , 2010 , 15, 1129-35	3.7	12
127	Novel Rull Complexes with Bispidine-Based Bridging Ligands: Luminescence Sensing and Photocatalytic Properties. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 1295-1302	2.3	24
126	Iron-catalyzed halogenation of alkanes: modeling of nonheme halogenases by experiment and DFT calculations. <i>Chemistry - A European Journal</i> , 2010 , 16, 7293-9	4.8	76
125	Electron-transfer properties of an efficient nonheme iron oxidation catalyst with a tetradentate bispidine ligand. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2622-5	16.4	67
124	Synthesis, structure, and highly efficient copper-catalyzed aziridination with a tetraaza-bispidine ligand. <i>Chemistry - A European Journal</i> , 2009 , 15, 10880-7	4.8	46
123	Computation of structures and properties of transition metal compounds. <i>Coordination Chemistry Reviews</i> , 2009 , 253, 564-574	23.2	83
122	Cyanometalate-bridged oligonuclear transition metal complexes P ossibilities for a rational design of SMMs. <i>Coordination Chemistry Reviews</i> , 2009 , 253, 2306-2314	23.2	96
121	Calculation of exchange coupling constants of transition metal complexes with DFT. <i>Journal of Physical Chemistry A</i> , 2009 , 113, 6751-5	2.8	62
120	Oxidation of cyclohexane by high-valent iron bispidine complexes: tetradentate versus pentadentate ligands. <i>Inorganic Chemistry</i> , 2009 , 48, 10389-96	5.1	74
119	Novel bispidine ligands and their first-row transition metal complexes: trigonal bipyramidal and trigonal prismatic geometries. <i>Inorganic Chemistry</i> , 2009 , 48, 6604-14	5.1	27
118	Mono- and Dinuclear Copper(II) and Iron(II) Complexes of a Tetradentate Bispidine-diacetate Ligand. <i>Australian Journal of Chemistry</i> , 2009 , 62, 1238	1.2	10
117	Hexadentate bispidine derivatives as versatile bifunctional chelate agents for copper(II) radioisotopes. <i>Bioconjugate Chemistry</i> , 2009 , 20, 347-59	6.3	82
116	Modeling of the various minima on the potential energy surface of bispidine copper(II) complexes: a further test for ligand field molecular mechanics. <i>Inorganic Chemistry</i> , 2008 , 47, 9518-27	5.1	41

115	Epoxidation and 1,2-dihydroxylation of alkenes by a nonheme iron model system - DFT supports the mechanism proposed by experiment. <i>Inorganic Chemistry</i> , 2008 , 47, 78-93	5.1	54
114	Combined ligand field and density functional theory analysis of the magnetic anisotropy in oligonuclear complexes based on Fe(III)-CN-M(II) exchange-coupled pairs. <i>Inorganic Chemistry</i> , 2008 , 47, 2449-63	5.1	73
113	Trinuclear {M1}CN{M2}2 complexes (M1 = Cr(III), Fe(III), Co(III); M2 = Cu(II), Ni(II), Mn(II)). Are single molecule magnets predictable?. <i>Inorganic Chemistry</i> , 2008 , 47, 8112-25	5.1	58
112	Hydrophilic oxybathophenanthroline ligands: synthesis and copper(II) complexation. <i>New Journal of Chemistry</i> , 2008 , 32, 2016	3.6	8
111	Oxidation of cyclohexane by a high-valent iron bispidine complex: a combined experimental and computational mechanistic study. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 13028-36	2.8	52
110	CopperII-mediated aromatic ortho-hydroxylation: a hybrid DFT and AB initio exploration. <i>Chemistry - A European Journal</i> , 2008 , 14, 344-57	4.8	44
109	Copper(II) coordination chemistry of westiellamide and its imidazole, oxazole, and thiazole analogues. <i>Chemistry - A European Journal</i> , 2008 , 14, 4393-403	4.8	41
108	The mechanism of the (bispidine)copper(II)-catalyzed aziridination of styrene: a combined experimental and theoretical study. <i>Chemistry - A European Journal</i> , 2008 , 14, 5313-28	4.8	71
107	Stable five- and six-coordinate cobalt(III) complexes with a pentadentate bispidine ligand. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 4740-3	16.4	22
106	Electronic structure of bispidine iron(IV) oxo complexes. <i>Inorganic Chemistry</i> , 2007 , 46, 6420-6	5.1	51
105	A density functional theory study of the reaction of the biomimetic iron(II) complex of a tetradentate bispidine ligand with H2O2. <i>Inorganic Chemistry</i> , 2007 , 46, 3826-38	5.1	57
104	Biomimetic high-valent non-heme iron oxidants for the cis-dihydroxylation and epoxidation of olefins. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 8067-70	16.4	124
103	Competing Radical and Non-Radical Pathways for the Decomposition of LFeII(H2O2) Complexes: a Density Functional Study. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 65-73	2.3	15
102	Synthesis and Oxidation of Vanadyl Complexes Containing Bispidine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 657-664	2.3	19
101	On the ground state Tg?g (Tg=2T2g, 3T1g) Jahn Teller-coupling in hexacyano complexes of 3d-transition metals. <i>Journal of Molecular Structure</i> , 2007 , 838, 157-163	3.4	11
100	DFT-based studies on the Jahn-Teller effect in 3d hexacyanometalates with orbitally degenerate ground states. <i>Journal of Physical Chemistry A</i> , 2007 , 111, 9145-63	2.8	41
99	An examination of the binding behavior of histidine-containing peptides with immobilized metal complexes derived from the macrocyclic ligand, 1,4,7-triazacyclononane. <i>Journal of Biological Inorganic Chemistry</i> , 2007 , 12, 11-21	3.7	13
98	Catecholase activity of dicopper(II)-bispidine complexes: stabilities and structures of intermediates, kinetics and reaction mechanism. <i>Journal of Biological Inorganic Chemistry</i> , 2007 , 12, 36-48	3.7	41

(2004-2006)

97	structural variation, and magnetic exchange coupling pathways. <i>Chemistry - A European Journal</i> , 2006 , 12, 737-48	4.8	28
96	Catalytic epoxidation and 1,2-dihydroxylation of olefins with bispidine-iron(II)/H2O2 systems. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 3446-9	16.4	136
95	Formation of an aqueous oxoiron(IV) complex at pH 2-6 from a nonheme iron(II) complex and H2O2. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 5681-4	16.4	101
94	The Reactivity of Hexa(N-methylideneimine)CoIII Complexes towards Nucleophiles: Structure and Mechanism. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2792-2807	2.3	7
93	Synthesis of New Phenanthroline-Based Heteroditopic Ligands [Highly Efficient and Selective Fluorescence Sensors for Copper(II) Ions. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 4442-444	18 ^{.3}	34
92	DFT models for copper(II) bispidine complexes: structures, stabilities, isomerism, spin distribution, and spectroscopy. <i>Journal of Computational Chemistry</i> , 2006 , 27, 1263-77	3.5	67
91	Determination of the solution structures of melamine-based bis- and tris-macrocyclic ligand copper(II) complexes. <i>Inorganic Chemistry</i> , 2006 , 45, 3632-8	5.1	27
90	Tuning of inter- versus intrachain magnetic interactions in cyano-bridged Ni(II)/M(III) (M = Cr, Fe, Co) chain complexes. <i>Inorganic Chemistry</i> , 2006 , 45, 7722-35	5.1	31
89	Spin-crossover in an iron(III)-bispidine-alkylperoxide system. <i>Inorganic Chemistry</i> , 2006 , 45, 7077-82	5.1	44
88	DFT studies on the magnetic exchange across the cyanide bridge. <i>Journal of Physical Chemistry A</i> , 2006 , 110, 13332-40	2.8	50
87	A new molecular mechanics force field for the design of oxotechnetium(V) and oxorhenium(V) radiopharmaceuticals. <i>Journal of Organometallic Chemistry</i> , 2006 , 691, 2495-2502	2.3	19
86	Coordination chemistry of a new rigid, hexadentate bispidine-based bis(amine)tetrakis(pyridine) ligand. <i>Inorganic Chemistry</i> , 2005 , 44, 8145-55	5.1	59
85	Electronic Interactions in Ferrocene- and Ruthenocene-Functionalized Tetraazamacrcocyclic Ligand Complexes of FeII/III, CoII, NiII, Cull and ZnII. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 383-38	8 8 .3	7
84	Synthesis and Binding Properties of Dendritic Oxybathophenanthroline Ligands towards Copper(II). <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4501-4508	2.3	8
83	Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (=3,7-Diazabicyclo[3.3.1]nonane) Ligands. <i>Helvetica Chimica Acta</i> , 2005 , 88, 647-664	2	46
82	Structural variation in the copper(II) complexes with a tetradentate bis-6-methylpyridine-substituted bispidine ligand. <i>Comptes Rendus Chimie</i> , 2005 , 8, 1506-1518	2.7	14
81	Interpretation of the temperature-dependent color of blue copper protein mutants. <i>Journal of Inorganic Biochemistry</i> , 2004 , 98, 896-902	4.2	19
80	Bispidine ligand effects on iron/hydrogen peroxide chemistry. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 1283-7	16.4	77

79	Slow Electron Self-Exchange in Spite of a Small Inner-Sphere Reorganisation Energy IThe Electron-Transfer Properties of a Copper Complex with a Tetradentate Bispidine Ligand. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 4640-4645	2.3	29
78	Density functional investigation of metal-metal interactions in mixed-valence d2d3 (Cr, Mo, W) and d3d4 (Mn, Tc, Re) face-shared [M2Cl9]2- systems. <i>Inorganic Chemistry</i> , 2004 , 43, 6734-44	5.1	14
77	Heterotrinuclear Complexes of the Platinum Group Metals with 2,2?-Biimidazole as a Bridging Ligand. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 1703-1710	2.3	20
76	Catalytic Aziridination of Styrene with Copper Complexes of Substituted 3,7-Diazabicyclo[3.3.1]nonanones. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 1711-1718	2.3	59
75	Macrocyclic Melamine-Based Ligand Complexes as Building Blocks for the Metal-Directed Synthesis of Heterometallic Di- and Trinuclear Compounds. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 34-37	2.3	10
74	Bond-stretch isomerism: trapped isomeric structures of hexacoordinate copper(II) bispidine chromophores along a Jahn-Teller active vibrational coordinate. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 4536-40	16.4	48
73	Structure correlation in bispidine coordination compounds Bromerism and tuneable reactivity. <i>Crystal Engineering</i> , 2003 , 6, 197-211		18
72	Structural properties of cyclopentanone-bridged bis-macrocyclic ligand dicopper(II) complexes in the solid and in solution: a successful test of the MM-EPR method. <i>Inorganic Chemistry</i> , 2003 , 42, 3387-9	5.1	21
71	Synthesis and structural properties of patellamide A derivatives and their copper(II) compounds. <i>Chemistry - A European Journal</i> , 2002 , 8, 1527-36	4.8	44
70	Structural variation in transition-metal bispidine compounds. <i>Chemistry - A European Journal</i> , 2002 , 8, 5750-60	4.8	74
69	Cooperative Effects in the Binding of Substrates to Nickel(II) and Nickel(III) Complexes with a Bis(macrocyclic) Ligand. <i>European Journal of Inorganic Chemistry</i> , 2002 , 2002, 1871-1882	2.3	7
68	A new molecular mechanics force field for the oxidized form of blue copper proteins. <i>Journal of Computational Chemistry</i> , 2002 , 23, 697-705	3.5	73
67	Structural and mechanistic studies of the copper(II)-assisted ortho-hydroxylation of benzoates by trimethylamine N-oxide. <i>Journal of Organometallic Chemistry</i> , 2002 , 641, 71-80	2.3	20
66	Iron coordination chemistry with tetra-, penta- and hexadentate bispidine-type ligands. <i>Inorganica Chimica Acta</i> , 2002 , 337, 407-419	2.7	88
65	Trends in Base Hydrolysis Rates of Chlorocobalt(III) Complexes of a Series of Related Pentaamine Ligands. <i>Inorganic Reaction Mechanisms</i> , 2002 , 4, 31-47		3
64	Copper-bispidine coordination chemistry: syntheses, structures, solution properties, and oxygenation reactivity. <i>Inorganic Chemistry</i> , 2002 , 41, 5440-52	5.1	65
63	An amicyanin C-terminal loop mutant where the active-site histidine donor cannot be protonated. Journal of Biological Inorganic Chemistry, 2001 , 6, 23-6	3.7	25
62	The Role of the Apical Donor in the Decomposition of Copper(II) Benzoate under DOW-Phenol Conditions. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 3143-3149	2.3	11

61	Catalytic Dehalogenation of Halogenated Pyridine Donors under DOW-Phenol Conditions. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 3151-3154	2.3	2	
60	Hybrid quantum mechanics/molecular mechanics studies of the active site of the blue copper proteins amicyanin and rusticyanin. <i>Inorganica Chimica Acta</i> , 2001 , 324, 21-26	2.7	27	
59	Axial bonds in copper(II) compounds. <i>Inorganica Chimica Acta</i> , 2001 , 324, 99-107	2.7	25	
58	Molecular mechanics: theoretical basis, rules, scope and limits. <i>Coordination Chemistry Reviews</i> , 2001 , 212, 3-10	23.2	36	
57	Template synthesis of a tetraazamacrocyclic ligand with two pendant pyridinyl groups: properties of the isomers of the metal-free ligand and of their first-row transition metal compounds. <i>Inorganic Chemistry</i> , 2001 , 40, 2335-45	5.1	34	
56	Bispidine copper(II) compounds: effects of the rigid ligand backbone. <i>Inorganic Chemistry</i> , 2001 , 40, 520	06591	57	
55	A copper(I) oxygenation precursor in the entatic state: two isomers of a copper(I) compound of a rigid tetradentate ligand. <i>Chemistry - A European Journal</i> , 2000 , 6, 914-9	4.8	56	
54	Loop-Directed Mutagenesis of the Blue Copper Protein Amicyanin from Paracoccus versutus and Its Effect on the Structure and the Activity of the Type-1 Copper Site. <i>Journal of the American Chemical Society</i> , 2000 , 122, 204-211	16.4	69	
53	Strains and stresses in coordination compounds. <i>Coordination Chemistry Reviews</i> , 1999 , 182, 343-371	23.2	87	
52	Conformational searching of transition metal compounds. <i>Journal of Computational Chemistry</i> , 1999 , 20, 1549-1558	3.5	29	
51	Isomerism in Copper(I)-Induced Folding of Homoditopic Macrocyclic Ligands with Bis(dithiadiimine) Donor Sets. <i>European Journal of Inorganic Chemistry</i> , 1999 , 1999, 509-515	2.3	6	
50	A Simple New Structural Force Field for the Computation of Linear Metallocenes. <i>European Journal of Inorganic Chemistry</i> , 1999 , 1999, 1787-1792	2.3	5	
49	Structural Variation of Dinuclear Transition Metal Compounds with a Common Type of Ligand: Solid State and Solution Structures and Model Studies. <i>Inorganic Chemistry</i> , 1999 , 38, 1416-1421	5.1	22	
48	Bis-macrocyclic Ligands with Two Ferrocenyl End Groups, and Their Tetranuclear Dicopper(I) Compounds. <i>Inorganic Chemistry</i> , 1999 , 38, 3316-3320	5.1	11	
47	Transition Metal Coordination Compounds of Bisamidobispyridyl Ligands. <i>European Journal of Inorganic Chemistry</i> , 1998 , 1998, 2041-2049	2.3	21	
46	Molecular mechanics modeling of organic backbone of metal-free and coordinated ligands. <i>Journal of Computational Chemistry</i> , 1998 , 19, 512-523	3.5	65	
45	Helical Figure-of-Eight Loop Dicopper(I) Compounds: Syntheses, Structures, and Dynamics. <i>Inorganic Chemistry</i> , 1998 , 37, 4389-4401	5.1	33	
44	The Solution Structure of a Copper(II) Compound of a New Cyclic Octapeptide by EPR Spectroscopy and Force Field Calculations. <i>Inorganic Chemistry</i> , 1998 , 37, 6721-6727	5.1	40	

43	Structural, EPR, and Electrochemical Studies of Binuclear Copper(II) Complexes of Bis(pentadentate) Ligands Derived from Bis(1,4,7-triazacyclonane) Macrocycles. <i>Inorganic Chemistry</i> , 1998 , 37, 3705-3713	5.1	37
42	Preparation, Structure, and Electronic Properties of a Low-Spin Iron(II) Hexaamine Compound. <i>Inorganic Chemistry</i> , 1998 , 37, 3853-3857	5.1	24
41	Molecular Mechanics Calculations and the Metal Ion Selective Extraction of Lanthanoids. <i>Inorganic Chemistry</i> , 1998 , 37, 3310-3315	5.1	37
40	Modeling of End-On (&mgr-Peroxo)dicopper(II) Complexes. <i>Inorganic Chemistry</i> , 1997 , 36, 2309-2313	5.1	25
39	Novel Ring Contraction Reaction for the Synthesis of Functionalized Tetrathiamacrocyclic Ligand Molecules. <i>Journal of Organic Chemistry</i> , 1997 , 62, 8459-8462	4.2	8
38	Modeling of the Redox Properties of (Hexaamine)cobalt(III/II) Couples. <i>Inorganic Chemistry</i> , 1997 , 36, 4500-4507	5.1	53
37	Solution Structures of a Pair of Stable Hexaaminecobalt (III/II) Conformers. <i>Angewandte Chemie International Edition in English</i> , 1997 , 36, 2006-2008		13
36	The Structure of an Isomeric Pair of a (Tetraamine)copper(II) Compound in the solid state and in solution. <i>Helvetica Chimica Acta</i> , 1997 , 80, 1831-1842	2	16
35	Reduction Potentials of Tetraaminecopper(II/I) Couples. Helvetica Chimica Acta, 1997, 80, 1983-1991	2	21
34	Inorganic Molecular Mechanics. <i>Journal of Chemical Education</i> , 1996 , 73, 108	2.4	15
33	Interpretation of Electronic and EPR Spectra of Copper(II) Amine Complexes: A Test of the MM-AOM Method. <i>Inorganic Chemistry</i> , 1995 , 34, 3903-3911	5.1	90
32	Double Helical Dinuclear Copper(I) Complexes of Macrocyclic Bis(dithiadiimine) Ligands. <i>Angewandte Chemie International Edition in English</i> , 1995 , 34, 1883-1885		23
31	The Directionality of d-Orbitals and Molecular-Mechanics Calculations of Octahedral Transition-Metal Compounds. <i>Helvetica Chimica Acta</i> , 1995 , 78, 2042-2047	2	49
30	Solution Structures of Coordination Compounds. <i>Comments on Inorganic Chemistry</i> , 1994 , 16, 133-151	3.9	29
29	Prediction and Interpretation of EPR Spectra of Low-Spin Iron(III) Complexes with the MM-AOM Method. <i>Inorganic Chemistry</i> , 1994 , 33, 4577-4583	5.1	26
28	Solution Structures and Isomer Distributions of Bis(.betadiketonato) Complexes of Titanium(IV) and Cobalt(III). <i>Inorganic Chemistry</i> , 1994 , 33, 3396-3400	5.1	40
27	Molecular Mechanics and the Jahn-Teller Effect. <i>Inorganic Chemistry</i> , 1994 , 33, 5368-5369	5.1	51
26	Metal-Directed Synthesis of Macrocyclic Tetraamines With Pendant Nitro or Amine Groups, Based on trans-Cyclohexane-1,2-diamine. <i>Australian Journal of Chemistry</i> , 1994 , 47, 1171	1.2	16

25	Prediction and interpretation of electronic spectra of transition metal complexes via the combination of molecular mechanics and angular overlap model calculations. <i>Inorganic Chemistry</i> , 1993 , 32, 2798-2803	5.1	52
24	Complexation of cis-6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine with the first row transition metal ions cobalt(III), chromium(III), and nickel(II). <i>Inorganic Chemistry</i> , 1993 , 32, 2804-28	0 ^{5.1}	22
23	The relation between ligand structures, coordination stereochemistry, and electronic and thermodynamic properties. <i>Coordination Chemistry Reviews</i> , 1993 , 123, 1-48	23.2	141
22	Molecular mechanics calculations of transition metal complexes. <i>Inorganic Chemistry</i> , 1992 , 31, 2638-26	54 4 1	112
21	Determination of solution structures of binuclear copper(II) complexes. <i>Inorganic Chemistry</i> , 1992 , 31, 2644-2651	5.1	57
20	Transition metal complexes of the novel tridentate di-2-pyridylmethanamine (dipa). <i>Inorganic Chemistry</i> , 1992 , 31, 4194-4200	5.1	24
19	Predictions and methods of separation of racemic bidentate ligands via stereoselective ligand exchange reactions. <i>Inorganic Chemistry</i> , 1992 , 31, 1220-1223	5.1	7
18	Chiral Tetraamines Based on (S)-2-(Aminomethyl)pyrrolidine: Template synthesis and properties of copper(II) complexes. <i>Helvetica Chimica Acta</i> , 1992 , 75, 145-152	2	12
17	Base Hydrolysis of Pentaaminecobalt(III) Complexes: The [CoX(dien) (dapo)]n+ system. Part 1. Syntheses, structures, configuration, and spectroscopy. <i>Helvetica Chimica Acta</i> , 1992 , 75, 1130-1146	2	9
16	Base Hydrolysis of Pentaaminecobalt(III) Complexes: The [CoX(dien) (dapo)]n+ system. Part 2. Structure and reactivity of the pentacoordinate intermediate. <i>Helvetica Chimica Acta</i> , 1992 , 75, 1147-17	1 7 1	17
15	Base Hydrolysis of Pentaaminecobalt (III) Complexes: The [CoX(dien) (dapo)]n+ system. Part 3. The internal conjugate base mechanism. <i>Helvetica Chimica Acta</i> , 1992 , 75, 1172-1184	2	15
14	A Molecular-Mechanics Analysis of Complexes of the Sexidentate Macrocycles cis- and trans-6,13-Dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine. <i>Helvetica Chimica Acta</i> , 1991 , 74, 1834-1842	2	17
13	Coordination of the sexidentate macrocycle 6,13-diamine to iron(III). <i>Inorganic Chemistry</i> , 1991 , 30, 942-946	5.1	27
12	EPR spectrum and metal-ligand bonding parameters of a low-spin (hexaamine)iron(III) complex. <i>Inorganic Chemistry</i> , 1991 , 30, 4088-4093	5.1	30
11	Synthesis, Crystal Structure and Magnetism of a Macrocyclic Binuclear Dicopper(II) Amino Alcohol Complex From a Metal Directed Reaction Involving Formaldehyde and Nitroethane. <i>Australian Journal of Chemistry</i> , 1990 , 43, 69	1.2	18
10	Stereoselective Coordination to Chiral Matrices. Cobalt(III). Chemistry of Simple Facially Coordinating Chiral Triamines. <i>Helvetica Chimica Acta</i> , 1990 , 73, 874-882	2	6
9	Dicopper(II) Complexes of Spiro Macrobicycles With Aza and Thia Aza Donor Sets. <i>Australian Journal of Chemistry</i> , 1990 , 43, 2035	1.2	23
8	Coordination of the "pendant-arm" macrocycle 6,13-diamino-6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane to chromium(III). Crystal structure	5.1	17

7	Energy-Minimized Structures and Calculated and Experimental Isomer distributions in the hexaamine-cobalt(III) system [Co(L)2]3+ with the chiral facially-coordinating triamine (l = butane-1,2,4-triamine). <i>Helvetica Chimica Acta</i> , 1989 , 72, 1029-1037	2	16
6	Coordination geometries of hexaamine cage complexes. <i>Inorganic Chemistry</i> , 1989 , 28, 426-431	5.1	45
5	The solution structure and reactivity of decavanadate. <i>Helvetica Chimica Acta</i> , 1988 , 71, 1406-1420	2	19
4	Energy-Minimized Structures and Calculated and Experimental Isomer Distributions in the Hexaaminecobalt(III) system [Co(trap)2]3+ (trap = 1,2,3-propanetriamine). <i>Helvetica Chimica Acta</i> , 1988 , 71, 1875-1880	2	20
3	Synthesis of a Cis-N2s2 Donor Macrocycle by Metal-Directed Condensation of Formaldehyde, Nitroethane and a Diaminodithiaalkane - Crystal-Structure of the (6-Methyl-6-Nitro-1,11-Dithia-4,8-Diazacyclotetradecane)-Copper(II) Perchlorate Product. <i>Australian</i>	1.2	19
	Journal of Chemistry, 1988 , 41, 773		
2	The titanyl question revisited. <i>Inorganic Chemistry</i> , 1987 , 26, 1315-1323	5.1	89
1	Exceptional Manganese(II) Stability and Manganese(II)/Zinc(II) Selectivity with Rigid Polydentate Ligands**. Angewandte Chemie.e202115580	3.6	О