Frank Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1340207/publications.pdf

Version: 2024-02-01

840776 752698 22 677 11 20 citations h-index g-index papers 22 22 22 1083 docs citations all docs times ranked citing authors

| # | Article | IF | Citations |
|----|--|------------------------|-------------------------------------|
| 1 | Fabrication of Dense Aluminum Nanoparticle Arrays with Controllable Deep Ultraviolet Surface Plasmon Resonance Properties. , 2018, , . | | 0 |
| 2 | Magnetization reversal in ferromagnetic wires patterned with antiferromagnetic gratings. Applied Physics Letters, 2017, 110, . | 3.3 | 1 |
| 3 | Canadian pyrrhotite treatment: the history, inventory and potential for tailings processing. Canadian Metallurgical Quarterly, 2017, 56, 410-417. | 1.2 | 18 |
| 4 | Magnetization Reversal in Ferromagnetic Films Patterned with Antiferromagnetic Gratings of Various Sizes. Physical Review Applied, 2015, 4, . | 3.8 | 2 |
| 5 | Chemical synthesis of exchange-coupled nanocomposite magnets. , 2015, , . | | 0 |
| 6 | Magnetic structure and anisotropy of <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"> <mml:mrow> <mml:msub> <mml:mrow> <mml:mo> [<td>nl:n3⊙2> < mr</td><td>nl:@#ow><mr< td=""></mr<></td></mml:mo></mml:mrow></mml:msub></mml:mrow></mml:math> | n l:n3⊙2 > < mr | nl: @# ow> <mr< td=""></mr<> |
| 7 | Influence of phase and morphology on thermal conductivity of alumina particle/silicone rubber composites. Applied Physics A: Materials Science and Processing, 2014, 117, 1985-1992. | 2.3 | 54 |
| 8 | Size-dependent magnetic properties of 100–500 nm diameter IrMn/NiFe disks made by a two-step deposition process. Journal of Applied Physics, 2014, 116, . | 2.5 | 6 |
| 9 | Recent development of metal hydroxides as electrode material of electrochemical capacitors. RSC Advances, 2014, 4, 38893-38917. | 3.6 | 143 |
| 10 | Evolution of cobalt hydroxide from 2D microplatelets to a 3D hierarchical structure mediated by precursor concentration. RSC Advances, 2013, 3, 13304. | 3.6 | 12 |
| 11 | Effect of Microstructural Evolution and Hardening in Subsurface on Wear Behavior of Mg-3Al-1Zn Alloy. Journal of Materials Engineering and Performance, 2013, 22, 3783-3791. | 2.5 | 9 |
| 12 | Porous cobalt oxides with tunable hierarchical morphologies for supercapacitor electrodes. CrystEngComm, 2012, 14, 6702. | 2.6 | 99 |
| 13 | Effect of calcination temperature on the porous structure of cobalt oxide micro-flowers. CrystEngComm, 2012, 14, 1271-1276. | 2.6 | 70 |
| 14 | Controllable one-step synthesis of magnetite/carbon nanotubes composite and its electrochemical properties. Applied Physics A: Materials Science and Processing, 2012, 106, 837-842. | 2.3 | 19 |
| 15 | Wettability of porous twoâ €d imensional ZnO nanocrystal films. Canadian Journal of Chemical Engineering, 2011, 89, 1583-1589. | 1.7 | 2 |
| 16 | Effect of ferric ions on the morphology and size of magnetite nanocrystals synthesized by ultrasonic irradiation. Crystal Research and Technology, 2011, 46, 723-730. | 1.3 | 13 |
| 17 | Threeâ€Dimensional Geometry of Nanometerâ€Scale AlN Pits: A New Template for Quantum Dots?. Advanced Materials, 2008, 20, 134-137. | 21.0 | 5 |
| 18 | TEM characterization of metal and metal oxide particles supported by multi-wall carbon nanotubes. Journal of Materials Science, 2006, 41, 4523-4531. | 3.7 | 14 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Nanomechanical Architecture of Strained Bilayer Thin Films: From Design Principles to Experimental Fabrication. Advanced Materials, 2005, 17, 2860-2864. | 21.0 | 167 |
| 20 | Insulator-metal transition shift related to magnetic polarons in La 0.67- xY xCa 0.33MnO 3. European Physical Journal B, 2003, 32, 5-11. | 1.5 | 9 |
| 21 | Transport properties of La 1 - x Ca x MnO 3 (0.5 ? x < 1). European Physical Journal B, 2002, 26, 467-471. | 1.5 | 8 |
| 22 | Dynamics of Liquid Crystalline Side-Chain Poly(Vinyl Ether)s. Journal of Macromolecular Science - Pure and Applied Chemistry, 1996, 33, 1555-1563. | 2.2 | 2 |