
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1341429/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Systematic Review of Universal Resilience-Focused Interventions Targeting Child and Adolescent Mental Health in the School Setting. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 813-824.	0.3	318
2	Acceptance and Commitment Therapy in the treatment of anxiety: A systematic review. Clinical Psychology Review, 2013, 33, 965-978.	6.0	149
3	Disordered Eating and Unhealthy Weight Reduction Practices among Adolescent Females. Preventive Medicine, 1996, 25, 748-756.	1.6	139
4	Risk factors for mental disorder among university students in Australia: findings from a web-based cross-sectional survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 935-944.	1.6	116
5	Where there's smoke, there's fire: high prevalence of smoking among some sub-populations and recommendations for intervention. Drug and Alcohol Review, 2006, 25, 85-96.	1.1	105
6	Young adult cancer survivors' psychosocial well-being: a cross-sectional study assessing quality of life, unmet needs, and health behaviors. Supportive Care in Cancer, 2012, 20, 1333-1341.	1.0	100
7	Acceptance and Commitment Therapy for children: A systematic review of intervention studies. Journal of Contextual Behavioral Science, 2015, 4, 73-85.	1.3	70
8	Readiness to Quit Smoking and Quit Attempts Among Australian Mental Health Inpatients. Nicotine and Tobacco Research, 2013, 15, 942-949.	1.4	67
9	Systematic review of universal school-based â€ [~] resilience' interventions targeting adolescent tobacco, alcohol or illicit substance use: A meta-analysis. Preventive Medicine, 2017, 100, 248-268.	1.6	62
10	Self-Compassion Amongst Clients with Problematic Alcohol Use. Mindfulness, 2012, 3, 308-317.	1.6	56
11	Effectiveness of a pragmatic schoolâ€based universal intervention targeting student resilience protective factors in reducing mental health problems in adolescents. Journal of Adolescence, 2017, 57, 74-89.	1.2	55
12	A mixed-method examination of food marketing directed towards children in Australian supermarkets. Health Promotion International, 2014, 29, 267-277.	0.9	52
13	A COMPARISON OF TWO RETROSPECTIVE MEASURES OF WEEKLY ALCOHOL CONSUMPTION: DIARY AND QUANTITY/FREQUENCY INDEX. Alcohol and Alcoholism, 1999, 34, 636-645.	0.9	51
14	Total smoking bans in psychiatric inpatient services: a survey of perceived benefits, barriers and support among staff. BMC Public Health, 2010, 10, 372.	1.2	50
15	To enforce or engage: The relationship between coercion, treatment motivation and therapeutic alliance within community-based drug and alcohol clients. Addictive Behaviors, 2013, 38, 2187-2195.	1.7	48
16	Impact of a Postdischarge Smoking Cessation Intervention for Smokers Admitted to an Inpatient Psychiatric Facility: A Randomized Controlled Trial. Nicotine and Tobacco Research, 2014, 16, 1417-1428.	1.4	47
17	A school-based resilience intervention to decrease tobacco, alcohol and marijuana use in high school students. BMC Public Health, 2011, 11, 722.	1.2	46
18	A Randomised Controlled Trial of Strategies to Prompt Attendance for a Pap Smear. Journal of Medical Screening, 1995, 2, 211-218.	1.1	44

#	Article	IF	CITATIONS
19	A cluster randomized controlled trial of a telephone-based parent intervention to increase preschoolers' fruit and vegetable consumption. American Journal of Clinical Nutrition, 2012, 96, 102-110.	2.2	41
20	Improving adolescent mental health and resilience through a resilience-based intervention in schools: study protocol for a randomised controlled trial. Trials, 2014, 15, 289.	0.7	38
21	The impact of a smoke-free psychiatric hospitalization on patient smoking outcomes: a systematic review. Australian and New Zealand Journal of Psychiatry, 2014, 48, 617-633.	1.3	36
22	Factors affecting nonadherence with antibiotics. Diagnostic Microbiology and Infectious Disease, 1992, 15, 103-109.	0.8	34
23	Community-based alcohol counselling: a randomized clinical trial. Addiction, 2002, 97, 1449-1463.	1.7	33
24	A randomised controlled trial and mediation analysis of the â€~Healthy Habits', telephone-based dietary intervention for preschool children. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 43.	2.0	33
25	Efficacy of a universal smoking cessation intervention initiated in inpatient psychiatry and continued post-discharge: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2017, 51, 366-381.	1.3	33
26	Computers in community-based drug and alcohol clinical settings: are they acceptable to respondents?. Drug and Alcohol Dependence, 1998, 50, 177-180.	1.6	32
27	Clinical Outcomes Associated with Depression, Anxiety and Social Support Among Cardiac Rehabilitation Attendees. Australian and New Zealand Journal of Psychiatry, 2010, 44, 658-666.	1.3	32
28	Randomized controlled trial of a telephone-based intervention for child fruit and vegetable intake: long-term follow-up. American Journal of Clinical Nutrition, 2014, 99, 543-550.	2.2	32
29	Systematic review of universal resilience interventions targeting child and adolescent mental health in the school setting: review protocol. Systematic Reviews, 2015, 4, 186.	2.5	32
30	An audit of the prevalence of recorded nicotine dependence treatment in an Australian psychiatric hospital. Australian and New Zealand Journal of Public Health, 2010, 34, 298-303.	0.8	30
31	A cluster randomised trial of a telephone-based intervention for parents to increase fruit and vegetable consumption in their 3- to 5-year-old children: study protocol. BMC Public Health, 2010, 10, 216.	1.2	29
32	Randomised controlled trial of group cognitive behaviour therapy versus brief intervention for depression in cardiac patients. Australian and New Zealand Journal of Psychiatry, 2013, 47, 235-243.	1.3	29
33	Acceptance and Commitment Therapy for anxious children and adolescents: study protocol for a randomized controlled trial. Trials, 2013, 14, 140.	0.7	27
34	Association between adolescent tobacco, alcohol and illicit drug use and individual and environmental resilience protective factors. BMJ Open, 2016, 6, e012688.	0.8	27
35	Smoking cessation among Australian methadone clients: Prevalence, characteristics and a need for action. Drug and Alcohol Review, 2012, 31, 507-513.	1.1	26
36	Behavioural alcohol research: new directions or more of the same?. Addiction, 1997, 92, 1411-1422.	1.7	25

#	Article	IF	CITATIONS
37	Acceptability and Receipt of Preventive Care for Chronic-Disease Health Risk Behaviors Reported by Clients of Community Mental Health Services. Psychiatric Services, 2015, 66, 857-864.	1.1	25
38	Mechanisms of change: Exploratory outcomes from a randomised controlled trial of acceptance and commitment therapy for anxious adolescents. Journal of Contextual Behavioral Science, 2015, 4, 56-67.	1.3	23
39	Mental health problems in a regional population of Australian adolescents: association with socio-demographic characteristics. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 32.	1.2	23
40	Psychological treatment for methamphetamine use and associated psychiatric symptom outcomes: A systematic review. Journal of Substance Abuse Treatment, 2020, 109, 61-79.	1.5	22
41	Comparison of Three Methods to Assess Binge Consumption: Oneâ€Week Retrospective Drinking Diary, AUDIT, and Quantity/Frequency. Substance Abuse, 1998, 19, 191-203.	1.1	21
42	Mental health clinician attitudes to the provision of preventive care for chronic disease risk behaviours and association with care provision. BMC Psychiatry, 2016, 16, 57.	1.1	21
43	Smoking and Mental Illness: A Bibliometric Analysis of Research Output Over Time. Nicotine and Tobacco Research, 2017, 19, 24-31.	1.4	21
44	Systematic review and meta-analysis of the provision of preventive care for modifiable chronic disease risk behaviours by mental health services. Preventive Medicine Reports, 2019, 16, 100969.	0.8	21
45	A cluster randomised trial of a school-based resilience intervention to decrease tobacco, alcohol and illicit drug use in secondary school students: study protocol. BMC Public Health, 2012, 12, 1009.	1.2	19
46	Effectiveness of a pragmatic school-based universal resilience intervention in reducing tobacco, alcohol and illicit substance use in a population of adolescents: cluster-randomised controlled trial. BMJ Open, 2017, 7, e016060.	0.8	18
47	Community-based drug and alcohol counselling: who attends and why?. Drug and Alcohol Review, 2002, 21, 153-162.	1.1	17
48	Implementation of a smokeâ€free policy in an inpatient psychiatric facility: Patientâ€reported adherence, support, and receipt of nicotineâ€dependence treatment. International Journal of Mental Health Nursing, 2015, 24, 342-349.	2.1	17
49	Effectiveness of a clinical practice change intervention in increasing the provision of nicotine dependence treatment in inpatient psychiatric facilities: an implementation trial. BMC Psychiatry, 2017, 17, 56.	1.1	17
50	Effectiveness of an intervention in increasing the provision of preventive care by community mental health services: a non-randomized, multiple baseline implementation trial. Implementation Science, 2015, 11, 46.	2.5	16
51	A pilot study of a telephone-based parental intervention to increase fruit and vegetable consumption in 3–5-year-old children. Public Health Nutrition, 2011, 14, 2245-2253.	1.1	15
52	Provision of Chronic Disease Preventive Care in Community Substance Use Services: Client and Clinician Report. Journal of Substance Abuse Treatment, 2016, 68, 24-30.	1.5	15
53	Do mental health consumers want to improve their longâ€ŧerm disease risk behaviours? A survey of over 2000 psychiatric inpatients. International Journal of Mental Health Nursing, 2018, 27, 1032-1043.	2.1	15
54	A survey of the prevalence of modifiable health risk behaviours among carers of people with a mental illness. BMC Public Health, 2019, 19, 1240.	1.2	15

#	Article	IF	CITATIONS
55	Providing physical health care for people accessing mental health services: Clinicians' perceptions of their role. International Journal of Mental Health Nursing, 2019, 28, 256-267.	2.1	15
56	Prevalence of self-reported suboptimal sleep in Australia and receipt of sleep care: results from the 2017 National Social Survey. Sleep Health, 2020, 6, 100-109.	1.3	15
57	Uptake of smoking cessation aids by smokers with a mental illness. Journal of Behavioral Medicine, 2016, 39, 876-886.	1.1	14
58	Increasing the provision of preventive care by community healthcare services: a stepped wedge implementation trial. Implementation Science, 2017, 12, 105.	2.5	14
59	Observation of the extent of smoking in a mental health inpatient facility with a smoke-free policy. BMC Psychiatry, 2014, 14, 94.	1.1	13
60	Avoiding Emotional Bonds: An Examination of the Dimensions of Therapeutic Alliance Among Cannabis Users. Frontiers in Psychiatry, 2013, 4, 70.	1.3	12
61	The Impact of Tobacco Smoking on Treatment for Comorbid Depression and Alcohol Misuse. International Journal of Mental Health and Addiction, 2013, 11, 619-633.	4.4	11
62	Smoking Cessation Care Provision and Support Procedures in Australian Community Mental Health Centers. Psychiatric Services, 2013, 64, 707-710.	1.1	11
63	Systematic review of universal school-based resilience interventions targeting adolescent tobacco, alcohol or illicit drug use: review protocol. BMJ Open, 2014, 4, e004718.	0.8	11
64	Dissemination of a computer-based psychological treatment in a drug and alcohol clinical service: an observational study. Addiction Science & amp; Clinical Practice, 2014, 9, 15.	1.2	11
65	Evaluating the effectiveness of a healthy lifestyle clinician in addressing the chronic disease risk behaviours of community mental health clients: study protocol for a randomised controlled trial. Trials, 2017, 18, 276.	0.7	11
66	The association between the receipt of primary care clinician provision of preventive care and short term health behaviour change. Preventive Medicine, 2019, 123, 308-315.	1.6	11
67	Infection control practices among tattooists and body piercers in Sydney, Australia. American Journal of Infection Control, 2003, 31, 447-456.	1.1	10
68	Smoking and environmental characteristics of smokers with a mental illness, and associations with quitting behaviour and motivation; a cross sectional study. BMC Public Health, 2016, 16, 332.	1.2	10
69	Evaluating the effectiveness of a clinical practice change intervention in increasing clinician provision of preventive care in a network of community-based mental health services: a study protocol of a non-randomized, multiple baseline trial. Implementation Science, 2013, 8, 85.	2.5	9
70	Smoking cessation for hospitalised patients: intensive behavioural counselling started in hospital and continued after discharge increases quit rates; with additional benefit from adding nicotine replacement therapy. Evidence-based Nursing, 2013, 16, 21-22.	0.1	9
71	Evaluating the efficacy of an integrated smoking cessation intervention for mental health patients: study protocol for a randomised controlled trial. Trials, 2014, 15, 266.	0.7	9
72	The effectiveness of interventions to increase preventive care provision for chronic disease risk behaviours in mental health settings: A systematic review and meta-analysis. Preventive Medicine Reports, 2020, 19, 101108.	0.8	9

#	Article	IF	CITATIONS
73	Associations between Suboptimal Sleep and Smoking, Poor Nutrition, Harmful Alcohol Consumption and Inadequate Physical Activity (â€~SNAP Risks'): A Comparison of People with and without a Mental Health Condition in an Australian Community Survey. International Journal of Environmental Research and Public Health, 2021, 18, 5946.	1.2	9
74	The short-term effectiveness of real-time video counselling on smoking cessation among residents in rural and remote areas: An interim analysis of a randomised trial. Journal of Substance Abuse Treatment, 2021, 131, 108448.	1.5	9
75	Skin Penetration Operators' Knowledge and Attitudes Towards Infection Control. American Journal of Health Behavior, 2003, 27, 125-134.	0.6	8
76	Monitoring and educational feedback to improve the compliance of tattooists and body piercers with infection control standards: a randomized controlled trial. American Journal of Infection Control, 2004, 32, 147-154.	1.1	8
77	Modifiable health risk behaviours and attitudes towards behaviour change of clients attending communityâ€based substance use treatment services. Drug and Alcohol Review, 2017, 36, 369-377.	1.1	8
78	Increased Substance Use and Poorer Mental Health in Adolescents With Problematic Musculoskeletal Pain. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 705-711.	1.7	7
79	Evaluation of a national quality use of medicines service in Australia: an evolving model. Journal of Evaluation in Clinical Practice, 2006, 12, 202-217.	0.9	6
80	Computerized assessment of surgical patients for tobacco use: accuracy and acceptability. Journal of Public Health, 2007, 29, 183-185.	1.0	6
81	Factors associated with retention in a smoking cessation trial for persons with a mental illness: a descriptive study. BMC Medical Research Methodology, 2018, 18, 177.	1.4	6
82	A randomised trial of real-time video counselling for smoking cessation in regional and remote locations: study protocol. Contemporary Clinical Trials, 2018, 74, 70-75.	0.8	6
83	Effectiveness of embedding a specialist preventive care clinician in a community mental health service in increasing preventive care provision: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2020, 54, 620-632.	1.3	6
84	Characteristics of participants utilising a telephone-based coaching service for chronic disease health risk behaviours: A retrospective examination comparing those with and without a mental health condition. Preventive Medicine Reports, 2020, 19, 101123.	0.8	6
85	Exploring the Potential for Family Carers to Support People With Mental Illness to Stop Smoking. Journal of Dual Diagnosis, 2017, 13, 52-59.	0.7	5
86	Patient receipt of smoking cessation care in four Australian acute psychiatric facilities. International Journal of Mental Health Nursing, 2018, 27, 1556-1563.	2.1	5
87	Study protocol: a dissemination trial of computerized psychological treatment for depression and alcohol/other drug use comorbidity in an Australian clinical service. BMC Psychiatry, 2012, 12, 77.	1.1	4
88	Protocol for a systematic review of psychological treatment for methamphetamine use: an analysis of methamphetamine use and mental health symptom outcomes. BMJ Open, 2017, 7, e015383.	0.8	4
89	Differential intervention effectiveness of a universal school-based resilience intervention in reducing adolescent substance use within student subgroups: exploratory assessment within a cluster-randomised controlled trial. BMJ Open, 2018, 8, e021047.	0.8	4
90	The Provision of Preventive Care for Chronic Disease Risk Behaviours to People with a Mental Health Condition: A Survey of Staff from One Australian Community Managed Organisation. Journal of Psychosocial Rehabilitation and Mental Health, 2021, 8, 191-198.	0.4	3

#	Article	IF	CITATIONS
91	Preventive care practices to address health behaviours among people living with mental health conditions: A survey of Community Managed Organisations. Preventive Medicine Reports, 2021, 23, 101495.	0.8	3
92	Experimental investigation of parents and their children's social interaction intentions towards obese children. Journal of Paediatrics and Child Health, 2013, 49, 604-607.	0.4	2
93	Caring for Someone with Depression: Attitudes and Clinical Practices of Australian Mental Health Workers. Australian Psychologist, 2014, 49, 403-411.	0.9	2
94	Providing routine chronic disease preventive care in community substance use services: a pilot study of a multistrategic clinical practice change intervention. BMJ Open, 2018, 8, e020042.	0.8	2
95	Rates of retention of persons with a mental health disorder in outpatient smoking cessation and reduction trials, and associated factors: protocol for a systematic review and meta-analysis. BMJ Open, 2019, 9, e030646.	0.8	2
96	An economic evaluation of a specialist preventive care clinician in a community mental health service: a randomised controlled trial. BMC Health Services Research, 2020, 20, 405.	0.9	2
97	Uptake of a preventive care consultation offered to clients of a community mental health service. Preventive Medicine Reports, 2020, 18, 101076.	0.8	2
98	Substance use treatment clinician attitudes to care for chronic disease health risk behaviours and associations of attitudes with care provision. Drug and Alcohol Review, 2020, 39, 232-237.	1.1	2
99	Self-reported suboptimal sleep and receipt of sleep assessment and treatment among persons with and without a mental health condition in Australia: a cross sectional study. BMC Public Health, 2021, 21, 463.	1.2	2
100	Multiple health behaviours and interest in change among people with a mental health condition: A brief report. Preventive Medicine Reports, 2021, 22, 101383.	0.8	2
101	Telephone-delivered health behaviour change support for people with a mental health condition: the coaches' perspective. BMC Health Services Research, 2021, 21, 1130.	0.9	2
102	Effectiveness of referral to a population-level telephone coaching service for improving health risk behaviours in people with a mental health condition: study protocol for a randomised controlled trial. Trials, 2022, 23, 49.	0.7	2
103	Clustering of chronic disease risks among people accessing community mental health services. Preventive Medicine Reports, 2022, 28, 101870.	0.8	2
104	Psychologists and Smoking Cessation Intervention: Unrealised Potential. Journal of Smoking Cessation, 2013, 8, 76-84.	0.3	1
105	Nicotine replacement therapy as a smoking cessation aid among disadvantaged smokers: What answers do we need?. Drug and Alcohol Review, 2016, 35, 785-789.	1.1	1
106	Systematic review of interventions to increase the provision of care for chronic disease risk behaviours in mental health settings: review protocol. Systematic Reviews, 2018, 7, 67.	2.5	1
107	The provision of preventive care for modifiable health risk behaviours by clinicians within substance use treatment settings: A systematic review. Preventive Medicine, 2020, 130, 105870.	1.6	1
108	Awareness and use of telephoneâ€based behaviour change support services among clients of a community mental health service. Australian and New Zealand Journal of Public Health, 2020, 44, 482-488.	0.8	1

#	Article	IF	CITATIONS
109	Barriers to the Provision of Preventive Care to People Living with Mental Health Conditions: Self-Report by Staff Working in an Australian Community Managed Organisation. International Journal of Environmental Research and Public Health, 2022, 19, 4458.	1.2	1
110	Exploring Support Provided by Community Managed Organisations to Address Health Risk Behaviours Associated with Chronic Disease among People with Mental Health Conditions: A Qualitative Study with Organisational Leaders. International Journal of Environmental Research and Public Health, 2022, 19, 5533.	1.2	1
111	Title is missing!. Substance Abuse, 1998, 19, 191-203.	1.1	0
112	Demographic, Smoking, and Clinical Characteristics Associated with Smoking Cessation Care Provided to Patients Preparing for Surgery. Journal of Addictions Nursing, 2011, 22, 171-175.	0.2	0
113	Examining service participation and outcomes from a population-level telephone-coaching service supporting changes to healthy eating, physical activity and weight: A comparison of participants with and without a mental health condition. Preventive Medicine Reports, 2021, 24, 101609.	0.8	0
114	The Effectiveness and Cost of an Intervention to Increase the Provision of Preventive Care in Community Mental Health Services: Protocol for a Cluster-Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 3119.	1.2	0