

Hideyuki Hasebe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1342414/publications.pdf>

Version: 2024-02-01

25
papers

203
citations

1163117

8
h-index

1058476

14
g-index

25
all docs

25
docs citations

25
times ranked

281
citing authors

#	ARTICLE	IF	CITATIONS
1	An Epicardial Connection With a Unidirectional Conduction Property From the Left Atrium to Pulmonary Vein. <i>JACC: Case Reports</i> , 2022, 4, 310-314.	0.6	6
2	A simple pacing maneuver to unmask an epicardial connection involving the right-sided pulmonary veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 287-296.	1.7	8
3	Epicardial bypass tract at the left atrial diverticulum. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab099.	0.6	1
4	Reverse-Type Left Posterior Fascicular Ventricular Tachycardia. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 843-854.	3.2	5
5	Potential focal drivers of atrial fibrillation at the left atrial roof vein. <i>HeartRhythm Case Reports</i> , 2021, 8, 5-8.	0.4	0
6	Epicardial Connections as Intra-Atrial Conduction Routes in a Patient With Advanced Atrial Remodeling. <i>JACC: Case Reports</i> , 2021, 3, 1774-1779.	0.6	2
7	Pilsicainide Administration Unmasks a Phenotype of Brugada Syndrome in a Patient with Overlap Syndrome due to the E1784K SCN5A Mutation. <i>Internal Medicine</i> , 2020, 59, 83-87.	0.7	3
8	Predictors of Recurrence after Catheter Ablation of Paroxysmal Atrial Fibrillation in Different Follow-Up Periods. <i>Medicina (Lithuania)</i> , 2020, 56, 465.	2.0	3
9	Interatrial distance predicts the necessity of additional carina ablation to isolate the right-sided pulmonary veins. <i>Heart Rhythm O2</i> , 2020, 1, 259-267.	1.7	10
10	Decreased anxiety after catheter ablation for paroxysmal atrial fibrillation is associated with augmented parasympathetic reactivity to stress. <i>Heart Rhythm O2</i> , 2020, 1, 189-199.	1.7	1
11	Oral caffeine intake amplifies the effect of isoproterenol in patients with frequent premature ventricular contractions. <i>Europace</i> , 2020, 22, 1261-1269.	1.7	2
12	Difference in epicardial adipose tissue distribution between paroxysmal atrial fibrillation and coronary artery disease. <i>Heart and Vessels</i> , 2020, 35, 1070-1078.	1.2	12
13	Right atrial parasystole originating from isolated activities in the right inferior pulmonary vein with an epicardial connection. <i>HeartRhythm Case Reports</i> , 2020, 6, 437-440.	0.4	9
14	Temporal elimination of an interatrial epicardial connection by ablation encircling the right-sided pulmonary veins. <i>HeartRhythm Case Reports</i> , 2020, 6, 841-844.	0.4	10
15	Structural relation between the superior vena cava and pulmonary veins in patients with atrial fibrillation. <i>Heart and Vessels</i> , 2019, 34, 2052-2058.	1.2	7
16	Epicardial connection between the right-sided pulmonary venous carina and the right atrium in patients with atrial fibrillation: A possible mechanism for preclusion of pulmonary vein isolation without carina ablation. <i>Heart Rhythm</i> , 2019, 16, 671-678.	0.7	65
17	Differences in the structural characteristics and distribution of epicardial adipose tissue between left and right atrial fibrillation. <i>Europace</i> , 2018, 20, 435-442.	1.7	18
18	A Patient with Left Bundle Branch Block and Persistent Atrial Fibrillation Treated with Cardiac Catheter Ablation and Pharmacologic Cardiac Resynchronization Therapy without the Use of an Implantable Cardiac Device. <i>American Journal of Case Reports</i> , 2018, 19, 123-127.	0.8	0

#	ARTICLE	IF	CITATIONS
19	Simultaneous Intracardiac Pressure Measurement to Detect the Origin of Pressure Gradient in a Patient with Coexisting Aortic Stenosis and Asymmetrical Interventricular Septal Hypertrophy. <i>American Journal of Case Reports</i> , 2018, 19, 1253-1257.	0.8	3
20	Comparison of Pulmonary Venous and Left Atrial Remodeling in Patients With Atrial Fibrillation With Hypertrophic Cardiomyopathy Versus With Hypertensive Heart Disease. <i>American Journal of Cardiology</i> , 2017, 119, 1262-1268.	1.6	5
21	Multiple pacemaker lead breakages due to clavicle dislocation following clavicle fracture. <i>Indian Pacing and Electrophysiology Journal</i> , 2017, 17, 160-162.	0.6	0
22	Infective Endocarditis with Intermittent Atrioventricular Block and Pseudoaneurysm of the Mitral-aortic Intervalvular Fibrosa in a Patient with Severe Aortic Stenosis. <i>Internal Medicine</i> , 2016, 55, 2825-2829.	0.7	1
23	Trade-off between elimination of premature ventricular complexes and loss of synchronized left ventricular pacing improved cardiac function in a patient with heart failure. <i>Indian Pacing and Electrophysiology Journal</i> , 2016, 16, 99-101.	0.6	0
24	Right-to-left frequency gradient during atrial fibrillation initiated by right atrial ectopies and its augmentation by adenosine triphosphate: Implications of right atrial fibrillation. <i>Heart Rhythm</i> , 2016, 13, 354-363.	0.7	32
25	Acute heart failure due to chronic juxtarenal aortic occlusion in a patient with antiphospholipid antibody syndrome. <i>Journal of Cardiology Cases</i> , 2014, 10, 69-72.	0.5	0