

Dariusz Dudek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1343164/publications.pdf>

Version: 2024-02-01

224
papers

5,744
citations

201674

27
h-index

88630

70
g-index

226
all docs

226
docs citations

226
times ranked

5492
citing authors

#	ARTICLE	IF	CITATIONS
1	Bivalirudin during Primary PCI in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2008, 358, 2218-2230.	27.0	1,693
2	A bioresorbable everolimus-eluting scaffold versus a metallic everolimus-eluting stent for ischaemic heart disease caused by de-novo native coronary artery lesions (ABSORB II): an interim 1-year analysis of clinical and procedural secondary outcomes from a randomised controlled trial. <i>Lancet</i> , The, 2015, 385, 43-54.	13.7	514
3	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014, 35, 1957-1970.	2.2	275
4	European position paper on the management of patients with patent foramen ovale. General approach and left circulation thromboembolism. <i>European Heart Journal</i> , 2019, 40, 3182-3195.	2.2	240
5	Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2321-2330.	2.8	154
6	Prospective, Randomized, Multicenter Evaluation of a Polyethylene Terephthalate Micronet Meshâ€”Covered Stent (MGuard) in ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1975-1984.	2.8	132
7	Ticagrelor With or Without Aspirin After Complexâ€”PCI. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2414-2424.	2.8	122
8	Four-year clinical follow-up of the ABSORB everolimus-eluting bioresorbable vascular scaffold in patients with deâ€”novo coronary artery disease: the ABSORB trial. <i>EuroIntervention</i> , 2012, 7, 1060-1061.	3.2	110
9	EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020, 41, 1839-1851.	2.2	106
10	Management of antithrombotic therapy in patients undergoing transcatheter aortic valve implantation: a consensus document of the ESC Working Group on Thrombosis and the European Association of Percutaneous Cardiovascular Interventions (EAPCI), in collaboration with the ESC Council on Valvular Heart Disease. <i>European Heart Journal</i> , 2021, 42, 2265-2269.	2.2	81
11	PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. <i>Archives of Medical Science</i> , 2021, 17, 1447-1547.	0.9	78
12	Acute Stent Thrombosis After Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 214-220.	2.9	77
13	Effect of Prasugrel Pre-Treatment Strategy in Patients Undergoing Percutaneous Coronary Intervention for NSTEMI. <i>Journal of the American College of Cardiology</i> , 2014, 64, 2563-2571.	2.8	64
14	Optimal use of lipid-lowering therapy after acute coronary syndromes: A Position Paper endorsed by the International Lipid Expert Panel (ILEP). <i>Pharmacological Research</i> , 2021, 166, 105499.	7.1	62
15	European registry on patients with ST-elevation myocardial infarction transferred for mechanical reperfusion with a special focus on early administration of abciximabâ€”EUROTRANSFER Registry. <i>American Heart Journal</i> , 2008, 156, 1147-1154.	2.7	60
16	Ticagrelor With or Without Aspirin in High-Risk Patients With Diabetes Mellitus Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2403-2413.	2.8	60
17	Complete revascularization reduces cardiovascular death in patients with ST-segment elevation myocardial infarction and multivessel disease: systematic review and meta-analysis of randomized clinical trials. <i>European Heart Journal</i> , 2020, 41, 4103-4110.	2.2	59
18	Ticagrelor monotherapy in patients at high bleeding risk undergoing percutaneous coronary intervention: TWILIGHT-HBR. <i>European Heart Journal</i> , 2021, 42, 4624-4634.	2.2	54

#	ARTICLE	IF	CITATIONS
19	Usefulness of Psoas Muscle Area and Volume and Frailty Scoring to Predict Outcomes After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2018, 122, 135-140.	1.6	46
20	Impact of Positive and Negative Lesion Site Remodeling on Clinical Outcomes. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 70-78.	5.3	45
21	Predictors of suboptimal TIMI flow after primary angioplasty for acute myocardial infarction: results from the HORIZONS-AMI trial. <i>EuroIntervention</i> , 2013, 9, 220-227.	3.2	39
22	Left atrial accessory appendages, diverticula, and left-sided septal pouch in multi-slice computed tomography. Association with atrial fibrillation and cerebrovascular accidents. <i>International Journal of Cardiology</i> , 2017, 244, 163-168.	1.7	38
23	Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 570-583.	1.0	38
24	Mesh covered stent in ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2010, 6, 582-589.	3.2	33
25	European position paper on the management of patients with patent foramen ovale. Part II - Decompression sickness, migraine, arterial deoxygenation syndromes and select high-risk clinical conditions. <i>European Heart Journal</i> , 2021, 42, 1545-1553.	2.2	32
26	The basics of intravascular optical coherence tomography. <i>Postępy W Kardiologii Interwencyjnej</i> , 2015, 2, 74-83.	0.2	31
27	Left-Sided Atrial Septal Pouch is a Risk Factor for Cryptogenic Stroke. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 771-776.	2.8	30
28	Can TAVI patients receive aspirin monotherapy as patients after surgical aortic bioprosthesis implantation? Data from the Polish Registry "POL-TAVI. <i>International Journal of Cardiology</i> , 2017, 227, 305-311.	1.7	28
29	Characteristics of patients presenting with myocardial infarction with non-obstructive coronary arteries (MINOCA) in Poland: data from the ORPKI national registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 462-466.	2.1	27
30	Sex Differences Among Patients With High Risk Receiving Ticagrelor With or Without Aspirin After Percutaneous Coronary Intervention. <i>JAMA Cardiology</i> , 2021, 6, 1032.	6.1	27
31	European Society of Cardiology guidance for the diagnosis and management of cardiovascular disease during the COVID-19 pandemic: part 1 "epidemiology, pathophysiology, and diagnosis. <i>Cardiovascular Research</i> , 2022, 118, 1385-1412.	3.8	27
32	Morphologic variability of the mitral valve leaflets. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 154, 1927-1935.	0.8	26
33	Clinical and procedural characteristics of COVID-19 patients treated with percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E568-E575.	1.7	26
34	Correlates and prognostic impact of new-onset heart failure after ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: insights from the INFUSE-AMI trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 339-347.	1.0	25
35	Impact of Access Site on Bleeding and Ischemic Events in Patients With Non-ST-Segment Elevation Myocardial Infarction Treated With Prasugrel. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 897-907.	2.9	24
36	Physiology-guided revascularization versus optimal medical therapy of nonculprit lesions in elderly patients with myocardial infarction: Rationale and design of the FIRE trial. <i>American Heart Journal</i> , 2020, 229, 100-109.	2.7	24

#	ARTICLE	IF	CITATIONS
37	Development and Validation of a Practical Model to Identify Patients at Risk of Bleeding After TAVR. JACC: Cardiovascular Interventions, 2021, 14, 1196-1206.	2.9	24
38	Anatomy of the mitral subvalvular apparatus. Journal of Thoracic and Cardiovascular Surgery, 2018, 155, 2002-2010.	0.8	23
39	Predictors of in-hospital effectiveness and complications of rotational atherectomy (from the ORPKI) Tj ETQq1 1 0.784314 rgBT /Ov E278-E287.	1.7	23
40	Calcium Pattern Assessment in Patients with Severe Aortic Stenosis Via the Chou's 5-Steps Rule. Current Pharmaceutical Design, 2019, 25, 3769-3775.	1.9	22
41	A randomized comparison of novel bioresorbable polymer sirolimus-eluting stent and durable polymer everolimus-eluting stent in patients with acute coronary syndromes: The CENTURY II high risk ACS substudy. Cardiovascular Revascularization Medicine, 2016, 17, 355-361.	0.8	21
42	Ultra-low contrast coronary angiography and zero-contrast percutaneous coronary intervention for prevention of contrast-induced nephropathy: step-by-step approach and review. Postepy W Kardiologii Interwencyjnej, 2019, 15, 127-136.	0.2	21
43	Impact of Thrombus Burden on Outcomes After Standard Versus Mesh-Covered Stents in Acute Myocardial Infarction (from the MGuard for Acute ST Elevation Reperfusion Trial). American Journal of Cardiology, 2015, 115, 161-166.	1.6	20
44	Radial Approach Expertise and Clinical Outcomes of Percutaneous Coronary Interventions Performed Using Femoral Approach. Journal of Clinical Medicine, 2019, 8, 1484.	2.4	20
45	Acute and long-term outcomes of percutaneous balloon aortic valvuloplasty for the treatment of severe aortic stenosis. Catheterization and Cardiovascular Interventions, 2017, 90, 303-310.	1.7	19
46	Ticagrelor monotherapy in patients with chronic kidney disease undergoing percutaneous coronary intervention: TWILIGHT-CKD. European Heart Journal, 2021, 42, 4683-4693.	2.2	18
47	Impact of prasugrel pretreatment and timing of coronary artery bypass grafting on clinical outcomes of patients with non-ST-segment elevation myocardial infarction: From the A Comparison of Prasugrel at PCI or Time of Diagnosis of Non-ST-Elevation Myocardial Infarction (ACCOAST) study. American Heart Journal, 2015, 170, 1025-1032.e2.	2.7	17
48	Impact of chronic obstructive pulmonary disease and frailty on long-term outcomes and quality of life after transcatheter aortic valve implantation. Aging Clinical and Experimental Research, 2018, 30, 1033-1040.	2.9	17
49	Prevalence and Predictors of Coronary Artery Perforation During Percutaneous Coronary Interventions (from the ORPKI National Registry in Poland). American Journal of Cardiology, 2019, 124, 1186-1189.	1.6	17
50	Impact of bifurcation target lesion on angiographic, electrocardiographic, and clinical outcomes of patients undergoing primary percutaneous coronary intervention (from the Harmonizing Outcomes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf EuroIntervention, 2013, 9, 817-823.	3.2	17
51	Facilitated percutaneous coronary intervention in patients with acute myocardial infarction transferred from remote hospitals. American Journal of Cardiology, 2003, 91, 227-229.	1.6	16
52	Determinants of stroke following percutaneous coronary intervention in acute myocardial infarction (from ORPKI Polish National Registry). International Journal of Cardiology, 2016, 223, 236-238.	1.7	16
53	Effect of diabetes mellitus on clinical outcomes and quality of life after transcatheter aortic valve implantation for severe aortic valve stenosis. Hellenic Journal of Cardiology, 2018, 59, 100-107.	1.0	16
54	L-arginine supplementation does not inhibit neointimal formation after coronary stenting in human beings: an intravascular ultrasound study. American Heart Journal, 2004, 147, 668.	2.7	15

#	ARTICLE	IF	CITATIONS
55	Patency of infarct related artery after pharmacological reperfusion during transfer to primary percutaneous coronary intervention influences left ventricular function and one-year clinical outcome. <i>International Journal of Cardiology</i> , 2008, 124, 326-331.	1.7	15
56	Predictors of bleeding in patients with acute coronary syndromes treated with prasugrel. <i>Heart</i> , 2015, 101, 1219-1224.	2.9	15
57	Mesh-Covered Embolic Protection Stent Implantation in ST-Segmentâ€Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001484.	3.9	15
58	Association between the mortality rate and operator volume in patients undergoing emergency or elective percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2020, 78, 138-146.	0.6	15
59	New methods in diagnostic and therapy Biodegradable vascular scaffold ABSORB BVSâ„¢ â€ scientific evidence and methods of implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 1, 22-40.	0.2	14
60	Cardiac computed tomography compared with two-dimensional transesophageal echocardiography for the detection and assessment of atrial septal pouches. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1305-1313.	1.5	14
61	Interval From Initiation of Prasugrel toâ€Coronary Angiography in Patientsâ€With Nonâ€ST-Segment Elevationâ€Myocardialâ€Infarction. <i>Journal of the American College of Cardiology</i> , 2019, 73, 906-914.	2.8	14
62	Acute myocardial infarction in young patients. <i>Kardiologia Polska</i> , 2021, 79, 1093-1098.	0.6	14
63	Contemporary use of P2Y12 inhibitors in patients with ST-segment elevation myocardial infarction referred to primary percutaneous coronary interventions in Poland: Data from ORPKI national registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2018, 45, 151-157.	2.1	13
64	Zero-contrast percutaneous coronary interventions to preserve kidney function in patients with severe renal impairment and hemodialysis subjects. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 137-142.	0.2	13
65	Impact of Age on the Safety and Efficacy of Ticagrelor Monotherapy in Patients Undergoing PCI. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1434-1446.	2.9	13
66	Patent Foramen Ovale Channel Morphometric Characteristics Associated with Cryptogenic Stroke: The MorPFO Score. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 1285-1293.e3.	2.8	13
67	Impact of sex on the follow-up course and predictors of clinical outcomes in patients hospitalised due to myocardial infarction with non-obstructive coronary arteries: a single-centre experience. <i>Kardiologia Polska</i> , 2019, 77, 198-206.	0.6	13
68	Impact of advanced age on the safety and effectiveness of paclitaxelâ€eluting stent implantation in patients with STâ€segment elevation myocardial infarction undergoing primary angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 82, 869-877.	1.7	12
69	Predictive Utility of NT-pro BNP for Infarct Size and Left Ventricle Function after Acute Myocardial Infarction in Long-Term Follow-Up. <i>Disease Markers</i> , 2013, 34, 199-204.	1.3	12
70	Diagnostic Accuracy of Coronary CT Angiography forâ€the Evaluation of Bioresorbable Vascular Scaffolds. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 722-732.	5.3	12
71	The obesity paradox in patients undergoing transcatheter aortic valve implantation: is there any effect of body mass index on survival?. <i>Kardiologia Polska</i> , 2019, 77, 190-197.	0.6	12
72	Abciximab in the management of acute myocardial infarction with ST-segment elevation: evidence-based treatment, current clinical use, and future perspectives. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 567.	2.0	11

#	ARTICLE	IF	CITATIONS
73	Percutaneous interventions in cardiology in Poland in the year 2014. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 177-181.	0.2	11
74	Twelve months clinical outcome after bioresorbable vascular scaffold implantation in patients with stable angina and acute coronary syndrome. Data from the Polish National Registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 2, 108-115.	0.2	11
75	Mid-oesophageal bicaval versus short-axis view of interatrial septum in two-dimensional transesophageal echocardiography for diagnosis and measurement of atrial septal pouches. <i>Echocardiography</i> , 2018, 35, 827-833.	0.9	11
76	Comparative assessment of three drug eluting stents with different platforms but with the same biodegradable polymer and the drug based on quantitative coronary angiography and optical coherence tomography at 12-month follow-up. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 353-365.	1.5	11
77	Gender differences and long-term clinical outcomes in patients with chronic total occlusions of infrainguinal lower limb arteries treated from retrograde access with peripheral vascular interventions. <i>Advances in Medical Sciences</i> , 2020, 65, 197-201.	2.1	11
78	Direct Rapid Left Ventricular Wire Pacing during Balloon Aortic Valvuloplasty. <i>Journal of Clinical Medicine</i> , 2020, 9, 1017.	2.4	11
79	Borderline coronary lesion assessment with quantitative flow ratio and its relation to the instantaneous wave-free ratio. <i>Advances in Medical Sciences</i> , 2021, 66, 1-5.	2.1	11
80	Interventional cardiology in Poland in 2020 – impact of the COVID-19 pandemic. Annual summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 131-134.	0.2	11
81	CT in Transcatheter-delivered Treatment of Valvular Heart Disease. <i>Radiology</i> , 2022, 304, 4-17.	7.3	11
82	Rationale and design of the MGuard for acute ST elevation reperfusion MASTER trial. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 82, 184-190.	1.7	10
83	In-hospital and long-term outcomes of percutaneous balloon aortic valvuloplasty with concomitant percutaneous coronary intervention in patients with severe aortic stenosis. <i>Journal of Interventional Cardiology</i> , 2018, 31, 60-67.	1.2	10
84	Treatment Delay and Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021, 10, 3920.	2.4	10
85	Prevalence and clinical presentation of myocardial bridge on the basis of the National Polish Percutaneous Interventions Registry and the Classification of Rare Cardiovascular Diseases. <i>Kardiologia Polska</i> , 2019, 77, 465-470.	0.6	10
86	Patient profile and periprocedural outcomes of bioresorbable vascular scaffold implantation in comparison with drug-eluting and bare-metal stent implantation. Experience from ORPKI Polish National Registry 2014–2015. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 4, 321-328.	0.2	9
87	Interventional cardiology procedures in Poland in 2018. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 391-393.	0.2	9
88	Long-Term Outcomes Following Drug-Eluting Balloons Versus Thin-Strut Drug-Eluting Stents for Treatment of In-Stent Restenosis (DEB-Dragon-Registry). <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010868.	3.9	9
89	Long-term follow-up of mesh-covered stent implantation in patients with ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2014, 72, 140-145.	0.6	9
90	Adenosine intracoronary bolus dose escalation versus intravenous infusion to induce maximum coronary hyperemia for fractional flow reserve assessment. <i>Kardiologia Polska</i> , 2019, 77, 610-617.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Balloon Aortic Valvuloplasty for Severe Aortic Stenosis as Rescue or Bridge Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4657.	2.4	9
92	Long-term follow-up of renal arteries after radio-frequency catheter-based denervation using optical coherence tomography and angiography. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 855-862.	1.5	8
93	Observational Study of Platelet Reactivity in Patients Presenting With ST-Segment Elevation Myocardial Infarction Due to Coronary Stent Thrombosis Undergoing Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2548-2556.	2.9	8
94	Clinical Correlates and Prognostic Value of Plasma Galectin-3 Levels in Degenerative Aortic Stenosis: A Single-Center Prospective Study of Patients Referred for Invasive Treatment. <i>International Journal of Molecular Sciences</i> , 2017, 18, 947.	4.1	8
95	The Polish Interventional Cardiology TAVI Survey (PICTS): adoption and practice of transcatheter aortic valve implantation in Poland. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 1, 10-17.	0.2	8
96	Assessment of cognitive functions and quality of life in patients scheduled for transcatheter aortic valve implantation: a pilot study. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 3, 258-262.	0.2	8
97	Percutaneous interventions in cardiology in Poland in the year 2017. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 422-424.	0.2	8
98	Clinical outcomes in nonagenarians undergoing a percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2018, 29, 573-578.	0.7	8
99	Intima-media thickness and ankle-brachial index are correlated with the extent of coronary artery disease measured by the SYNTAX score. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 52-58.	0.2	8
100	Impact of Coronary Artery Disease and Diabetes Mellitus on the Long-Term Follow-Up in Patients after Retrograde Recanalization of the Femoropopliteal Arterial Region. <i>Journal of Diabetes Research</i> , 2019, 1-6.	2.3	8
101	Interventional cardiology in Poland in 2019. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 123-126.	0.2	8
102	The relationship between increased air pollution expressed as PM10 concentration and the frequency of percutaneous coronary interventions in patients with acute coronary syndromes—a seasonal differences. <i>Environmental Science and Pollution Research</i> , 2020, 27, 21320-21330.	5.3	8
103	Radial approach reduces mortality in ST-segment elevation myocardial infarction with cardiogenic shock. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 421-428.	0.4	8
104	Predictors of periprocedural complications in patients undergoing percutaneous coronary interventions within coronary artery bypass grafts. <i>Cardiology Journal</i> , 2020, 26, 633-644.	1.2	8
105	Twelve months follow-up after retrograde recanalization of superficial femoral artery chronic total occlusion. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 1, 47-52.	0.2	7
106	Bailout rotational atherectomy in patients with myocardial infarction is not associated with an increased periprocedural complication rate or poorer angiographic outcomes in comparison to elective procedures (from the ORPKI Polish National Registry 2015–2016). <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 135-143.	0.2	7
107	Impact of On-Site Surgical Backup on Periprocedural Outcomes of Primary Percutaneous Interventions in Patients Presenting With ST-Segment Elevation Myocardial Infarction (From the ORPKI Tj ETQq1 1106784314rgBT /Ove		
108	Mechanical performance and healing patterns of the novel sirolimus-eluting bioresorbable Fantom scaffold: 6-month and 9-month follow-up by optical coherence tomography in the FANTOM II study. <i>Open Heart</i> , 2019, 6, e000941.	2.3	7

#	ARTICLE	IF	CITATIONS
109	Absorb Bioresorbable Scaffold Versus Xience Metallic Stent for Prevention of Restenosis Following Percutaneous Coronary Intervention in Patients at High Risk of Restenosis: Rationale and Design of the COMPARE ABSORB Trial. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 577-582.	0.8	7
110	Immersive technologies as a solution for general data protection regulation in Europe and impact on the COVID-19 pandemic. <i>Cardiology Journal</i> , 2021, 28, 23-33.	1.2	7
111	Knowledge and prevalence of risk factors for coronary artery disease in patients after the first and repeated percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2020, 78, 147-153.	0.6	7
112	Is quantitative flow ratio enough to accurately assess intermediate coronary stenosis? A comparison study with fractional flow reserve. <i>Cardiology Journal</i> , 2020, 26, 793-795.	1.2	7
113	Prolonged antithrombotic therapy in patients after acute coronary syndrome: A critical appraisal of current European Society of Cardiology guidelines. <i>Cardiology Journal</i> , 2020, 27, 661-676.	1.2	7
114	Sex-Related Differences in Outcomes After Percutaneous Balloon Aortic Valvuloplasty. <i>Journal of Invasive Cardiology</i> , 2017, 29, 188-194.	0.4	7
115	Impact of early abciximab administration on myocardial reperfusion in patients with ST-segment elevation myocardial infarction pretreated with 600Âmg of clopidogrel before percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 347-353.	2.1	6
116	Impact of intra-aortic balloon pump on long-term mortality of unselected patients with ST-segment elevation myocardial infarction complicated by cardiogenic shock. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 3, 175-180.	0.2	6
117	Circulatory support with Impella CP device during high-risk percutaneous coronary interventions: initial experience in Poland. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 3, 254-257.	0.2	6
118	CHA2DS2-VASc and R2-CHA2DS2-VASc scores predict in-hospital and post-discharge outcome in patients with myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 391-398.	0.2	6
119	Chronic obstructive pulmonary disease and periprocedural complications in patients undergoing percutaneous coronary interventions. <i>PLoS ONE</i> , 2018, 13, e0204257.	2.5	6
120	Current trends and procedural outcomes in the era of rotational atherectomy expansion in Poland in the period 2014â€“2017 (based on the nationwide ORPKI registry). <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 158-166.	0.2	6
121	The year in cardiology 2018: coronary interventions. <i>European Heart Journal</i> , 2019, 40, 195-203.	2.2	6
122	Characteristics of patients from the Polish Registry of Acute Coronary Syndromes during the COVID-19 pandemic: the first report. <i>Kardiologia Polska</i> , 2021, 79, 192-195.	0.6	6
123	Computed tomography analysis of coronary ostia location following valveâ€“valve transcatheter aortic valve replacement with the ACURATE neo valve: Implications for coronary access. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 595-604.	1.7	6
124	Impact of age on the comparison between short-term vs 12-month dual antiplatelet therapy in patients with acute coronary syndrome treated with the COMBO dual therapy stent: 2-Year follow-up results of the REDUCE trial. <i>Atherosclerosis</i> , 2021, 321, 39-44.	0.8	6
125	Impact of acute total occlusion of the culprit artery on outcome in NSTEMI based on the results of a large national registry. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 297.	1.7	6
126	Radial versus femoral access in patients treated with percutaneous coronary intervention and rotational atherectomy. <i>Kardiologia Polska</i> , 2020, 78, 529-536.	0.6	6

#	ARTICLE	IF	CITATIONS
127	One-Year Outcome of Glycoprotein IIb/IIIa Inhibitor Therapy in Patients with Myocardial Infarction-Related Cardiogenic Shock. <i>Journal of Clinical Medicine</i> , 2021, 10, 5059.	2.4	6
128	Efficacy of an Embolic Protection Stent as a Function of Delay to Reperfusion in ST-Segment Elevation Myocardial Infarction (from the MASTER Trial). <i>American Journal of Cardiology</i> , 2014, 114, 1485-1489.	1.6	5
129	The ACEF (age, creatinine, ejection fraction) score predicts ischemic and bleeding outcomes of patients with acute coronary syndromes treated conservatively. <i>Postępy W Kardiologii Interwencyjnej</i> , 2017, 2, 160-164.	0.2	5
130	Sex-related differences in clinical outcomes and quality of life after transcatheter aortic valve implantation for severe aortic stenosis. <i>Postępy W Kardiologii Interwencyjnej</i> , 2017, 3, 233-239.	0.2	5
131	An optical coherence tomography study of neointimal morphology and strut coverage at different time intervals from implantation of biodegradable polymer-coated sirolimus-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 302-309.	1.7	5
132	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 893-901.	1.0	5
133	Mortality and chronic obstructive pulmonary disease in patients treated with endovascular revascularization of the infra-inguinal lower limb arteries from retrograde access. <i>Annals of Translational Medicine</i> , 2020, 8, 206-206.	1.7	5
134	Percutaneous coronary intervention of a tortuous and complex circumflex lesion using the robotic CorPath GRX system. <i>Kardiologia Polska</i> , 2021, 79, 1044-1045.	0.6	5
135	Myocardial infarction in the shadow of COVID-19. <i>Cardiology Journal</i> , 2020, 27, 478-480.	1.2	5
136	Ticagrelor monotherapy after PCI in patients with concomitant diabetes mellitus and chronic kidney disease: TWILIGHT DM-CKD. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 707-716.	3.0	5
137	Safety and efficacy of ticagrelor monotherapy according to drug-eluting stent type: the TWILIGHT-STENT study. <i>EuroIntervention</i> , 2022, 17, 1330-1339.	3.2	5
138	Transportation with very long transfer delays (>90 min) for facilitated PCI with reduced-dose fibrinolysis in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 139, 218-227.	1.7	4
139	Knowledge of chronic total occlusion among Polish interventional cardiologists. <i>Postępy W Kardiologii Interwencyjnej</i> , 2015, 2, 89-94.	0.2	4
140	Recurrent coronary vasospasm-induced acute coronary syndrome complicated by cardiac arrest. <i>International Journal of Cardiology</i> , 2015, 184, 459-461.	1.7	4
141	Long-term quality of life and clinical outcomes in patients with resistant hypertension treated with renal denervation. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 4, 329-333.	0.2	4
142	New-generation drug eluting stent vs. bare metal stent in saphenous vein graft 1-year outcomes by a propensity score ascertainment (SVG Baltic Registry). <i>International Journal of Cardiology</i> , 2019, 292, 56-61.	1.7	4
143	Changes in cognitive functions and quality of life in patients after transcatheter aortic valve implantation. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 82-88.	0.2	4
144	Paravalvular leak prediction after transcatheter aortic valve replacement with self-expandable prosthesis based on quantitative aortic calcification analysis. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 652-664.	2.0	4

#	ARTICLE	IF	CITATIONS
145	Ticagrelor as compared to conventional antiplatelet agents in coronary artery disease: A comprehensive meta-analysis of 15 randomized trials. <i>Vascular Pharmacology</i> , 2021, 137, 106828.	2.1	4
146	Hyperemic versus non-hyperemic indexes for coronary physiology assessment in patients with severe aortic stenosis. <i>Advances in Medical Sciences</i> , 2021, 66, 366-371.	2.1	4
147	“Heart without smoke” educational campaign – the role of patient education in secondary prevention of cardiovascular disease. <i>Kardiologia Polska</i> , 2018, 76, 125-129.	0.6	4
148	Presence and characteristics of coronary artery fistulas among patients undergoing coronary angiography. <i>Kardiologia Polska</i> , 2019, 77, 1034-1039.	0.6	4
149	Is neural network better than logistic regression in death prediction in patients after ST-segment elevation myocardial infarction?. <i>Kardiologia Polska</i> , 2021, 79, 1353-1361.	0.6	4
150	The role of thrombectomy and embolic protection devices. <i>Country Review Ukraine</i> , 2005, 7, 115-120.	0.8	3
151	Dedicated devices and techniques – a cornerstone in recanalisation of chronic total occlusions of coronary arteries. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 3, 213-215.	0.2	3
152	The DESERVE study: Diffusion weighted-MRI based evaluation of the effectiveness of endovascular clamping during carotid artery stenting with the Mo.Ma device. <i>International Journal of Cardiology</i> , 2014, 174, 382-383.	1.7	3
153	The incidence and relevance of site-reported vs. patient-reported angina: insights from the ABSORB II randomized trial comparing Absorb everolimus-eluting bioresorbable scaffold with XIENCE everolimus-eluting metallic stent. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016, 2, 108-116.	4.0	3
154	Does the effectiveness of recanalization of chronic occlusion depend on the location of the obstruction?. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 258-262.	0.2	3
155	A holographic doctors™ assistant on the example of a wireless heart rate monitor. <i>Bio-Algorithms and Med-Systems</i> , 2018, 14, .	2.4	3
156	Comparison of safety and effectiveness between the right and left radial artery approach in percutaneous coronary intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 75, 119-119.	0.6	3
157	Optical coherence tomography versus intravascular ultrasound for culprit lesion assessment in patients with acute myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 145-152.	0.2	3
158	Safety and Efficacy of Embolic Protection Devices in Saphenous Vein Graft Interventions: A Propensity Score Analysis™ Multicenter SVG PCI PROTECTA Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1198.	2.4	3
159	Long-term outcomes of percutaneous coronary interventions within coronary artery bypass grafts. <i>Archives of Medical Science</i> , 2021, 17, 628-637.	0.9	3
160	Multivessel Intervention in Myocardial Infarction with Cardiogenic Shock: CULPRIT-SHOCK Trial Outcomes in the PL-ACS Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1832.	2.4	3
161	Quantitative flow ratio for evaluation of borderline coronary lesions in patients with severe aortic stenosis. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2022, 75, 472-478.	0.6	3
162	Age and gender differences in clinical outcomes of patients with heavy-calcified coronary artery lesions treated percutaneously with rotational atherectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 225-233.	1.4	3

#	ARTICLE	IF	CITATIONS
163	Low-dose ticagrelor with or without acetylsalicylic acid in patients with acute coronary syndrome: Rationale and design of the ELECTRA-SIRIO 2 trial. <i>Cardiology Journal</i> , 2021, , .	1.2	3
164	A novel approach to quantification of aortic valve calcifications in patients undergoing transcatheter aortic valve implantation. <i>Minerva Cardioangiologica</i> , 2019, 67, 3-10.	1.2	3
165	Long-term clinical outcomes in patients with acute myocardial infarction treated with percutaneous coronary interventions according to day- and night-time admission. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 570-581.	0.4	3
166	Early results of the ongoing Polish Registry of Valve Thrombosis after Transcatheter Aortic Valve Implantation (ZAK&POLTAVI). <i>Kardiologia Polska</i> , 2020, 78, 681-687.	0.6	3
167	A novel three-dimensional imaging approach to evaluate coronary access before transcatheter aortic valve-in-valve implantation. <i>EuroIntervention</i> , 2022, 17, 1238-1239.	3.2	3
168	Advancements in robotic PCI technology: time to tackle the complex lesions!. <i>Asialntervention</i> , 2022, 8, 50-51.	0.4	3
169	Methods and techniques Comparison of radiation dose exposure in patients undergoing percutaneous coronary intervention vs. peripheral intervention. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 4, 308-313.	0.2	2
170	Transradial and Transfemoral Approach in Patients with Prior Coronary Artery Bypass Grafting. <i>Journal of Clinical Medicine</i> , 2020, 9, 764.	2.4	2
171	MitraClip for mitral valve regurgitation and transcatheter aortic valve implantation for severe aortic valve stenosis: state-of-the-art. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 155-162.	0.2	2
172	The Usefulness of [18F]F-Fluorodeoxyglucose and [18F]F-Sodium Fluoride Positron Emission Tomography Imaging in the Assessment of Early-Stage Aortic Valve Degeneration after Transcatheter Aortic Valve Implantation (TAVI)&PProtocol Description and Preliminary Results. <i>Journal of Clinical Medicine</i> , 2021, 10, 431.	2.4	2
173	Body mass index and long-term outcomes in patients with chronic total occlusions undergoing retrograde endovascular revascularization of the infra-inguinal lower limb arteries. <i>Cardiology Journal</i> , 2021, 28, 509-518.	1.2	2
174	New model of secondary cardiovascular prevention for patients after acute coronary syndromes in Poland with regard to Norwegian experiences. <i>Kardiologia Polska</i> , 2016, 74, 101-103.	0.6	2
175	Prevalence of familial hypercholesterolemia in patients with acute coronary syndromes. <i>Kardiologia Polska</i> , 2019, 77, 475-477.	0.6	2
176	Psoriasis is an independent predictor of increased risk of allergic reaction during percutaneous coronary interventions. Big data analysis from the Polish National PCI Registry (ORPKI). <i>Cardiology Journal</i> , 2020, 27, 278-284.	1.2	2
177	Heart failure in Poland: Left ventricular assist device destination therapy and other challenges of interventional cardiology and cardiac surgery. <i>Cardiology Journal</i> , 2020, 27, 693-704.	1.2	2
178	Contrast medium Pd/Pa ratio in comparison to fractional flow reserve, quantitative flow ratio and instantaneous wave-free ratio for evaluation of intermediate coronary lesions. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 384-390.	0.2	2
179	Transcatheter mitral valve repair and replacement. Expert consensus statement of the Polish Cardiac Society and the Polish Society of Cardiothoracic Surgeons. <i>Kardiologia Polska</i> , 2021, 79, 1165-1177.	0.6	2
180	Risk factors of contrast-induced nephropathy in patients with acute coronary syndrome. <i>Kardiologia Polska</i> , 2022, 80, 760-764.	0.6	2

#	ARTICLE	IF	CITATIONS
181	Strategies for Renal Protection in Cardiovascular Interventions. Korean Circulation Journal, 2022, 52, 485.	1.9	2
182	Rescue percutaneous coronary recanalization of right coronary artery by retrograde approach. Postepy W Kardiologii Interwencyjnej, 2013, 2, 172-175.	0.2	1
183	Complete infarct-related artery revascularization in acute myocardial infarction patients. CORAMI Registry. Postepy W Kardiologii Interwencyjnej, 2015, 2, 84-88.	0.2	1
184	A response to "The importance of vasodilator therapy before or during angiography, is ICD necessary or not?" by Tamer KÄ±rat and Nuri KÄ±se. International Journal of Cardiology, 2015, 190, 208-209.	1.7	1
185	Transradial access and the risk of periprocedural stroke. American Heart Journal, 2017, 186, e5-e6.	2.7	1
186	Single and dual chamber pacemaker implantation in patients with left superior vena cava persistence – own experiences. Postepy W Kardiologii Interwencyjnej, 2017, 2, 170-172.	0.2	1
187	Comparison of demographics, cardiovascular risk factors profile and prevalence of coexistent atherosclerotic vascular disease in patients with severe aortic stenosis stratified according to dichotomized stenosis severity. Postepy W Kardiologii Interwencyjnej, 2017, 4, 331-334.	0.2	1
188	Comparison of clinical and echocardiographic outcomes and quality of life in patients with severe mitral regurgitation treated by MitraClip implantation or treated conservatively. Postepy W Kardiologii Interwencyjnej, 2018, 14, 291-298.	0.2	1
189	Impact of percutaneous invasive coronary procedures using a radial approach on endothelial function of radial artery. Postepy W Kardiologii Interwencyjnej, 2018, 14, 95-98.	0.2	1
190	The Tryton® dedicated bifurcation stent: Five-year clinical outcomes. Cardiovascular Revascularization Medicine, 2019, 20, 316-323.	0.8	1
191	Predictors of mortality and outcomes after retrograde endovascular angioplasty in patients with peripheral artery disease. Postepy W Kardiologii Interwencyjnej, 2019, 15, 234-239.	0.2	1
192	Safety of bivalirudin versus unfractionated heparin in endovascular revascularization of peripheral arteries in short- and long-term follow-up. Postepy W Kardiologii Interwencyjnej, 2019, 15, 91-97.	0.2	1
193	Concomitant multi-vessel disease is associated with a lower procedural death rate in patients treated with percutaneous coronary interventions within the left main coronary artery (from the ORPKI) Tj ETQq1 1 0.784304rgBT /Overlock	0.2	1
194	Twelve-month outcomes of transapical transcatheter aortic valve implantation in patients with severe aortic valve stenosis. Postepy W Kardiologii Interwencyjnej, 2021, 17, 68-74.	0.2	1
195	Impact of the Polymorphism rs5751876 of the Purinergic Receptor ADORA2A on Periprocedural Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention. Journal of Atherosclerosis and Thrombosis, 2021, 28, 137-145.	2.0	1
196	Assessment of the implementation level of the guidelines for secondary prevention of cardiovascular disease in everyday clinical practice. Kardiologia Polska, 2021, 79, 434-441.	0.6	1
197	Contemporary Management of Patent Foramen Ovale: A Multinational Survey on Cardiologists'™ Perspective. Journal of Interventional Cardiology, 2021, 2021, 1-6.	1.2	1
198	Impact of basic life support training on knowledge of cardiac patients about first aid for out-of-hospital cardiac arrest. Zeitschrift Fur Gesundheitswissenschaften, 2023, 31, 21-26.	1.6	1

#	ARTICLE	IF	CITATIONS
199	Transcatheter aortic valve implantation complicated by papillary muscle rupture with a good final outcome. <i>Postępy W Kardiologii Interwencyjnej</i> , 2021, 17, 232-233.	0.2	1
200	Innovative medical technologies in the percutaneous treatment of tricuspid regurgitation in Poland. <i>Cardiology Journal</i> , 2021, , .	1.2	1
201	Tools & Techniques: PCI for acute MI tips and tricks. <i>EuroIntervention</i> , 2011, 6, 900-901.	3.2	1
202	From pharmacologically assisted early transfer to a universal primary angioplasty service: the experience of the Malopolska region. <i>EuroIntervention</i> , 2012, 8, P51-P54.	3.2	1
203	Impact of Pre-procedural Cerebrovascular Events on Clinical Outcomes After Transcatheter Aortic Valve Implantation in Patients with Severe Aortic Stenosis. <i>Current Pharmaceutical Design</i> , 2018, 24, 641-646.	1.9	1
204	Current perspectives on the role of bioresorbable scaffolds in the management of coronary artery disease. <i>Kardiologia Polska</i> , 2018, 76, 1043-1054.	0.6	1
205	Mechanical circulatory support during high-risk percutaneous coronary intervention in a young male patient. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 347-348.	0.2	1
206	Assessment of mitral regurgitation and mitral complex geometry in patients after transcatheter aortic valve implantation. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 300-305.	0.2	1
207	Complication during roboticâ€PCI: Iatrogenic guiding catheter dissection. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , .	1.7	1
208	Effect of early statin and selective cyclooxygenase-2 inhibitor therapy on C-reactive protein level after percutaneous coronary angioplasty in unstable angina. <i>EuroIntervention</i> , 2005, 1, 315-20.	3.2	1
209	Images in intervention Transradial percutaneous coronary intervention for unprotected left main closure during acute myocardial infarction. <i>Postępy W Kardiologii Interwencyjnej</i> , 2015, 2, 150-151.	0.2	0
210	The successful retrieval of a broken guide wire from the diagonal branch of the left anterior descending coronary artery complicated by partial stent rolling. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 2, 166-170.	0.2	0
211	No clinical benefit from manual thrombus aspiration in patients with non-ST-elevation myocardial infarction. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 1, 32-40.	0.2	0
212	An interesting case of a self-apposing stent implantation in an aneurysmatically dilated artery in acute myocardial infarction with high quality optical coherence tomography images. <i>International Journal of the Cardiovascular Academy</i> , 2017, 3, 21-23.	0.2	0
213	Positron emission tomography for myocardial viability assessment before myocardial revascularization in a patient with extremely impaired left ventricular systolic function â€ advanced diagnosis and therapy in heart failure. <i>Postępy W Kardiologii Interwencyjnej</i> , 2017, 2, 173-175.	0.2	0
214	The beginning of a new era in the field of percutaneous valvular interventions (PARTNER 3 and Evolut) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	3.8	0
215	Delayed Diagnosis of Non-ST Segment Elevation Myocardial Infarction in a Young Patient with Multivessel Disease and Familial Hypercholesterolemia Complicated by Cardiogenic Shock Finally Treated with Intra-Aortic Balloon Pump as a Bridge to Extra Corporeal Membrane Oxygenation. <i>Case Reports in Cardiology</i> . 2019, 2019, 1-4.	0.2	0
216	An atypical manifestation of primary cardiac tumor in a young patient. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 110-111.	0.2	0

#	ARTICLE	IF	CITATIONS
217	Chronic total occlusion percutaneous coronary intervention in everyday clinical practice – an expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Postępy W Kardiologii Interwencyjnej</i> , 2021, 17, 6-20.	0.2	0
218	Authors'™ response. <i>Kardiologia Polska</i> , 2014, 72, 476-477.	0.6	0
219	A 47-year-old woman with multifocal fibroelastoma and coronary artery disease. <i>Kardiologia Polska</i> , 2019, 77, 888-889.	0.6	0
220	Long-term clinical outcomes of direct absorb bioresorbable vascular scaffold implantation in acute coronary syndrome. <i>Minerva Cardioangiologica</i> , 2019, 67, 374-379.	1.2	0
221	Extremely high-risk percutaneous coronary intervention in an elderly patient with multiple comorbidities and good general condition. <i>Kardiologia Polska</i> , 2020, 78, 344-345.	0.6	0
222	Advanced CT-Based Imaging Techniques to Evaluate Coronary Access After TAVI for Degenerated Surgical Bioprosthesis. <i>Canadian Journal of Cardiology</i> , 2022, 38, 392-394.	1.7	0
223	New methods and techniques in interventional cardiology. Evaluation the knowledge of medical students of Jagiellonian University Medical College. <i>Folia Medica Cracoviensia</i> , 2018, 58, 97-106.	0.3	0
224	Coronary access following chimney stenting during valve-in-valve-TAVI for failed surgical bioprosthetic valves: Impact of valve design. <i>Canadian Journal of Cardiology</i> , 2022, , .	1.7	0