

Haiqun Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1343687/publications.pdf>

Version: 2024-02-01

84
papers

5,492
citations

94269

37
h-index

79541

73
g-index

84
all docs

84
docs citations

84
times ranked

7578
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanically Strong, Electrically Conductive, and Biocompatible Graphene Paper. <i>Advanced Materials</i> , 2008, 20, 3557-3561.	11.1	1,843
2	Combination of cobalt ferrite and graphene: High-performance and recyclable visible-light photocatalysis. <i>Applied Catalysis B: Environmental</i> , 2012, 111-112, 280-287.	10.8	334
3	Supports promote single-atom catalysts toward advanced electrocatalysis. <i>Coordination Chemistry Reviews</i> , 2022, 451, 214261.	9.5	187
4	High Photocatalytic Activity of Magnetically Separable Manganese Ferrite@Graphene Heteroarchitectures. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 725-731.	1.8	175
5	Graphene nanoplate-Pt composite as a high performance electrocatalyst for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2012, 204, 46-52.	4.0	166
6	Hydrothermal preparation of Co ₃ O ₄ @graphene nanocomposite for supercapacitor with enhanced capacitive performance. <i>Materials Letters</i> , 2012, 82, 61-63.	1.3	127
7	Preparation and performance of NiCo ₂ O ₄ nanowires-loaded graphene as supercapacitor material. <i>Materials Letters</i> , 2013, 98, 164-167.	1.3	123
8	High Catalytic Activity in the Phenol Hydroxylation of Magnetically Separable CuFe ₂ O ₄ @Reduced Graphene Oxide. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 12566-12574.	1.8	112
9	Race on engineering noble metal single-atom electrocatalysts for water splitting. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 14257-14279.	3.8	105
10	One-Step Ball-Milling Preparation of Highly Photocatalytic Active CoFe ₂ O ₄ @Reduced Graphene Oxide Heterojunctions For Organic Dye Removal. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 2862-2867.	1.8	104
11	Graphene-supported nickel ferrite: A magnetically separable photocatalyst with high activity under visible light. <i>AIChE Journal</i> , 2012, 58, 3298-3305.	1.8	95
12	Construction of magnetically separable NiAl LDH/Fe ₃ O ₄ @RGO nanocomposites with enhanced photocatalytic performance under visible light. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 414-421.	1.3	94
13	Fe ₃ O ₄ @graphene oxide composite: A magnetically separable and efficient catalyst for the reduction of nitroarenes. <i>Materials Research Bulletin</i> , 2013, 48, 1885-1890.	2.7	89
14	Synthesis and characterization of graphene paper with controllable properties via chemical reduction. <i>Journal of Materials Chemistry</i> , 2011, 21, 14631.	6.7	85
15	Engineering Heterostructured Pd@Bi ₂ Te ₃ Doughnut/Pd Hollow Nanospheres for Ethylene Glycol Electrooxidation. <i>Inorganic Chemistry</i> , 2022, 61, 4533-4540.	1.9	79
16	Constructing high-efficiency photocatalyst for degrading ciprofloxacin: Three-dimensional visible light driven graphene based NiAlFe LDH. <i>Journal of Colloid and Interface Science</i> , 2019, 540, 237-246.	5.0	71
17	Mn-Doped NiMoO ₄ Mesoporous Nanorods/Reduced Graphene Oxide Composite for High-Performance All-Solid-State Supercapacitor. <i>ACS Applied Energy Materials</i> , 2020, 3, 1794-1803.	2.5	68
18	Synthesis of Cu-Fe ₃ O ₄ @graphene composite: A magnetically separable and efficient catalyst for the reduction of 4-nitrophenol. <i>Materials Research Bulletin</i> , 2014, 57, 190-196.	2.7	65

#	ARTICLE	IF	CITATIONS
19	Heterogeneous activation of persulfate by NiFe ₂ S ₄ /RGO for oxidative degradation of bisphenol A in water. <i>Chemical Engineering Journal</i> , 2019, 365, 259-269.	6.6	61
20	Cu/graphene with high catalytic activity prepared by glucose blowing for reduction of p-nitrophenol. <i>Journal of Cleaner Production</i> , 2017, 161, 655-662.	4.6	60
21	Ultrafine cobalt nanoparticles supported on reduced graphene oxide: Efficient catalyst for fast reduction of hexavalent chromium at room temperature. <i>Applied Surface Science</i> , 2017, 402, 294-300.	3.1	56
22	A self-assembled 2D/2D-type protonated carbon nitride-modified graphene oxide nanocomposite with improved photocatalytic activity. <i>Applied Surface Science</i> , 2018, 434, 456-463.	3.1	53
23	A carnation-like rGO/Bi ₂ O ₂ CO ₃ /BiOCl composite: efficient photocatalyst for the degradation of ciprofloxacin. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 5986-5994.	1.1	53
24	Low-temperature preparation of magnetically separable Fe ₃ O ₄ @CuO-RGO core-shell heterojunctions for high-performance removal of organic dye under visible light. <i>Journal of Alloys and Compounds</i> , 2016, 688, 649-656.	2.8	52
25	Enhanced photocatalytic activity of magnetic core-shell Fe ₃ O ₄ @Bi ₂ O ₃ -RGO heterojunctions for quinolone antibiotics degradation under visible light. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 8519-8528.	1.1	49
26	Spinel-type FeNi ₂ S ₄ with rich sulfur vacancies grown on reduced graphene oxide toward enhanced supercapacitive performance. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2271-2279.	3.0	48
27	Scalable Green Method to Fabricate Magnetically Separable NiFe ₂ O ₄ -Reduced Graphene Oxide Nanocomposites with Enhanced Photocatalytic Performance Driven by Visible Light. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 4311-4319.	1.8	47
28	Electrochemical detection of bisphenol A at graphene/melamine nanoparticle-modified glassy carbon electrode. <i>Journal of Applied Electrochemistry</i> , 2015, 45, 343-352.	1.5	46
29	A Facile Hydrothermal Synthesis of a MnCo ₂ O ₄ @Reduced Graphene Oxide Nanocomposite for Application in Supercapacitors. <i>Chemistry Letters</i> , 2014, 43, 83-85.	0.7	45
30	Synthesis of Ce-doped NiAl LDH/RGO composite as an efficient photocatalyst for photocatalytic degradation of ciprofloxacin. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105405.	3.3	45
31	Reduced graphene oxide supported ZnO/CdS heterojunction enhances photocatalytic removal efficiency of hexavalent chromium from aqueous solution. <i>Chemosphere</i> , 2022, 286, 131738.	4.2	45
32	In-situ preparation of three-dimensional Ni@graphene-Cu composites for ultrafast reduction of Cr(VI) at room temperature. <i>Catalysis Communications</i> , 2016, 75, 13-17.	1.6	42
33	Benzenoid-like CuFeO ₂ @reduced graphene oxide: Facile synthesis and its excellent catalytic performance in selective oxidation. <i>Applied Surface Science</i> , 2016, 389, 840-848.	3.1	40
34	Solvent-thermal preparation of a CuCo ₂ O ₄ /RGO heterocomposite: an efficient catalyst for the reduction of p-nitrophenol. <i>New Journal of Chemistry</i> , 2016, 40, 4769-4774.	1.4	38
35	CdS@Bi ₂ MoO ₆ /RGO nanocomposites for efficient degradation of ciprofloxacin under visible light. <i>Journal of Materials Science</i> , 2020, 55, 6065-6077.	1.7	38
36	One-step synthesis of reduced graphene oxide based ceric dioxide modified with cadmium sulfide (CeO ₂ /CdS/RGO) heterojunction with enhanced sunlight-driven photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2021, 594, 621-634.	5.0	38

#	ARTICLE	IF	CITATIONS
37	Graphene sheets-based Ag@Ag ₃ PO ₄ heterostructure for enhanced photocatalytic activity and stability under visible light. <i>Powder Technology</i> , 2013, 246, 278-283.	2.1	37
38	Fabrication of Ag ₃ PO ₄ @PANI@GO composites with high visible light photocatalytic performance and stability. <i>Journal of Environmental Chemical Engineering</i> , 2014, 2, 952-957.	3.3	37
39	Low-temperature preparation of magnetically separable Fe ₃ O ₄ @ZnO-RGO for high-performance removal of methylene blue in visible light. <i>Journal of Alloys and Compounds</i> , 2020, 821, 153366.	2.8	37
40	One-step hydrothermal synthesis of peony-like Ag/Bi ₂ WO ₆ as efficient visible light-driven photocatalyst toward organic pollutants degradation. <i>Journal of Materials Science</i> , 2018, 53, 4848-4860.	1.7	36
41	Bi ₂ Ti ₂ O ₇ /TiO ₂ /RGO composite for the simulated sunlight-driven photocatalytic degradation of ciprofloxacin. <i>Materials Chemistry and Physics</i> , 2020, 256, 123650.	2.0	36
42	Hydrangea-like NiMoO ₄ -Ag/rGO as Battery-type electrode for hybrid supercapacitors with superior stability. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1652-1661.	5.0	33
43	Hollow nanospheres comprising amorphous NiMoS ₄ and crystalline NiS ₂ for all-solid-state supercapacitors. <i>Chemical Engineering Journal</i> , 2022, 436, 135231.	6.6	32
44	Synthesis of graphene-based CdS@CuS core-shell nanorods by cation-exchange for efficient degradation of ciprofloxacin. <i>Journal of Alloys and Compounds</i> , 2021, 869, 159305.	2.8	30
45	Fabrication of ZnAl mixed metal-oxides/RGO nanohybrid composites with enhanced photocatalytic activity under visible light. <i>Applied Surface Science</i> , 2018, 441, 599-606.	3.1	29
46	Composites of NiS ₂ Microblocks, MoS ₂ Nanosheets, and Reduced Graphene Oxide for Energy Storage and Electrochemical Detection of Bisphenol A. <i>ACS Applied Nano Materials</i> , 2021, 4, 6093-6102.	2.4	29
47	Amorphous mesoporous nickel phosphate/reduced graphene oxide with superior performance for electrochemical capacitors. <i>Dalton Transactions</i> , 2018, 47, 13052-13062.	1.6	21
48	Engineering NiMoO ₄ /NiFe LDH/rGO multicomponent nanosheets toward enhanced electrocatalytic oxygen evolution reaction. <i>Dalton Transactions</i> , 2022, 51, 6448-6453.	1.6	20
49	A facile solvothermal syntheses of NiFe layered double hydroxide-Bi ₂ MoO ₆ heterostructure/reduced graphene oxide with efficient photodegradation for tetracycline. <i>Environmental Research</i> , 2022, 204, 112037.	3.7	18
50	A glassy carbon electrode modified with nitrogen-doped reduced graphene oxide and melamine for ultra-sensitive voltammetric determination of bisphenol A. <i>Mikrochimica Acta</i> , 2018, 185, 459.	2.5	17
51	Reduced graphene oxide based NiCo layered double hydroxide nanocomposites: An efficient catalyst for epoxidation of styrene. <i>Inorganic Chemistry Communication</i> , 2019, 104, 219-222.	1.8	16
52	Fabrication of Fe/BiOCl/RGO with enhanced photocatalytic degradation of ciprofloxacin under visible light irradiation. <i>Materials Science in Semiconductor Processing</i> , 2022, 140, 106384.	1.9	15
53	Construction of sulfur vacancies enriched hollow zinc cobalt bimetallic sulfides for high-performance supercapacitors. <i>Journal of Alloys and Compounds</i> , 2022, 913, 165191.	2.8	15
54	One-step solvothermal synthesis of spherical spinel type NiFe ₂ xMnxO ₄ -RGO as high-performance supercapacitor electrodes. <i>Ceramics International</i> , 2017, 43, 2226-2232.	2.3	14

#	ARTICLE	IF	CITATIONS
55	ZIF-67 derived Mo ₂ N/Mo ₂ C heterostructure as high-efficiency electrocatalyst for hydrogen evolution reaction. <i>Journal of Alloys and Compounds</i> , 2022, 922, 166216.	2.8	14
56	Fast and Efficient Removal of Cationic Dye Using Graphite Oxide, Adsorption, and Kinetics Studies. <i>Journal of Dispersion Science and Technology</i> , 2013, 34, 1223-1229.	1.3	13
57	One-step hydrothermal synthesis of BiVO ₄ /TiO ₂ /RGO composite with effective photocatalytic performance for the degradation of ciprofloxacin. <i>Optical Materials</i> , 2021, 122, 111726.	1.7	13
58	Engineering thiospinel-based hollow heterostructured nanoarrays for boosting electrocatalytic oxygen evolution reaction. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2403-2409.	3.0	13
59	Flexible Free-Standing Fe ₂ O ₃ Nanoparticle/Carbon Shells/Graphene Films for Advanced Lithium-Ion Batteries. <i>ACS Applied Nano Materials</i> , 2022, 5, 5017-5024.	2.4	13
60	CNT-intercalated rGO/sulfur laminated structure for high-rate and long-life lithium-sulfur batteries. <i>Materials Letters</i> , 2018, 219, 68-71.	1.3	12
61	Construction of 3D marigold-like Bi ₂ WO ₆ /Ag ₂ O/CQDs heterostructure with superior visible-light active photocatalytic activity toward tetracycline degradation and selective oxidation. <i>Journal of Materials Science</i> , 2018, 53, 12040-12055.	1.7	12
62	Synthesis of visible light-driven graphene based ZnFe mixed metal oxide for efficient degradation of tetracycline. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 8931-8943.	1.1	12
63	Scalable and facile preparation of optical-magnetic dual function 3D Ni@graphene-ZnO for high efficiency removal of hexavalent chromium. <i>Ceramics International</i> , 2017, 43, 3792-3796.	2.3	11
64	One-pot synthesis of visible-light-driven photocatalyst for degradation of Rhodamine B: Graphene based bismuth/bismuth(III) oxybromide. <i>Materials Letters</i> , 2019, 240, 246-249.	1.3	11
65	A facile novel preparation of three-dimensional Ni@graphene by catalyzed glucose blowing for high-performance supercapacitor electrodes. <i>RSC Advances</i> , 2015, 5, 74463-74466.	1.7	10
66	Prediction for the detonation velocity of the nitrogen-rich energetic compounds based on quantum chemistry. <i>Russian Journal of Physical Chemistry A</i> , 2014, 88, 2363-2369.	0.1	9
67	Cytotoxicity of Bacteriostatic Reduced Graphene Oxide-Based Copper Oxide Nanocomposites. <i>Jom</i> , 2019, 71, 294-301.	0.9	9
68	Heterogeneous activation of persulfate for the degradation of bisphenol A with Ni ₂ SnO ₄ @RGO. <i>New Journal of Chemistry</i> , 2020, 44, 6355-6361.	1.4	9
69	Successive Anion/Cation Exchange Enables the Fabrication of Hollow CuCo ₂ S ₄ Nanorods for Advanced Oxygen Evolution Reaction Electrocatalysis. <i>Inorganic Chemistry</i> , 2022, , .	1.9	9
70	Combination of Fe ₂ O ₃ , CdS and reduced graphene oxide: high performance and recyclable visible light photocatalysis. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5340.	1.7	8
71	ZnCr layered double hydroxide nanoplate-decorated CdS nanowire with excellent photocatalytic activity for removing Cr(VI) in wastewater. <i>Materials Letters</i> , 2020, 268, 127581.	1.3	8
72	Synthesis, Characterization, and Catalytic Study of Caffeine-Derived N-heterocyclic Carbene Palladium Complexes. <i>Organometallics</i> , 2022, 41, 161-168.	1.1	8

#	ARTICLE	IF	CITATIONS
73	Formation of CoNi ₂ S ₄ nanofibers with 3D hierarchical pom-pom-like structure for high-rate electrochemical capacitors. <i>New Journal of Chemistry</i> , 2019, 43, 11749-11757.	1.4	7
74	Engineering atomically dispersed single Cu ⁺ N ₃ catalytic sites for highly selective oxidation of benzene to phenol. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2637-2643.	3.0	7
75	Graphene Based Copper-Nickel Bimetal Nanocomposite: Magnetically Separable Catalyst for Reducing Hexavalent Chromium. <i>ChemistrySelect</i> , 2020, 5, 3243-3247.	0.7	6
76	Photosynthesis of Multiple Valence Silver Nanoparticles on Reduced Graphene Oxide Sheets With Enhanced Antibacterial Activity. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2013, 43, 440-445.	0.6	5
77	Trials of Treating Decentralized Domestic Sewage from a Residential Area by Potassium Ferrate(VI). <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	5
78	Covalently Induced Grafting of C ₂ N Nanoflakes onto Reduced Graphene Oxide with Dominant Pseudocapacitive Behaviors for a High-Rate Sodium-Ion Battery Anode. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 15946-15956.	3.2	4
79	Ultrasensitive electrochemical detection of bisphenol A using composites of MoS ₂ nanoflowers, CoS ₂ nano-polyhedrons and reduced graphene oxide. <i>Environmental Chemistry Letters</i> , 2022, 20, 2751-2756.	8.3	4
80	Synthesis of CuCr ₂ O ₄ /Reduced Graphene Oxide Composite: A Green Catalyst for Selective Oxidation of Cyclohexane to Cyclohexanone with Hydrogen Peroxide. <i>ChemistrySelect</i> , 2017, 2, 10941-10945.	0.7	3
81	Improved ciprofloxacin removal by a Fe(VI)-Fe ₃ O ₄ /graphene system under visible light irradiation. <i>Water Science and Technology</i> , 2018, 2017, 527-533.	1.2	3
82	Zn-doped Bi ₂ MoO ₆ supported on reduced graphene oxide with increased surface active sites for degradation of ciprofloxacin. <i>Environmental Science and Pollution Research</i> , 2022, 29, 19835-19846.	2.7	2
83	Magnetically separable graphene-based Ni-Fe mixed metal oxide nanocubes derived from a Prussian-blue analogue: synthesis, structure and application in oxidative degradation of bisphenol A. <i>Catalysis Science and Technology</i> , 2021, 11, 459-463.	2.1	1
84	Activation of persulfate by heterogeneous catalyst ZnCo ₂ O ₄ -RGO for efficient degradation of bisphenol A. <i>Canadian Journal of Chemistry</i> , 2020, 98, 771-778.	0.6	1