

Liwei Gu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1344589/liwei-gu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

6,357

citations

36

h-index

79

g-index

82

ext. papers

7,000

ext. citations

5.1

avg, IF

5.88

L-index

#	Paper	IF	Citations
82	Assays for hydrophilic and lipophilic antioxidant capacity (oxygen radical absorbance capacity (ORAC(FL))) of plasma and other biological and food samples. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 3273-9	5.7	1077
81	Concentrations of proanthocyanidins in common foods and estimations of normal consumption. <i>Journal of Nutrition</i> , 2004 , 134, 613-7	4.1	627
80	Screening of foods containing proanthocyanidins and their structural characterization using LC-MS/MS and thiolytic degradation. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7513-21	5.7	475
79	Fractionation of polymeric procyanidins from lowbush blueberry and quantification of procyanidins in selected foods with an optimized normal-phase HPLC-MS fluorescent detection method. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 4852-60	5.7	345
78	Occurrence and biological significance of proanthocyanidins in the American diet. <i>Phytochemistry</i> , 2005 , 66, 2264-80	4	294
77	Absorption and metabolism of proanthocyanidins. <i>Journal of Functional Foods</i> , 2014 , 7, 43-53	5.1	243
76	Liquid chromatographic/electrospray ionization mass spectrometric studies of proanthocyanidins in foods. <i>Journal of Mass Spectrometry</i> , 2003 , 38, 1272-80	2.2	220
75	Procyanidin and catechin contents and antioxidant capacity of cocoa and chocolate products. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 4057-61	5.7	217
74	A review: Using nanoparticles to enhance absorption and bioavailability of phenolic phytochemicals. <i>Food Hydrocolloids</i> , 2015 , 43, 153-164	10.6	215
73	Antioxidant capacities, procyanidins and pigments in avocados of different strains and cultivars. <i>Food Chemistry</i> , 2010 , 122, 1193-1198	8.5	189
72	Antioxidant capacity, phenolic content, and profiling of phenolic compounds in the seeds, skin, and pulp of <i>Vitis rotundifolia</i> (Muscadine Grapes) As determined by HPLC-DAD-ESI-MS(n). <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4681-92	5.7	157
71	Fabrication, characterization, and cytotoxicity evaluation of cranberry procyanidins-zein nanoparticles. <i>Food Hydrocolloids</i> , 2012 , 27, 293-300	10.6	129
70	Processing of sorghum (<i>Sorghum bicolor</i>) and sorghum products alters procyanidin oligomer and polymer distribution and content. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 5516-21	5.7	118
69	Purified berry anthocyanins but not whole berries normalize lipid parameters in mice fed an obesogenic high fat diet. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 1406-18	5.9	116
68	Phytochemicals from berries and grapes inhibited the formation of advanced glycation end-products by scavenging reactive carbonyls. <i>Food Research International</i> , 2011 , 44, 2666-2673	7	110
67	Adsorption/desorption characteristics and separation of anthocyanins and polyphenols from blueberries using macroporous adsorbent resins. <i>Journal of Food Engineering</i> , 2014 , 128, 167-173	6	108
66	Method performance and multi-laboratory assessment of a normal phase high pressure liquid chromatography-fluorescence detection method for the quantitation of flavanols and procyanidins in cocoa and chocolate containing samples. <i>Journal of Chromatography A</i> , 2009 , 1216, 4831-40	4.5	102

65	Effects of exogenous abscisic acid on antioxidant capacities, anthocyanins, and flavonol contents of muscadine grape (<i>Vitis rotundifolia</i>) skins. <i>Food Chemistry</i> , 2011 , 126, 982-988	8.5	102
64	Improvements in Metabolic Health with Consumption of Ellagic Acid and Subsequent Conversion into Urolithins: Evidence and Mechanisms. <i>Advances in Nutrition</i> , 2016 , 7, 961-72	10	81
63	Effects of exogenous abscisic acid on yield, antioxidant capacities, and phytochemical contents of greenhouse grown lettuces. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 6503-9	5.7	80
62	Adsorption/desorption characteristics and separation of anthocyanins from muscadine (<i>Vitis rotundifolia</i>) juice pomace by use of macroporous adsorbent resins. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 1441-8	5.7	74
61	Fabrication of self-assembled (-)-epigallocatechin gallate (EGCG) ovalbumin-dextran conjugate nanoparticles and their transport across monolayers of human intestinal epithelial Caco-2 cells. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1301-9	5.7	70
60	Microbial catabolism of procyanidins by human gut microbiota. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 2196-205	5.9	69
59	TPGS emulsified zein nanoparticles enhanced oral bioavailability of daidzin: in vitro characteristics and in vivo performance. <i>Molecular Pharmaceutics</i> , 2013 , 10, 2062-70	5.6	66
58	Transport of cranberry A-type procyanidin dimers, trimers, and tetramers across monolayers of human intestinal epithelial Caco-2 cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 1390-6	5.7	59
57	Sorghum extrusion increases bioavailability of catechins in weanling pigs. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1283-8	5.7	56
56	Fabrication of nanoparticles using partially purified pomegranate ellagitannins and gelatin and their apoptotic effects. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 1096-103	5.9	54
55	Preparation, characterization, and induction of cell apoptosis of cocoa procyanidins-gelatin-chitosan nanoparticles. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012 , 82, 36-42	5.7	50
54	Sorghum bran in the diet dose dependently increased the excretion of catechins and microbial-derived phenolic acids in female rats. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 5328-34	5.7	50
53	Cranberry phytochemicals inhibit glycation of human hemoglobin and serum albumin by scavenging reactive carbonyls. <i>Food and Function</i> , 2011 , 2, 475-82	6.1	47
52	Isoflavone conjugates are underestimated in tissues using enzymatic hydrolysis. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 6858-63	5.7	47
51	Fabrication of coated bovine serum albumin (BSA)-epigallocatechin gallate (EGCG) nanoparticles and their transport across monolayers of human intestinal epithelial Caco-2 cells. <i>Food and Function</i> , 2014 , 5, 1278-85	6.1	44
50	Phytochemicals from <i>Camellia nitidissima</i> Chi inhibited the formation of advanced glycation end-products by scavenging methylglyoxal. <i>Food Chemistry</i> , 2016 , 205, 204-11	8.5	42
49	Enzyme release of phenolics from muscadine grape (<i>Vitis rotundifolia</i> Michx.) skins and seeds. <i>Food Chemistry</i> , 2014 , 157, 20-9	8.5	39
48	Ellagic acid modulates lipid accumulation in primary human adipocytes and human hepatoma Huh7 cells via discrete mechanisms. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 82-90	6.3	37

47	Effects of mass ratio, pH, temperature, and reaction time on fabrication of partially purified pomegranate ellagitannin-gelatin nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4225-31	5.7	37
46	UHPLC-Q-Orbitrap-HRMS-based global metabolomics reveal metabolome modifications in plasma of young women after cranberry juice consumption. <i>Journal of Nutritional Biochemistry</i> , 2017 , 45, 67-76	6.3	34
45	Synergic interactions between polyphenols and gut microbiota in mitigating inflammatory bowel diseases. <i>Food and Function</i> , 2020 , 11, 4878-4891	6.1	32
44	Mitigation effects of proanthocyanidins with different structures on acrylamide formation in chemical and fried potato crisp models. <i>Food Chemistry</i> , 2018 , 250, 98-104	8.5	30
43	A 1H NMR-based approach to investigate metabolomic differences in the plasma and urine of young women after cranberry juice or apple juice consumption. <i>Journal of Functional Foods</i> , 2015 , 14, 76-86	5.1	30
42	Depolymerization of cranberry procyanidins using (+)-catechin, (-)-epicatechin, and (-)-epigallocatechin gallate as chain breakers. <i>Food Chemistry</i> , 2013 , 141, 488-94	8.5	29
41	Profiling the metabolome changes caused by cranberry procyanidins in plasma of female rats using (1) H NMR and UHPLC-Q-Orbitrap-HRMS global metabolomics approaches. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 2107-18	5.9	28
40	Huanglongbing modifies quality components and flavonoid content of Valencia Oranges. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 73-8	4.3	27
39	Effects of exogenous abscisic acid on fruit quality, antioxidant capacities, and phytochemical contents of southern high bush blueberries. <i>Food Chemistry</i> , 2012 , 132, 1375-1381	8.5	26
38	Scavenging of Toxic Acrolein by Resveratrol and Hesperetin and Identification of Adducts. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 9488-95	5.7	22
37	Muscadine Grape (<i>Vitis rotundifolia</i>) or Wine Phytochemicals Reduce Intestinal Inflammation in Mice with Dextran Sulfate Sodium-Induced Colitis. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 769-776	5.7	20
36	Use natural deep eutectic solvents as efficient green reagents to extract procyanidins and anthocyanins from cranberry pomace and predictive modeling by RSM and artificial neural networking. <i>Separation and Purification Technology</i> , 2021 , 255, 117720	8.3	19
35	NMR-based metabolomics reveals urinary metabolome modifications in female Sprague-Dawley rats by cranberry procyanidins. <i>Journal of Nutritional Biochemistry</i> , 2016 , 34, 136-45	6.3	18
34	An extremely thermostable maltogenic amylase from <i>Staphylothermus marinus</i> : Bacillus expression of the gene and its application in genistin glycosylation. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 413-417	7.9	17
33	Antioxidant Activity and Neuroprotective Activity of Stilbenoids in Rat Primary Cortex Neurons via the PI3K/Akt Signalling Pathway. <i>Molecules</i> , 2018 , 23,	4.8	17
32	Development of a Thiolytic HPLC Method for the Analysis of Procyanidins in Cranberry Products. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 2159-2167	5.7	15
31	Assessing pulsed light treatment on the reduction of aflatoxins in peanuts with and without skin. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 2567-2575	3.8	15
30	Static, Kinetic, and Isotherm Adsorption Performances of Macroporous Adsorbent Resins for Recovery and Enrichment of Bioactive Procyanidins from Cranberry Pomace. <i>Journal of Food Science</i> , 2018 , 83, 1249-1257	3.4	14

29	American cranberries and health benefits - an evolving story of 25 years. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 5111-5116	4.3	13
28	Hydrogenolytic depolymerization of procyanidin polymers from hi-tannin sorghum bran. <i>Food Chemistry</i> , 2015 , 188, 337-42	8.5	11
27	Analysis Methods of Proanthocyanidins 2012 , 247-274		11
26	Red Raspberry Polyphenols Attenuate High-Fat Diet-Driven Activation of NLRP3 Inflammasome and its Paracrine Suppression of Adipogenesis via Histone Modifications. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900995	5.9	11
25	Muscadine grapes (<i>Vitis rotundifolia</i>) and dealcoholized muscadine wine alleviated symptoms of colitis and protected against dysbiosis in mice exposed to dextran sulfate sodium. <i>Journal of Functional Foods</i> , 2020 , 65, 103746	5.1	10
24	Depolymerisation optimisation of cranberry procyanidins and transport of resultant oligomers on monolayers of human intestinal epithelial Caco-2 cells. <i>Food Chemistry</i> , 2015 , 167, 45-51	8.5	9
23	Efficacy and mechanisms of dietary polyphenols in mitigating rheumatoid arthritis. <i>Journal of Functional Foods</i> , 2020 , 71, 104003	5.1	8
22	Modifications of the urinary metabolome in young women after cranberry juice consumption were revealed using the UHPLC-Q-orbitrap-HRMS-based metabolomics approach. <i>Food and Function</i> , 2020 , 11, 2466-2476	6.1	8
21	Identifying Cranberry Juice Consumers with Predictive OPLS-DA Models of Plasma Metabolome and Validation of Cranberry Juice Intake Biomarkers in a Double-Blinded, Randomized, Placebo-Controlled, Cross-Over Study. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1901242	5.9	8
20	Depolymerization of sorghum procyanidin polymers into oligomers using HCl and epicatechin: Reaction kinetics and optimization. <i>Journal of Cereal Science</i> , 2016 , 70, 170-176	3.8	5
19	Mathematical Modeling of the Anthocyanins Adsorption/Desorption from Blueberries on Amberlite FPX-66 Resin in A Fixed Bed Column. <i>Journal of Food Process Engineering</i> , 2017 , 40, e12323	2.4	4
18	Effect of meteorological parameters and regions on accumulation pattern of phenolic compounds in different mulberry cultivars grown in China. <i>Natural Product Research</i> , 2017 , 31, 1091-1096	2.3	4
17	Comparing the Oil Extraction and Refining Methods for Muscadine Grape Seeds of Noble and Carlos Cultivar. <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1800166	3	4
16	Ultrasound-assisted extraction of phenolic acids, flavonols, and flavan-3-ols from muscadine grape skins and seeds using natural deep eutectic solvents and predictive modelling by artificial neural networking. <i>Ultrasonics Sonochemistry</i> , 2021 , 79, 105773	8.9	4
15	Effect of Magnetic Field and Flowing Saline Solution on Salt Content in Garlic During Brining. <i>Food and Bioprocess Technology</i> , 2015 , 8, 2495-2499	5.1	3
14	Development of a robust, quantitative normal-phase HPLC method for flavan-3-ols and procyanidin oligomers in chocolate and cocoa-containing samples. <i>FASEB Journal</i> , 2008 , 22, 148.4	0.9	1
13	Analyses of procyanidins in foods using Diol phase HPLC. <i>FASEB Journal</i> , 2008 , 22, 148.5	0.9	1
12	Nutraceutical Values of Muscadine against Obesity and Metabolic Complications in-vivo. <i>FASEB Journal</i> , 2012 , 26, 818.6	0.9	1

11	Vitamin E TPGS Emulsified Zein Nanoparticles Enhanced the Uptake and Transport of Daidzin on Human Intestinal Epithelial Caco-2 Cells. <i>FASEB Journal</i> , 2013 , 27, 636.27	0.9	1
10	Performance of macroporous resins for debittering HLB-affected grapefruit juice and its impacts on furanocoumarin and consumer sensory acceptability. <i>Food Chemistry</i> , 2021 , 352, 129367	8.5	1
9	Mathematical modeling of the adsorption/desorption characteristics of anthocyanins from muscadine (<i>Vitis rotundifolia</i> cv. Noble) juice pomace on Amberlite FPX66 resin in a fixed bed column. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 4876-4884	4.3	
8	Ocular endoplasmic reticulum stress and inflammation is attenuated by supplementation with muscadine grape polyphenols in vitro and in vivo (1045.2). <i>FASEB Journal</i> , 2014 , 28, 1045.2	0.9	
7	Fabrication of self-assembled (-)-epigallocatechin gallate (EGCG) ovalbumin-dextran conjugate nanoparticles and their transport across monolayers of human intestinal epithelial Caco-2 cells (1044.1). <i>FASEB Journal</i> , 2014 , 28, 1044.1	0.9	
6	A 1H NMR-Based Approach to Investigate Metabolomic Differences in the Plasma and Urine of Young Women after Cranberry Juice or Apple Juice. <i>FASEB Journal</i> , 2015 , 29, 249.3	0.9	
5	Scavenging of Toxic Acrolein by Resveratrol and Hesperetin: Reaction Kinetics and Adducts Identification. <i>FASEB Journal</i> , 2015 , 29, 922.25	0.9	
4	A-type procyanidin dimers, trimers, and tetramers from cranberries transported across monolayers of human Intestinal epithelial Caco-2 cells. <i>FASEB Journal</i> , 2012 , 26, 646.16	0.9	
3	Preparation, Characterization, and Induction of Cell Apoptosis of Cocoa Procyanidins-Gelatin-Chitosan Nanoparticles. <i>FASEB Journal</i> , 2012 , 26, 646.15	0.9	
2	Ellagic acid inhibits hyperplastic conversion of human adiposederived stem cells through histone deacetylase-dependent mechanisms. <i>FASEB Journal</i> , 2013 , 27, 247.6	0.9	
1	Separation of proanthocyanidin polymers from American cranberries and predictive modeling of depolymerization using response surface methodology. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14765	2.1	