

Anatolii Belous

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1345043/publications.pdf>

Version: 2024-02-01

203
papers

2,324
citations

257101

24
h-index

315357

38
g-index

203
all docs

203
docs citations

203
times ranked

2002
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Q Microwave Dielectric Materials Based on the Spinel Mg ₂ TiO ₄ . Journal of the American Ceramic Society, 2006, 89, 3441-3445.	1.9	189
2	Influence of impurities on the properties of rare-earth-doped barium titanate ceramics. Journal of Materials Chemistry, 2000, 10, 941-947.	6.7	101
3	Microwave composite dielectrics based on magnesium titanates. Journal of the European Ceramic Society, 2007, 27, 2963-2966.	2.8	72
4	Mössbauer Study and Magnetic Properties of M-Type Barium Hexaferrite Doped with Co + Ti and Bi + Ti Ions. Journal of Physical Chemistry B, 2006, 110, 26477-26481.	1.2	69
5	Percolation-Limited Ionic Diffusion in Li _{0.5-x} NaxLa _{0.5} TiO ₃ Perovskites (0 ≤ x ≤ 0.5). Chemistry of Materials, 2002, 14, 5148-5152.	3.2	63
6	The effect of non-stoichiometry on the microstructure and microwave dielectric properties of the columbites A ₂ Nb ₂ O ₆ . Journal of the European Ceramic Society, 2007, 27, 2933-2936.	2.8	46
7	Mössbauer and X-ray diffraction study of Co ²⁺ /Si ⁴⁺ substituted M-type barium hexaferrite BaFe ₁₂ ~2~N...DjD~3/4~N...SiN...O19A±I ³ . Journal of Magnetism and Magnetic Materials, 2013, 330, 72-75.	1.0	43
8	Peculiarities of Li _{0.5} La _{0.5} TiO ₃ Formation during the Synthesis by Solid-State Reaction or Precipitation from Solutions. Chemistry of Materials, 2004, 16, 407-417.	3.2	40
9	The homogeneity range and the microwave dielectric properties of the BaZn ₂ Ti ₄ O ₁₁ ceramics. Journal of the European Ceramic Society, 2006, 26, 3733-3739.	2.8	40
10	Magnetic properties and high heating efficiency of ZnFe ₂ O ₄ nanoparticles. Materials Chemistry and Physics, 2014, 146, 129-135.	2.0	35
11	Mechanisms of AC losses in magnetic fluids based on substituted manganites. Physical Chemistry Chemical Physics, 2015, 17, 18087-18097.	1.3	35
12	Effect of preparation conditions on cation ordering and dielectric properties of Ba(Mg _{1/3} Ta _{2/3})O ₃ ceramics. Journal of the European Ceramic Society, 2002, 22, 2013-2021.	2.8	33
13	PbTiO ₃ Nanoparticles Embedded in a Liquid Crystalline Elastomer Matrix: Structural and Ordering Properties. Journal of Physical Chemistry C, 2010, 114, 10782-10789.	1.5	33
14	Advances in the Study of Cerium Oxide Nanoparticles: New Insights into Antiamyloidogenic Activity. ACS Applied Bio Materials, 2019, 2, 1884-1896.	2.3	33
15	Left-handed behavior of strontium-doped lanthanum manganite in the millimeter waveband. Applied Physics Letters, 2009, 95, .	1.5	32
16	Iron-Doped (La,Sr)MnO ₃ Manganites as Promising Mediators of Self-Controlled Magnetic Nanohyperthermia. Nanoscale Research Letters, 2016, 11, 24.	3.1	32
17	Lithium La _{0.57} Li _{0.33} TiO ₃ Perovskite and Li _{1.3} Al _{0.3} Ti _{1.7} (PO ₄) ₃ Li-NASICON Supported Thick Films Electrolytes Prepared by Tape Casting Method. Journal of the Electrochemical Society, 2016. 163, A1653-A1659.	1.3	30
18	Ionic and electronic conductivity of 3 mol% Fe ₂ O ₃ -substituted cubic yttria-stabilized ZrO ₂ (YSZ) and scandia-stabilized ZrO ₂ (ScSZ). Solid State Ionics, 2014, 262, 517-521.	1.3	29

#	ARTICLE	IF	CITATIONS
19	Lithium ion conductors based on the perovskite $\text{La}_{2/3}\text{Li}_3\text{TiO}_3$. Journal of the European Ceramic Society, 2001, 21, 1797-1800.	2.8	27
20	Title is missing!. Inorganic Materials, 2003, 39, 161-170.	0.2	27
21	Magnetic Properties and AC Losses in AFe_2O_4 (A = Mn, Co, Ni, Zn) Nanoparticles Synthesized from Nonaqueous Solution. Journal of Chemistry, 2015, 2015, 1-9.	0.9	27
22	Abnormal behavior of the dielectric parameters of $\text{Ba}_{1-x}\text{Ln}_{2x/3}\text{Ti}_8\text{O}_{54}$ (Ln=La-Gd) solid solutions. Journal of Applied Physics, 2002, 92, 3917-3922.	1.1	26
23	On the Local Structure and Lithium Dynamics of $\text{La}_{0.5}(\text{Li},\text{Na})_{0.5}\text{TiO}_3$ Ionic Conductors. A Raman Study. Chemistry of Materials, 2005, 17, 5862-5866.	3.2	26
24	Vacancy-induced enhancement of magnetic interactions in (Ca, Na)-doped lanthanum manganites. Journal of Applied Physics, 2007, 102, 063902.	1.1	25
25	Magnetoelectric effect in composite structures based on ferroelectric-ferromagnetic perovskites. Journal of the European Ceramic Society, 2010, 30, 259-263.	2.8	25
26	The effect of partial isovalent substitution in the A-sublattice on MW properties of materials based on $\text{Ba}_{1-x}\text{Ln}_{2x/3}\text{Ti}_8\text{O}_{54}$ solid solutions. Journal of the European Ceramic Society, 2001, 21, 2723-2730.	2.8	24
27	Solid electrolytes based on lithium-containing lanthanum metaniobates. Journal of the European Ceramic Society, 2004, 24, 1301-1304.	2.8	23
28	Crystallographic, electrical, and magnetic properties of the system $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-x}\text{Fe}_x\text{O}_3$. Low Temperature Physics, 2006, 32, 134-138.	0.2	21
29	Effect of nonstoichiometry on the structure and microwave dielectric properties of $\text{Ba}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$. Inorganic Materials, 2010, 46, 529-533.	0.2	21
30	Negative permittivity and left-handed behavior of doped manganites in millimeter waveband. Applied Physics Letters, 2010, 97, .	1.5	21
31	Single Crystal Electron Paramagnetic Resonance with Dielectric Resonators of Mononuclear Cu^{2+} Ions in a Metal-Organic Framework Containing Cu_2 Paddle Wheel Units. Journal of Physical Chemistry C, 2015, 119, 19171-19179.	1.5	21
32	Lanthanum-strontium manganites for magnetic nanohyperthermia: Fine tuning of parameters by substitutions in lanthanum sublattice. Journal of Alloys and Compounds, 2017, 702, 31-37.	2.8	21
33	Influence of Vacancy Ordering on the Percolative Behavior of $(\text{Li}_{1-x}\text{Na}_x)_3\text{La}_{2/3-y}\text{TiO}_3$ Perovskites. Journal of Physical Chemistry B, 2005, 109, 3262-3268.	1.2	20
34	Synthesis of Iron Oxide Nanoparticles by Different Methods and Study of their Properties. Solid State Phenomena, 0, 230, 108-113.	0.3	20
35	Profound Interfacial Effects in $\text{CoFe}_2\text{O}_4/\text{Fe}_3\text{O}_4$ and $\text{Fe}_3\text{O}_4/\text{CoFe}_2\text{O}_4$ Core/Shell Nanoparticles. Nanoscale Research Letters, 2018, 13, 67.	3.1	20
36	Influence of the Chemical Composition on Structural Properties and Electrical Conductivity of $\text{Y}_{1-x}\text{Ce}_x\text{ZrO}_2$. Chemistry of Materials, 2007, 19, 5179-5184.	3.2	19

#	ARTICLE	IF	CITATIONS
37	(La,Sr)(Mn,Me)O ₃ manganites doped with d metals: Study of charge compensation mechanisms by crystallographic and magnetic characterizations. Journal of the European Ceramic Society, 2007, 27, 3919-3922.	2.8	19
38	New ceramic EPR resonators with high dielectric permittivity. Journal of Magnetic Resonance, 2008, 195, 52-59.	1.2	19
39	Temperature compensated microwave dielectrics based on lithium containing titanates. Journal of the European Ceramic Society, 2003, 23, 2525-2528.	2.8	18
40	Structure and Properties of Nonstoichiometric La _{1-x} NaxMnO ₃ Solid Solutions. Inorganic Materials, 2004, 40, 744-750.	0.2	18
41	Effect of Synthesis Method of La _{1-x} SrxMnO ₃ Manganite Nanoparticles on Their Properties. Nanoscale Research Letters, 2018, 13, 13.	3.1	18
42	Oxidation state of copper ions in (La _{0.7} Sr _{0.3})(Mn _{1-x} Cux)O ₃ ceramics and their magnetic properties. Inorganic Materials, 2006, 42, 286-293.	0.2	17
43	Effect of nonstoichiometry on the structure and microwave dielectric properties of cobalt metaniobate. Inorganic Materials, 2006, 42, 1369-1373.	0.2	17
44	Effect of vacancies on the structural and relaxor properties of (Sr,Ba,Na)Nb ₂ O ₆ . Journal of Applied Physics, 2007, 102, 014111.	1.1	17
45	Low-Loss Microwave Ceramics Based on Non-Stoichiometric Perovskites Ba(Co _{1/3} Nb _{2/3})O ₃ and Ba(Zn _{1/3} Nb _{2/3})O ₃ . Ferroelectrics, 2008, 367, 149-162.	0.3	17
46	Synthesis and characterization of La _{0.7} Sr _{0.3} Mn _{1-x} TixO ₃ manganites. Physics of the Solid State, 2006, 48, 709-716.	0.2	16
47	Structural, electrical, and magnetic properties of La _{0.7} Ca _{0.3-x} Na _x MnO ₃ solid solutions. Inorganic Materials, 2008, 44, 181-188.	0.2	16
48	Effect of heat treatment on the phase composition, structure and magnetic properties of M-type barium hexaferrite. Journal of Magnetism and Magnetic Materials, 2014, 368, 1-7.	1.0	16
49	Synthesis of thin-film electrodes based on LiPON and LiPON-LLTO-LiPON. Russian Journal of Electrochemistry, 2014, 50, 523-530.	0.3	16
50	Interplay between superparamagnetic and blocked behavior in an ensemble of lanthanum-strontium manganite nanoparticles. Physical Chemistry Chemical Physics, 2017, 19, 27015-27024.	1.3	16
51	New rhenium containing seignettomagnets and ferroelectrics. Physica Status Solidi A, 1977, 44, 247-257.	1.7	15
52	Synthesis and Microwave Dielectric Properties of MgO-TiO ₂ -SiO ₂ Ceramics. Inorganic Materials, 2004, 40, 1116-1121.	0.2	14
53	Effect of preparation conditions on fractal structure and phase transformations in the synthesis of nanoscale M-type barium hexaferrite. Journal of Magnetism and Magnetic Materials, 2011, 323, 2497-2503.	1.0	14
54	Effect of precipitation conditions on the phase composition, particle morphology, and properties of iron(III,II) hydroxide precipitates. Inorganic Materials, 2000, 36, 343-351.	0.2	13

#	ARTICLE	IF	CITATIONS
55	Ionic and electronic conductivity of 3mol% Fe ₂ O ₃ -substituted cubic Y-stabilized ZrO ₂ . Solid State Ionics, 2012, 226, 53-58.	1.3	13
56	Dielectric-ferrite film heterostructures for magnetic field controlled resonance microwave components. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2015, 197, 36-42.	1.7	13
57	The effect of sol-gel preparation conditions on structural characteristics and magnetic properties of M-type barium hexaferrite thin films. Journal of Sol-Gel Science and Technology, 2015, 75, 215-223.	1.1	13
58	Dielectric Ceramic EPR Resonators for Low Temperature Spectroscopy at X-band Frequencies. Applied Magnetic Resonance, 2015, 46, 33-48.	0.6	13
59	New seignette-magnets with hexagonal barium titanate structure. Physica Status Solidi A, 1978, 48, 183-189.	1.7	12
60	Physicochemical aspects of the development of MW dielectrics and their use. Journal of the European Ceramic Society, 2001, 21, 2717-2722.	2.8	12
61	Synthesis and properties of AFe ₂ O ₄ (A = Mn, Fe, Co, Ni, Zn) nanoparticles produced by deposition from diethylene glycol solution. Russian Journal of Inorganic Chemistry, 2013, 58, 901-905.	0.3	12
62	Nanoparticles of spinel and perovskite ferromagnets and prospects for their application in medicine. AIP Conference Proceedings, 2014, , .	0.3	12
63	Title is missing!. Inorganic Materials, 2003, 39, 645-651.	0.2	11
64	Synthesis and microwave dielectric properties of Zn _{1+x} Nb ₂ O _{6+x} . Inorganic Materials, 2007, 43, 277-280.	0.2	11
65	Effect of Synthesis Temperature on Structure and Magnetic Properties of (La,Nd) _{0.7} Sr _{0.3} MnO ₃ Nanoparticles. Nanoscale Research Letters, 2017, 12, 100.	3.1	11
66	Critical behavior of ensembles of superparamagnetic nanoparticles with dispersions of magnetic parameters. Journal of Physics Condensed Matter, 2019, 31, 375801.	0.7	11
67	Properties of lithium ion-conducting ceramics based on rare-earth titanates. Ionics, 1998, 4, 360-363.	1.2	10
68	Effect of zirconium and yttrium hydroxide precipitation conditions on the fractal structure of the resulting xerogels and 0.97ZrO ₂ · 0.03Y ₂ O ₃ powders. Inorganic Materials, 2007, 43, 258-263.	0.2	10
69	Effect of synthesis methods on the morphology of nanosized tin dioxide particles. Russian Journal of Inorganic Chemistry, 2007, 52, 1835-1839.	0.3	10
70	Low-Loss Perovskite Niobates Ba(M _{1/3} ²⁺ Nb _{2/3})O ₃ : Composition, Structure, and Microwave Dielectric Properties. Ferroelectrics, 2009, 387, 36-45.	0.3	10
71	Synthesis of nanosized (Li,La){Ti,Nb,Ta}O ₃ particles using the sol-gel method. Russian Journal of Inorganic Chemistry, 2013, 58, 637-643.	0.3	10
72	Structural aspects of magnetic fluid stabilization in aqueous agarose solutions. Journal of Magnetism and Magnetic Materials, 2017, 431, 16-19.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Effect of non-stoichiometry of initial reagents on morphological and structural properties of perovskites $\text{CH}_3\text{NH}_3\text{PbI}_3$. <i>Nanoscale Research Letters</i> , 2019, 14, 4.	3.1	10
74	Solid-state reaction mechanism for the formation of $\text{Ba}_{6-x}\text{Ln}_{8+2x/3}\text{Ti}_8\text{O}_{54}$ (Ln = Nd, Sm) solid solutions. <i>Journal of Materials Research</i> , 2001, 16, 2350-2356.	1.2	9
75	Title is missing!. <i>Inorganic Materials</i> , 2003, 39, 133-138.	0.2	9
76	Redox processes in highly yttrium-doped barium titanate. <i>Journal of Solid State Chemistry</i> , 2005, 178, 1367-1375.	1.4	9
77	Structural, electrical, and magnetic properties of $\text{La}_{0.7}\text{Sr}_{0.3}\text{Mn}_{1-y}\text{Cr}_y\text{O}_3$. <i>Inorganic Materials</i> , 2006, 42, 1121-1125.	0.2	9
78	Mössbauer and X-ray Diffraction Studies of Cubic Solid Solutions of the $\text{ZrO}_2\text{-Y}_2\text{O}_3\text{-Fe}_2\text{O}_3$ System. <i>Journal of Physical Chemistry C</i> , 2008, 112, 3914-3919.	1.5	9
79	Effect of impurities on the electrical properties of the defect perovskite $\text{Li}_{0.33}\text{La}_{0.57}\text{TiO}_3$. <i>Inorganic Materials</i> , 2017, 53, 326-332.	0.2	9
80	Impurity and Intrinsic Defects in Barium Titanate Ceramics and Their Influence on PTCR Effect. <i>Ferroelectrics</i> , 2003, 288, 243-251.	0.3	8
81	Synthesis of nanosize particles of cobalt and nickel oxides from solutions. <i>Russian Journal of Applied Chemistry</i> , 2006, 79, 345-350.	0.1	8
82	Synthesis and comparative characteristics of biological activities of (La, Sr) MnO_3 and Fe_3O_4 nanoparticles. <i>European Journal of Nanomedicine</i> , 2017, 9, .	0.6	8
83	Structural Aspects of $\text{Fe}_3\text{O}_4/\text{CoFe}_2\text{O}_4$ Magnetic Nanoparticles According to X-Ray and Neutron Scattering. <i>Journal of Surface Investigation</i> , 2018, 12, 737-743.	0.1	8
84	Biological activity of cerium dioxide nanoparticles. <i>Journal of Biomedical Materials Research - Part A</i> , 2020, 108, 1703-1712.	2.1	8
85	Impurity centers in a barium titanate ceramic doped with rare-earth ions. <i>Physics of the Solid State</i> , 1999, 41, 1688-1692.	0.2	7
86	Effect of the Distribution of Manganese Ions on the Properties of Mn-Doped (Ba,Y) TiO_3 PTCR Ceramics. <i>Inorganic Materials</i> , 2003, 39, 190-197.	0.2	7
87	Lithium-Ion conducting oxides: Synthesis, structure, and electroconducting properties. <i>Russian Journal of General Chemistry</i> , 2009, 79, 1987-1997.	0.3	7
88	The Effect of Impurity Phases on the Structure and Properties of Microwave Dielectrics Based on Complex Perovskites $\text{Ba}(\text{Co}_{1/32}+\text{Nb}_{2/3})\text{O}_3$. <i>Ferroelectrics</i> , 2009, 387, 189-196.	0.3	7
89	Application of positron annihilation and Raman spectroscopies to the study of perovskite type materials. <i>Journal of Applied Physics</i> , 2010, 108, 114109.	1.1	7
90	Effect of nonstoichiometry on the structure and microwave dielectric properties of $\text{Ba}_{1-x}(\text{Zn}_{1/2}\text{W}_{1/2})\text{O}_3$ and $\text{Ba}(\text{Zn}_{1/2-y}\text{W}_{1/2})\text{O}_3$. <i>Inorganic Materials</i> , 2011, 47, 313-316.	0.2	7

#	ARTICLE	IF	CITATIONS
91	Structural and magnetic properties of $\text{Ba}_{0.7}\text{Sr}_{0.3}\text{Fe}_{1-2x}\text{Co}_x\text{Ti}_x\text{O}_{19}$ M-type hexaferrites. <i>Inorganic Materials</i> , 2013, 49, 621-625.	0.2	7
92	Polyol Synthesis and Properties of AFe_2O_4 Nanoparticles (A = Mn, Fe, Co, Ni). <i>Tj ETQq0 0.0 rgBT /Overlock 10</i>	0.3	7
93	Semi-oxalate synthesis of $(1-x)\text{BaTiO}_3-x\text{MO.5Bi0.5TiO}_3$ (M = Li, Na, K) PTCR materials. <i>Journal of Advanced Ceramics</i> , 2016, 5, 117-125.	8.9	7
94	Impedance Analysis of Thin Films of Organic-Inorganic Perovskites $\text{CH}_3\text{NH}_3\text{PbI}_3$ with Control of Microstructure. <i>Nanoscale Research Letters</i> , 2018, 13, 98.	3.1	7
95	Unusual substitutional properties of Cu in bulk polycrystalline samples of $\text{La}_{0.7}\text{Ca}_{0.3}\text{Mn}_{1-x}\text{Cu}_x\text{O}_3$. <i>Low Temperature Physics</i> , 2001, 27, 366-371.	0.2	6
96	Title is missing!. <i>Russian Journal of Electrochemistry</i> , 2002, 38, 425-430.	0.3	6
97	Effect of Synthesis Conditions on the Lithium Nonstoichiometry and Properties of $\text{La}_{2/3-x}\text{Li}_3\text{Ta}_{1/3-x}$ $2x\text{M}_2\text{O}_6$ (M = Nb, Ta) Perovskite-like Solid Solutions. <i>Inorganic Materials</i> , 2004, 40, 867-873.	0.2	6
98	Structural and dielectric properties of solid solutions of sodium niobate in lanthanum and neodymium niobates. <i>Inorganic Materials</i> , 2004, 40, 1324-1330.	0.2	6
99	Electrical properties of $\text{BaTi}_{1-x}\text{M}_x\text{O}_3$ (M = Nb, Ta, Mo, W) ceramics. <i>Inorganic Materials</i> , 2006, 42, 1363-1368.	0.2	6
100	Effect of the A-Site Substitution on the Structure Peculiarities and Ionic Conductivity of Solid Electrolytes $\text{La}_{2/3-x}\text{Li}_3\text{Sr}_{1/3-x}$ $2x\text{Nb}_2\text{O}_6$. <i>Materials and Manufacturing Processes</i> , 2008, 23, 607-610.	2.7	6
101	Effect of synthesis conditions on the fractal structure of yttrium-stabilized zirconium dioxide. <i>Journal of Non-Crystalline Solids</i> , 2009, 355, 2557-2561.	1.5	6
102	A-site deficient perovskites $\text{Ba}(\text{M}_{2+} 1/3\text{Nb}_{2/3})\text{O}_3$: microstructural attributes for a high quality factor. <i>Materials Science-Poland</i> , 2011, 29, 56-62.	0.4	6
103	Intercalation processes influence the structure and electrophysical properties of lithium-conducting compounds having defect perovskite structure. <i>Russian Journal of Inorganic Chemistry</i> , 2011, 56, 93-98.	0.3	6
104	Temperature curve of magnetization and left-handed properties of $\text{La}_{0.775}\text{Sr}_{0.225}\text{MnO}_3$. <i>Applied Physics Letters</i> , 2012, 100, 171104.	1.5	6
105	Left-handed properties of manganite-perovskites $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ at various dopant concentrations. <i>AIP Advances</i> , 2014, 4, .	0.6	6
106	Influence of Synthesis Conditions on the Morphology and Spectral-Luminescent Properties of Films of Organic-Inorganic Perovskite $\text{CH}_3\text{NH}_3\text{PbI}_2.98\text{Cl}_0.02$. <i>Russian Journal of General Chemistry</i> , 2018, 88, 114-119.	0.3	6
107	Dual-Functional Antioxidant and Antiamyloid Cerium Oxide Nanoparticles Fabricated by Controlled Synthesis in Water-Alcohol Solutions. <i>Biomedicines</i> , 2022, 10, 942.	1.4	6
108	Structural aspects and ionic conductivity in perovskite-like doped niobates and titanates. <i>Ionics</i> , 1997, 3, 117-121.	1.2	5

#	ARTICLE	IF	CITATIONS
109	Anomalous transport behavior of $\text{La}_{0.825}\text{Sr}_{0.175}\text{MnO}_3$ polycrystalline samples below Curie temperature. <i>Low Temperature Physics</i> , 1999, 25, 74-75.	0.2	5
110	Phase Composition of Heat-Treatment Products in the $\text{ZrO}(\text{OH})_2\text{-Y}(\text{OH})_3\text{-FeOOH}$ System. <i>Inorganic Materials</i> , 2001, 37, 248-253.	0.2	5
111	Oxidation of reduced Y-doped semiconducting barium titanate ceramics. <i>Inorganic Materials</i> , 2005, 41, 87-93.	0.2	5
112	Microwave dielectrics with enhanced permittivity. <i>Journal of the European Ceramic Society</i> , 2006, 26, 1821-1826.	2.8	5
113	Structural and magnetic properties of $\text{BaFe}_{12-2x}\text{Co}_x\text{Sn}_x\text{O}_{19}$ modified M-type hexaferrites. <i>Inorganic Materials</i> , 2012, 48, 1147-1152.	0.2	5
114	Synthesis of ferromagnetic $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ nanoparticles by precipitation from diethylene glycol solution and their properties. <i>Journal of Advanced Ceramics</i> , 2016, 5, 197-203.	8.9	5
115	Peculiarities of ionic conduction in $\text{Li}_{0.5}\text{YNa}_{0.5}\text{Nb}_2\text{O}_6$ system at high temperatures. <i>Solid State Ionics</i> , 2017, 300, 86-90.	1.3	5
116	Magnetothermic Effect in Core/Shell Nanocomposite $(\text{La,Sr})\text{MnO}_3/\text{SiO}_2$. <i>Theoretical and Experimental Chemistry</i> , 2018, 54, 92-98.	0.2	5
117	Preparation and Properties of Films of Organic-Inorganic Perovskites MAPbX_3 ($\text{MA} = \text{CH}_3\text{NH}_3$; $\text{X} = \text{Cl}$). <i>Tj ETQq1 1 0,784314 19 BT / Ov</i>	0.2	5
118	Physicochemical aspects of the development of new functional materials based on heterosubstituted titanates of rare-earth elements with the Perovskite structure. <i>Theoretical and Experimental Chemistry</i> , 1998, 34, 301-318.	0.2	4
119	Formation and electrophysical properties of Y-containing positive temperature coefficient of resistance ceramics doped by calcium, strontium, and manganese. <i>Materials Research Bulletin</i> , 2004, 39, 297-308.	2.7	4
120	Effect of combined doping ($\text{y}_3 + + \text{fe}_3 +$) on structural features of nanodispersed zirconium oxide. <i>Journal of Materials Science</i> , 2005, 40, 5273-5280.	1.7	4
121	Effects of reduced dimensionality in the relaxation dynamics of ionic conductors. <i>Europhysics Letters</i> , 2005, 69, 770-776.	0.7	4
122	$\text{BaTi}_{1-x}\text{Sn}_x\text{O}_3$ Solid Solutions: Solid-Phase and Sol-Gel Syntheses and Characterization. <i>Russian Journal of Inorganic Chemistry</i> , 2008, 53, 157-163.	0.3	4
123	The Effect of Chemical Composition on the Structure and Dielectric Properties of the Columbites $\text{A}_{2+}\text{Nb}_2\text{O}_6$. <i>Journal of the Electrochemical Society</i> , 2009, 156, G206.	1.3	4
124	Spontaneous fractal ordering of zirconium oxide nanoparticles during synthesis from solution. <i>Journal of the European Ceramic Society</i> , 2010, 30, 141-145.	2.8	4
125	Synthesis and electrical characteristics of $(1-x)\text{BaTiO}_3-x\text{K}_0.5\text{Bi}_0.5\text{TiO}_3$ PTCR ceramics. <i>Materials Chemistry and Physics</i> , 2012, 136, 167-172.	2.0	4
126	Dielectric and Relaxor Properties of $\text{Ba}_{0.9}\text{Mn}_{0.1}\text{O}_{4.5}$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2012, 95, 3202-3206.	1.9	4

#	ARTICLE	IF	CITATIONS
127	Ionic and electronic conductivities of yttria- and scandia-stabilized zirconia. <i>Inorganic Materials</i> , 2014, 50, 1235-1241.	0.2	4
128	Lithium-air cell with lanthanum-lithium titanate ceramic electrolyte. <i>Russian Journal of Electrochemistry</i> , 2015, 51, 1162-1167.	0.3	4
129	Analysis of low-temperature FMR spectra of Fe ₃ O ₄ and ZnFe ₂ O ₄ nanoparticles synthesized using organic molecules. <i>Low Temperature Physics</i> , 2021, 47, 220-227.	0.2	4
130	New seignettomagnets with the hexagonal barium titanate structure. <i>Ferroelectrics</i> , 1976, 13, 519-521.	0.3	3
131	ESR of Y and Pb-doped BaTiO ₃ ceramics with positive temperature coefficient of resistivity. <i>Ferroelectrics</i> , 2001, 254, 383-391.	0.3	3
132	Title is missing!. <i>Inorganic Materials</i> , 2002, 38, 949-953.	0.2	3
133	Peculiarities of the Synthesis of Lithium Ion Conducting Lanthanum Tantalate by Solid-State Reaction and Precipitation from Solutions. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 1552-1560.	1.0	3
134	Synthesis and properties of columbite-structure Mg _{1-x} Nb ₂ O _{6-x} . <i>Inorganic Materials</i> , 2007, 43, 412-417.	0.2	3
135	Substrate effect on the properties of La _{0.775} Sr _{0.225} MnO ₃ films. <i>Inorganic Materials</i> , 2007, 43, 1252-1257.	0.2	3
136	Structural Peculiarities and Electrophysical Properties of Lithium Ion Conducting Lanthanum Niobate Prepared by Solid-State Reaction and Precipitation from Solution. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4792-4796.	1.0	3
137	Preparation and electrical properties of Pb(Mg _{1/3} Nb _{2/3})O ₃ -PbTiO ₃ solid solutions. <i>Inorganic Materials</i> , 2008, 44, 414-419.	0.2	3
138	Sol-gel synthesis and properties of tin-doped lanthanum manganites. <i>Low Temperature Physics</i> , 2011, 37, 107-111.	0.2	3
139	Tetragonal Tungsten Bronzes in Ba(M ²⁺) _{1/3} Nb _{2/3})O ₃ Microwave Ceramics. <i>Ferroelectrics</i> , 2012, 435, 176-182.	0.3	3
140	Mössbauer and X-ray diffraction studies of cubic (ZrO ₂) _{0.90} (Sc ₂ O ₃) _{0.10-x} (Fe ₂ O ₃) _x solid solutions. <i>Inorganic Materials</i> , 2012, 48, 607-612.	0.2	3
141	Lithium Ion Conductors Based on System (Li,Na,La){Ti,Nb,Fe}O with Perovskite Structure. <i>Solid State Phenomena</i> , 2013, 200, 279-285.	0.3	3
142	Li ₃ La _{2/3} xTiO ₃ nanoparticles with different morphologies and self-organization, obtained from simple solution precipitation methods. <i>Materials Letters</i> , 2014, 137, 182-187.	1.3	3
143	Properties and Potential Applications of Ferromagnetic Nanostructures in Medicine and Microwave Engineering. <i>Solid State Phenomena</i> , 2015, 230, 95-100.	0.3	3
144	Some aspects of charge transport in Li _{0.5-x} Na _x La _{0.5} TiO ₃ (x = 0, 0.25) ceramics. <i>Functional Materials Letters</i> , 2015, 08, 1550076.	0.7	3

#	ARTICLE	IF	CITATIONS
145	Codoping of scandium-containing zirconia-based solid electrolytes with iron, cerium, and copper oxides. <i>Inorganic Materials</i> , 2016, 52, 301-308.	0.2	3
146	Magnetically tunable composite ferrite-dielectric microwave elements. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 505, 166691.	1.0	3
147	Influence of Solvent on Stability and Electrophysical Properties of Organic-Inorganic Perovskites Films CH ₃ NH ₃ PbI ₃ . <i>Theoretical and Experimental Chemistry</i> , 2021, 57, 113-120.	0.2	3
148	Zirconium Oxide Stabilized By Scandium (III) And Cerium (IV) Complex Oxides As The Basis For Preparation Of Thick Films And Multilayers Structures For Low Temperature (600 °C) Fuel Cell. <i>French-Ukrainian Journal of Chemistry</i> , 2018, 6, 16-20.	0.1	3
149	SYNTHESIS AND INVESTIGATION OF BARIUM TITANATE STANNATE SOLID SOLUTION. <i>Ukrainian Chemical Journal</i> , 2019, 85, 75-83.	0.3	3
150	SYNTHESIS, PROPERTIES CaCu ₃ Ti ₄ O ₁₂ WITH COLOSSAL VALUE OF THE DIELECTRIC PERMITTIVITY. <i>Ukrainian Chemical Journal</i> , 2019, 85, 77-86.	0.3	3
151	Structure and biological activity of particles produced from highly activated carbon adsorbent. <i>Heliyon</i> , 2022, 8, e09163.	1.4	3
152	ESR study of BaTiO ₃ ceramics doped by Y and Ca. <i>Ferroelectrics</i> , 2001, 254, 349-357.	0.3	2
153	Synthesis and dielectric properties of Sr _{0.6-x} Ba _{0.4Na_{2x}} Nb ₂ O ₆ solid solutions. <i>Inorganic Materials</i> , 2006, 42, 1110-1114.	0.2	2
154	Effect of copper oxide on the polymorphism of unstabilized and yttria-stabilized zirconia. <i>Inorganic Materials</i> , 2007, 43, 627-632.	0.2	2
155	Effect of isovalent substitution on the structure and ionic conductivity of Li _{0.5-y} Na _y La _{0.5-x} Nb ₂ O ₆ . <i>Inorganic Materials</i> , 2011, 47, 308-312.	0.2	2
156	Fractal structure of precursors and phase transformations in the sol-gel synthesis of nanoparticulate M-type barium hexaferrite. <i>Inorganic Materials</i> , 2011, 47, 1258-1263.	0.2	2
157	Microwave Quality Factor of Cation-Deficient Perovskites Ba(M _{2+1/3} Nb _{2/3})O ₃ . <i>Ferroelectrics</i> , 2012, 435, 166-175.	0.3	2
158	Synthesis and dielectric and nonlinear properties of BaTi _{1-x} Zr _x O ₃ ceramics. <i>Inorganic Materials</i> , 2014, 50, 1125-1130.	0.2	2
159	Complex Impedance Analyses of Ba _{1-x} Li _{0.5x} Bi _{0.5x} 0.8TiO ₃ Solid Solution PTCR Ceramics. <i>Solid State Phenomena</i> , 2015, 230, 211-216.		
160	Evidence for changes on the lithium conduction dimensionality of Li _{0.5-y} Na _y La _{0.5} Nb ₂ O ₆ (0 ≤ y ≤ 0.5) perovskites. <i>RSC Advances</i> , 2015, 5, 27912-27921.	1.7	2
161	Quasi-static magnetic properties and high-frequency energy losses in CoFe ₂ O ₄ nanoparticles. <i>Low Temperature Physics</i> , 2016, 42, 470-474.	0.2	2
162	ORGANIC-INORGANIC PEROVSKITE CH ₃ NH ₃ PbI ₃ : MORPHOLOGICAL, STRUCTURAL AND PHOTOELECTROPHYSICAL PROPERTIES. <i>Ukrainian Chemical Journal</i> , 2019, 85, 31-41.	0.3	2

#	ARTICLE	IF	CITATIONS
163	SYNTHESIS AND DIELECTRIC PROPERTIES OF $\text{La}_{0.67}\text{Li}_x\text{Ti}_{1-x}\text{Al}_x\text{O}_3$ ($0.15 \leq x \leq 0.3$) CERAMICS. Ukrainian Chemistry Journal, 2020, 86, 13-23.	0.1	2
164	New seignettomagnets with perovskite structure. Ferroelectrics, 1978, 21, 411-412.	0.3	1
165	Experimental direct-contact crystallizer for mirabilite. Chemical and Petroleum Engineering (English) 1 0.784314 rgBT /Overl	0.1	1
166	Li mobility in $(\text{Li},\text{Na})_y\text{La}_{0.66-y}\text{TiO}_3$ perovskites ($0.09 \leq y \leq 0.5$). A model system for the percolation theory.. Materials Research Society Symposia Proceedings, 2002, 756, 1.	0.1	1
167	Oxidation of reduced Y-Doped semiconducting barium titanate ceramics. Inorganic Materials, 2005, 41, 87-93.	0.2	1
168	Characterization of columbite ceramics $\text{A}_{1-x}\text{Nb}_2\text{O}_6$ by positron annihilation spectroscopy. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 3835-3838.	0.8	1
169	Effect of fluorine doping on the microstructure and electrical properties of barium-titanate-based ceramics. Inorganic Materials, 2007, 43, 1330-1335.	0.2	1
170	Preparation and electrical properties of $(1-x)(\text{Ba},\text{Y})\text{TiO}_3 \cdot x\text{PbTiO}_3$ materials containing low-melting $\text{B}_2\text{O}_3\text{-PbO-SiO}_2$ glass additions. Inorganic Materials, 2011, 47, 1378-1383.	0.2	1
171	Synthesis and electrical properties of $(\text{BaTiO}_3)_{1-x}(\text{K}_0.5\text{Bi}_0.5\text{TiO}_3)_x$ solid solutions. Inorganic Materials, 2012, 48, 1183-1189.	0.2	1
172	Magnetically Controlled Nanocomposite for Microwave Elements. , 2019, , .		1
173	Contribution of nanointerfaces to colossal permittivity of doped $\text{Ba}(\text{Ti},\text{Sn})\text{O}_3$ ceramics. Applied Nanoscience (Switzerland), 2019, 9, 767-773.	1.6	1
174	THE SYNTHESIS IMPACT ON DIELECTRIC PROPERTIES OF $\text{La}_{0.5}\text{Li}_{0.5-x}\text{Na}_x\text{TiO}_3$. Ukrainian Chemistry Journal, 2021, 87, 15-24.	0.1	1
175	Structural Stability of Dispersions of Magnetic Nanoparticles in Aqueous Solutions of Polysorbate-80. Journal of Surface Investigation, 2021, 15, 781-786.	0.1	1
176	SYNTHESIS AND CRYSTALLOCHEMICAL PROPERTIES OF Ce-SUBSTITUTED NANOPARTICLES OF MANGANITE $(\text{La},\text{Sr})\text{MnO}_3$. Ukrainian Chemical Journal, 2019, 85, 17-24.	0.3	1
177	PHASE FORMATION PROCESSES OF ORGANIC-INORGANIC $\text{CH}_3\text{NH}_3\text{PbI}_3$ PEROVSKITES USING A DMF SOLVENT. Ukrainian Chemistry Journal, 2021, 87, 63-81.	0.1	1
178	Magnetic Properties of $\text{Fe}_3\text{O}_4/\text{CoFe}_2\text{O}_4$ Composite Nanoparticles with Core/Shell Architecture. Ukrainian Journal of Physics, 2020, 65, 904.	0.1	1
179	Concentration of sulfuric-acid solutions of sodium and zinc in a falling-film evaporator. Chemical and Petroleum Engineering (English Translation of Khimicheskoe I Neftyanoe Mashinostroenie), 1978, 14, 624-626.	0.1	0
180	Impurities in barium titanate posistor ceramics. Ferroelectrics, 2000, 239, 339-348.	0.3	0

#	ARTICLE	IF	CITATIONS
181	Mössbauer Study of Tetragonal ZrO ₂ -Y ₂ O ₃ -Fe ₂ O ₃ Solid Solutions. <i>Inorganic Materials</i> , 2004, 40, 1196-1203.	0.2	0
182	Peculiarities of Li _{0.5} La _{0.5} TiO ₃ Formation During the Synthesis by Solid-State Reaction or Precipitation from Solutions. <i>ChemInform</i> , 2004, 35, no.	0.1	0
183	Low-Loss Microwave Dielectrics Based on the Columbites A ₂ Nb ₂ O ₆ and Perovskites : The Effect of Compositional Variation. <i>Materials and Manufacturing Processes</i> , 2008, 23, 583-586.	2.7	0
184	Effect of A-site vacancies on the magnetoresistive Effect in La _{1-x} Ca _x Na _y MnO ₃ . <i>Inorganic Materials</i> , 2011, 47, 196-203.	0.2	0
185	Synthesis and electrical and magnetic properties of LaSr ₂ Mn _{2-y} Ni _y O ₇ solid solutions. <i>Inorganic Materials</i> , 2011, 47, 431-434.	0.2	0
186	Effect of Zn ₂ TiO ₄ and ZnB ₂ O ₄ additions on the microstructure and dielectric properties of AgNb _{1-x} Ta _x O ₃ solid solutions. <i>Inorganic Materials</i> , 2011, 47, 1238-1241.	0.2	0
187	Multiphase microwave dielectrics. <i>Materials Science-Poland</i> , 2011, 29, 47-55.	0.4	0
188	Solid solutions based on iron-substituted cobaltites MnFe _x Co _{2-x} O ₄ in CO oxidation. <i>Russian Journal of Applied Chemistry</i> , 2013, 86, 1168-1173.	0.1	0
189	(1-x)BaTiO ₃ -x(Li _{0.5} Bi _{0.5})TiO ₃ PTCR solid solution. , 2014, , .		0
190	Phase composition of the ferrite catalyst with the spinel structure and its catalytic activity in the water-gas shift reaction of carbon monoxide. <i>Russian Chemical Bulletin</i> , 2015, 64, 332-336.	0.4	0
191	Quasistatic Magnetic Properties and Dynamic Hysteretic Losses in (La,Sr)MnO ₃ Nanoparticles Fabricated by Different Technological Routes. <i>Solid State Phenomena</i> , 0, 230, 101-107.	0.3	0
192	Simulation of the electron magnetic resonance peak shape for Fe ₃ O ₄ nanopowder. , 2016, , .		0
193	Synthesis of Ferromagnetic La _{1-x} Sr _x MnO ₃ Nanoparticles by Precipitation in the Reversed Microemulsions. , 2019, , .		0
194	Nanoscale Heat Mediators for Magnetic Hyperthermia: Materials, Problems, and Prospects. , 2021, , 25-64.		0
195	SYNTHESIS OF NANOSCALED MAGNETIC MATERIALS ON THE BASIS OF OXIDE SYSTEMS AND MANUFACTURING OF NON-RECIPROCAL COMPOSITE ELEMENTS BASED ON THEM. <i>Ukrainian Chemical Journal</i> , 2019, 85, 16-23.	0.3	0
196	SYNTHESIS OF Li-CONDUCTIVE NANOPARTICLES WITH NASICON-TYPE STRUCTURE. <i>Ukrainian Chemical Journal</i> , 2019, 85, 28-40.	0.3	0
197	Photoelectrochemical Systems for Hydrogen Evolution Using Ion-Conducting Membranes. <i>ECS Transactions</i> , 2020, 99, 221-227.	0.3	0
198	FEATURES OF PHASE TRANSFORMATIONS IN THE SYNTHESIS OF COMPLEX LITHIUM-CONDUCTING OXIDE MATERIALS. <i>Ukrainian Chemistry Journal</i> , 2021, 87, 14-34.	0.1	0

#	ARTICLE	IF	CITATIONS
199	DEVELOPMENT AND RESEARCH OF COMPOSITE ELECTROLYTE BASED ON LATP/LIPF6 SYSTEM FOR LITHIUM BATTERIES. Ukrainian Chemistry Journal, 2020, 86, 75-87.	0.1	0
200	Effect of lithium substitution with sodium on electrical properties in $\text{La}_{0.5}\text{Li}_{0.5-x}\text{Na}_x\text{TiO}_3$ and $\text{La}_{0.67}\text{Li}_{0.2-y}\text{Na}_y\text{Ti}_{0.8}\text{Al}_{0.2}\text{O}_3$ solid solutions. Solid State Communications, 2022, 343, 114663.	0.9	0
201	Anomalous Increase in Ionic Conductivity in Peo-Containing System Segmented Polyurethane $\hat{\text{e}}^{\text{e}}$ Segmented Oligourethane with LiClO_4 . Theoretical and Experimental Chemistry, 2022, 57, 429-436.	0.2	0
202	Low-temperature ferromagnetic resonance in bare and SiO_2 coated $\text{La}_{0.775}\text{Sr}_{0.225}\text{MnO}_3$ nanoparticles. Low Temperature Physics, 2022, 48, 330-335.	0.2	0
203	INFLUENCE OF THE SOLVENT AND THE RATIO OF STARTING REAGENTS ON THE PROPERTIES OF ORGANIC-INORGANIC PEROVSKITE MAPbI_3 . Ukrainian Chemistry Journal, 2022, 88, 79-93.	0.1	0