

Cassio van den Berg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/13457/publications.pdf>

Version: 2024-02-01

153
papers

6,629
citations

136740

32
h-index

71532

76
g-index

155
all docs

155
docs citations

155
times ranked

7323
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A DNA barcode for land plants. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 12794-12797. | 3.3 | 2,120 |
| 2 | An updated classification of Orchidaceae. Botanical Journal of the Linnean Society, 2015, 177, 151-174. | 0.8 | 599 |
| 3 | A proposal for a standardised protocol to barcode all land plants. Taxon, 2007, 56, 295-299. | 0.4 | 457 |
| 4 | Brazilian Flora 2020: Innovation and collaboration to meet Target 1 of the Global Strategy for Plant Conservation (GSPC). Rodriguesia, 2018, 69, 1513-1527. | 0.9 | 398 |
| 5 | Amazon plant diversity revealed by a taxonomically verified species list. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 10695-10700. | 3.3 | 253 |
| 6 | The complete genome sequence of <i>Chromobacterium violaceum</i> reveals remarkable and exploitable bacterial adaptability. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11660-11665. | 3.3 | 251 |
| 7 | Biodiversity and Conservation of Plants in Brazil. Conservation Biology, 2005, 19, 632-639. | 2.4 | 121 |
| 8 | An expanded plastid DNA phylogeny of Orchidaceae and analysis of jackknife branch support strategy. American Journal of Botany, 2004, 91, 149-157. | 0.8 | 120 |
| 9 | An overview of the phylogenetic relationships within Epidendroideae inferred from multiple DNA regions and recircumscription of Epidendreae and Arethuseae (Orchidaceae). American Journal of Botany, 2005, 92, 613-624. | 0.8 | 120 |
| 10 | A phylogenetic study of Laeliinae (Orchidaceae) based on combined nuclear and plastid DNA sequences. Annals of Botany, 2009, 104, 417-430. | 1.4 | 75 |
| 11 | DIVERSIFICATION OF ASCLEPIADOIDEAE (APOCYNACEAE) IN THE NEW WORLD ¹ . Annals of the Missouri Botanical Garden, 2007, 94, 407-422. | 1.3 | 73 |
| 12 | Brazilian Flora 2020: Leveraging the power of a collaborative scientific network. Taxon, 2022, 71, 178-198. | 0.4 | 68 |
| 13 | Phylogeny of <i>Calliandra</i> (Leguminosae: Mimosoideae) based on nuclear and plastid molecular markers. Taxon, 2013, 62, 1200-1219. | 0.4 | 63 |
| 14 | A comprehensive phylogenetic analysis of Eriocaulaceae: Evidence from nuclear (ITS) and plastid (<i>psbA-trnH</i> and <i>trnL-F</i>) DNA sequences. Taxon, 2010, 59, 379-388. | 0.4 | 61 |
| 15 | Floral and Vegetative Morphometrics of Five Pleurothallis (Orchidaceae) Species: Correlation with Taxonomy, Phylogeny, Genetic Variability and Pollination Systems. Annals of Botany, 2002, 90, 219-230. | 1.4 | 60 |
| 16 | Molecular phylogenetics and biogeography of Neotropical Paepalanthoideae with emphasis on Brazilian Paepalanthus (Eriocaulaceae). Botanical Journal of the Linnean Society, 2013, 171, 225-243. | 0.8 | 60 |
| 17 | Molecular phylogeny, morphology and their implications for the taxonomy of Eriocaulaceae. Rodriguesia, 2012, 63, 001-019. | 0.9 | 57 |
| 18 | Molecular phylogenetics of the species-rich genus Habenaria (Orchidaceae) in the New World based on nuclear and plastid DNA sequences. Molecular Phylogenetics and Evolution, 2013, 67, 95-109. | 1.2 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Phylogeny of <i>Chamaecrista</i> Moench (Leguminosae-Caesalpinioideae) based on nuclear and chloroplast DNA regions. <i>Taxon</i> , 2009, 58, 1168-1180. | 0.4 | 49 |
| 20 | A Repertory of Rearrangements and the Loss of an Inverted Repeat Region in <i>Passiflora</i> Chloroplast Genomes. <i>Genome Biology and Evolution</i> , 2020, 12, 1841-1857. | 1.1 | 49 |
| 21 | Phylogeny of the subtribe Hyptidinae (Lamiaceae tribe Ocimeae) as inferred from nuclear and plastid DNA. <i>Taxon</i> , 2011, 60, 1317-1329. | 0.4 | 48 |
| 22 | Anatomy of Brazilian Eriocaulaceae: correlation with taxonomy and habitat using multivariate analyses. <i>Plant Systematics and Evolution</i> , 2005, 253, 1-22. | 0.3 | 47 |
| 23 | Phylogeny of <i>Chamaecrista</i> ser. <i>Coriaceae</i> (Leguminosae) Unveils a Lineage Recently Diversified in Brazilian Campo Rupestre Vegetation. <i>International Journal of Plant Sciences</i> , 2016, 177, 3-17. | 0.6 | 47 |
| 24 | Reestablishment and new circumscription of <i>Comanthera</i> (Eriocaulaceae). <i>Taxon</i> , 2010, 59, 1135-1146. | 0.4 | 46 |
| 25 | Plant diversification in the Espinha so Range: Insights from the biogeography of <i>Minaria</i> (Apocynaceae). <i>Taxon</i> , 2014, 63, 1253-1264. | 0.4 | 46 |
| 26 | Molecular and cytological examination of <i>Calopogon</i> (Orchidaceae, Epidendroideae): circumscription, phylogeny, polyploidy, and possible hybrid speciation. <i>American Journal of Botany</i> , 2004, 91, 707-723. | 0.8 | 42 |
| 27 | Pollen analysis of honeys from Caatinga vegetation of the state of Bahia, Brazil. <i>Grana</i> , 2010, 49, 66-75. | 0.4 | 42 |
| 28 | Target Nuclear and Off-Target Plastid Hybrid Enrichment Data Inform a Range of Evolutionary Depths in the Orchid Genus <i>Epidendrum</i> . <i>Frontiers in Plant Science</i> , 2019, 10, 1761. | 1.7 | 42 |
| 29 | A molecular phylogeny of the vataireoid legumes underscores floral evolvability that is general to many early branching papilionoid lineages. <i>American Journal of Botany</i> , 2013, 100, 403-421. | 0.8 | 39 |
| 30 | Genetic and morphological variation in the <i>Bulbophyllum exaltatum</i> (Orchidaceae) complex occurring in the Brazilian  campos rupestres : implications for taxonomy and biogeography. <i>Plant Systematics and Evolution</i> , 2008, 270, 109-137. | 0.3 | 38 |
| 31 | <sc>ATLANTIC EPIPHYTES</sc>: a data set of vascular and non vascular epiphyte plants and lichens from the Atlantic Forest. <i>Ecology</i> , 2019, 100, e02541. | 1.5 | 38 |
| 32 | Comparative morphology of populations of <i>Monstera</i> Adans. (Araceae) from natural forest fragments in Northeast Brazil using elliptic Fourier Analysis of leaf outlines. <i>Kew Bulletin</i> , 2008, 63, 193-211. | 0.4 | 36 |
| 33 | Low genetic diversity and significant structuring in the endangered <i>Mentha cervina</i> populations and its implications for conservation. <i>Biochemical Systematics and Ecology</i> , 2013, 50, 51-61. | 0.6 | 34 |
| 34 | Population genetics of the endemic and endangered <i>Vriesea minarum</i> (Bromeliaceae) in the Iron Quadrangle, Espinha so Range, Brazil. <i>American Journal of Botany</i> , 2014, 101, 1167-1175. | 0.8 | 32 |
| 35 | Phylogeny of <i>Pleione</i> (Orchidaceae) and Parentage Analysis of its Wild Hybrids Based on Plastid and Nuclear Ribosomal ITS Sequences and Morphological Data. <i>Systematic Botany</i> , 2004, 29, 50-63. | 0.2 | 30 |
| 36 | A molecular phylogeny of <i>Raddia</i> and its allies within the tribe Olyreae (Poaceae, Bambusoideae) based on noncoding plastid and nuclear spacers. <i>Molecular Phylogenetics and Evolution</i> , 2014, 78, 105-117. | 1.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Reaching a compromise between conflicting nuclear and plastid phylogenetic trees: a new classification for the genus <i>Cattleya</i> (Epidendreae; Epidendroideae; Orchidaceae). <i>Phytotaxa</i> , 2014, 186, 75. | 0.1 | 29 |
| 38 | Molecular Phylogenetics of <i>Galeandra</i> (Orchidaceae: Catasetinae) based on Plastid and Nuclear DNA Sequences. <i>Systematic Botany</i> , 2010, 35, 476-486. | 0.2 | 28 |
| 39 | Molecular phylogeny of the Neotropical sections of <i>Bulbophyllum</i> (Orchidaceae) using nuclear and plastid spacers. <i>Taxon</i> , 2011, 60, 1050-1064. | 0.4 | 27 |
| 40 | Taxonomic Considerations on Metastelmatinae (Apocynaceae) Based on Plastid and Nuclear DNA. <i>Systematic Botany</i> , 2012, 37, 795-806. | 0.2 | 27 |
| 41 | Spatial analyses of the phylogenetic diversity of <i>Minaria</i> (Apocynaceae): assessing priority areas for conservation in the Espinha so Range, Brazil. <i>Systematics and Biodiversity</i> , 2012, 10, 317-331. | 0.5 | 26 |
| 42 | Phylogenetic relationships in Brazilian <i>Pleurothallis</i> (<i>sensu lato</i> ; Pleurothallidinae, Orchidaceae): evidence from nuclear ITS rDNA sequences. <i>Phytotaxa</i> , 2015, 46, 34. | 0.1 | 25 |
| 43 | Phylogenetic systematics of subtribe <i>Spiranthinae</i> (Orchidaceae: Orchidoideae: Cranichideae) based on nuclear and plastid DNA sequences of a nearly complete generic sample. <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 273-303. | 0.8 | 25 |
| 44 | A Preliminary Study of Genetic Variation in Populations of <i>Monstera adansonii</i> var. <i>klotzschiana</i> (Araceae) from North-East Brazil, Estimated with AFLP Molecular Markers. <i>Annals of Botany</i> , 2007, 100, 1143-1154. | 1.4 | 24 |
| 45 | Genetic diversity in <i>Mentha cervina</i> based on morphological traits, essential oils profile and ISSRs markers. <i>Biochemical Systematics and Ecology</i> , 2013, 51, 50-59. | 0.6 | 23 |
| 46 | Too many species: morphometrics, molecular phylogenetics and genome structure of a Brazilian species complex in <i>Epidendrum</i> (Laeliinae; Orchidaceae) reveal fewer species than previously thought. <i>Botanical Journal of the Linnean Society</i> , 2021, 195, 161-188. | 0.8 | 21 |
| 47 | Morphometric circumscription of species and infraspecific taxa in <i>Calopogon</i> R.Br. (Orchidaceae). <i>Plant Systematics and Evolution</i> , 2004, 247, 37. | 0.3 | 20 |
| 48 | Genetic variation in natural populations of <i>Anthurium sinuatum</i> and <i>A. pentaphyllum</i> (Araceae) from north-east Brazil using AFLP molecular markers. <i>Botanical Journal of the Linnean Society</i> , 2009, 159, 88-105. | 0.8 | 20 |
| 49 | Phylogenetic relationships of <i>Echinolaena</i> and <i>Ichnanthus</i> within Panicoideae (Poaceae) reveal two new genera of tropical grasses. <i>Molecular Phylogenetics and Evolution</i> , 2015, 93, 212-233. | 1.2 | 19 |
| 50 | Phylogeny and biogeography of <i>Polygala</i> (Polygalaceae). <i>Taxon</i> , 2019, 68, 673-691. | 0.4 | 19 |
| 51 | Plastomes resolve generic limits within tribe Clusiaceae (Clusiaceae) and reveal the new genus <i>Arawakia</i> . <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 142-151. | 1.2 | 19 |
| 52 | Evidence of natural hybridization and introgression in <i>Bulbophyllum involutum</i> Borba, Semir & F. Barros and <i>B. weddellii</i> (Lindl.) Rchb. f. (Orchidaceae) in the Chapada Diamantina, Brazil, by using allozyme markers. <i>Revista Brasileira De Botanica</i> , 2006, 29, 415-421. | 0.5 | 19 |
| 53 | Elliptic Fourier Analysis of leaf outline shape in forest fragment populations of <i>Anthurium sinuatum</i> and <i>A. pentaphyllum</i> (Araceae) from Northeast Brazil. <i>Kew Bulletin</i> , 2010, 65, 3-20. | 0.4 | 18 |
| 54 | New combinations in the genus <i>Cattleya</i> Lindl. (Orchidaceae). <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2008, 3, 3-12. | 0.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Typifications and taxonomic notes in species of Brazilian <i>Goodyerinae</i> and <i>Spiranthinae</i> (<i>Orchidaceae</i>) described by Jos Vellozo and Barbosa Rodrigues. <i>Taxon</i> , 2013, 62, 609-621. | 0.4 | 17 |
| 56 | Phylogenetic relationships within <i>Parianinae</i> (Poaceae: Bambusoideae: Olyreae) with emphasis on <i>Eremitis</i> : Evidence from nuclear and plastid DNA sequences, macromorphology, and pollen ectexine patterns. <i>Molecular Phylogenetics and Evolution</i> , 2019, 139, 106541. | 1.2 | 17 |
| 57 | A Molecular Phylogeny and Taxonomic Notes in <i>Caamembeca</i> (Polygalaceae). <i>Systematic Botany</i> , 2017, 42, 54-62. | 0.2 | 16 |
| 58 | A família <i>Orchidaceae</i> no Parque Municipal de MucugÃ³, Bahia, Brasil. <i>Hoehnea (revista)</i> , 2007, 34, 01-47. | 0.2 | 16 |
| 59 | Typifications and New Synonymies in <i>Capanemia</i> (<i>Orchidaceae</i> , <i>Oncidiinae</i>). <i>Novon</i> , 2011, 21, 28-33. | 0.3 | 15 |
| 60 | A new infrageneric classification for <i>Amorimia</i> (<i>Malpighiaceae</i>) based on morphological, phytochemical and molecular evidence. <i>Phytotaxa</i> , 2017, 313, 231. | 0.1 | 15 |
| 61 | Using multiple analytical methods to improve phylogenetic hypotheses in <i>Minaria</i> (<i>Apocynaceae</i>). <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 915-925. | 1.2 | 14 |
| 62 | DNA barcoding in Atlantic Forest plants: what is the best marker for <i>Sapotaceae</i> species identification?. <i>Genetics and Molecular Biology</i> , 2014, 37, 662-670. | 0.6 | 14 |
| 63 | Species delimitation of <i>Cattleya coccinea</i> and <i>C. mantiqueirae</i> (<i>Orchidaceae</i>): insights from phylogenetic and population genetics analyses. <i>Plant Systematics and Evolution</i> , 2015, 301, 1345-1359. | 0.3 | 14 |
| 64 | A molecular phylogeny of the <i>Laelia</i> alliance (<i>Orchidaceae</i>) and a reassessment of <i>Laelia</i> and <i>Schomburgkia</i> . <i>Taxon</i> , 2016, 65, 1249-1262. | 0.4 | 14 |
| 65 | A comparative survey of floral characters in <i>Capanemia</i> Barb. Rodr. (<i>Orchidaceae</i> : <i>Oncidiinae</i>). <i>Annals of Botany</i> , 2012, 109, 135-144. | 1.4 | 13 |
| 66 | Domestication, hybridization, speciation, and the origins of an economically important tree crop of <i>Spondias</i> (<i>Anacardiaceae</i>) from the Brazilian Caatinga dry forest. <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2015, 8, 8-49. | 0.5 | 13 |
| 67 | Phylogeny and evolution of <i>Baptistonia</i> (<i>Orchidaceae</i> , <i>Oncidiinae</i>) based on molecular analyses, morphology and floral oil evidences. <i>Plant Systematics and Evolution</i> , 2009, 281, 35-49. | 0.3 | 11 |
| 68 | Timing the origin and past connections between Andean and Atlantic Seasonally Dry Tropical Forests in South America: Insights from the biogeographical history of <i>Amorimia</i> (<i>Malpighiaceae</i>). <i>Taxon</i> , 2018, 67, 739-751. | 0.4 | 11 |
| 69 | Linear and geometric morphometrics as tools to resolve species circumscription in the <i>Pseudolaelia vellozicola</i> complex (<i>Orchidaceae</i> , <i>Laeliinae</i>). <i>Plant Ecology and Evolution</i> , 2019, 152, 53-67. | 0.3 | 11 |
| 70 | Molecular phylogeny and character mapping support generic adjustments in the Tetrapteroid clade (<i>Malpighiaceae</i>). <i>Nordic Journal of Botany</i> , 2021, 39, . | 0.2 | 11 |
| 71 | <i>Parianella</i> (Poaceae, Bambusoideae): morphological and biogeographical information reveals a new genus of herbaceous bamboos from Brazil. <i>Phytotaxa</i> , 2013, 77, . | 0.1 | 10 |
| 72 | Untangling the <i>Amorimia rigida</i> complex, a puzzling group of lianescent <i>Malpighiaceae</i> from Eastern Brazil. <i>Phytotaxa</i> , 2016, 284, 1. | 0.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A família Orchidaceae no município de Morro do Chapéu, Bahia, Brasil. <i>Rodriguesia</i> , 2012, 63, 883-927. | 0.9 | 10 |
| 74 | (1902) Proposal to conserve the name <i>Syngonanthus</i> against <i>Philodice</i> (<i>Eriocaulaceae</i>). <i>Taxon</i> , 2009, 58, 1008-1009. | 0.4 | 9 |
| 75 | <i>Blastocaulon</i> (<i>Eriocaulaceae</i>), a synonym of <i>Paepalanthus</i> : Morphological and molecular evidence. <i>Taxon</i> , 2011, 60, 178-184. | 0.4 | 9 |
| 76 | Taxonomic revision of <i>Pseudolaelia</i> Porto & Brade (<i>Laeliinae</i> , <i>Orchidaceae</i>). <i>Acta Botanica Brasilica</i> , 2013, 27, 418-435. | 0.8 | 9 |
| 77 | Phylogenetic relationships of <i>Discyphus scopulariae</i> (<i>Orchidaceae</i>) new subtribe, <i>Discyphinae</i> . <i>Phytotaxa</i> , 2014, 173, 127. | 0.1 | 9 |
| 78 | The synonymization of <i>Philodice</i> with <i>Syngonanthus</i> (<i>Eriocaulaceae</i>). <i>Phytotaxa</i> , 2015, 60, 50. | 0.1 | 9 |
| 79 | Ancient speciation of the papilionoid legume <i>Luetzelburgia jacana</i> , a newly discovered species in an inter-Andean seasonally dry valley of Colombia. <i>Taxon</i> , 2018, 67, 931-943. | 0.4 | 9 |
| 80 | Isolation and molecular characterization of Rhizoctonia-like fungi associated with orchid roots in the Quadrilátero Ferrífero and Zona da Mata regions of the state of Minas Gerais, Brazil. <i>Acta Botanica Brasilica</i> , 2014, 28, 298-300. | 0.8 | 9 |
| 81 | Transferability of 10 nuclear microsatellite primers to <i>Vriesea minarum</i> (<i>Bromeliaceae</i>), a narrowly endemic and threatened species from Brazil. <i>Revista Brasileira De Botanica</i> , 2013, 36, 165-168. | 0.5 | 8 |
| 82 | A new species of <i>Pleroma</i> (<i>Melastomataceae</i>) endemic to Chapada Diamantina, Bahia, Brazil. <i>Phytotaxa</i> , 2016, 288, 249. | 0.1 | 8 |
| 83 | A taxonomic synopsis of Brazilian <i>Chloraeinae</i> (<i>Orchidaceae</i> : <i>Orchidoideae</i>). <i>Phytotaxa</i> , 2014, 158, 1. | 0.1 | 7 |
| 84 | Four New Species in <i>Habenaria</i> (<i>Orchidaceae</i>) from the Espinhaço Range, Brazil. <i>Systematic Botany</i> , 2016, 41, 275-292. | 0.2 | 7 |
| 85 | Flora da Bahia: <i>Catasetum</i> (<i>Orchidaceae</i>). <i>Sitientibus, Série Ciências Biológicas</i> , 2012, 12, 83. | 0.2 | 7 |
| 86 | Microsatellite marker development for the threatened orchid <i>Masdevallia solomonii</i> (<i>Orchidaceae</i>). <i>American Journal of Botany</i> , 2012, 99, e66-8. | 0.8 | 6 |
| 87 | Taxonomic studies in the <i>Aganisia</i> complex (<i>Orchidaceae</i> , <i>Zygopetalinae</i>). <i>Phytotaxa</i> , 2015, 238, 1. | 0.1 | 6 |
| 88 | A taxonomic revision of the Brazilian species of <i>Encyclia</i> (<i>Orchidaceae</i> : <i>Epidendroideae</i> : <i>Epidendreae</i>). <i>Phytotaxa</i> , 2018, 342, 1. | 0.1 | 6 |
| 89 | New combinations in <i>Domingoa</i> , <i>Homalopetalum</i> (<i>Orchidaceae</i> : <i>Laeliinae</i>), and <i>Nemaconia</i> (<i>Orchidaceae</i>). <i>Taxon</i> , 2016, 65, 1008-1009. | 0.5 | 6 |
| 90 | Microsatellite markers for an endemic Atlantic Forest tree, <i>Manilkara multifida</i> (<i>Sapotaceae</i>). <i>AoB PLANTS</i> , 2013, 5, 006-006. | 1.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Lapidia, a new monotypic genus of Asteraceae (Eupatorieae) from Brazil, and its phylogenetic placement. <i>Phytotaxa</i> , 2017, 291, 1. | 0.1 | 5 |
| 92 | The role of Quaternary glaciations in shaping biogeographic patterns in a recently evolved clade of South American epiphytic orchids. <i>Botanical Journal of the Linnean Society</i> , 2022, 199, 252-266. | 0.8 | 5 |
| 93 | Genetic diversity of <i>Lippia organoides</i> Kunth. in natural populations using ISSR markers. <i>Ciencia E Agrotecnologia</i> , 0, 46, . | 1.5 | 5 |
| 94 | Taxonomic notes on Brazilian <i>Encyclia</i> (Orchidaceae: Laeliinae). <i>Phytotaxa</i> , 2015, 218, 77. | 0.1 | 4 |
| 95 | Nomenclatural notes in the Pleurothallidinae (Orchidaceae): <i>Phloeophila</i> . <i>Phytotaxa</i> , 2016, 270, 56. | 0.1 | 4 |
| 96 | Four raised to one equals one: A genetic approach to the <i>Pseudolaelia vellozicola</i> complex does not follow a math rule. <i>Ecology and Evolution</i> , 2020, 10, 4562-4569. | 0.8 | 4 |
| 97 | Richness, distribution and important areas to preserve <i>Bulbophyllum</i> in the Neotropics. <i>Lankesteriana</i> , 2015, 7, . | 0.2 | 4 |
| 98 | <i>Prescottia ostenii</i> Pabst (Orchidaceae): a new record for Brazil, with a complete morphological description. <i>Kew Bulletin</i> , 2009, 64, 543-547. | 0.4 | 3 |
| 99 | A revision of <i>Prescottia</i> (Orchidaceae: Orchidoideae, Cranichideae). <i>Phytotaxa</i> , 2014, 178, 233. | 0.1 | 3 |
| 100 | Corticolous myxomycetes assemblages in a seasonally dry tropical forest in Brazil. <i>Mycoscience</i> , 2017, 58, 282-289. | 0.3 | 3 |
| 101 | Biogeography of <i>Stigmaphyllon</i> (Malpighiaceae) and a Meta-Analysis of Vascular Plant Lineages Diversified in the Brazilian Atlantic Rainforests Point to the Late Eocene Origins of This Megadiverse Biome. <i>Plants</i> , 2020, 9, 1569. | 1.6 | 3 |
| 102 | Gene pool sharing and genetic bottleneck effects in subpopulations of <i>Eschweilera ovata</i> (Cambess.) Mart. ex Miers (Lecythidaceae) in the Atlantic Forest of southern Bahia, Brazil. <i>Genetics and Molecular Biology</i> , 2019, 42, 655-665. | 0.6 | 3 |
| 103 | A New Species of <i>Stylosanthes</i> Sw. (Leguminosae-Papilionoideae) from Mato Grosso do Sul, Brazil. <i>Kew Bulletin</i> , 2003, 58, 743. | 0.4 | 2 |
| 104 | (1705-1706) Proposals to conserve the name <i>Prescottia</i> with that spelling and <i>P.</i> <i>plantaginea</i> against <i>P.</i> <i>plantaginifolia</i> (Orchidaceae). <i>Taxon</i> , 2005, 54, 1105-1106. | 0.4 | 2 |
| 105 | Microsatellite markers for the endangered orchids <i>Cattleya labiata</i> Lindl. and <i>C. warneri</i> T. Moore (Orchidaceae). <i>Conservation Genetics Resources</i> , 2013, 5, 791-794. | 0.4 | 2 |
| 106 | (2117) Proposal to conserve the name <i>Pabstiella</i> against <i>Phloeophila</i> (Orchidaceae). <i>Taxon</i> , 2013, 62, 176-177. | 0.4 | 2 |
| 107 | Measuring relative flower size in <i>Anthurium</i> (Araceae) as a continuous quantitative character. <i>Phytotaxa</i> , 2014, 178, 171. | 0.1 | 2 |
| 108 | <i>Encyclia fimbriata</i> (Orchidaceae: Tj ETQq0 0 0 rgBT /Overlock 10 T | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | <i>Uleiorchis</i> (Orchidaceae, Gastrodieae) from the Atlantic Forest of Brazil. <i>Phytotaxa</i> , 2015, 197, 257-266. | 0.1 | 2 |
| 110 | Orchidaceae of Bahia, Brazil: notes on taxonomy and nomenclature. <i>Phytotaxa</i> , 2016, 272, 231. | 0.1 | 2 |
| 111 | <i>Anthurium harleyi</i> (Araceae) – a new rupicolous species of section <i>Urospadix</i> from the northern Chapada Diamantina, Bahia, Brazil. <i>Kew Bulletin</i> , 2019, 74, 1. | 0.4 | 2 |
| 112 | Assessing the molecular diversity of <i>Hildebrandia</i> (Poaceae, Panicoideae): reaching a compromise between the splitter and the lumpers. <i>Botanical Journal of the Linnean Society</i> , 2020, 192, 121-147. | 0.8 | 2 |
| 113 | Phylogenetics of <i>Piresia</i> (Poaceae: Bambusoideae) reveals unexpected generic relationships within <i>Olyrea</i> with taxonomic and biogeographic implications. <i>Taxon</i> , 2021, 70, 492-514. | 0.4 | 2 |
| 114 | <i>Leptotes velozicola</i> : a new species of Orchidaceae from Bahia Brazil. <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2006, 1, 1-5. | 0.5 | 2 |
| 115 | New combinations in the genus <i>Cattleya</i> . II. Corrections and combinations for hybrid taxa. <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2010, 5, 13-17. | 0.5 | 2 |
| 116 | Estima o de biomassa  rea de esp cies da caatinga no norte da Bahia. <i>Pesquisa Florestal Brasileira</i> , 2013, 33, 355-368. | 0.1 | 2 |
| 117 | Morphological and molecular characterization of species of <i>Tulasnella</i> (Homobasidiomycetes) associated with Neotropical plants of Laeliinae (Orchidaceae) occurring in Brazil. <i>Lankesteriana</i> , 2015, 7, . | 0.2 | 2 |
| 118 | Efficient pollination and high reproductive success in two Brazilian <i>Spiranthis</i> orchids: Insights on the evolutionary history of pollination within the <i>Pelexia</i> clade. <i>Plant Species Biology</i> , 2022, 37, 182-196. | 0.6 | 2 |
| 119 | Biogeography and character mapping of <i>Hiptage</i> (Malpighiaceae) corroborate Indochina's rainforests as one of the main sources of plant diversity in southeastern Asia. <i>Nordic Journal of Botany</i> , 2022, 2022, . | 0.2 | 2 |
| 120 | <i>Prescottia mucugensis</i> : a new species of <i>Prescottia</i> (Orchidaceae: Cranichidinae) from Bahia, Brazil. <i>Kew Bulletin</i> , 2010, 65, 263-267. | 0.4 | 1 |
| 121 | Lectotypifications in <i>Pseudolaelia</i> (Laeliinae: Orchidaceae). <i>Kew Bulletin</i> , 2011, 66, 159-161. | 0.4 | 1 |
| 122 | Microsatellite markers for <i>Plathymeria reticulata</i> (Leguminosae). <i>American Journal of Botany</i> , 2012, 99, e391-3. | 0.8 | 1 |
| 123 | Development of microsatellite primers for <i>Senna multijuga</i> (Fabaceae): a pioneer species from the Brazilian Atlantic forest. <i>Conservation Genetics Resources</i> , 2014, 6, 569. | 0.4 | 1 |
| 124 | <i>Prescottia ecuadorensis</i> : a new species of <i>Prescottia</i> (Cranichidinae, Orchidaceae) from Ecuador. <i>Phytotaxa</i> , 2015, 40, 60. | 0.1 | 1 |
| 125 | Clarification on the circumscription of <i>Prescottia glazioviana</i> (Cranichidinae). <i>Tj ETQq1 1 0,784314 rgBT /Over</i> | 0.1 | 1 |
| 126 | (2768) Proposal to conserve <i>Paepalanthus</i> , nom. cons. against the additional name, <i>Tonina</i> (Eriocaulaceae). <i>Taxon</i> , 2020, 69, 1109-1110. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A new species of <i>Stylosanthes</i> Sw. (Leguminosae-Papilionoideae) from Paran , Brazil. <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2009, 4, 9-13. | 0.5 | 1 |
| 128 | Nomenclatural notes on Laeliinae-VI. Further combinations in <i>Cattleya</i> (Orchidaceae). <i>Neodiversity A Journal of Neotropical Biodiversity</i> , 2016, 9, 4-5. | 0.5 | 1 |
| 129 | <i>Pogoniopsis</i> is an epidendroid orchid that has been misclassified in subfamily Vanilloideae. <i>Memoirs of the New York Botanical Garden</i> , 2017, , . | 0.0 | 1 |
| 130 | Chimaeras and ghosts: solving a chimaeric specimen and two neglected orchid names. <i>Willdenowia</i> , 2020, 50, 139. | 0.5 | 1 |
| 131 | Understanding molecular relationships in <i>Campomanesia</i> Ruiz & Pav. (Myrtaceae): emphasizing the <i>C. xanthocarpa</i> complex based on multiple accessions. <i>Revista Brasileira De Botanica</i> , 2021, 44, 917-927. | 0.5 | 1 |
| 132 | A tecnologia CRISPR/Cas9 aplicada ao modelo biol gico <i>Drosophila melanogaster</i> / CRISPR/Cas9 technology applied to the <i>Drosophila melanogaster</i> biological model. <i>Brazilian Journal of Development</i> , 2022, 8, 27610-27642. | 0.0 | 1 |
| 133 | A New Species of <i>Stylosanthes</i> Sw. (Leguminosae-Papilionoideae) from Guerrero, Mexico. <i>Kew Bulletin</i> , 2001, 56, 239. | 0.4 | 0 |
| 134 | Development of Microsatellite Markers in <i>Cratylia mollis</i> and their Transferability to <i>C. argentea</i> (Fabaceae). <i>Applications in Plant Sciences</i> , 2013, 1, 1300015. | 0.8 | 0 |
| 135 | Nomenclatural notes on Laeliinae-V. New combinations for invalid names in <i>Prosthechea</i> (Orchidaceae). <i>Phytotaxa</i> , 2015, 239, 297. | 0.1 | 0 |
| 136 | Nomenclatural notes in <i>Guarianthe</i> (Orchidaceae: Laeliinae): clarification of <i>Guarianthe</i>  deckeri, G.  guatemalensis and <i>G. patinii</i> . <i>Phytotaxa</i> , 2015, 239, 65. | 0.1 | 0 |
| 137 | Development of microsatellite markers in <i>Moldenhawera blanchetiana</i> and their transferability to <i>M. luschnathiana</i> (Fabaceae). <i>Conservation Genetics Resources</i> , 2015, 7, 255-257. | 0.4 | 0 |
| 138 | Corrigendum to  Taxonomic studies in the <i>Aganisia</i> complex (Orchidaceae, Zygopetalinae) . <i>Phytotaxa</i> , 2016, 268, 225. | 0.1 | 0 |
| 139 | Microsatellite markers for <i>Senna spectabilis</i> var. <i>excelsa</i> (Caesalpinioideae, Fabaceae). <i>Applications in Plant Sciences</i> , 2016, 4, 1500062. | 0.8 | 0 |
| 140 | Transferability of microsatellite markers in four species of <i>Masdevallia</i> (Orchidaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (Pleu <i>Revista Brasileira De Botanica</i> , 2016, 39, 943-948. | 0.5 | 0 |
| 141 | A new species of <i>Catolesia</i> (Asteraceae, Eupatorieae) from Chapada Diamantina, Brazil. <i>Phytotaxa</i> , 2018, 347, 272. | 0.1 | 0 |
| 142 | <i>Capanemia</i> (Oncidiinae): an orchid genus revised and simplified. <i>Plant Systematics and Evolution</i> , 2020, 306, 1. | 0.3 | 0 |
| 143 | An overview of the Sixth International Conference on the Comparative Biology of Monocotyledons - Monocots VI - Natal, Brazil, 2018. <i>Rodriguesia</i> , 0, 72, . | 0.9 | 0 |
| 144 | <p class="western">The confused taxonomy of <i>Pseudolaelia irwiniana</i> (Orchidaceae) with two new synonyms</p>. <i>Phytotaxa</i> , 2021, 482, 297-299. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The Orchidaceae of "Parque Municipal de MucugÃ©, Bahia, Brazil. Lankesteriana, 2015, 7, . | 0.2 | 0 |
| 146 | Flora da Bahia: Encyclia (Orchidaceae). Sitientibus, SÃ©rie CiÃ©ncias BiolÃ³gicas, 0, 16, . | 0.2 | 0 |
| 147 | LECTOTIPIFICAÃES DE STACHYTARPHETA VAHL (VERBENACEAE)1. Iheringia - Serie Botanica, 2017, 72, 441-444. | 0.0 | 0 |
| 148 | Nomenclatural notes on Laeliinae-VII. New combinations in Cattleya for species and nothospecies originally described in Hoffmannseggella (Orchidaceae). Neodiversity A Journal of Neotropical Biodiversity, 2018, 11, 1-4. | 0.5 | 0 |
| 149 | Nomenclatural notes on Laeliinae. VIII. Overlooked and new combinations in Cattleya, and new infrageneric nothotaxa. Neodiversity A Journal of Neotropical Biodiversity, 2019, 12, 1-5. | 0.5 | 0 |
| 150 | <p>Untangling the type collection and recircumscription of Pseudolaelia corcovadensis: a threatened orchid species from Brazilian Atlantic Rain Forest </p>. Phytotaxa, 2020, 433, 265-276. | 0.1 | 0 |
| 151 | <p>Typification of three names of Brazilian Prosthechea (Orchidaceae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF </p> | 0.1 | 0 |
| 152 | (2882) Proposal to conserve the name <i>Lycaste</i> against <i>Anguloa</i> and <i>Xylobium</i> (<i>Orchidaceae</i>). Taxon, 2022, 71, 475-476. | 0.4 | 0 |
| 153 | Localized Phylogenetic Discordance Among Nuclear Loci Due to Incomplete Lineage Sorting and Introgression in the Family of Cotton and Cacao (Malvaceae). Frontiers in Plant Science, 2022, 13, 850521. | 1.7 | 0 |