

Domenico Giacco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1345764/publications.pdf>

Version: 2024-02-01

104
papers

2,657
citations

185998

28
h-index

205818

48
g-index

121
all docs

121
docs citations

121
times ranked

3478
citing authors

#	ARTICLE	IF	CITATIONS
1	Social isolation in mental health: a conceptual and methodological review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1451-1461.	1.6	252
2	Implementing family involvement in the treatment of patients with psychosis: a systematic review of facilitating and hindering factors. <i>BMJ Open</i> , 2014, 4, e006108.	0.8	162
3	Obsessive-compulsive disorder with poor insight: A three-year prospective study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 323-330.	2.5	161
4	Prevalence of and risk factors for mental disorders in refugees. <i>Seminars in Cell and Developmental Biology</i> , 2018, 77, 144-152.	2.3	123
5	Do patient and ward-related characteristics influence the use of coercive measures? Results from the EUNOMIA international study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1619-1629.	1.6	122
6	Resource-oriented therapeutic models in psychiatry: conceptual review. <i>British Journal of Psychiatry</i> , 2014, 204, 256-261.	1.7	100
7	Mental health care for adult refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 109-116.	1.8	98
8	Online social networking in people with psychosis: A systematic review. <i>International Journal of Social Psychiatry</i> , 2015, 61, 92-101.	1.6	87
9	Social networks of patients with psychosis: a systematic review. <i>BMC Research Notes</i> , 2015, 8, 560.	0.6	77
10	Providing mental healthcare to immigrants. <i>Current Opinion in Psychiatry</i> , 2014, 27, 282-288.	3.1	69
11	Social contacts and loneliness in people with psychotic and mood disorders. <i>Comprehensive Psychiatry</i> , 2016, 66, 59-66.	1.5	67
12	Use of Coercive Measures during Involuntary Psychiatric Admission and Treatment Outcomes: Data from a Prospective Study across 10 European Countries. <i>PLoS ONE</i> , 2016, 11, e0168720.	1.1	67
13	Patient characteristics and symptoms associated with perceived coercion during hospital treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 460-467.	2.2	58
14	The family in Italy: Cultural changes and implications for treatment. <i>International Review of Psychiatry</i> , 2012, 24, 149-156.	1.4	54
15	Friends and Symptom Dimensions in Patients with Psychosis: A Pooled Analysis. <i>PLoS ONE</i> , 2012, 7, e50119.	1.1	52
16	Why involve families in acute mental healthcare? A collaborative conceptual review. <i>BMJ Open</i> , 2017, 7, e017680.	0.8	51
17	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018, 48, 6-12.	0.1	43
18	Gender differences in coerced patients with schizophrenia. <i>BMC Psychiatry</i> , 2013, 13, 257.	1.1	42

#	ARTICLE	IF	CITATIONS
19	The role of relatives in pathways to care of patients with a first episode of psychosis. <i>International Journal of Social Psychiatry</i> , 2015, 61, 631-637.	1.6	42
20	Which values are important for patients during involuntary treatment? A qualitative study with psychiatric inpatients. <i>Journal of Medical Ethics</i> , 2014, 40, 832-836.	1.0	40
21	Continuity Across Inpatient and Outpatient Mental Health Care or Specialisation of Teams? A Systematic Review. <i>European Psychiatry</i> , 2015, 30, 258-270.	0.1	40
22	How to make carer involvement in mental health inpatient units happen: a focus group study with patients, carers and clinicians. <i>BMC Psychiatry</i> , 2017, 17, 101.	1.1	40
23	Symptoms and Subjective Quality of Life in Post-Traumatic Stress Disorder: A Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e60991.	1.1	39
24	Subjective quality of life in war-affected populations. <i>BMC Public Health</i> , 2013, 13, 624.	1.2	36
25	Shared decision-making with involuntary hospital patients: a qualitative study of barriers and facilitators. <i>BJPsych Open</i> , 2018, 4, 113-118.	0.3	35
26	A "family affair"? The impact of family psychoeducational interventions on depression. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 83-92.	1.4	34
27	Development and psychometric properties of a five-language multiperspective instrument to assess clinical decision making style in the treatment of people with severe mental illness (CDMS). <i>BMC Psychiatry</i> , 2013, 13, 48.	1.1	33
28	Mental Health Reforms in Europe: Challenges of Postgraduate Psychiatric Training in Europe: A Trainee Perspective. <i>Psychiatric Services</i> , 2010, 61, 862-864.	1.1	30
29	Interventions for involuntary psychiatric inpatients: A systematic review. <i>European Psychiatry</i> , 2018, 54, 41-50.	0.1	30
30	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020, 124, 25-36.	1.4	30
31	Training and practice of psychotherapy in Europe: results of a survey. <i>World Psychiatry</i> , 2011, 10, 238-238.	4.8	29
32	Understanding Identity Changes in Psychosis: A Systematic Review and Narrative Synthesis. <i>Schizophrenia Bulletin</i> , 2021, 47, 309-322.	2.3	29
33	Resource-oriented interventions for patients with severe mental illnesses in low- and middle-income countries: trials in Bosnia-Herzegovina, Colombia and Uganda. <i>BMC Psychiatry</i> , 2019, 19, 181.	1.1	28
34	Caregivers' appraisals of patients' involuntary hospital treatment: European multicentre study. <i>British Journal of Psychiatry</i> , 2012, 201, 486-491.	1.7	26
35	Psychiatry training in Europe: Views from the trenches. <i>Medical Teacher</i> , 2012, 34, e708-e717.	1.0	24
36	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014, 14, 323.	0.9	24

#	ARTICLE	IF	CITATIONS
37	Patient-controlled hospital admission for patients with severe mental disorders: a nationwide prospective multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 355-363.	2.2	21
38	Pharmaceutical industry interactions of psychiatric trainees from 20 European countries. <i>European Psychiatry</i> , 2015, 30, 284-290.	0.1	19
39	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017, 4, 257-260.	3.7	19
40	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015, 5, e008996.	0.8	18
41	Identifying the critical time points for mental health of asylum seekers and refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e61.	1.8	18
42	Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1883-1891.	1.6	17
43	In-patient treatment in functional and sectorised care: patient satisfaction and length of stay. <i>British Journal of Psychiatry</i> , 2018, 212, 81-87.	1.7	17
44	Giving Patients Choices During Involuntary Admission: A New Intervention. <i>Frontiers in Psychiatry</i> , 2019, 10, 433.	1.3	17
45	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020, 50, 284-292.	2.7	17
46	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e10.	1.8	16
47	Suicidality and Hostility following Involuntary Hospital Treatment. <i>PLoS ONE</i> , 2016, 11, e0154458.	1.1	13
48	Internet Use for Social Interaction by People with Psychosis: A Systematic Review. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 336-343.	2.1	13
49	"It's a matter of building bridges" - feasibility of a carer involvement intervention for inpatients with severe mental illness. <i>BMC Psychiatry</i> , 2019, 19, 268.	1.1	12
50	Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians' results of the qualitative study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 205-216.	1.6	10
51	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1425-1438.	1.6	10
52	Factorial structure of the Manchester Short Assessment of Quality of Life in patients with schizophrenia-spectrum disorders. <i>Quality of Life Research</i> , 2020, 29, 833-841.	1.5	9
53	Mental health in hospital emergency departments: cross-sectional analysis of attendances in England 2013/2014. <i>Emergency Medicine Journal</i> , 2020, 37, emermed-2019-209105.	0.4	9
54	Helping people with psychosis to expand their social networks: the stakeholders' views. <i>BMC Psychiatry</i> , 2020, 20, 29.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1907-1915.	1.6	8
56	Psychosis seminars: an open forum for service users, carers and professionals. <i>BJPsych Open</i> , 2016, 2, 330-334.	0.3	7
57	Mortality risk from long-term treatment with antipsychotic polypharmacy vs monotherapy among adults with serious mental illness: A systematic review and meta-analysis of observational studies. <i>Schizophrenia Research</i> , 2020, 223, 18-28.	1.1	7
58	Psychosocial interventions for people with a first episode psychosis: between tradition and innovation. <i>Current Opinion in Psychiatry</i> , 2021, 34, 460-466.	3.1	7
59	Trainees'™ views on the future of psychiatry: a plethora of challenges ahead of us. <i>World Psychiatry</i> , 2012, 11, 206-206.	4.8	6
60	Are there differences between training curricula on paper and in practice? Views of European trainees. <i>World Psychiatry</i> , 2012, 11, 135-135.	4.8	6
61	Patient-controlled hospital admission for patients with severe mental disorders: study protocol for a nationwide prospective multicentre study. <i>BMJ Open</i> , 2016, 6, e013088.	0.8	6
62	Exploring experiences of people participation activities in a British national health service trust: a service user-led research project. <i>Research Involvement and Engagement</i> , 2019, 5, 5.	1.1	6
63	Involvement of informal carers in discharge planning and transition between hospital and community mental health care: A systematic review. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 28, 521-530.	1.2	6
64	Family burden in major depression: a multicentric survey in 30 Italian mental health centres. <i>European Psychiatry</i> , 2011, 26, 625-625.	0.1	5
65	The effect of family psychoeducational interventions on patients with depression. <i>European Psychiatry</i> , 2011, 26, 2209-2209.	0.1	5
66	Who wants more social contacts? A cross-sectional study of people with psychotic disorders in England. <i>Schizophrenia Research</i> , 2022, 240, 46-51.	1.1	5
67	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019, 56, 69-74.	0.1	4
68	Effectiveness and cost-effectiveness of a structured social coaching intervention for people with psychosis (SCENE): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e050627.	0.8	4
69	Child and adolescent psychiatry training in Europe: Views of trainee representatives for 2009 to 2010 to the European federation of psychiatric trainees. <i>European Psychiatry</i> , 2011, 26, 266-266.	0.1	3
70	Early career psychiatrists'™ preferences on e-learning: Viewpoint from the EPA Committee on Education. <i>European Psychiatry</i> , 2017, 42, 86-88.	0.1	3
71	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019, 19, 392.	1.1	3
72	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021, 279, 191-202.	2.0	3

#	ARTICLE	IF	CITATIONS
73	Social Isolation and Psychosis: Perspectives from People with Psychosis, Family Caregivers and Mental Health Professionals. <i>Community Mental Health Journal</i> , 2022, 58, 1338-1345.	1.1	3
74	Interventions for posttraumatic stress disorder in psychiatric practice across Europe: a traineesâ€™ perspective. <i>HÅrre Utbildning</i> , 2015, 6, 27818.	1.4	2
75	Social contacts, friends and satisfaction with friendships in patients with psychotic, mood and neurotic disorders 1Âyear after hospitalisation: data from five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 363-373.	1.6	2
76	Psychiatric training in Europe: the opinions of early-career psychiatrists. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2011, 8, 102-102.	0.2	2
77	Defining what a â€˜carerâ€™ is and the role they play in in-patient mental healthcare: A focus group study with patients, carers and clinicians. <i>BJPsych Open</i> , 2020, 6, e89.	0.3	2
78	ECP09-05 - Psychiatric training in europe: the opinions of early career psychiatrists. <i>European Psychiatry</i> , 2011, 26, 1809-1809.	0.1	1
79	Coercive measures in italian inpatient units: results from eunomia study. <i>European Psychiatry</i> , 2011, 26, 527-527.	0.1	1
80	Views of general public, mental health professionals and patientsâ€™ relatives about schizophrenia: An Italian multi-centric survey. <i>European Psychiatry</i> , 2011, 26, 532-532.	0.1	1
81	Routine participation in sports and fitness activities among out-patients with psychotic disorders: A multi-site cross-sectional survey in England. <i>Mental Health and Physical Activity</i> , 2021, 20, 100402.	0.9	1
82	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1957-1965.	1.6	1
83	New models of care in general practice for the youth mental health transition boundary. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101133.	0.9	1
84	Identifying and Reducing Social Isolation: A Key Target of Mental Health Care for People with Mood Disorders. <i>Journal of Depression & Anxiety</i> , 2013, 02, .	0.1	1
85	Using Routine Quality of Life Assessment to Improve Effectiveness of Community Mental Health Care. , 2016, , 145-155.		1
86	Medical mobility: how to gain further skills. , 2016, , 127-136.		1
87	Tackling social isolation in people with psychosis: promising developments but need for conceptual clarity. <i>Journal of Mental Health</i> , 2022, 31, 297-301.	1.0	1
88	ECP09-03 - Information technologies in psychiatry. <i>European Psychiatry</i> , 2011, 26, 1807-1807.	0.1	0
89	ECP09-01 - European federation of psychiatric trainees: Visions for the future. <i>European Psychiatry</i> , 2011, 26, 1805-1805.	0.1	0
90	P01-227-Implementing family psychoeducational intervention in bipolar i disorder: a randomized controlled trial. <i>European Psychiatry</i> , 2011, 26, 228-228.	0.1	0

#	ARTICLE	IF	CITATIONS
91	ECP09-02 - Psychiatry training in europe: Implementation and evaluation of training programs. European Psychiatry, 2011, 26, 1806-1806.	0.1	0
92	Pathways to Care, Duration of Untreated Psychosis and Treatments Received by Patients with First-Episode Psychosis. European Psychiatry, 2011, 26, 1394-1394.	0.1	0
93	P-857 - Early career psychiatrists' opinions on psychiatric training: an europe-wide survey. European Psychiatry, 2012, 27, 1.	0.1	0
94	P-810 - Duration of untreated illness and outcome of the OCD: a three-year prospective study. European Psychiatry, 2012, 27, 1.	0.1	0
95	P-1140 - A survey from the WPA early career Psychiatrists council: what about training and practice of psychotherapy across Europe?. European Psychiatry, 2012, 27, 1.	0.1	0
96	ECP01-01 - European federation of psychiatric trainees research activities: an international psychiatric trainees research network. European Psychiatry, 2012, 27, 1.	0.1	0
97	721 " European psychiatric trainees and their interactions with the pharmaceutical industry: results from the efpt-prirs study. European Psychiatry, 2013, 28, 1.	0.1	0
98	Obsessive-Compulsive Disorder With Comorbid Schizotypal Personality Disorder: a Novel Clinical Form?. European Psychiatry, 2016, 33, S497-S497.	0.1	0
99	Scenarios for the future of mental health care: whose interests, whose perspectives, whose future?"Authors' reply. Lancet Psychiatry,the, 2017, 4, 190.	3.7	0
100	Admission to In-patient Psychiatric Care in the Veneto Region (Italy), Specialisation vs. Personal Continuity of Care Approach. Preliminary Findings from the COFI Study-Italian Sites. European Psychiatry, 2017, 41, S619-S619.	0.1	0
101	P45"Healthcare system performance in continuity of care for patients with severe mental illness: a comparison of five european countries. , 2019, , .		0
102	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, e23.	1.8	0
103	The psychiatrist of the new millennium: training needs, clinical skills, professional risks. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2011, 8, 24-25.	0.2	0
104	Healthcare system performance on care continuity for severe mentally ill patients in five countries. European Journal of Public Health, 2018, 28, .	0.1	0