

Domenico Giacco

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1345764/domenico-giacco-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

1,778
citations

24
h-index

40
g-index

121
ext. papers

2,246
ext. citations

5.2
avg, IF

5.14
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 95 | Social Isolation and Psychosis: Perspectives From People with Psychosis, Family Caregivers and Mental Health Professionals.. <i>Community Mental Health Journal</i> , 2022 , 1 | 2.1 | 0 |
| 94 | Involvement of informal carers in discharge planning and transition between hospital and community mental health care: A systematic review. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021 , 28, 521-530 | 2.4 | 2 |
| 93 | Neighbourhood characteristics and social isolation of people with psychosis: a multi-site cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1 | 4.5 | 1 |
| 92 | Who wants more social contacts? A cross-sectional study of people with psychotic disorders in England.. <i>Schizophrenia Research</i> , 2021 , 240, 46-51 | 3.6 | 0 |
| 91 | Understanding Identity Changes in Psychosis: A Systematic Review and Narrative Synthesis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 309-322 | 1.3 | 11 |
| 90 | Routine participation in sports and fitness activities among out-patients with psychotic disorders: A multi-site cross-sectional survey in England. <i>Mental Health and Physical Activity</i> , 2021 , 20, 100402 | 5 | 1 |
| 89 | Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965 | 4.5 | |
| 88 | Social contacts, friends and satisfaction with friendships in patients with psychotic, mood and neurotic disorders 1year after hospitalisation: data from five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 363-373 | 4.5 | 0 |
| 87 | Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202 | 6.6 | 1 |
| 86 | Psychosocial interventions for people with a first episode psychosis: between tradition and innovation. <i>Current Opinion in Psychiatry</i> , 2021 , 34, 460-466 | 4.9 | 0 |
| 85 | Effectiveness and cost-effectiveness of a structured social coaching intervention for people with psychosis (SCENE): protocol for a randomised controlled trial.. <i>BMJ Open</i> , 2021 , 11, e050627 | 3 | 0 |
| 84 | Mental health in hospital emergency departments: cross-sectional analysis of attendances in England 2013/2014. <i>Emergency Medicine Journal</i> , 2020 , 37, 744-751 | 1.5 | 5 |
| 83 | Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438 | 4.5 | 3 |
| 82 | Helping people with psychosis to expand their social networks: the stakeholders' views. <i>BMC Psychiatry</i> , 2020 , 20, 29 | 4.2 | 4 |
| 81 | New models of care in general practice for the youth mental health transition boundary. <i>BJGP Open</i> , 2020 , 4, | 3.1 | 1 |
| 80 | Defining what a 'carer' is and the role they play in in-patient mental healthcare: A focus group study with patients, carers and clinicians. <i>BJPsych Open</i> , 2020 , 6, e89 | 5 | |
| 79 | Factorial structure of the Manchester Short Assessment of Quality of Life in patients with schizophrenia-spectrum disorders. <i>Quality of Life Research</i> , 2020 , 29, 833-841 | 3.7 | 4 |

| | | | |
|----|--|-----|----|
| 78 | Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020 , 124, 25-36 | 3.2 | 12 |
| 77 | Mortality risk from long-term treatment with antipsychotic polypharmacy vs monotherapy among adults with serious mental illness: A systematic review and meta-analysis of observational studies. <i>Schizophrenia Research</i> , 2020 , 223, 18-28 | 3.6 | 4 |
| 76 | Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292 | 6.9 | 8 |
| 75 | Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians-results of the qualitative study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 205-216 | 4.5 | 4 |
| 74 | Internet Use for Social Interaction by People with Psychosis: A Systematic Review. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019 , 22, 336-343 | 4.4 | 7 |
| 73 | Giving Patients Choices During Involuntary Admission: A New Intervention. <i>Frontiers in Psychiatry</i> , 2019 , 10, 433 | 5 | 11 |
| 72 | Resource-oriented interventions for patients with severe mental illnesses in low- and middle-income countries: trials in Bosnia-Herzegovina, Colombia and Uganda. <i>BMC Psychiatry</i> , 2019 , 19, 181 | 4.2 | 14 |
| 71 | "It's a matter of building bridges" - feasibility of a carer involvement intervention for inpatients with severe mental illness. <i>BMC Psychiatry</i> , 2019 , 19, 268 | 4.2 | 8 |
| 70 | Exploring experiences of people participation activities in a British national health service trust: a service user-led research project. <i>Research Involvement and Engagement</i> , 2019 , 5, 5 | 4.4 | 4 |
| 69 | Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019 , 19, 392 | 4.2 | 2 |
| 68 | Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74 | 6 | 2 |
| 67 | The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment - ADDENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e23 | 5.1 | |
| 66 | Identifying the critical time points for mental health of asylum seekers and refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e61 | 5.1 | 5 |
| 65 | Patient-controlled hospital admission for patients with severe mental disorders: a nationwide prospective multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 355-363 | 6.5 | 16 |
| 64 | In-patient treatment in functional and sectorised care: patient satisfaction and length of stay. <i>British Journal of Psychiatry</i> , 2018 , 212, 81-87 | 5.4 | 13 |
| 63 | Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12 | 6 | 26 |
| 62 | Mental health care for adult refugees in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 109-116 | 5.1 | 82 |
| 61 | Interventions for involuntary psychiatric inpatients: A systematic review. <i>European Psychiatry</i> , 2018 , 54, 41-50 | 6 | 18 |

| | | | |
|----|--|------|-----|
| 60 | The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10 | 5.1 | 10 |
| 59 | Prevalence of and risk factors for mental disorders in refugees. <i>Seminars in Cell and Developmental Biology</i> , 2018 , 77, 144-152 | 7.5 | 74 |
| 58 | Shared decision-making with involuntary hospital patients: a qualitative study of barriers and facilitators. <i>BJPsych Open</i> , 2018 , 4, 113-118 | 5 | 22 |
| 57 | Scenarios for the future of mental health care: whose interests, whose perspectives, whose future?-Authors' reply. <i>Lancet Psychiatry</i> , 2017 , 4, 190 | 23.3 | |
| 56 | Why involve families in acute mental healthcare? A collaborative conceptual review. <i>BMJ Open</i> , 2017 , 7, e017680 | 3 | 30 |
| 55 | Admission to In-patient Psychiatric Care in the Veneto Region (Italy), Specialisation vs. Personal Continuity of Care Approach. Preliminary Findings from the COFI Study-Italian Sites. <i>European Psychiatry</i> , 2017 , 41, S619-S619 | 6 | |
| 54 | Social isolation in mental health: a conceptual and methodological review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1451-1461 | 4.5 | 145 |
| 53 | How to make carer involvement in mental health inpatient units happen: a focus group study with patients, carers and clinicians. <i>BMC Psychiatry</i> , 2017 , 17, 101 | 4.2 | 27 |
| 52 | Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017 , 4, 257-260 | 6.3 | 11 |
| 51 | Patient-controlled hospital admission for patients with severe mental disorders: study protocol for a nationwide prospective multicentre study. <i>BMJ Open</i> , 2016 , 6, e013088 | 3 | 5 |
| 50 | Social contacts and loneliness in people with psychotic and mood disorders. <i>Comprehensive Psychiatry</i> , 2016 , 66, 59-66 | 7.3 | 48 |
| 49 | Use of Coercive Measures during Involuntary Psychiatric Admission and Treatment Outcomes: Data from a Prospective Study across 10 European Countries. <i>PLoS ONE</i> , 2016 , 11, e0168720 | 3.7 | 40 |
| 48 | Using Routine Quality of Life Assessment to Improve Effectiveness of Community Mental Health Care 2016 , 145-155 | | 1 |
| 47 | Suicidality and Hostility following Involuntary Hospital Treatment. <i>PLoS ONE</i> , 2016 , 11, e0154458 | 3.7 | 9 |
| 46 | Psychosis seminars: an open forum for service users, carers and professionals. <i>BJPsych Open</i> , 2016 , 2, 330-334 | 5 | 6 |
| 45 | Obsessive-Compulsive Disorder With Comorbid Schizotypal Personality Disorder: a Novel Clinical Form?. <i>European Psychiatry</i> , 2016 , 33, S497-S497 | 6 | |
| 44 | The role of relatives in pathways to care of patients with a first episode of psychosis. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 631-7 | 8.5 | 36 |
| 43 | Online social networking in people with psychosis: A systematic review. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 92-101 | 8.5 | 56 |

| | | | |
|----|--|------|-----|
| 42 | Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996 | 3 | 18 |
| 41 | Social networks of patients with psychosis: a systematic review. <i>BMC Research Notes</i> , 2015 , 8, 560 | 2.3 | 53 |
| 40 | Interventions for posttraumatic stress disorder in psychiatric practice across Europe: a trainees' perspective. <i>Hjere Utbildning</i> , 2015 , 6, 27818 | 5 | 2 |
| 39 | Pharmaceutical industry interactions of psychiatric trainees from 20 European countries. <i>European Psychiatry</i> , 2015 , 30, 284-90 | 6 | 14 |
| 38 | Continuity across inpatient and outpatient mental health care or specialisation of teams? A systematic review. <i>European Psychiatry</i> , 2015 , 30, 258-70 | 6 | 33 |
| 37 | Implementing family involvement in the treatment of patients with psychosis: a systematic review of facilitating and hindering factors. <i>BMJ Open</i> , 2014 , 4, e006108 | 3 | 112 |
| 36 | Resource-oriented therapeutic models in psychiatry: conceptual review. <i>British Journal of Psychiatry</i> , 2014 , 204, 256-61 | 5.4 | 81 |
| 35 | The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014 , 14, 323 | 2.9 | 16 |
| 34 | Do patient and ward-related characteristics influence the use of coercive measures? Results from the EUNOMIA international study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1619-29 | 4.5 | 75 |
| 33 | Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1883-91 | 4.5 | 14 |
| 32 | Which values are important for patients during involuntary treatment? A qualitative study with psychiatric inpatients. <i>Journal of Medical Ethics</i> , 2014 , 40, 832-6 | 2.5 | 28 |
| 31 | Providing mental healthcare to immigrants: current challenges and new strategies. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 282-8 | 4.9 | 46 |
| 30 | Development and psychometric properties of a five-language multiperspective instrument to assess clinical decision making style in the treatment of people with severe mental illness (CDMS). <i>BMC Psychiatry</i> , 2013 , 13, 48 | 4.2 | 24 |
| 29 | Subjective quality of life in war-affected populations. <i>BMC Public Health</i> , 2013 , 13, 624 | 4.1 | 24 |
| 28 | Gender differences in coerced patients with schizophrenia. <i>BMC Psychiatry</i> , 2013 , 13, 257 | 4.2 | 32 |
| 27 | Symptoms and subjective quality of life in post-traumatic stress disorder: a longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e60991 | 3.7 | 26 |
| 26 | Patient characteristics and symptoms associated with perceived coercion during hospital treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 460-7 | 6.5 | 46 |
| 25 | Are there differences between training curricula on paper and in practice? Views of European trainees. <i>World Psychiatry</i> , 2012 , 11, 135 | 14.4 | 6 |

| | | | |
|----|---|------|----|
| 24 | A 'family affair'? The impact of family psychoeducational interventions on depression. <i>Expert Review of Neurotherapeutics</i> , 2012 , 12, 83-91; quiz 92 | 4.3 | 21 |
| 23 | Friends and symptom dimensions in patients with psychosis: a pooled analysis. <i>PLoS ONE</i> , 2012 , 7, e50119 | 3.7 | 44 |
| 22 | The Family in Italy: cultural changes and implications for treatment. <i>International Review of Psychiatry</i> , 2012 , 24, 149-56 | 3.6 | 38 |
| 21 | Psychiatry training in Europe: views from the trenches. <i>Medical Teacher</i> , 2012 , 34, e708-17 | 3 | 19 |
| 20 | Trainees' views on the future of psychiatry: a plethora of challenges ahead of us. <i>World Psychiatry</i> , 2012 , 11, 206-206 | 14.4 | 6 |
| 19 | Caregivers' appraisals of patients' involuntary hospital treatment: European multicentre study. <i>British Journal of Psychiatry</i> , 2012 , 201, 486-91 | 5.4 | 21 |
| 18 | ECP09-05 - Psychiatric training in europe: the opinions of early career psychiatrists. <i>European Psychiatry</i> , 2011 , 26, 1809-1809 | 6 | 1 |
| 17 | ECP09-01 - European federation of psychiatric trainees: Visions for the future. <i>European Psychiatry</i> , 2011 , 26, 1805-1805 | 6 | |
| 16 | P01-227-Implementing family psychoeducational intervention in bipolar i disorder: a randomized controlled trial. <i>European Psychiatry</i> , 2011 , 26, 228-228 | 6 | |
| 15 | Child and adolescent psychiatry training in Europe: Views of trainee representatives for 2009 - 2010 to the European federation of psychiatric trainees. <i>European Psychiatry</i> , 2011 , 26, 266-266 | 6 | 3 |
| 14 | Coercive measures in italian inpatient units: results from eunomia study. <i>European Psychiatry</i> , 2011 , 26, 527-527 | 6 | 1 |
| 13 | Views of general public, mental health professionals and patients' relatives about schizophrenia: An Italian multi-centric survey. <i>European Psychiatry</i> , 2011 , 26, 532-532 | 6 | 1 |
| 12 | Family burden in major depression: a multicentric survey in 30 italian mental health centres. <i>European Psychiatry</i> , 2011 , 26, 625-625 | 6 | 4 |
| 11 | The effect of family psychoeducational interventions on patients with depression. <i>European Psychiatry</i> , 2011 , 26, 2209-2209 | 6 | 4 |
| 10 | ECP09-02 - Psychiatry training in europe: Implementation and evaluation of training programs. <i>European Psychiatry</i> , 2011 , 26, 1806-1806 | 6 | |
| 9 | Pathways to Care, Duration of Untreated Psychosis and Treatments Received by Patients with First-Episode Psychosis. <i>European Psychiatry</i> , 2011 , 26, 1394-1394 | 6 | |
| 8 | Training and practice of psychotherapy in Europe: results of a survey. <i>World Psychiatry</i> , 2011 , 10, 238 | 14.4 | 21 |
| 7 | ECP09-03 - Information technologies in psychiatry. <i>European Psychiatry</i> , 2011 , 26, 1807-1807 | 6 | |

- | | | | |
|---|---|-----|-----|
| 6 | The psychiatrist of the new millennium: training needs, clinical skills, professional risks. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2011 , 8, 24-25 | | |
| 5 | Psychiatric training in Europe: the opinions of early-career psychiatrists. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2011 , 8, 102-102 | | 1 |
| 4 | Obsessive-compulsive disorder with poor insight: a three-year prospective study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 323-30 | 5.5 | 124 |
| 3 | Mental health reforms in Europe: challenges of postgraduate psychiatric training in Europe: a trainee perspective. <i>Psychiatric Services</i> , 2010 , 61, 862-4 | 3.3 | 23 |
| 2 | Why Should I Pay for It? The Importance of Being Members of Psychiatric Associations 311-324 | | |
| 1 | How to Start a Research Career in Psychiatry 18-35 | | |