

Xianhui Qin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1347179/publications.pdf>

Version: 2024-02-01

182
papers

4,202
citations

182225

30
h-index

169272

56
g-index

190
all docs

190
docs citations

190
times ranked

4394
citing authors

#	ARTICLE	IF	CITATIONS
1	Geographical, Sex, Age, and Seasonal Differences in Serum Manganese Status Among Chinese Adults with Hypertension. <i>Biological Trace Element Research</i> , 2023, 201, 41-50.	1.9	6
2	Relationship of several serum folate forms with kidney function and albuminuria: cross-sectional data from the National Health and Nutrition Examination Surveys (NHANES) 2011–2018. <i>British Journal of Nutrition</i> , 2022, 127, 1050-1059.	1.2	6
3	Association Between White Blood Cell Counts and Brachial-Ankle Pulse Wave Velocity in Chinese Hypertensive Adults: A Cross-Sectional Study. <i>Angiology</i> , 2022, 73, 42-50.	0.8	3
4	U-shaped Association Between Dietary Zinc Intake and New-onset Diabetes: A Nationwide Cohort Study in China. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e815-e824.	1.8	19
5	Plasma selenium and the risk of first stroke in adults with hypertension: a secondary analysis of the China Stroke Primary Prevention Trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 222-231.	2.2	13
6	Joint Associations between Plasma 25-Hydroxyvitamin D, Glycemic Status, and First Stroke in General Hypertensive Adults: Results from the China Stroke Primary Prevention Trial (CSPPT). <i>Journal of Nutrition</i> , 2022, 152, 246-254.	1.3	0
7	Urinary albumin-to-creatinine ratio and the risk of first stroke in Chinese hypertensive patients treated with angiotensin-converting enzyme inhibitors. <i>Hypertension Research</i> , 2022, 45, 116-124.	1.5	4
8	Self-Perceived Psychological Stress and Risk of First Stroke in Treated Hypertensive Patients. <i>Psychosomatic Medicine</i> , 2022, 84, 237-243.	1.3	2
9	U-shaped association between dietary copper intake and new-onset hypertension. <i>Clinical Nutrition</i> , 2022, 41, 536-542.	2.3	24
10	Variety and quantity of dietary protein intake from different sources and risk of new-onset diabetes: a Nationwide Cohort Study in China. <i>BMC Medicine</i> , 2022, 20, 6.	2.3	14
11	Association of waist-calf circumference ratio with incident cognitive impairment in older adults. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1005-1012.	2.2	6
12	Predicted fat mass and lean mass in relation to all-cause and cause-specific mortality. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1064-1075.	2.9	29
13	Association of urinary albumin:creatinine ratio with incident frailty in older populations. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1093-1099.	1.4	1
14	Dietary protein intake and the risk of all-cause and cardiovascular mortality in maintenance hemodialysis patients: A multicenter, prospective cohort study. <i>Nutrition</i> , 2022, 95, 111564.	1.1	6
15	Plasma 25-hydroxyvitamin D3 concentrations and incident risk of ischemic stroke among rural Chinese adults: New insight on ceiling effect. <i>Nutrition</i> , 2022, 99-100, 111627.	1.1	0
16	Change in the Estimated Glomerular Filtration Rate Over Time and Risk of First Stroke in Hypertensive Patients. <i>Journal of Epidemiology</i> , 2022, , .	1.1	0
17	Response to Letter to the Editor From Pattan et al.: “U-shaped Association Between Dietary Zinc Intake and New-onset Diabetes: A Nationwide Cohort Study in China”. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	1.8	1
18	Current apparent treatment-resistant hypertension in patients undergoing peritoneal dialysis: A multi-center cross-sectional study. <i>Journal of Clinical Hypertension</i> , 2022, 24, 493-501.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Inverse Association Between Variety of Proteins With Appropriate Quantity From Different Food Sources and New-Onset Hypertension. <i>Hypertension</i> , 2022, 79, 1017-1027.	1.3	14
20	Folate intake and incident chronic kidney disease: a 30-year follow-up study from young adulthood to midlife. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 599-607.	2.2	4
21	Investigating the inverse association between glycaemia and abdominal aortic dilatation in a large Chinese hypertensive population: a cross-sectional study. <i>Annals of Translational Medicine</i> , 2022, 10, 419-419.	0.7	1
22	Joint Association of Low Vitamin K1 and D Status With First Stroke in General Hypertensive Adults: Results From the China Stroke Primary Prevention Trial (CSPPT). <i>Frontiers in Neurology</i> , 2022, 13, .	1.1	0
23	Novel Insights on Establishing Machine Learning-Based Stroke Prediction Models Among Hypertensive Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	4
24	Association between serum 5-methyltetrahydrofolate and homocysteine in Chinese hypertensive participants with different MTHFR C677T polymorphisms: a cross-sectional study. <i>Nutrition Journal</i> , 2022, 21, 29.	1.5	2
25	Domestic Physical Activity and New-Onset Hypertension: A Nationwide Cohort Study in China. <i>American Journal of Medicine</i> , 2022, 135, 1362-1370.e6.	0.6	7
26	A Cross-Sectional Study of the Distribution Patterns and Potential Determinants in Plasma Selenium Status Among Chinese Adults With Hypertension. <i>Frontiers in Nutrition</i> , 2022, 9, .	1.6	2
27	Bidirectional relations between depression symptoms and chronic kidney disease. <i>Journal of Affective Disorders</i> , 2022, 311, 224-230.	2.0	12
28	Associations of serum cystatin C and its change with new-onset cardiovascular disease in Chinese general population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1963-1971.	1.1	5
29	The Association Between Plasma Copper Concentration and Prevalence of Diabetes in Chinese Adults With Hypertension. <i>Frontiers in Public Health</i> , 2022, 10, .	1.3	6
30	Association between plasma Vitamin B5 levels and all-cause mortality: A nested case-control study. <i>Journal of Clinical Hypertension</i> , 2022, 24, 945-954.	1.0	5
31	Inverse Association between Plasma Phylloquinone and Risk of Ischemic Stroke in Chinese Adults with Hypertension and High BMI: A Nested Case-Control Study. <i>Journal of Nutrition</i> , 2022, 152, 1927-1935.	1.3	1
32	Transportation physical activity and new-onset hypertension: A nationwide cohort study in China. <i>Hypertension Research</i> , 2022, 45, 1430-1440.	1.5	4
33	Relationship of visceral adiposity index with new-onset proteinuria in hypertensive patients. <i>Clinical Nutrition</i> , 2021, 40, 438-444.	2.3	10
34	Relationship of Weight Change Patterns From Young to Middle Adulthood With Incident Cardiovascular Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e812-e823.	1.8	9
35	Interaction of serum calcium and folic acid treatment on first stroke in hypertensive males. <i>Clinical Nutrition</i> , 2021, 40, 2381-2388.	2.3	2
36	Higher dietary fibre intake is associated with lower CVD mortality risk among maintenance haemodialysis patients: a multicentre prospective cohort study. <i>British Journal of Nutrition</i> , 2021, 126, 1510-1518.	1.2	9

#	ARTICLE	IF	CITATIONS
37	Evaluation of Dietary Niacin and New-Onset Hypertension Among Chinese Adults. <i>JAMA Network Open</i> , 2021, 4, e2031669.	2.8	34
38	Serum and Tissue Levels of Advanced Glycation End Products and Risk of Mortality in Patients on Maintenance Hemodialysis. <i>American Journal of Nephrology</i> , 2021, 52, 8-16.	1.4	8
39	Neutrophil counts and the risk of first stroke in general hypertensive adults. <i>Hypertension Research</i> , 2021, 44, 830-839.	1.5	3
40	Cigarette smoking and all-cause mortality in rural Chinese male adults: 15-year follow-up of the Anqing cohort study. <i>BMC Public Health</i> , 2021, 21, 696.	1.2	5
41	Association of estimated glomerular filtration rate from serum creatinine and cystatin C with new-onset diabetes: a nationwide cohort study in China. <i>Acta Diabetologica</i> , 2021, 58, 1269-1276.	1.2	1
42	Association of visceral adiposity index with new-onset type 2 diabetes and impaired fasting glucose in hypertensive Chinese adults. <i>Eating and Weight Disorders</i> , 2021, , 1.	1.2	2
43	Dietary Plant Protein and Mortality Among Patients Receiving Maintenance Hemodialysis: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2021, 78, 649-657.e1.	2.1	9
44	Egg consumption associated with all-cause mortality in rural China: a 14-year follow-up study. <i>European Journal of Public Health</i> , 2021, 31, 613-618.	0.1	4
45	Association of Depressive Symptoms with Rapid Kidney Function Decline in Adults with Normal Kidney Function. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 889-897.	2.2	25
46	Inverse association between dietary vitamin A intake and new-onset hypertension. <i>Clinical Nutrition</i> , 2021, 40, 2868-2875.	2.3	26
47	Association between serum advanced oxidation protein products and mortality risk in maintenance hemodialysis patients. <i>Journal of Translational Medicine</i> , 2021, 19, 284.	1.8	6
48	The Effects of Oral Energy-Dense Supplements on Nutritional Status in Nondiabetic Maintenance Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1228-1236.	2.2	10
49	Relationship of several serum folate forms with the risk of mortality: A prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 4255-4262.	2.3	14
50	Occupational Physical Activity and New-Onset Hypertension: A Nationwide Cohort Study in China. <i>Hypertension</i> , 2021, 78, 220-229.	1.3	21
51	Hypertensive Retinopathy and the Risk of Stroke Among Hypertensive Adults in China. , 2021, 62, 28.		4
52	Prospective association between baseline plasma zinc concentration and development of proteinuria in Chinese hypertensive patients. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 66, 126755.	1.5	0
53	Inverse association between body mass index and all-cause mortality in rural chinese adults: 15-year follow-up of the Anqing cohort study. <i>BMJ Open</i> , 2021, 11, e045495.	0.8	1
54	Dietary Carbohydrate Intake and New-Onset Hypertension: A Nationwide Cohort Study in China. <i>Hypertension</i> , 2021, 78, 422-430.	1.3	33

#	ARTICLE	IF	CITATIONS
55	Effect of age stratification on the association between carotid intima-media thickness and cognitive impairment in Chinese hypertensive patients: new insight from the secondary analysis of the China Stroke Primary Prevention Trial (CSPPT). <i>Hypertension Research</i> , 2021, 44, 1505-1514.	1.5	3
56	High-Salt Diet Accelerated the Decline of Residual Renal Function in Patients With Peritoneal Dialysis. <i>Frontiers in Medicine</i> , 2021, 8, 728009.	1.2	4
57	Dietary carbohydrate intake and new-onset diabetes: A nationwide cohort study in China. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154865.	1.5	25
58	Quantity and variety of food groups consumption and the risk of diabetes in adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 5710-5717.	2.3	20
59	Plasma Vitamin E and the Risk of First Stroke in Hypertensive Patients: A Nested Case-Control Study. <i>Frontiers in Nutrition</i> , 2021, 8, 734580.	1.6	1
60	Interaction of Serum Alkaline Phosphatase and Folic Acid Treatment on Chronic Kidney Disease Progression in Treated Hypertensive Adults. <i>Frontiers in Pharmacology</i> , 2021, 12, 753803.	1.6	2
61	Association of Brachial Ankle Pulse Wave Velocity With New Onset Stroke in Hypertensive Patients Aged Less Than 65 With Normal Fasting Glucose Among Chinese Community-Based Population. <i>Frontiers in Endocrinology</i> , 2021, 12, 828286.	1.5	0
62	Positive Association Between Serum Alkaline Phosphatase and First Stroke in Hypertensive Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 749196.	1.1	4
63	Electrocardiographic-left ventricular hypertrophy and incident stroke among Chinese hypertensive adults. <i>Journal of Human Hypertension</i> , 2020, 34, 286-292.	1.0	2
64	U-shaped association between serum albumin and development of chronic kidney disease in general hypertensive patients. <i>Clinical Nutrition</i> , 2020, 39, 258-264.	2.3	12
65	Visit-to-visit variability in blood pressure and the development of chronic kidney disease in treated general hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1739-1746.	0.4	12
66	The association between dietary energy intake and the risk of mortality in maintenance haemodialysis patients: a multi-centre prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 123, 437-445.	1.2	11
67	Effect of Vitamin B12 Levels on the Association Between Folic Acid Treatment and CKD Progression: A Post Hoc Analysis of a Folic Acid Interventional Trial. <i>American Journal of Kidney Diseases</i> , 2020, 75, 325-332.	2.1	25
68	Association of visit-to-visit variability in blood pressure and first stroke risk in hypertensive patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2020, 38, 610-617.	0.3	13
69	A U-shaped association between serum betaine and incident risk of first ischemic stroke in hypertensive patients. <i>Clinical Nutrition</i> , 2020, 39, 2517-2524.	2.3	11
70	Estimated Stroke-Free Survival of Folic Acid Therapy for Hypertensive Adults. <i>Hypertension</i> , 2020, 75, 339-346.	1.3	10
71	Relationship between Serum Uric Acid and Mortality Risk in Hemodialysis Patients: A Multicenter Prospective Cohort Study. <i>American Journal of Nephrology</i> , 2020, 51, 823-832.	1.4	7
72	Vitamin B ₁₂ and risk of diabetes: new insight from cross-sectional and longitudinal analyses of the China Stroke Primary Prevention Trial (CSPPT). <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001423.	1.2	5

#	ARTICLE	IF	CITATIONS
73	Serum folate modified the association between low-density lipoprotein cholesterol and carotid intima-media thickness in Chinese hypertensive adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2303-2311.	1.1	3
74	Association of self-reported sleep duration and quality with BaPWV levels in hypertensive patients. <i>Hypertension Research</i> , 2020, 43, 1392-1402.	1.5	12
75	Plasma Magnesium Concentrations and Risk of Incident Cancer in Adults with Hypertension: A Nested Case-Control Study. <i>Annals of Nutrition and Metabolism</i> , 2020, 76, 304-312.	1.0	4
76	Degree of Blood Pressure Control and Incident Diabetes Mellitus in Chinese Adults With Hypertension. <i>Journal of the American Heart Association</i> , 2020, 9, e017015.	1.6	16
77	Reply. <i>Journal of Hypertension</i> , 2020, 38, 1626-1627.	0.3	0
78	Urinary vaninâ€ and chronic kidney disease in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1466-1468.	1.0	2
79	Serum alkaline phosphatase levels and the risk of new-onset diabetes in hypertensive adults. <i>Cardiovascular Diabetology</i> , 2020, 19, 186.	2.7	19
80	Association Between Fasting Blood Glucose and All-Cause Mortality in a Rural Chinese Population: 15-Year Follow-Up Cohort Study. <i>Diabetes Therapy</i> , 2020, 11, 2691-2701.	1.2	5
81	Positive relationship of hypertensive retinopathy with carotid intima-media thickness in hypertensive patients. <i>Journal of Hypertension</i> , 2020, 38, 2028-2035.	0.3	5
82	Degree of blood pressure control and the risk of new-onset hyperuricemia in treated hypertensive patients. <i>Annals of Translational Medicine</i> , 2020, 8, 1434-1434.	0.7	5
83	Interaction of neutrophil counts and folic acid treatment on new-onset proteinuria in hypertensive patients. <i>British Journal of Nutrition</i> , 2020, 126, 1-8.	1.2	2
84	Plasma 25-Hydroxyvitamin D3 Concentrations and Risk of New-Onset Proteinuria in Patients With Hypertension. , 2020, 31, 620-627.		1
85	Inverse Association Between Riboflavin Intake and New-Onset Hypertension. <i>Hypertension</i> , 2020, 76, 1709-1716.	1.3	33
86	Association between plasma retinol levels and the risk of all-cause mortality in general hypertensive patients: A nested caseâ€control study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 906-913.	1.0	7
87	Positive association of serum uric acid with newâ€onset diabetes in Chinese women with hypertension in a retrospective analysis of the China Stroke Primary Prevention Trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1598-1606.	2.2	8
88	<i>PNPT1</i> and <i>PCGF3</i> variants associated with angiotensin-converting enzyme inhibitor-induced cough: a nested caseâ€control genome-wide study. <i>Pharmacogenomics</i> , 2020, 21, 601-614.	0.6	5
89	Achieving blood pressure control targets in hypertensive patients of rural China â€ a pilot randomized trial. <i>Trials</i> , 2020, 21, 515.	0.7	2
90	Baseline Serum Bilirubin and Risk of First Stroke in Hypertensive Patients. <i>Journal of the American Heart Association</i> , 2020, 9, e015799.	1.6	9

#	ARTICLE	IF	CITATIONS
91	Relationship of Body Mass Index and Waist Circumference With Risk of New-Onset Proteinuria in Hypertensive Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e511-e519.	1.8	6
92	Interaction of serum vitamin B ₁₂ and folate with <i>MTHFR</i> genotypes on risk of ischemic stroke. <i>Neurology</i> , 2020, 94, e1126-e1136.	1.5	40
93	Carotid Intima-Media Thickness and the Risk of First Stroke in Patients With Hypertension. <i>Stroke</i> , 2020, 51, 379-386.	1.0	29
94	Plasma magnesium and the risk of new-onset hyperuricaemia in hypertensive patients. <i>British Journal of Nutrition</i> , 2020, 124, 156-163.	1.2	7
95	Association of brachial-ankle pulse wave velocity and carotid plaque in Chinese hypertensive adults: effect modification by age. <i>Hypertension Research</i> , 2020, 43, 808-816.	1.5	10
96	Plasma selenium levels and risk of new-onset diabetes in hypertensive adults. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 56, 6-12.	1.5	12
97	Diagnostic accuracy of procalcitonin for overall and complicated acute appendicitis in children: a meta-analysis. <i>Italian Journal of Pediatrics</i> , 2019, 45, 78.	1.0	15
98	Association of plasma retinol levels with incident cancer risk in Chinese hypertensive adults: a nested case-control study. <i>British Journal of Nutrition</i> , 2019, 122, 293-300.	1.2	4
99	Comparison of three nutritional screening tools for predicting mortality in maintenance hemodialysis patients. <i>Nutrition</i> , 2019, 67-68, 110532.	1.1	16
100	Association of Glasgow Coma Scale with Total Homocysteine Levels in Patients with Hemorrhagic Stroke. <i>Annals of Nutrition and Metabolism</i> , 2019, 75, 9-15.	1.0	7
101	Baseline Plasma Zinc and Risk of First Stroke in Hypertensive Patients. <i>Stroke</i> , 2019, 50, 3255-3258.	1.0	16
102	Positive association between baseline brachial-ankle pulse wave velocity and the risk of new-onset diabetes in hypertensive patients. <i>Cardiovascular Diabetology</i> , 2019, 18, 111.	2.7	27
103	Interpreting stimulated plasma renin and aldosterone to select physiologically individualized therapy for resistant hypertension: importance of the class of stimulating drugs. <i>Hypertension Research</i> , 2019, 42, 1971-1978.	1.5	9
104	A Nested Case-Control Study on Plasma Vitamin E and Risk of Cancer: Evidence of Effect Modification by Selenium. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 769-781.	0.4	6
105	Associations between Blood Pressure Indices and Brachial-ankle Pulse Wave Velocity in Treated Hypertensive Adults: results from the China Stroke Primary Prevention Trial (CSPPT). <i>Scientific Reports</i> , 2019, 9, 8178.	1.6	10
106	Plasma copper and the risk of first stroke in hypertensive patients: a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 212-220.	2.2	28
107	Serum Phosphate and the Risk of New-Onset Hyperuricemia in Hypertensive Patients. <i>Hypertension</i> , 2019, 74, 102-110.	1.3	7
108	Plasma 25-hydroxyvitamin D concentrations and risk of incident cancer in adults with hypertension: A nested case-control study. <i>Clinical Nutrition</i> , 2019, 38, 2381-2388.	2.3	3

#	ARTICLE	IF	CITATIONS
109	Serum Lipids and Risk of Rapid Renal Function Decline in Treated Hypertensive Adults With Normal Renal Function. <i>American Journal of Hypertension</i> , 2019, 32, 393-401.	1.0	8
110	Association Between Lipid Profiles and Arterial Stiffness in Chinese Patients With Hypertension: Insights From the CSPPT. <i>Angiology</i> , 2019, 70, 515-522.	0.8	33
111	Plasma retinol and the risk of first stroke in hypertensive adults: a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 449-456.	2.2	17
112	Reply to J Dierkes et al.. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 132-133.	2.2	1
113	Association between serum total homocysteine and arterial stiffness in adults: a community-based study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 686-693.	1.0	20
114	<i>MTHFR</i> Gene and Serum Folate Interaction on Serum Homocysteine Lowering. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 679-685.	1.1	29
115	Effect of Smoking and Folate Levels on the Efficacy of Folic Acid Therapy in Prevention of Stroke in Hypertensive Men. <i>Stroke</i> , 2018, 49, 114-120.	1.0	13
116	Impact of achieved blood pressure on renal function decline and first stroke in hypertensive patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 409-417.	0.4	18
117	BMI is associated with the development of chronic kidney diseases in hypertensive patients with normal renal function. <i>Journal of Hypertension</i> , 2018, 36, 2085-2091.	0.3	18
118	Association Between Folic Acid Supplementation and Retinal Atherosclerosis in Chinese Adults With Hypertension Complicated by Diabetes Mellitus. <i>Frontiers in Pharmacology</i> , 2018, 9, 1159.	1.6	6
119	Effect of long-term low-dose folic acid supplementation on degree of total homocysteine-lowering: major effect modifiers. <i>British Journal of Nutrition</i> , 2018, 120, 1122-1130.	1.2	9
120	Association of different glucose traits with kidney function decline risk in a Chinese community-based population without chronic kidney disease. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 1725-1734.	0.9	2
121	Serum Trimethylamine N-Oxide Concentration Is Positively Associated With First Stroke in Hypertensive Patients. <i>Stroke</i> , 2018, 49, 2021-2028.	1.0	119
122	Independent and combined effect of bilirubin and smoking on the progression of chronic kidney disease. <i>Clinical Epidemiology</i> , 2018, Volume 10, 121-132.	1.5	14
123	Association of total homocysteine with blood pressure in a general population of Chinese adults: a cross-sectional study in Jiangsu province, China. <i>BMJ Open</i> , 2018, 8, e021103.	0.8	25
124	Platelet Count Affects Efficacy of Folic Acid in Preventing First Stroke. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2136-2146.	1.2	47
125	Effect of folic acid supplementation on cancer risk among adults with hypertension in China: A randomized clinical trial. <i>International Journal of Cancer</i> , 2017, 141, 837-847.	2.3	26
126	Folic acid therapy reduces serum uric acid in hypertensive patients: a substudy of the China Stroke Primary Prevention Trial (CSPPT). <i>American Journal of Clinical Nutrition</i> , 2017, 105, 882-889.	2.2	43

#	ARTICLE	IF	CITATIONS
127	Longitudinal association between fasting blood glucose concentrations and first stroke in hypertensive adults in China: effect of folic acid intervention. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 564-570.	2.2	21
128	Optimal Systolic Blood Pressure Levels for Primary Prevention of Stroke in General Hypertensive Adults. <i>Hypertension</i> , 2017, 69, 697-704.	1.3	40
129	Association of serum uric acid with increased risk of cancer among hypertensive Chinese. <i>International Journal of Cancer</i> , 2017, 141, 112-120.	2.3	18
130	Meta-analysis of folic acid efficacy trials in stroke prevention. <i>Neurology</i> , 2017, 88, 1830-1838.	1.5	42
131	Homocysteine and all-cause mortality in hypertensive adults without pre-existing cardiovascular conditions. <i>Medicine (United States)</i> , 2017, 96, e5862.	0.4	20
132	Folic acid therapy reduces the risk of mortality associated with heavy proteinuria among hypertensive patients. <i>Journal of Hypertension</i> , 2017, 35, 1302-1309.	0.3	19
133	Association of peripheral differential leukocyte counts with dyslipidemia risk in Chinese patients with hypertension: insight from the China Stroke Primary Prevention Trial. <i>Journal of Lipid Research</i> , 2017, 58, 256-266.	2.0	21
134	Relationship of diabetes with renal dysfunction in hypertensive adults. <i>Medicine (United States)</i> , 2017, 96, e7169.	0.4	2
135	Prospective study of serum uric acid levels and stroke in a Chinese hypertensive cohort. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 527-531.	0.5	9
136	Effects of Folic Acid Therapy on the New-Onset Proteinuria in Chinese Hypertensive Patients. <i>Hypertension</i> , 2017, 70, 300-306.	1.3	15
137	Homocysteine and Stroke Risk. <i>Stroke</i> , 2017, 48, 1183-1190.	1.0	89
138	Impact of Achieved Blood Pressure on First Stroke in Uncomplicated Grade 1 Hypertension. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	6
139	China Stroke Primary Prevention Trial: Visit-to-Visit Systolic Blood Pressure Variability Is an Independent Predictor of Primary Stroke in Hypertensive Patients. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	22
140	Association between percent decline in serum total homocysteine and risk of first stroke. <i>Neurology</i> , 2017, 89, 2101-2107.	1.5	60
141	Associations of plasma homocysteine levels with peripheral systolic blood pressure and noninvasive central systolic blood pressure in a community-based Chinese population. <i>Scientific Reports</i> , 2017, 7, 6316.	1.6	14
142	Small infrarenal aortic diameter associated with lower-extremity peripheral artery disease in Chinese hypertensive adults. <i>Scientific Reports</i> , 2017, 7, 14547.	1.6	1
143	Serum uric acid concentration is associated with hypertensive retinopathy in hypertensive chinese adults. <i>BMC Ophthalmology</i> , 2017, 17, 83.	0.6	16
144	Elevated Homocysteine Concentrations Decrease the Antihypertensive Effect of Angiotensin-Converting Enzyme Inhibitors in Hypertensive Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 166-172.	1.1	38

#	ARTICLE	IF	CITATIONS
145	Effect of MTHFR A1298C and MTRR A66G genetic mutations on homocysteine levels in the Chinese population: a systematic review and meta-analysis. <i>Journal of Translational Internal Medicine</i> , 2017, 5, 220-229.	1.0	9
146	The Independent and Joint Association of Blood Pressure, Serum Total Homocysteine, and Fasting Serum Glucose Levels With Brachial-Ankle Pulse Wave Velocity in Chinese Hypertensive Adults. <i>International Heart Journal</i> , 2016, 57, 627-633.	0.5	14
147	Effect of folic acid supplementation on risk of new-onset diabetes in adults with hypertension in China: Findings from the China Stroke Primary Prevention Trial (CSPPT). <i>Journal of Diabetes</i> , 2016, 8, 286-294.	0.8	32
148	Noninvasive Central Systolic Blood Pressure Is More Strongly Related to Kidney Function Decline Than Peripheral Systolic Blood Pressure in a Chinese Community-Based Population. <i>Hypertension</i> , 2016, 67, 1166-1172.	1.3	66
149	High-type hypertension, stroke and diabetes in China: Opportunities for primary prevention. <i>Journal of Diabetes</i> , 2016, 8, 38-40.	0.8	50
150	Efficacy of Folic Acid Therapy on the Progression of Chronic Kidney Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1443.	2.6	133
151	Folic Acid Therapy Reduces the First Stroke Risk Associated With Hypercholesterolemia Among Hypertensive Patients. <i>Stroke</i> , 2016, 47, 2805-2812.	1.0	59
152	Independent and Joint Effect of Brachial-Ankle Pulse Wave Velocity and Blood Pressure Control on Incident Stroke in Hypertensive Adults. <i>Hypertension</i> , 2016, 68, 46-53.	1.3	40
153	Effects of Combined Enalapril and Folic Acid Therapy on the Serum Uric Acid Levels in Hypertensive Patients: A Multicenter, Randomized, Double-blind, Parallel-controlled Clinical Trial. <i>Internal Medicine</i> , 2015, 54, 17-24.	0.3	12
154	Hyperhomocysteinemia predicts renal function decline: a prospective study in hypertensive adults. <i>Scientific Reports</i> , 2015, 5, 16268.	1.6	66
155	Relationship of MTHFR Gene 677C>T Polymorphism, Homocysteine, and Estimated Glomerular Filtration Rate Levels With the Risk of New-Onset Diabetes. <i>Medicine (United States)</i> , 2015, 94, e563.	0.4	11
156	Blood pressure and renal function decline. <i>Journal of Hypertension</i> , 2015, 33, 136-143.	0.3	17
157	Proteinuria Is an Independent Risk Factor for First Incident Stroke in Adults Under Treatment for Hypertension in China. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	15
158	Risk factors for renal function decline in adults with normal kidney function: a 7-year cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 782-788.	2.0	26
159	A prospective study on pulse wave velocity (PWV) and response to anti-hypertensive treatments. <i>International Journal of Cardiology</i> , 2015, 178, 226-231.	0.8	21
160	Efficacy of Folic Acid Therapy in Primary Prevention of Stroke Among Adults With Hypertension in China. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1325.	3.8	577
161	Metabolic syndrome, but not insulin resistance, is associated with an increased risk of renal function decline. <i>Clinical Nutrition</i> , 2015, 34, 269-275.	2.3	21
162	Age, Arterial Stiffness, and Components of Blood Pressure in Chinese Adults. <i>Medicine (United States)</i> , 2014, 93, e262.	0.4	19

#	ARTICLE	IF	CITATIONS
163	Folic acid supplementation with and without vitamin B6 and revascularization risk: A meta-analysis of randomized controlled trials. <i>Clinical Nutrition</i> , 2014, 33, 603-612.	2.3	11
164	Homocysteine-lowering therapy with folic acid is effective in cardiovascular disease prevention in patients with kidney disease: A meta-analysis of randomized controlled trials. <i>Clinical Nutrition</i> , 2013, 32, 722-727.	2.3	50
165	Prevalence of obesity, abdominal obesity and associated factors in hypertensive adults aged 45-75 years. <i>Clinical Nutrition</i> , 2013, 32, 361-367.	2.3	32
166	Folic acid supplementation and cancer risk: A meta-analysis of randomized controlled trials. <i>International Journal of Cancer</i> , 2013, 133, 1033-1041.	2.3	86
167	Prevalence of hyperhomocysteinaemia and its major determinants in rural Chinese hypertensive patients aged 45-75 years. <i>British Journal of Nutrition</i> , 2013, 109, 1284-1293.	1.2	45
168	MTHFR C677T AND MTR A2756G POLYMORPHISMS AND THE HOMOCYSTEINE LOWERING EFFICACY OF DIFFERENT DOSES OF FOLIC ACID IN HYPERTENSIVE CHINESE ADULTS. <i>Heart</i> , 2012, 98, E130.2-E130.	1.2	0
169	EFFECT OF FOLIC ACID SUPPLEMENTATION ON THE PROGRESSION OF CAROTID INTIMA-MEDIA THICKNESS: A META-ANALYSIS OF RANDOMISED CONTROLLED TRIALS. <i>Heart</i> , 2012, 98, E277.1-E277.	1.2	0
170	Effect of folic acid intervention on the change of serum folate level in hypertensive Chinese adults. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 421-428.	0.7	37
171	EFFICACY OF FOLIC ACID SUPPLEMENTATION IN STROKE PREVENTION: NEW INSIGHT FROM A META-ANALYSIS. <i>Heart</i> , 2012, 98, E149.3-E150.	1.2	1
172	Effect of folic acid supplementation on the progression of carotid intima-media thickness: A meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2012, 222, 307-313.	0.4	49
173	Prevalence of Unrecognized Lower Extremity Peripheral Arterial Disease and the Associated Factors in Chinese Hypertensive Adults. <i>American Journal of Cardiology</i> , 2012, 110, 1692-1698.	0.7	28
174	Prevalence and Associated Factors of Diabetes and Impaired Fasting Glucose in Chinese Hypertensive Adults Aged 45 to 75 Years. <i>PLoS ONE</i> , 2012, 7, e42538.	1.1	37
175	MTHFR C677T and MTR A2756G polymorphisms and the homocysteine lowering efficacy of different doses of folic acid in hypertensive Chinese adults. <i>Nutrition Journal</i> , 2012, 11, 2.	1.5	57
176	Efficacy of folic acid supplementation in stroke prevention: new insight from a meta-analysis. <i>International Journal of Clinical Practice</i> , 2012, 66, 544-551.	0.8	78
177	Folic Acid Therapy and Cardiovascular Disease in ESRD or Advanced Chronic Kidney Disease: A Meta-Analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 482-488.	2.2	67
178	Efficacy of Combined Amlodipine/Terazosin Therapy in Male Hypertensive Patients With Lower Urinary Tract Symptoms: A Randomized, Double-blind Clinical Trial. <i>Urology</i> , 2009, 74, 130-136.	0.5	10
179	Efficacy of folic acid supplementation in stroke prevention: a meta-analysis. <i>Lancet</i> , The, 2007, 369, 1876-1882.	6.3	518
180	Folic acid for stroke prevention - Authors' reply. <i>Lancet</i> , The, 2007, 370, 651.	6.3	0

#	ARTICLE	IF	CITATIONS
181	Serum L-Carnitine Levels Are Associated With First Stroke in Chinese Adults With Hypertension. Stroke, 0, , .	1.0	2
182	Serum Serine and the Risk of All-Cause Mortality: A Nested Case-Control Study From the China Stroke Primary Prevention Trial (CSPPT). Frontiers in Nutrition, 0, 9, .	1.6	2