

# Selim Ait-Aissa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1349301/publications.pdf>

Version: 2024-02-01

87  
papers

5,529  
citations

87401

40  
h-index

90395

73  
g-index

88  
all docs

88  
docs citations

88  
times ranked

6327  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Biological effect and chemical monitoring of Watch List substances in European surface waters: Steroidal estrogens and diclofenac – Effect-based methods for monitoring frameworks. <i>Environment International</i> , 2022, 159, 107033.                                | 4.8 | 28        |
| 2  | Estrogenicity of chemical mixtures revealed by a panel of bioassays. <i>Science of the Total Environment</i> , 2021, 785, 147284.  | 3.9 | 19        |
| 3  | Chronic simultaneous exposure of common carp ( <i>Cyprinus carpio</i> ) from embryonic to juvenile stage to drospirenone and gestodene at low ng/L level caused intersex. <i>Ecotoxicology and Environmental Safety</i> , 2020, 188, 109912.                             | 2.9 | 21        |
| 4  | Human and Zebrafish Nuclear Progesterone Receptors Are Differently Activated by Manifold Progestins. <i>Environmental Science &amp; Technology</i> , 2020, 54, 9510-9518.  | 4.6 | 17        |
| 5  | Estrogenic activity of surface waters using zebrafish- and human-based in vitro assays: The Danube as a case-study. <i>Environmental Toxicology and Pharmacology</i> , 2020, 78, 103401.   | 2.0 | 8         |
| 6  | Differential activity of BPA, BPAF and BPC on zebrafish estrogen receptors in vitro and in vivo. <i>Toxicology and Applied Pharmacology</i> , 2019, 380, 114709.   | 1.3 | 37        |
| 7  | Future water quality monitoring: improving the balance between exposure and toxicity assessments of real-world pollutant mixtures. <i>Environmental Sciences Europe</i> , 2019, 31, .  | 2.6 | 142       |
| 8  | Effect-based methods are key. The European Collaborative Project SOLUTIONS recommends integrating effect-based methods for diagnosis and monitoring of water quality. <i>Environmental Sciences Europe</i> , 2019, 31, .   | 2.6 | 140       |
| 9  | Let us empower the WFD to prevent risks of chemical pollution in European rivers and lakes. <i>Environmental Sciences Europe</i> , 2019, 31, .   | 2.6 | 13        |
| 10 | Monitoring estrogenic activities of waste and surface waters using a novel in vivo zebrafish embryonic (EASZY) assay: Comparison with in vitro cell-based assays and determination of effect-based trigger values. <i>Environment International</i> , 2019, 130, 104896. | 4.8 | 43        |
| 11 | Combined effects of environmental xeno-estrogens within multi-component mixtures: Comparison of in vitro human- and zebrafish-based estrogenicity bioassays. <i>Chemosphere</i> , 2019, 227, 334-344.  | 4.2 | 16        |
| 12 | Strengthen the European collaborative environmental research to meet European policy goals for achieving a sustainable, non-toxic environment. <i>Environmental Sciences Europe</i> , 2019, 31, .  | 2.6 | 7         |
| 13 | Effect-based and chemical analytical methods to monitor estrogens under the European Water Framework Directive. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 102, 225-235.   | 5.8 | 82        |
| 14 | Effect-based trigger values for in vitro and in vivo bioassays performed on surface water extracts supporting the environmental quality standards (EQS) of the European Water Framework Directive. <i>Science of the Total Environment</i> , 2018, 628-629, 748-765.     | 3.9 | 176       |
| 15 | Effect-based monitoring of the Danube River using mobile passive sampling. <i>Science of the Total Environment</i> , 2018, 636, 1608-1619.   | 3.9 | 29        |
| 16 | Mixture effects in samples of multiple contaminants – An inter-laboratory study with manifold bioassays. <i>Environment International</i> , 2018, 114, 95-106.   | 4.8 | 113       |
| 17 | An integrative approach combining passive sampling, bioassays, and effect-directed analysis to assess the impact of wastewater effluent. <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 2079-2088.  | 2.2 | 33        |
| 18 | Solid-phase extraction as sample preparation of water samples for cell-based and other in vitro bioassays. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 493-504.   | 1.7 | 53        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Liver histopathology and biochemical biomarkers in <i>Gobius niger</i> and <i>Zosterisessor ophiocephalus</i> from polluted and non-polluted Tunisian lagoons (Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2018, 128, 248-258.         | 2.3 | 15        |
| 20 | Screening and risk management solutions for steroidal estrogens in surface and wastewater. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 102, 343-358.  | 5.8 | 68        |
| 21 | Photodegradation of novel oral anticoagulants under sunlight irradiation in aqueous matrices. <i>Chemosphere</i> , 2018, 193, 329-336.   | 4.2 | 9         |
| 22 | Mixture Concentration-Response Modeling Reveals Antagonistic Effects of Estradiol and Genistein in Combination on Brain Aromatase Gene ( <i>cyp19a1b</i> ) in Zebrafish. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1047.              | 1.8 | 12        |
| 23 | Triclosan Lacks (Anti-)Estrogenic Effects in Zebrafish Cells but Modulates Estrogen Response in Zebrafish Embryos. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1175.  | 1.8 | 16        |
| 24 | In vitro and in vivo estrogenic activity of BPA, BPF and BPS in zebrafish-specific assays. <i>Ecotoxicology and Environmental Safety</i> , 2017, 142, 150-156.   | 2.9 | 162       |
| 25 | European demonstration program on the effect-based and chemical identification and monitoring of organic pollutants in European surface waters. <i>Science of the Total Environment</i> , 2017, 601-602, 1849-1868.  | 3.9 | 151       |
| 26 | Seasonal rhythm of physiological indexes, liver protein level, and biotransformation biomarkers in <i>Zosterisessor ophiocephalus</i> and <i>Gobius niger</i> from a low contaminated lagoon (Char) Tj ETQq0 0 0 0 gBT /Overlock 10 Tf 5                   | 3.9 | 151       |
| 27 | Assessment of a novel device for onsite integrative large-volume solid phase extraction of water samples to enable a comprehensive chemical and effect-based analysis. <i>Science of the Total Environment</i> , 2017, 581-582, 350-358.                   | 3.9 | 63        |
| 28 | Development of a bioanalytical test battery for water quality monitoring: Fingerprinting identified micropollutants and their contribution to effects in surface water. <i>Water Research</i> , 2017, 123, 734-750.  | 5.3 | 179       |
| 29 | Integrating chemical analysis and bioanalysis to evaluate the contribution of wastewater effluent on the micropollutant burden in small streams. <i>Science of the Total Environment</i> , 2017, 576, 785-795.   | 3.9 | 131       |
| 30 | Effect-based tools for monitoring estrogenic mixtures: Evaluation of five in vitro bioassays. <i>Water Research</i> , 2017, 110, 378-388.  | 5.3 | 64        |
| 31 | Comparison of the In Vivo Biotransformation of Two Emerging Estrogenic Contaminants, BP2 and BPS, in Zebrafish Embryos and Adults. <i>International Journal of Molecular Sciences</i> , 2017, 18, 704.   | 1.8 | 32        |
| 32 | Zebrafish-based reporter gene assays reveal different estrogenic activities in river waters compared to a conventional human-derived assay. <i>Science of the Total Environment</i> , 2016, 550, 934-939.  | 3.9 | 27        |
| 33 | Spatial and temporal variation of biochemical biomarkers in <i>Gobius niger</i> (Gobiidae) from a southern Mediterranean lagoon (Bizerta lagoon, Tunisia): Influence of biotic and abiotic factors. <i>Marine Pollution Bulletin</i> , 2016, 107, 305-314. | 2.3 | 11        |
| 34 | Bioassay battery interlaboratory investigation of emerging contaminants in spiked water extracts "Towards the implementation of bioanalytical monitoring tools in water quality assessment and monitoring. <i>Water Research</i> , 2016, 104, 473-484.     | 5.3 | 71        |
| 35 | Additive effects of levonorgestrel and ethinylestradiol on brain aromatase ( <i>cyp19a1b</i> ) in zebrafish specific in vitro and in vivo bioassays. <i>Toxicology and Applied Pharmacology</i> , 2016, 307, 108-114.                                      | 1.3 | 16        |
| 36 | Proposal to optimize ecotoxicological evaluation of wastewater treated by conventional biological and ozonation processes. <i>Environmental Science and Pollution Research</i> , 2016, 23, 3008-3017.  | 2.7 | 26        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Photodegradation of fluorene in aqueous solution: Identification and biological activity testing of degradation products. <i>Journal of Chromatography A</i> , 2016, 1442, 118-128.  | 1.8 | 10        |
| 38 | Evaluation of an extraction method for a mixture of endocrine disrupters in sediment using chemical and in vitro biological analyses. <i>Environmental Science and Pollution Research</i> , 2016, 23, 10349-10360.   | 2.7 | 6         |
| 39 | Effect-directed analysis supporting monitoring of aquatic environments " An in-depth overview. <i>Science of the Total Environment</i> , 2016, 544, 1073-1118.   | 3.9 | 288       |
| 40 | Future water quality monitoring " Adapting tools to deal with mixtures of pollutants in water resource management. <i>Science of the Total Environment</i> , 2015, 512-513, 540-551.   | 3.9 | 243       |
| 41 | Cell-Specific Biotransformation of Benzophenone-2 and Bisphenol-S in Zebrafish and Human in Vitro Models Used for Toxicity and Estrogenicity Screening. <i>Environmental Science &amp; Technology</i> , 2015, 49, 3860-3868.                                     | 4.6 | 65        |
| 42 | BFCOD activity in fish cell lines and zebrafish embryos and its modulation by chemical ligands of human aryl hydrocarbon and nuclear receptors. <i>Environmental Science and Pollution Research</i> , 2015, 22, 16393-16404.                                     | 2.7 | 25        |
| 43 | Linking in Vitro Effects and Detected Organic Micropollutants in Surface Water Using Mixture-Toxicity Modeling. <i>Environmental Science &amp; Technology</i> , 2015, 49, 14614-14624.   | 4.6 | 164       |
| 44 | Mixtures of Chemical Pollutants at European Legislation Safety Concentrations: How Safe Are They?. <i>Toxicological Sciences</i> , 2014, 141, 218-233.   | 1.4 | 108       |
| 45 | Affinity purification using recombinant PXR as a tool to characterize environmental ligands. <i>Environmental Toxicology</i> , 2014, 29, 207-215.  | 2.1 | 6         |
| 46 | Selectivity of natural, synthetic and environmental estrogens for zebrafish estrogen receptors. <i>Toxicology and Applied Pharmacology</i> , 2014, 280, 60-69.   | 1.3 | 38        |
| 47 | Identification of Synthetic Steroids in River Water Downstream from Pharmaceutical Manufacture Discharges Based on a Bioanalytical Approach and Passive Sampling. <i>Environmental Science &amp; Technology</i> , 2014, 48, 3649-3657.                           | 4.6 | 111       |
| 48 | Photolysis of estrone generates estrogenic photoproducts with higher activity than the parent compound. <i>Environmental Science and Pollution Research</i> , 2014, 21, 7818-7827.   | 2.7 | 6         |
| 49 | Effect-directed analysis of endocrine-disrupting compounds in multi-contaminated sediment: identification of novel ligands of estrogen and pregnane X receptors. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2553-2566.                           | 1.9 | 66        |
| 50 | EDA-EMERGE: an FP7 initial training network to equip the next generation of young scientists with the skills to address the complexity of environmental contamination with emerging pollutants. <i>Environmental Sciences Europe</i> , 2013, 25, .               | 2.6 | 13        |
| 51 | Distribution of steroid- and dioxin-like activities between sediments, POCIS and SPMD in a French river subject to mixed pressures. <i>Environmental Science and Pollution Research</i> , 2013, 20, 2784-2794.   | 2.7 | 30        |
| 52 | Using mass spectrometry to highlight structures of degradation compounds obtained by photolysis of chloroacetamides: Case of acetochlor. <i>Journal of Chromatography A</i> , 2013, 1310, 98-112.  | 1.8 | 18        |
| 53 | Characterization of endocrine disruptors from a complex matrix using estrogen receptor affinity columns and high performance liquid chromatography"high resolution mass spectrometry. <i>Environmental Science and Pollution Research</i> , 2013, 20, 2705-2720. | 2.7 | 8         |
| 54 | Estrogenic Potency of Benzophenone UV Filters in Breast Cancer Cells: Proliferative and Transcriptional Activity Substantiated by Docking Analysis. <i>PLoS ONE</i> , 2013, 8, e60567.   | 1.1 | 60        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Selective Activation of Zebrafish Estrogen Receptor Subtypes by Chemicals by Using Stable Reporter Gene Assay Developed in a Zebrafish Liver Cell Line. <i>Toxicological Sciences</i> , 2012, 125, 439-449.  | 1.4 | 57        |
| 56 | Occurrence of androgens in sewage treatment plants influents is associated with antagonist activities on other steroid receptors. <i>Water Research</i> , 2012, 46, 1912-1922.   | 5.3 | 51        |
| 57 | <i>In vitro</i> biomonitoring of contamination by estrogenic compounds in coastal environments: Comments on the use of <i>M. galloprovincialis</i> . <i>Environmental Toxicology</i> , 2012, 27, 74-82.  | 2.1 | 4         |
| 58 | Androgen receptor binding affinity: a QSAR evaluation. <i>SAR and QSAR in Environmental Research</i> , 2011, 22, 265-291.  | 1.0 | 19        |
| 59 | Adverse effects in wild fish living downstream from pharmaceutical manufacture discharges. <i>Environment International</i> , 2011, 37, 1342-1348.   | 4.8 | 148       |
| 60 | Characterization of testicular expression of P450 17 $\alpha$ -hydroxylase, 17,20-lyase in zebrafish and its perturbation by the pharmaceutical fungicide clotrimazole. <i>General and Comparative Endocrinology</i> , 2011, 174, 309-317.   | 0.8 | 36        |
| 61 | New challenges in environmental analytical chemistry: Identification of toxic compounds in complex mixtures. <i>Comptes Rendus Chimie</i> , 2011, 14, 766-779.   | 0.2 | 57        |
| 62 | Passive samplers for chemical substance monitoring and associated toxicity assessment in water. <i>Water Science and Technology</i> , 2011, 63, 2418-2426.   | 1.2 | 37        |
| 63 | Evaluation of an hPXR reporter gene assay for the detection of aquatic emerging pollutants: screening of chemicals and application to water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 569-583.   | 1.9 | 59        |
| 64 | Impact of Urban Wastewater Discharges on the Sediments of a Small Mediterranean River and Associated Coastal Environment: Assessment of Estrogenic and Dioxin-like Activities. <i>Archives of Environmental Contamination and Toxicology</i> , 2010, 58, 562-575.  | 2.1 | 15        |
| 65 | Endocrine disruption in wild populations of chub ( <i>Leuciscus cephalus</i> ) in contaminated French streams. <i>Science of the Total Environment</i> , 2010, 408, 2146-2154.   | 3.9 | 39        |
| 66 | Bioanalytical characterisation of multiple endocrine- and dioxin-like activities in sediments from reference and impacted small rivers. <i>Environmental Pollution</i> , 2010, 158, 74-83.   | 3.7 | 106       |
| 67 | Anti-androgenic activities of environmental pesticides in the MDA-kb2 reporter cell line. <i>Toxicology in Vitro</i> , 2010, 24, 1979-1985.  | 1.1 | 47        |
| 68 | Monitoring organic contaminants in small French coastal lagoons: comparison of levels in mussel, passive sampler and sediment. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1471.  | 2.1 | 14        |
| 69 | A stable fish reporter cell line to study estrogen receptor transactivation by environmental (xeno)estrogens. <i>Toxicology in Vitro</i> , 2009, 23, 1450-1454.  | 1.1 | 34        |
| 70 | Extraction and purification procedures for simultaneous quantification of phenolic xenoestrogens and steroid estrogens in river sediment by gas chromatography/ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 3651-3661.   | 0.7 | 17        |
| 71 | Study of the chemical derivatization of zearalenone and its metabolites for gas chromatography-mass spectrometry analysis of environmental samples. <i>Journal of Chromatography A</i> , 2008, 1190, 307-315.  | 1.8 | 50        |
| 72 | Monitoring of dioxin-like, estrogenic and anti-androgenic activities in sediments of the Bizerta lagoon (Tunisia) by means of in vitro cell-based bioassays: Contribution of low concentrations of polynuclear aromatic hydrocarbons (PAHs). <i>Science of the Total Environment</i> , 2008, 402, 318-329. | 3.9 | 95        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Profiling of benzophenone derivatives using fish and human estrogen receptor-specific in vitro bioassays. <i>Toxicology and Applied Pharmacology</i> , 2008, 232, 384-395.   | 1.3 | 127       |
| 74 | Preliminary investigation of multi-biomarker responses in three-spined stickleback ( <i>Gasterosteus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7  | 1.1 | 89        |
| 75 | Biochemical effects of nonylphenol polyethoxylate adjuvant, Diquat herbicide and their mixture on the three-spined stickleback ( <i>Gasterosteus aculeatus</i> L.). <i>Marine Environmental Research</i> , 2006, 62, S29-S33.  | 1.1 | 24        |
| 76 | Modulation of aromatase activity and mRNA by various selected pesticides in the human choriocarcinoma JEG-3 cell line. <i>Toxicology</i> , 2006, 228, 98-108.  | 2.0 | 97        |
| 77 | Binding of Estrogenic Compounds to Recombinant Estrogen Receptor- $\beta$ : Application to Environmental Analysis. <i>Environmental Health Perspectives</i> , 2005, 113, 278-284.  | 2.8 | 97        |
| 78 | Copper-induced oxidative stress in three-spined stickleback: relationship with hepatic metal levels. <i>Environmental Toxicology and Pharmacology</i> , 2005, 19, 177-183.   | 2.0 | 230       |
| 79 | Effects of human pharmaceuticals on cytotoxicity, EROD activity and ROS production in fish hepatocytes. <i>Toxicology</i> , 2004, 196, 41-55.  | 2.0 | 262       |
| 80 | Assessment of Estrogen (ER) and Aryl Hydrocarbon Receptor (AhR) Mediated Activities in Organic Sediment Extracts of the Detroit River, Using In Vitro Bioassays Based on Human MELN and Teleost PLHC-1 Cell Lines. <i>Journal of Great Lakes Research</i> , 2004, 30, 82-92. | 0.8 | 13        |
| 81 | Evaluation of an in vitro hsp70 induction test for toxicity assessment of complex mixtures: comparison with chemical analyses and ecotoxicity tests. <i>Ecotoxicology and Environmental Safety</i> , 2003, 54, 92-104.   | 2.9 | 33        |
| 82 | Biomarker responses in juvenile rainbow trout ( <i>Oncorhynchus mykiss</i> ) after single and combined exposure to low doses of cadmium, zinc, PCB77 and 17 $\beta$ -oestradiol. <i>Biomarkers</i> , 2003, 8, 491-508.   | 0.9 | 30        |
| 83 | Isolation, characterization and diuron transformation capacities of a bacterial strain <i>Arthrobacter</i> sp. N2. <i>Chemosphere</i> , 2002, 46, 527-534.   | 4.2 | 61        |
| 84 | Biotransformation of phenylurea herbicides by a soil bacterial strain, <i>Arthrobacter</i> sp. N2: structure, ecotoxicity and fate of diuron metabolite with soil fungi. <i>Chemosphere</i> , 2002, 46, 519-526.   | 4.2 | 128       |
| 85 | Activation of the hsp70 promoter by environmental inorganic and organic chemicals: relationships with cytotoxicity and lipophilicity. <i>Toxicology</i> , 2000, 145, 147-157.  | 2.0 | 126       |
| 86 | Use of Transepithelial Electrical Resistance in the Study of Pentachlorophenol Toxicity. <i>Toxicology in Vitro</i> , 1999, 13, 723-727.   | 1.1 | 19        |
| 87 | Use of the CaCo-2 Model in the Screening of Polluting Substance Toxicity. <i>Toxicology in Vitro</i> , 1999, 13, 719-722.  | 1.1 | 9         |