

Qing Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1349428/publications.pdf>

Version: 2024-02-01

50
papers

1,281
citations

430874

18
h-index

377865

34
g-index

50
all docs

50
docs citations

50
times ranked

1147
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of applied voltage and conductive material in DIET promotion for methane generation. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 10228-10238.	7.1	5
2	The Mechanisms of Sodium Chloride Stress Mitigation by Salt-Tolerant Plant Growth Promoting Rhizobacteria in Wheat. <i>Agronomy</i> , 2022, 12, 543.	3.0	13
3	Performance of bioelectrode based on different carbon materials in bioelectrochemical anaerobic digestion for methanation of maize straw. <i>Science of the Total Environment</i> , 2022, 832, 154997.	8.0	12
4	Promoting direct interspecies electron transfer for methane production in bioelectrochemical anaerobic digestion: Impact of electrode surface area and switching circuit. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 21984-21996.	7.1	3
5	Biological Inoculant of Salt-Tolerant Bacteria for Plant Growth Stimulation under Different Saline Soil Conditions. <i>Journal of Microbiology and Biotechnology</i> , 2021, 31, 398-407.	2.1	15
6	Electro-fermentation for biofuels and biochemicals production: Current status and future directions. <i>Bioresource Technology</i> , 2021, 323, 124598.	9.6	45
7	Treatment of phenol wastewater using nitrogen-doped magnetic mesoporous hollow carbon. <i>Chemosphere</i> , 2021, 271, 129595.	8.2	14
8	External electric field promotes ammonia stripping from wastewater. <i>Water Research</i> , 2021, 203, 117518.	11.3	14
9	Electrostatic Fields Promote Methanogenesis More than Polarized Bioelectrodes in Anaerobic Reactors with Conductive Materials. <i>ACS Omega</i> , 2021, 6, 29703-29712.	3.5	7
10	Enhanced current production of the anode modified by microalgae derived nitrogen-rich biocarbon for microbial fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 3833-3839.	7.1	17
11	Electric Field-Driven Direct Interspecies Electron Transfer for Bioelectrochemical Methane Production from Fermentable and Non-Fermentable Substrates. <i>Processes</i> , 2020, 8, 1293.	2.8	8
12	Bioelectrochemical Methane Production from Food Waste in Anaerobic Digestion Using a Carbon-Modified Copper Foam Electrode. <i>Processes</i> , 2020, 8, 416.	2.8	18
13	Enhanced Anaerobic Digestion of Long Chain Fatty Acid by Adding Magnetite and Carbon Nanotubes. <i>Microorganisms</i> , 2020, 8, 333.	3.6	37
14	Effect of Electrostatic Field Strength on Bioelectrochemical Nitrogen Removal from Nitrogen-Rich Wastewater. <i>Energies</i> , 2020, 13, 3218.	3.1	3
15	Influence of electrostatic field and conductive material on the direct interspecies electron transfer for methane production. <i>Environmental Research</i> , 2020, 188, 109867.	7.5	26
16	Enhanced Anaerobic Digestion by Stimulating DIET Reaction. <i>Processes</i> , 2020, 8, 424.	2.8	28
17	Nitrite and nitrate as electron acceptors for bioelectrochemical ammonium oxidation under electrostatic field. <i>Journal of Environmental Management</i> , 2019, 250, 109517.	7.8	15
18	Contribution of Yeast Extract, Activated Carbon, and an Electrostatic Field to Interspecies Electron Transfer for the Bioelectrochemical Conversion of Coal to Methane. <i>Energies</i> , 2019, 12, 4051.	3.1	6

#	ARTICLE	IF	CITATIONS
19	Rapid detection of heavy metal-induced toxicity in water using a fed-batch sulfur-oxidizing bacteria (SOB) bioreactor. <i>Journal of Microbiological Methods</i> , 2019, 161, 35-42.	1.6	20
20	Cadmium-Sensitive Measurement Using a Nano-Copper-Enhanced Carbon Fiber Electrode. <i>Sensors</i> , 2019, 19, 4901.	3.8	4
21	Electroactive microorganisms enriched from activated sludge remove nitrogen in bioelectrochemical reactor. <i>Journal of Environmental Management</i> , 2019, 233, 249-257.	7.8	24
22	Influence of the temperature and hydraulic retention time in bioelectrochemical anaerobic digestion of sewage sludge. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 2170-2179.	7.1	44
23	Direct interspecies electron transfer in bulk solution significantly contributes to bioelectrochemical nitrogen removal. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 2180-2190.	7.1	23
24	Electroactive microorganisms in bulk solution contribute significantly to methane production in bioelectrochemical anaerobic reactor. <i>Bioresource Technology</i> , 2018, 259, 119-127.	9.6	69
25	Polarized electrode enhances biological direct interspecies electron transfer for methane production in upflow anaerobic bioelectrochemical reactor. <i>Chemosphere</i> , 2018, 204, 186-192.	8.2	28
26	Influence of conductive material on the bioelectrochemical removal of organic matter and nitrogen from low strength wastewater. <i>Bioresource Technology</i> , 2018, 259, 407-413.	9.6	14
27	A facile method for preparation of efficient oxygen reduction catalyst for a microbial fuel cell cathode. <i>KSCE Journal of Civil Engineering</i> , 2018, 22, 31-39.	1.9	4
28	Bioelectrochemical Enhancement of Biogenic Methane Conversion of Coal. <i>Energies</i> , 2018, 11, 2577.	3.1	13
29	Modeling methane production in anaerobic forward osmosis bioreactor using a modified anaerobic digestion model No. 1. <i>Bioresource Technology</i> , 2018, 264, 211-218.	9.6	25
30	Application of Reticulated Vitreous Carbons doped with low-cost catalysts as the cathodes in microbial fuel cells. <i>KSCE Journal of Civil Engineering</i> , 2017, 21, 623-628.	1.9	5
31	Comparison of the Physical Characteristics of Green-Synthesized and Commercial Silver Nanoparticles: Evaluation of Antimicrobial and Cytotoxic Effects. <i>Arabian Journal for Science and Engineering</i> , 2017, 42, 201-208.	3.0	15
32	Bioelectrochemical enhancement of direct interspecies electron transfer in upflow anaerobic reactor with effluent recirculation for acidic distillery wastewater. <i>Bioresource Technology</i> , 2017, 241, 171-180.	9.6	48
33	Influence of neutralization in acidic distillery wastewater on direct interspecies electron transfer for methane production in an upflow anaerobic bioelectrochemical reactor. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 27774-27783.	7.1	33
34	Decoration of graphite fiber fabric cathode with electron transfer assisting material for enhanced bioelectrochemical methane production. <i>Journal of Applied Electrochemistry</i> , 2016, 46, 1211-1219.	2.9	17
35	Influence of applied voltage on the performance of bioelectrochemical anaerobic digestion of sewage sludge and planktonic microbial communities at ambient temperature. <i>Bioresource Technology</i> , 2016, 220, 500-508.	9.6	90
36	Performance of the Bio-electrochemical Anaerobic Digestion of Sewage Sludge at Different Hydraulic Retention Times. <i>Energy & Fuels</i> , 2016, 30, 352-359.	5.1	65

#	ARTICLE	IF	CITATIONS
37	Effect of surface modification of anode with surfactant on the performance of microbial fuel cell. <i>International Journal of Energy Research</i> , 2015, 39, 860-868.	4.5	49
38	Influence of applied voltage and COD on the bioelectrochemical degradation of organic matter. <i>Desalination and Water Treatment</i> , 2015, 53, 2732-2739.	1.0	2
39	Influence of Applied Voltage for Bioelectrochemical Anaerobic Digestion of Sewage Sludge. <i>Daehan Hwan'gyeong Gonghag Hoeji</i> , 2015, 37, 542-549.	1.1	7
40	Surface Modification of Sediment with Surfactant for Capping Material on Contaminated Coastal Sediment. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.	2.4	9
41	Dual layered CNT structure air cathode for power generation from microbial fuel cells. <i>KSCE Journal of Civil Engineering</i> , 2013, 17, 646-650.	1.9	5
42	Effect of the oxygen reduction catalyst loading method on the performance of air breathable cathodes for microbial fuel cells. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 391-398.	2.9	13
43	Characteristics and continuous operation of floating air-cathode microbial fuel cell (FA-MFC) for wastewater treatment and electricity generation. <i>KSCE Journal of Civil Engineering</i> , 2011, 15, 245-249.	1.9	0
44	Influence of temperature and duration of heat treatment used for anaerobic seed sludge on biohydrogen fermentation. <i>KSCE Journal of Civil Engineering</i> , 2010, 14, 141-147.	1.9	12
45	Biohydrogen production from sewage sludge using a continuous hydrogen fermentation system with a heat treatment vessel. <i>KSCE Journal of Civil Engineering</i> , 2010, 14, 673-679.	1.9	4
46	Effect of dietary nutrient composition on the growth of olive flounder (<i>Paralichthys olivaceus</i>) with different feeding regimes. <i>Fish Physiology and Biochemistry</i> , 2010, 36, 377-385.	2.3	8
47	Effects of starvation on morphometric characteristics of olive flounder, <i>Paralichthys olivaceus</i> . <i>Ichthyological Research</i> , 2007, 54, 297-302.	0.8	22
48	Mesophilic and thermophilic temperature co-phase anaerobic digestion compared with single-stage mesophilic- and thermophilic digestion of sewage sludge. <i>Water Research</i> , 2004, 38, 1653-1662.	11.3	276
49	Influence of electron donor and toxic materials on the activity of sulfate reducing bacteria for the treatment of electroplating wastewater. <i>Water Science and Technology</i> , 1998, 38, 187-194.	2.5	17
50	A Model for Evaluation of Anaerobic Degradation Characteristics of Organic Waste: Focusing on Kinetics, Rate-Limiting Step. <i>Environmental Technology (United Kingdom)</i> , 1995, 16, 775-784.	2.2	30