

# Anna Bergamaschi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1349516/publications.pdf>

Version: 2024-02-01

99  
papers

3,204  
citations

201674

27  
h-index

155660

55  
g-index

100  
all docs

100  
docs citations

100  
times ranked

3612  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of single-photon-counting PILATUS detector modules. <i>Journal of Synchrotron Radiation</i> , 2009, 16, 368-375.	2.4	363
2	PILATUS: A single photon counting pixel detector for X-ray applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009, 607, 247-249.	1.6	268
3	The Materials Science beamline upgrade at the Swiss Light Source. <i>Journal of Synchrotron Radiation</i> , 2013, 20, 667-682.	2.4	255
4	The MYTHEN detector for X-ray powder diffraction experiments at the Swiss Light Source. <i>Journal of Synchrotron Radiation</i> , 2010, 17, 653-668.	2.4	243
5	A von Hamos x-ray spectrometer based on a segmented-type diffraction crystal for single-shot x-ray emission spectroscopy and time-resolved resonant inelastic x-ray scattering studies. <i>Review of Scientific Instruments</i> , 2012, 83, 103105.	1.3	158
6	Characterization and Calibration of PILATUS Detectors. <i>IEEE Transactions on Nuclear Science</i> , 2009, 56, 758-764.	2.0	157
7	EIGER: Next generation single photon counting detector for X-ray applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 650, 79-83.	1.6	136
8	Five-element Johann-type x-ray emission spectrometer with a single-photon-counting pixel detector. <i>Review of Scientific Instruments</i> , 2011, 82, 065107.	1.3	93
9	Medical applications of synchrotron radiation at the SYRMEP beamline of ELETTRA. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005, 548, 221-227.	1.6	81
10	Eiger: a single-photon counting x-ray detector. <i>Journal of Instrumentation</i> , 2014, 9, C05032-C05032.	1.2	65
11	Capturing dynamics with Eiger, a fast-framing X-ray detector. <i>Journal of Synchrotron Radiation</i> , 2012, 19, 1001-1005.	2.4	58
12	The GOTTHARD charge integrating readout detector: design and characterization. <i>Journal of Instrumentation</i> , 2012, 7, C01019-C01019.	1.2	55
13	Prototype characterization of the JUNGFRÄU pixel detector for SwissFEL. <i>Journal of Instrumentation</i> , 2014, 9, C05010-C05010.	1.2	54
14	Characterization results of the JUNGFRÄU full scale readout ASIC. <i>Journal of Instrumentation</i> , 2016, 11, C02047-C02047.	1.2	53
15	Micrometer-resolution imaging using M <sup>2</sup> -NCH: towards G <sup>2</sup> -less grating interferometry. <i>Journal of Synchrotron Radiation</i> , 2016, 23, 1462-1473.	2.4	53
16	<i>In situ</i> observation of rapid reactions in nanoscale Ni/Al multilayer foils using synchrotron radiation. <i>Applied Physics Letters</i> , 2010, 97, .	3.3	50
17	Performance of a single photon counting microstrip detector for strip pitches down to 10 <sup>1</sup> / <sub>4</sub> m. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008, 591, 163-166.	1.6	46
18	The JUNGFRÄU Detector for Applications at Synchrotron Light Sources and XFELs. <i>Synchrotron Radiation News</i> , 2018, 31, 16-20.	0.8	44

#	ARTICLE	IF	CITATIONS
19	Breast tomography with synchrotron radiation: preliminary results. <i>Physics in Medicine and Biology</i> , 2004, 49, 1739-1754.	3.0	41
20	Measurements with MÃ-NCH, a 25 $\hat{1}$ / <sub>4</sub> m pixel pitch hybrid pixel detector. <i>Journal of Instrumentation</i> , 2017, 12, C01071-C01071.	1.2	41
21	X-ray Fourier ptychography. <i>Science Advances</i> , 2019, 5, eaav0282.	10.3	40
22	EIGER characterization results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 731, 68-73.	1.6	38
23	A new family of pixel detectors for high frame rate X-ray applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 617, 384-386.	1.6	36
24	MÃ-NCH, a small pitch, integrating hybrid pixel detector for X-ray applications. <i>Journal of Instrumentation</i> , 2014, 9, C05015-C05015.	1.2	33
25	Photon counting microstrip detector for time resolved powder diffraction experiments. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009, 604, 136-139.	1.6	29
26	EIGER a new single photon counting detector for X-ray applications: performance of the chip. <i>Journal of Instrumentation</i> , 2012, 7, C02019-C02019.	1.2	27
27	Micron resolution of MÃ-NCH and GOTTHARD, small pitch charge integrating detectors with single photon sensitivity. <i>Journal of Instrumentation</i> , 2014, 9, C05027-C05027.	1.2	27
28	Towards hybrid pixel detectors for energy-dispersive or soft X-ray photon science. <i>Journal of Synchrotron Radiation</i> , 2016, 23, 385-394.	2.4	27
29	First full dynamic range calibration of the JUNGFRÄU photon detector. <i>Journal of Instrumentation</i> , 2018, 13, C01027-C01027.	1.2	27
30	MythenII: A 128 channel single photon counting readout chip. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009, 607, 250-252.	1.6	26
31	Instrumental profile of MYTHEN detector in Debye-Scherrer geometry. <i>Zeitschrift FÃ¼r Kristallographie</i> , 2010, 225, 616-624.	1.1	25
32	Beyond single photon counting X-ray detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 628, 238-241.	1.6	24
33	A single photon resolution integrating chip for microstrip detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 633, S29-S32.	1.6	24
34	Effect of spatial coherence on application of in-line phase contrast imaging to synchrotron radiation mammography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005, 548, 155-162.	1.6	22
35	Performance of the EIGER single photon counting detector. <i>Journal of Instrumentation</i> , 2015, 10, C03011-C03011.	1.2	22
36	A single-photon counting "edge-on" silicon detector for synchrotron radiation mammography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009, 608, S62-S65.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Development of low-energy X-ray detectors using LGAD sensors. Journal of Synchrotron Radiation, 2019, 26, 1226-1237.	2.4	21
38	Micrometre resolution of a charge integrating microstrip detector with single photon sensitivity. Journal of Synchrotron Radiation, 2012, 19, 359-365.	2.4	20
39	JUNGFRÄU 0.2: prototype characterization of a gain-switching, high dynamic range imaging system for photon science at SwissFEL and synchrotrons. Journal of Instrumentation, 2014, 9, P12013-P12013.	1.2	19
40	Ru/Al Multilayers Integrate Maximum Energy Density and Ductility for Reactive Materials. Scientific Reports, 2016, 6, 19535.	3.3	18
41	Looking at single photons using hybrid detectors. Journal of Instrumentation, 2015, 10, C01033-C01033.	1.2	17
42	The EIGER detector for low-energy electron microscopy and photoemission electron microscopy. Journal of Synchrotron Radiation, 2017, 24, 963-974.	2.4	17
43	Characterization of Chromium Compensated GaAs Sensors with the Charge-Integrating JUNGFRÄU Readout Chip by Means of a Highly Collimated Pencil Beam. Sensors, 2021, 21, 1550.	3.8	16
44	Clinical mammography at the SYRMEP beam line: Toward the digital detection system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 576, 160-163.	1.6	15
45	Single shot x-ray phase contrast imaging using a direct conversion microstrip detector with single photon sensitivity. Applied Physics Letters, 2016, 108, .	3.3	14
46	Characterization of GaAs:Cr sensors using the charge-integrating JUNGFRÄU readout chip. Journal of Instrumentation, 2019, 14, P05020-P05020.	1.2	14
47	A multilayer edge-on single photon counting silicon microstrip detector for innovative imaging techniques in diagnostic radiology. Review of Scientific Instruments, 2003, 74, 3460-3465.	1.3	12
48	Calibration status and plans for the charge integrating JUNGFRÄU pixel detector for SwissFEL. Journal of Instrumentation, 2016, 11, C11013-C11013.	1.2	12
49	The MÄ-NCH Detector for Soft X-ray, High-Resolution, and Energy Resolved Applications. Synchrotron Radiation News, 2018, 31, 11-15.	0.8	12
50	FROST: an ASIC for digital mammography with synchrotron radiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 510, 51-56.	1.6	11
51	High-resolution hard-X-ray fluorescence spectrometer. Journal of Physics: Conference Series, 2009, 190, 012035.	0.4	11
52	Time-over-threshold readout to enhance the high flux capabilities of single-photon-counting detectors. Journal of Synchrotron Radiation, 2011, 18, 923-929.	2.4	11
53	Towards Gotthard-II: development of a silicon microstrip detector for the European X-ray Free-Electron Laser. Journal of Instrumentation, 2018, 13, P01025-P01025.	1.2	11
54	Operation and performance of the JUNGFRÄU photon detector during first FEL and synchrotron experiments. Journal of Instrumentation, 2018, 13, C11006-C11006.	1.2	11

#	ARTICLE	IF	CITATIONS
55	A digital detector for breast computed tomography at the SYRMEP beamline. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 548, 264-268.	1.6	10
56	Development of a fast read-out system of a single photon counting detector for mammography with synchrotron radiation. Journal of Instrumentation, 2011, 6, C12031-C12031.	1.2	10
57	MÅ–NCH detector enables fast and low-dose free-propagation phase-contrast computed tomography of <i>in situ</i> mouse lungs. Journal of Synchrotron Radiation, 2018, 25, 565-569.	2.4	10
58	XFEL detectors. Nature Reviews Physics, 2020, 2, 335-336.	26.6	9
59	CMOS Monolithic Active Pixel Sensors (MAPS): Developments and future outlook. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 582, 866-870.	1.6	8
60	HIMAS: A 1.5D sensor for high-resolution scanning. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 573, 27-29.	1.6	8
61	Beam-induced damage on diffractive hard X-ray optics. Journal of Synchrotron Radiation, 2010, 17, 786-790.	2.4	8
62	High-speed single photon counting read out electronics for a digital detection system for clinical synchrotron radiation mammography. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 415-417.	1.6	7
63	Versatile high-throughput diffractometer for industrial use at BL19B2 in SPring-8. AIP Conference Proceedings, 2019, , .	0.4	7
64	Tracking based, high-resolution single-shot multimodal x-ray imaging in the laboratory enabled by the sub-pixel resolution capabilities of the MÅ–NCH detector. Applied Physics Letters, 2020, 117, .	3.3	7
65	Edge on silicon microstrip detectors for medical imaging. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 549, 199-204.	1.6	6
66	X-ray Detector Development at the Swiss Light Source. Synchrotron Radiation News, 2014, 27, 3-8.	0.8	6
67	Comparator threshold settings and the effective pixel width of the PICASSO detector. Journal of Instrumentation, 2014, 9, C05056-C05056.	1.2	6
68	Towards MYTHEN 3: Characterization of prototype chips. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 936, 383-385.	1.6	6
69	Design and first tests of the Gotthard-II readout ASIC for the European X-ray Free-Electron Laser. Journal of Instrumentation, 2021, 16, P04015.	1.2	6
70	A detection system for clinical breast tomography with synchrotron radiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 535, 88-92.	1.6	5
71	Adaptive Imaging Using the HmaS X-Ray Imaging System. , 2006, , .		5
72	Radiation hardness assessment of the charge-integrating hybrid pixel detector JUNGFR AU 1.0 for photon science. Review of Scientific Instruments, 2015, 86, 123110.	1.3	5

#	ARTICLE	IF	CITATIONS
73	First full dynamic range scan of the JUNGFRAU detector performed at an XFEL with an accurate intensity reference. Journal of Instrumentation, 2020, 15, C02025-C02025.	1.2	5
74	Evaluation of charge -sharing effects on the spatial resolution of the PICASSO detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 617, 244-245.	1.6	4
75	Breast computed tomography with the PICASSO detector: A feasibility study. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 628, 419-422.	1.6	4
76	Performance evaluation of the analogue front-end and ADC prototypes for the Gotthard-II development. Journal of Instrumentation, 2017, 12, C12052-C12052.	1.2	4
77	Photon counting microstrip X-ray detectors with GaAs sensors. Journal of Instrumentation, 2018, 13, C01046-C01046.	1.2	4
78	Development of a New Soft X-ray Ptychography Spectro-Microscope at the Swiss Light Source (SLS). Microscopy and Microanalysis, 2018, 24, 56-57.	0.4	4
79	A digital detection system for synchrotron radiation breast tomography. , 0, , .		3
80	A Multi-Element Detector System for Intelligent Imaging: I-ImaS. , 2006, , .		3
81	Study of the signal response of the MÃ–NCH 25Î¼m pitch hybrid pixel detector at different photon absorption depths. Journal of Instrumentation, 2015, 10, C03022-C03022.	1.2	3
82	Towards MYTHEN III - prototype characterisation of MYTHEN III.0.2. Journal of Instrumentation, 2019, 14, C11028-C11028.	1.2	3
83	High-spatial resolution measurements with a GaAs:Cr sensor using the charge integrating MÃ–NCH detector with a pixel pitch of 25 Î¼m. Journal of Instrumentation, 2022, 17, P04007.	1.2	3
84	Adaptive Image Content-Based Exposure Control for Scanning Applications in Radiography. Lecture Notes in Computer Science, 2007, , 543-552.	1.3	2
85	Spectral ÅµCT with an energy resolving and interpolating pixel detector. Optics Express, 2020, 28, 9842.	3.4	2
86	A detection system for clinical breast tomography with synchrotron radiation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 535, 88-92.	1.6	2
87	PICASSO: A silicon microstrip detector for mammography with synchrotron radiation. , 2008, , .		1
88	Hybrid Detectors for High Resolution Imaging.. Microscopy and Microanalysis, 2018, 24, 320-321.	0.4	1
89	Edgeless silicon sensors fabricated without support wafer. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 953, 163176.	1.6	1
90	A DOUBLE LAYER SILICON DETECTOR FOR SINGLE PHOTON COUNTING. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
91	Electron detection with CdTe and GaAs sensors using the charge integrating hybrid pixel detector JUNGFRÄU. Journal of Instrumentation, 2022, 17, C01020.	1.2	1
92	The I-Mas project: end-users driven specifications for the design of a novel digital medical imaging system. , 0, , .		0
93	Similarities and differences of recent hybrid pixel detectors for X-ray and high energy physics developed at the Paul Scherrer Institut. Journal of Instrumentation, 2015, 10, C04043-C04043.	1.2	0
94	Characterisation of an electron collecting CdTe strip sensor using the MYTHEN readout chip. Journal of Instrumentation, 2015, 10, C01024-C01024.	1.2	0
95	LOW AND HIGH INTENSITY BEAM MONITORING AND TRACKING. , 2008, , .		0
96	Current and future detector developments at the Swiss Light Source. Acta Crystallographica Section A: Foundations and Advances, 2014, 70, C680-C680.	0.1	0
97	Abstract PD7-07: Discovery of molecular predictors of late breast cancer specific events (BCSE) in ER+, node+ breast cancer – new transcriptome expression whole gene analysis of the phase III adjuvant trial SWOG S8814. , 2017, , .		0
98	X-ray Fourier ptychography for out-of-focus measurements. , 2019, , .		0
99	Observation of radiation damage in CdTe Schottky sensors created by 20 keV photons. Journal of Instrumentation, 2022, 17, P06035.	1.2	0