

# Masaru Taniguchi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1351427/publications.pdf>

Version: 2024-02-01

266  
papers

22,685  
citations

7087

78  
h-index

9090

144  
g-index

275  
all docs

275  
docs citations

275  
times ranked

14243  
citing authors

#	ARTICLE	IF	CITATIONS
1	CD1d-Restricted and TCR-Mediated Activation of VÎ±14 NKT Cells by Glycosylceramides. <i>Science</i> , 1997, 278, 1626-1629.	6.0	2,274
2	Requirement for VÎ±14 NKT Cells in IL-12-Mediated Rejection of Tumors. <i>Science</i> , 1997, 278, 1623-1626.	6.0	1,190
3	Tracking the Response of Natural Killer T Cells to a Glycolipid Antigen Using Cd1d Tetramers. <i>Journal of Experimental Medicine</i> , 2000, 192, 741-754.	4.2	818
4	Differential Tumor Surveillance by Natural Killer (Nk) and Nkt Cells. <i>Journal of Experimental Medicine</i> , 2000, 191, 661-668.	4.2	720
5	Essential role of NKT cells producing IL-4 and IL-13 in the development of allergen-induced airway hyperreactivity. <i>Nature Medicine</i> , 2003, 9, 582-588.	15.2	639
6	THEREGULATORYROLE OFVÎ±14 NKT CELLS ININNATE ANDACQUIREDIMMUNERESPONSE. <i>Annual Review of Immunology</i> , 2003, 21, 483-513.	9.5	637
7	The Natural Killer T (NKT) Cell Ligand Î±-Galactosylceramide Demonstrates Its Immunopotentiating Effect by Inducing Interleukin (IL)-12 Production by Dendritic Cells and IL-12 Receptor Expression on NKT Cells. <i>Journal of Experimental Medicine</i> , 1999, 189, 1121-1128.	4.2	588
8	Activation of natural killer T cells by Î±-galactosylceramide treatment prevents the onset and recurrence of autoimmune Type 1 diabetes. <i>Nature Medicine</i> , 2001, 7, 1057-1062.	15.2	585
9	Augmentation of VÎ±14 Nkt Cellâ€™s Mediated Cytotoxicity by Interleukin 4 in an Autocrine Mechanism Resulting in the Development of Concanavalin aâ€™-Induced Hepatitis. <i>Journal of Experimental Medicine</i> , 2000, 191, 105-114.	4.2	390
10	A Phase I Study of Î±-Galactosylceramide (KRN7000)â€™ Pulsed Dendritic Cells in Patients with Advanced and Recurrent Nonâ€™Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 1910-1917.	3.2	379
11	Disruption of the Bcl6 Gene Results in an Impaired Germinal Center Formation. <i>Journal of Experimental Medicine</i> , 1997, 186, 439-448.	4.2	336
12	Natural Killer T Cell Ligand Î±-Galactosylceramide Enhances Protective Immunity Induced by Malaria Vaccines. <i>Journal of Experimental Medicine</i> , 2002, 195, 617-624.	4.2	321
13	The Anti-Tumor Activity of IL-12: Mechanisms of Innate Immunity That Are Model and Dose Dependent. <i>Journal of Immunology</i> , 2000, 165, 2665-2670.	0.4	273
14	Predominant expression of invariant VÎ±14+ TCR Î± chain in NK1.1+ T cell populations. <i>International Immunology</i> , 1995, 7, 1157-1161.	1.8	227
15	NK T Cell-Derived IL-10 Is Essential for the Differentiation of Antigen-Specific T Regulatory Cells in Systemic Tolerance. <i>Journal of Immunology</i> , 2001, 166, 42-50.	0.4	227
16	NKT cells are phenotypically and functionally diverse. <i>European Journal of Immunology</i> , 1999, 29, 3768-3781.	1.6	224
17	A novel subset of mouse NKT cells bearing the IL-17 receptor B responds to IL-25 and contributes to airway hyperreactivity. <i>Journal of Experimental Medicine</i> , 2008, 205, 2727-2733.	4.2	224
18	A Phase I Study of In vitro Expanded Natural Killer T Cells in Patients with Advanced and Recurrent Nonâ€™Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 6079-6086.	3.2	217

#	ARTICLE	IF	CITATIONS
19	The NKT cell system: bridging innate and acquired immunity. <i>Nature Immunology</i> , 2003, 4, 1164-1165.	7.0	214
20	The interface between innate and acquired immunity: glycolipid antigen presentation by CD1d-expressing dendritic cells to NKT cells induces the differentiation of antigen-specific cytotoxic T lymphocytes. <i>International Immunology</i> , 2000, 12, 987-994.	1.8	208
21	A Phase I-II Study of $\alpha$ -Galactosylceramide-Pulsed IL-2/GM-CSF-Cultured Peripheral Blood Mononuclear Cells in Patients with Advanced and Recurrent Non-Small Cell Lung Cancer. <i>Journal of Immunology</i> , 2009, 182, 2492-2501.	0.4	206
22	Osteopontin as a Mediator of NKT Cell Function in T Cell-Mediated Liver Diseases. <i>Immunity</i> , 2004, 21, 539-550.	6.6	186
23	The transcription factor E4BP4 regulates the production of IL-10 and IL-13 in CD4+ T cells. <i>Nature Immunology</i> , 2011, 12, 450-459.	7.0	184
24	Development and Function of Invariant Natural Killer T Cells Producing TH2- and TH17-Cytokines. <i>PLoS Biology</i> , 2012, 10, e1001255.	2.6	180
25	Natural killer T cells accelerate atherogenesis in mice. <i>Blood</i> , 2004, 104, 2051-2059.	0.6	179
26	Critical role of $\alpha$ 14+ natural killer T cells in the innate phase of host protection against <i>Streptococcus pneumoniae</i> infection. <i>European Journal of Immunology</i> , 2003, 33, 3322-3330.	1.6	176
27	Natural killer cells determine the outcome of B cell-mediated autoimmunity. <i>Nature Immunology</i> , 2000, 1, 245-251.	7.0	171
28	Combination therapy of <i>in vitro</i> -expanded natural killer T cells and $\alpha$ -galactosylceramide-pulsed antigen-presenting cells in patients with recurrent head and neck carcinoma. <i>Cancer Science</i> , 2009, 100, 1092-1098.	1.7	168
29	Dysfunction of T cell receptor AV24AJ18+,BV11+ double-negative regulatory natural killer T cells in autoimmune diseases. <i>Arthritis and Rheumatism</i> , 2001, 44, 1127-1138.	6.7	167
30	Identification of a Conserved GATA3 Response Element Upstream Proximal from the Interleukin-13 Gene Locus. <i>Journal of Biological Chemistry</i> , 2002, 277, 42399-42408.	1.6	157
31	Inhibition of T Helper Cell Type 2 Cell Differentiation and Immunoglobulin E Response by Ligand-Activated $\alpha$ 14 Natural Killer T Cells. <i>Journal of Experimental Medicine</i> , 1999, 190, 783-792.	4.2	153
32	Cross-presentation of glycolipid from tumor cells loaded with $\alpha$ -galactosylceramide leads to potent and long-lived T cell-mediated immunity via dendritic cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 2641-2653.	4.2	153
33	CD4+ CD25+ T cells responding to serologically defined autoantigens suppress antitumor immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10902-10906.	3.3	152
34	Phase I study of $\alpha$ -galactosylceramide-pulsed antigen presenting cells administration to the nasal submucosa in unresectable or recurrent head and neck cancer. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 337-345.	2.0	152
35	Induction of NKT cell-specific immune responses in cancer tissues after NKT cell-targeted adoptive immunotherapy. <i>Clinical Immunology</i> , 2011, 138, 255-265.	1.4	150
36	Monocyte Chemoattractant Protein-1-Dependent Increase of $\alpha$ 14 NKT Cells in Lungs and Their Roles in Th1 Response and Host Defense in Cryptococcal Infection. <i>Journal of Immunology</i> , 2001, 167, 6525-6532.	0.4	144

#	ARTICLE	IF	CITATIONS
37	Generation of Cloned Mice by Direct Nuclear Transfer from Natural Killer T Cells. <i>Current Biology</i> , 2005, 15, 1114-1118.	1.8	142
38	Activation of VÎ±14+ Natural Killer T Cells by Î±-Galactosylceramide Results in Development of Th1 Response and Local Host Resistance in Mice Infected with <i>Cryptococcus neoformans</i> . <i>Infection and Immunity</i> , 2001, 69, 213-220.	1.0	140
39	CD4+ VÎ±14 natural killer T cells are essential for acceptance of rat islet xenografts in mice. <i>Journal of Clinical Investigation</i> , 2000, 105, 1761-1767.	3.9	136
40	CD8+ T Cells Rapidly Acquire NK1.1 and NK Cell-Associated Molecules Upon Stimulation In Vitro and In Vivo. <i>Journal of Immunology</i> , 2000, 165, 3673-3679.	0.4	133
41	Essential Role of GATA3 for the Maintenance of Type 2 Helper T (Th2) Cytokine Production and Chromatin Remodeling at the Th2 Cytokine Gene Loci. <i>Journal of Biological Chemistry</i> , 2004, 279, 26983-26990.	1.6	133
42	Regulatory dendritic cells act as regulators of acute lethal systemic inflammatory response. <i>Blood</i> , 2006, 107, 3656-3664.	0.6	132
43	Downregulation of the invariant VÎ±14 antigen receptor in NKT cells upon activation. <i>International Immunology</i> , 2004, 16, 241-247.	1.8	127
44	Antigen-specific suppressive factor produced by a transplantable I-J bearing T-cell hybridoma. <i>Nature</i> , 1979, 278, 555-558.	13.7	126
45	High-mobility group box 1 is involved in the initial events of early loss of transplanted islets in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 735-743.	3.9	124
46	Î±-Galactosylceramide Induces Early B-Cell Activation through IL-4 Production by NKT Cells. <i>Cellular Immunology</i> , 2000, 199, 37-42.	1.4	122
47	Methods for detection, isolation and culture of mouse and human invariant NKT cells. <i>Nature Protocols</i> , 2008, 3, 70-78.	5.5	122
48	Costimulation-Dependent Modulation of Experimental Autoimmune Encephalomyelitis by Ligand Stimulation of VÎ±14 NK T Cells. <i>Journal of Immunology</i> , 2001, 166, 662-668.	0.4	120
49	The Role of mel-18, a Mammalian Polycomb Group Gene, during IL-7-Dependent Proliferation of Lymphocyte Precursors. <i>Immunity</i> , 1997, 7, 135-146.	6.6	112
50	IL-18 Enhances IL-4 Production by Ligand-Activated NKT Lymphocytes: A Pro-Th2 Effect of IL-18 Exerted Through NKT Cells. <i>Journal of Immunology</i> , 2001, 166, 945-951.	0.4	112
51	Long-Term Survival of Corneal Allografts Is Dependent on Intact CD1d-Reactive NKT Cells. <i>Journal of Immunology</i> , 2002, 168, 2028-2034.	0.4	112
52	Regulation of Th2 Cell Differentiation by mel-18, a Mammalian Polycomb Group Gene. <i>Immunity</i> , 2001, 15, 275-287.	6.6	107
53	Functionally distinct NKT cell subsets and subtypes. <i>Journal of Experimental Medicine</i> , 2005, 202, 1623-1626.	4.2	107
54	IL-21-induced BÎ¼ cell apoptosis mediated by natural killer T cells suppresses IgE responses. <i>Journal of Experimental Medicine</i> , 2006, 203, 2929-2937.	4.2	107

#	ARTICLE	IF	CITATIONS
55	Agonist-Selected T Cell Development Requires Strong T Cell Receptor Signaling and Store-Operated Calcium Entry. <i>Immunity</i> , 2013, 38, 881-895.	6.6	106
56	Tumor Cells Loaded with $\alpha$ -Galactosylceramide Induce Innate NKT and NK Cell-Dependent Resistance to Tumor Implantation in Mice. <i>Journal of Immunology</i> , 2007, 178, 2853-2861.	0.4	104
57	NKT Cells as an Ideal Anti-Tumor Immunotherapeutic. <i>Frontiers in Immunology</i> , 2013, 4, 409.	2.2	103
58	Accelerated chemically induced tumor development mediated by CD4 <sup>+</sup> CD25 <sup>+</sup> regulatory T cells in wild-type hosts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9253-9257.	3.3	102
59	Functional and molecular organisation of an antigen-specific suppressor factor from a T-cell hybridoma. <i>Nature</i> , 1980, 283, 227-228.	13.7	97
60	T Cell Receptor $\alpha$ -Induced Calcineurin Activation Regulates T Helper Type 2 Cell Development by Modifying the Interleukin 4 Receptor Signaling Complex. <i>Journal of Experimental Medicine</i> , 2000, 191, 1869-1880.	4.2	97
61	Preserved IFN- $\gamma$ production of circulating V $\alpha$ 24 NKT cells in primary lung cancer patients. <i>International Journal of Cancer</i> , 2002, 102, 159-165.	2.3	96
62	Notochord-Dependent Expression of MFH1 and PAX1 Cooperates to Maintain the Proliferation of Sclerotome Cells during the Vertebral Column Development. <i>Developmental Biology</i> , 1999, 210, 15-29.	0.9	95
63	V $\alpha$ 14 NK T cell $\alpha$ -triggered IFN- $\gamma$ production by Gr-1 <sup>+</sup> CD11b <sup>+</sup> cells mediates early graft loss of syngeneic transplanted islets. <i>Journal of Experimental Medicine</i> , 2005, 202, 913-918.	4.2	92
64	MONOCLONAL ANTI-Ia MURINE ALLOANTIBODIES CROSSREACTIVE WITH THE Ia-HOMOLOGUES OF OTHER MAMMALIAN SPECIES INCLUDING HUMANS1. <i>Transplantation</i> , 1983, 36, 712-718.	0.5	91
65	src homology 2 domain $\alpha$ -containing tyrosine phosphatase SHP-1 controls the development of allergic airway inflammation. <i>Journal of Clinical Investigation</i> , 2003, 111, 109-119.	3.9	90
66	OX40 ligand expressed by DCs costimulates NKT and CD4 <sup>+</sup> Th cell antitumor immunity in mice. <i>Journal of Clinical Investigation</i> , 2007, 117, 3330-3338.	3.9	90
67	CD1d-restricted T cells regulate dendritic cell function and antitumor immunity in a granulocyte-macrophage colony-stimulating factor-dependent fashion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8874-8879.	3.3	89
68	Differential Role of Thymic Stromal Lymphopoietin in the Induction of Airway Hyperreactivity and Th2 Immune Response in Antigen-Induced Asthma with Respect to Natural Killer T Cell Function. <i>International Archives of Allergy and Immunology</i> , 2007, 144, 305-314.	0.9	87
69	Type II NKT Cells Stimulate Diet-Induced Obesity by Mediating Adipose Tissue Inflammation, Steatohepatitis and Insulin Resistance. <i>PLoS ONE</i> , 2012, 7, e30568.	1.1	86
70	Prevention of insulinitis and diabetes in $\beta$ 2-microglobulin-deficient non-obese diabetic mice. <i>International Immunology</i> , 1994, 6, 1445-1449.	1.8	85
71	Cutting Edge: Critical Role of CXCL16/CXCR6 in NKT Cell Trafficking in Allograft Tolerance. <i>Journal of Immunology</i> , 2005, 175, 2051-2055.	0.4	85
72	Induction of Regulatory Properties in Dendritic Cells by V $\alpha$ 14 NKT Cells. <i>Journal of Immunology</i> , 2005, 175, 3648-3655.	0.4	84

#	ARTICLE	IF	CITATIONS
73	Properties of Primed Suppressor T Cells and their Products. <i>Immunological Reviews</i> , 1975, 26, 106-129.	2.8	83
74	The analysis of systemic tolerance elicited by antigen inoculation into the vitreous cavity: vitreous cavity-associated immune deviation. <i>Immunology</i> , 2005, 116, 390-399.	2.0	83
75	Role of interferon- $\beta$ in $\text{V}\alpha 14+$ natural killer T cell-mediated host defense against <i>Streptococcus pneumoniae</i> infection in murine lungs. <i>Microbes and Infection</i> , 2007, 9, 364-374.	1.0	83
76	Immune Tolerance to Combined Organ and Bone Marrow Transplants After Fractionated Lymphoid Irradiation Involves Regulatory NK T Cells and Clonal Deletion. <i>Journal of Immunology</i> , 2002, 169, 5564-5570.	0.4	81
77	Single Dose of OUCH Improves Mucosal T Helper Type 1/T Helper Type 2 Cytokine Balance and Prevents Experimental Colitis in the Presence of $\text{V}\alpha 14$ Natural Killer T Cells in Mice. <i>Inflammatory Bowel Diseases</i> , 2005, 11, 35-41.	0.9	81
78	Increase of regulatory T cells and the ratio of specific IgE to total IgE are candidates for response monitoring or prognostic biomarkers in 2-year sublingual immunotherapy (SLIT) for Japanese cedar pollinosis. <i>Clinical Immunology</i> , 2011, 139, 65-74.	1.4	80
79	CD8 T Cell-Specific Downregulation of Histone Hyperacetylation and Gene Activation of the IL-4 Gene Locus by ROC, Repressor of GATA. <i>Immunity</i> , 2003, 19, 281-294.	6.6	79
80	Progression of T cell lineage restriction in the earliest subpopulation of murine adult thymus visualized by the expression of Ick proximal promoter activity. <i>International Immunology</i> , 2001, 13, 105-117.	1.8	78
81	CD4+CD25+ T-cell development is regulated by at least 2 distinct mechanisms. <i>Blood</i> , 2002, 99, 555-560.	0.6	77
82	PDC-TREM, a plasmacytoid dendritic cell-specific receptor, is responsible for augmented production of type I interferon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 2993-2998.	3.3	75
83	The roles of intrahepatic $\text{V}\alpha 14+$ NK1.1+ T cells for liver injury induced by <i>Salmonella</i> infection in mice. <i>Hepatology</i> , 1999, 29, 1799-1808.	3.6	74
84	Activation of Natural Killer T Cells Ameliorates Postinfarct Cardiac Remodeling and Failure in Mice. <i>Circulation Research</i> , 2012, 111, 1037-1047.	2.0	73
85	Recognition and function of $\text{V}\alpha 14$ NKT cells. <i>Seminars in Immunology</i> , 2000, 12, 543-550.	2.7	72
86	During <i>Trypanosoma cruzi</i> Infection CD1d-Restricted NK T Cells Limit Parasitemia and Augment the Antibody Response to a Glycophosphoinositol-Modified Surface Protein. <i>Infection and Immunity</i> , 2002, 70, 36-48.	1.0	69
87	Natural killer T cell-mediated antitumor immune responses and their clinical applications. <i>Cancer Science</i> , 2006, 97, 807-812.	1.7	66
88	Efficient Regeneration of Human $\text{V}\alpha 24+$ Invariant Natural Killer T Cells and Their Anti-Tumor Activity In Vivo. <i>Stem Cells</i> , 2016, 34, 2852-2860.	1.4	65
89	Role of $\text{V}\alpha 14$ NKT cells in the development of impaired liver regeneration in vivo. <i>Hepatology</i> , 2003, 38, 1116-1124.	3.6	63
90	mel-18 Negatively Regulates Cell Cycle Progression upon B Cell Antigen Receptor Stimulation through a Cascade Leading to c-myc/cdc25. <i>Immunity</i> , 1998, 9, 439-448.	6.6	62

#	ARTICLE	IF	CITATIONS
91	An Anti-Inflammatory Role for VÎ±14 NK T cells in <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin-Infected Mice. <i>Journal of Immunology</i> , 2003, 171, 1961-1968.	0.4	61
92	Host-Residual Invariant NK T Cells Attenuate Graft-versus-Host Immunity. <i>Journal of Immunology</i> , 2005, 175, 1320-1328.	0.4	61
93	Accumulation of Activated Invariant Natural Killer T Cells in the Tumor Microenvironment after Î±-Galactosylceramide-Pulsed Antigen Presenting Cells. <i>Journal of Clinical Immunology</i> , 2012, 32, 1071-1081.	2.0	61
94	Abundance of unconventional CD8+ natural killer T cells in the large intestine. <i>European Journal of Immunology</i> , 2001, 31, 3361-3369.	1.6	60
95	The specialized iNKT cell system recognizes glycolipid antigens and bridges the innate and acquired immune systems with potential applications for cancer therapy. <i>International Immunology</i> , 2010, 22, 1-6.	1.8	60
96	CD69Îµnull mice protected from arthritis induced with antiÎµtype II collagen antibodies. <i>International Immunology</i> , 2003, 15, 987-992.	1.8	59
97	Inhibition of tumor metastasis by adoptive transfer of IL-12-activated V?14 NKT cells. <i>International Journal of Cancer</i> , 2001, 91, 523-528.	2.3	58
98	Regulation of T helper type 2 cell differentiation by murine Schnurri-2. <i>Journal of Experimental Medicine</i> , 2005, 201, 397-408.	4.2	56
99	Predominant use of a particular Î±-chain in suppressor T cell hybridomas specific for keyhole limpet hemocyanin. <i>International Immunology</i> , 1989, 1, 557-564.	1.8	55
100	Interleukin (IL)-4-independent Maintenance of Histone Modification of the IL-4 Gene Loci in Memory Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 39454-39464.	1.6	55
101	Alternative pathway for the development of VÎ±14+ NKT cells directly from CD4ÎµCD8Îµ thymocytes that bypasses the CD4+CD8+ stage. <i>Nature Immunology</i> , 2017, 18, 274-282.	7.0	55
102	Murine induced pluripotent stem cells can be derived from and differentiate into natural killer T cells. <i>Journal of Clinical Investigation</i> , 2010, 120, 2610-2618.	3.9	55
103	Reconstitution of antigen-specific suppressor activity with translation products of mRNA. <i>Nature</i> , 1982, 298, 172-174.	13.7	54
104	Resistance of Natural Killer T CellÎµDeficient Mice to Systemic Shwartzman Reaction. <i>Journal of Experimental Medicine</i> , 2000, 192, 1645-1652.	4.2	54
105	Establishment of an Improved Mouse Model for Infantile Neuroaxonal Dystrophy That Shows Early Disease Onset and Bears a Point Mutation in Pla2g6. <i>American Journal of Pathology</i> , 2009, 175, 2257-2263.	1.9	54
106	Critical Role for CXC Chemokine Ligand 16 (SR-PSOX) in Th1 Response Mediated by NKT Cells. <i>Journal of Immunology</i> , 2007, 179, 8172-8179.	0.4	52
107	Cloning and chromosome mapping of the human Mel-18 gene which encodes a DNA-binding protein with a new ÎµRING-fingerÎµ™ motif. <i>Gene</i> , 1993, 129, 249-255.	1.0	50
108	Crucial amino acid residues of mouse CD1d for glycolipid ligand presentation to VÎ±14 NKT cells. <i>International Immunology</i> , 2001, 13, 853-861.	1.8	50

#	ARTICLE	IF	CITATIONS
109	Suppression of eosinophilic airway inflammation by treatment with $\alpha$ -galactosylceramide. <i>European Journal of Immunology</i> , 2005, 35, 2803-2814.	1.6	49
110	RCAI-8, 9, 18, 19, and 49 $\alpha$ 52, conformationally restricted analogues of KRN7000 with an azetidine or a pyrrolidine ring: Their synthesis and bioactivity for mouse natural killer T cells to produce cytokines. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 950-964.	1.4	48
111	Plasma membrane-focused proteomics: Dramatic changes in surface expression during the maturation of human dendritic cells. <i>Proteomics</i> , 2005, 5, 4001-4011.	1.3	47
112	Role of V $\alpha$ 14 <sup>+</sup> NKT cells in the development of Hepatitis B virus-specific CTL: activation of V $\alpha$ 14 <sup>+</sup> NKT cells promotes the breakage of CTL tolerance. <i>International Immunology</i> , 2008, 20, 869-879.	1.8	46
113	Induction of Natural Killer Cell-dependent Antitumor Immunity by the <i>Autographa californica</i> Multiple Nuclear Polyhedrosis Virus. <i>Molecular Therapy</i> , 2008, 16, 261-268.	3.7	46
114	KLRG <sup>+</sup> invariant natural killer T cells are long-lived effectors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12474-12479.	3.3	46
115	The importance of CD25 <sup>+</sup> CD4 <sup>+</sup> regulatory T cells in mouse hepatic allograft tolerance. <i>Liver Transplantation</i> , 2006, 12, 1112-1118.	1.3	44
116	Treatment with $\alpha$ -Galactosylceramide Attenuates the Development of Bleomycin-Induced Pulmonary Fibrosis. <i>Journal of Immunology</i> , 2004, 172, 5782-5789.	0.4	43
117	CD1d and CD1d-restricted iNKT-cells play a pivotal role in contact hypersensitivity. <i>Experimental Dermatology</i> , 2005, 14, 250-258.	1.4	43
118	The Induced Regulatory T Cell Level, Defined as the Proportion of IL-10 <sup>+</sup> Foxp3 <sup>+</sup> Cells among CD25 <sup>+</sup> CD4 <sup>+</sup> Leukocytes, Is a Potential Therapeutic Biomarker for Sublingual Immunotherapy: A Preliminary Report. <i>International Archives of Allergy and Immunology</i> , 2010, 153, 378-387.	0.9	43
119	Transcriptional regulator Bhlhe40 works as a cofactor of T-bet in the regulation of IFN- $\gamma$ production in iNKT cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3394-402.	3.3	43
120	Fc receptor $\gamma$ 2 subunit is required for full activation of mast cells through Fc receptor engagement. <i>International Immunology</i> , 1999, 11, 199-207.	1.8	42
121	$\alpha$ 52 as an idioype of the recognition component of antigen-specific suppressor T-cell factor. <i>Nature</i> , 1985, 316, 738-741.	13.7	41
122	Extrathymic Differentiation of a T Cell Bearing Invariant V $\alpha$ 14 $\gamma$ 281 TCR. <i>International Reviews of Immunology</i> , 1994, 11, 31-46.	1.5	41
123	The Pten/PI3K pathway governs the homeostasis of V $\alpha$ 14iNKT cells. <i>Blood</i> , 2007, 109, 3316-3324.	0.6	41
124	Regulatory dendritic cells protect against allergic airway inflammation in a murine asthmatic model. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 95-104.e7.	1.5	41
125	Human NK cell development in hIL-7 and hIL-15 knockin NOD/SCID/IL2rgKO mice. <i>Life Science Alliance</i> , 2019, 2, e201800195.	1.3	41
126	The Role of Cytotoxic T Lymphocytes in the Pathogenesis of Vogt-Koyanagi-Harada Disease. <i>Ophthalmologica</i> , 1982, 185, 179-186.	1.0	39



#	ARTICLE	IF	CITATIONS
127	Expansion of NK Cells with Reduction of Their Inhibitory Ly-49A, Ly-49C, and Ly-49G2 Receptor-Expressing Subsets in a Murine Helminth Infection: Contribution to Parasite Control. <i>Journal of Immunology</i> , 2002, 168, 5199-5206.	0.4	39
128	STAT6-Dependent Differentiation and Production of IL-5 and IL-13 in Murine NK2 Cells. <i>Journal of Immunology</i> , 2004, 173, 4967-4975.	0.4	39
129	Hyporesponsiveness to Natural Killer T-Cell Ligand $\alpha$ -Galactosylceramide in Cancer-Bearing State Mediated by CD11b <sup>+</sup> Gr-1 <sup>+</sup> Cells Producing Nitric Oxide. <i>Cancer Research</i> , 2006, 66, 11441-11446.	0.4	39
130	DOCK2 Is Required in T Cell Precursors for Development of $\alpha$ 14 NK T Cells. <i>Journal of Immunology</i> , 2006, 176, 4640-4645.	0.4	39
131	RCAI-56, a carbocyclic analogue of KRN7000: its synthesis and potent activity for natural killer (NK) T cells to preferentially produce interferon- $\gamma$ . <i>Tetrahedron Letters</i> , 2007, 48, 3343-3347.	0.7	39
132	RCAI-61, the 6-O-methylated analog of KRN7000: its synthesis and potent bioactivity for mouse lymphocytes to produce interferon- $\gamma$ in vivo. <i>Tetrahedron Letters</i> , 2008, 49, 6827-6830.	0.7	39
133	Induction of Th1-biased cytokine production by $\alpha$ -carba-GalCer, a neoglycolipid ligand for NKT cells. <i>International Immunology</i> , 2010, 22, 319-328.	1.8	39
134	Minimal Contribution of $\alpha$ 14 Natural Killer T Cells to Th1 Response and Host Resistance against Mycobacterial Infection in Mice. <i>Microbiology and Immunology</i> , 2002, 46, 207-210.	0.7	38
135	CD28 Costimulation Controls Histone Hyperacetylation of the Interleukin 5 Gene Locus in Developing Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 23123-23133.	1.6	38
136	Activation of invariant natural killer T cells by $\alpha$ -galactosylceramide ameliorates myocardial ischemia/reperfusion injury in mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 62, 179-188.	0.9	38
137	Suppressed rate of carcinogenesis and decreases in tumour volume and lung metastasis in CXCL14/BRAK transgenic mice. <i>Scientific Reports</i> , 2015, 5, 9083.	1.6	37
138	Potential of antitumor effect of NKT cell ligand, $\alpha$ -galactosylceramide by combination with IL-12 on lung metastasis of malignant melanoma cells. <i>Clinical and Experimental Metastasis</i> , 2000, 18, 147-153.	1.7	36
139	TH1-biased immunity induced by exposure to Antarctic winter. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 1353-1360.	1.5	36
140	Dendritic cell maturation by CD11c <sup>+</sup> T cells and $\alpha$ 24 <sup>+</sup> natural killer T-cell activation by $\alpha$ -Galactosylceramide. <i>International Journal of Cancer</i> , 2005, 117, 265-273.	2.3	36
141	Successful Islet Transplantation to Two Recipients From a Single Donor by Targeting Proinflammatory Cytokines in Mice. <i>Transplantation</i> , 2007, 83, 1085-1092.	0.5	36
142	Generation of functional NKT cells in vitro from embryonic stem cells bearing rearranged invariant $\alpha$ 14- $\beta$ 18 TCR $\alpha$ gene. <i>Blood</i> , 2010, 115, 230-237.	0.6	36
143	Synthesis and biological activity of ester and ether analogues of $\alpha$ -galactosylceramide (KRN7000). <i>Carbohydrate Research</i> , 2010, 345, 1663-1684.	1.1	36
144	DUAL REGULATORY ROLE OF THE THYMUS IN THE MATURATION OF IMMUNE RESPONSE IN THE RABBIT. <i>Journal of Experimental Medicine</i> , 1974, 139, 108-127.	4.2	35

#	ARTICLE	IF	CITATIONS
145	Syngeneic Monoclonal Antibodies Against Melanoma Antigens with Species Specificity and Interspecies Cross-Reactivity. <i>Journal of Investigative Dermatology</i> , 1984, 83, 128-133.	0.3	35
146	Absence of the CD1 Molecule Up-Regulates Antitumor Activity Induced by CpG Oligodeoxynucleotides in Mice. <i>Journal of Immunology</i> , 2002, 169, 151-158.	0.4	34
147	Adjuvant activity mediated by iNKT cells. <i>Seminars in Immunology</i> , 2010, 22, 97-102.	2.7	34
148	Ras Activation in T Cells Determines the Development of Antigen-Induced Airway Hyperresponsiveness and Eosinophilic Inflammation. <i>Journal of Immunology</i> , 2002, 169, 2134-2140.	0.4	33
149	B cell precursors are present in the thymus during early development. <i>European Journal of Immunology</i> , 1989, 19, 97-104.	1.6	32
150	Accumulation of somatic hypermutation and antigen-driven selection in rapidly cycling surface Ig+ germinal center (GC) B cells which occupy GC at a high frequency during the primary antihapten response in mice. <i>European Journal of Immunology</i> , 1997, 27, 268-279.	1.6	32
151	Natural killer, but not natural killer T, cells play a necessary role in the promotion of an innate antitumor response induced by IL-18. <i>International Journal of Cancer</i> , 2003, 103, 508-513.	2.3	32
152	Impaired contact hypersensitivity in macrophage migration inhibitory factor-deficient mice. <i>European Journal of Immunology</i> , 2003, 33, 1478-1487.	1.6	31
153	Evaluation of the Function of Human Invariant NKT Cells from Cancer Patients Using Î±-Galactosylceramide-Loaded Murine Dendritic Cells. <i>Journal of Immunology</i> , 2006, 177, 3484-3492.	0.4	31
154	NKT cells are relatively resistant to apoptosis. <i>Trends in Immunology</i> , 2004, 25, 219-221.	2.9	30
155	RCAI-17, 22, 24, 26, 29, 31, 34, 36, 38, 40, and 88, the analogs of KRN7000 with a sulfonamide linkage: Their synthesis and bioactivity for mouse natural killer T cells to produce Th2-biased cytokines. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8896-8906.	1.4	30
156	Involvement of the acyl chain of ceramide in carbohydrate recognition by an anti-glycolipid monoclonal antibody: the case of an anti-melanoma antibody, M2590, to GM3-ganglioside. <i>Glycoconjugate Journal</i> , 1989, 6, 551-560.	1.4	29
157	Expansion of Lung VÎ±14 NKT Cells by Administration of Î±-Galactosylceramide-pulsed Dendritic Cells. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 397-403.	1.7	29
158	Impaired IFN-Î³ production of VÎ±24 NKT cells in non-remitting sarcoidosis. <i>International Immunology</i> , 2004, 16, 215-222.	1.8	29
159	Injury-Induced Suppression of Effector T Cell Immunity Requires CD1d-Positive APCs and CD1d-Restricted NKT Cells. <i>Journal of Immunology</i> , 2006, 177, 92-99.	0.4	29
160	Enhanced suppression of pulmonary metastasis of malignant melanoma cells by combined administration of Î±-galactosylceramide and interleukin-18. <i>Cancer Science</i> , 2008, 99, 113-120.	1.7	28
161	Protective Roles of B and T Lymphocyte Attenuator in NKT Cell-Mediated Experimental Hepatitis. <i>Journal of Immunology</i> , 2010, 184, 127-133.	0.4	28
162	Activation of pulmonary invariant NKT cells leads to exacerbation of acute lung injury caused by LPS through local production of IFN-Î³ and TNF-Î³ by Gr-1+ monocytes. <i>International Immunology</i> , 2011, 23, 97-108.	1.8	28

#	ARTICLE	IF	CITATIONS
163	Functional roles of NKT cell in the immune system. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 2577.	3.0	27
164	Lymphoid enhancer factor interacts with GATA $\beta$ and controls its function in T helper type 2 cells. <i>Immunology</i> , 2008, 125, 377-386.	2.0	27
165	RCAI-37, 56, 59, 60, 92, 101, and 102, cyclitol and carbasugar analogs of KRN7000: Their synthesis and bioactivity for mouse lymphocytes to produce Th1-biased cytokines. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 6360-6373.	1.4	27
166	Melanoma antigen expression and metastatic ability of mutant B16 melanoma clones. <i>International Journal of Cancer</i> , 1988, 42, 734-738.	2.3	26
167	Immunoregulatory role of J $\beta$ 281 T cells in aged mice developing lupus-like nephritis. <i>European Journal of Immunology</i> , 2007, 37, 425-433.	1.6	26
168	Generation of Novel Traj18-Deficient Mice Lacking V $\beta$ 14 Natural Killer T Cells with an Undisturbed T Cell Receptor $\beta$ -Chain Repertoire. <i>PLoS ONE</i> , 2016, 11, e0153347.	1.1	26
169	Cytotoxic T lymphocytes induced by syngeneic mouse melanoma cells recognize human melanomas. <i>Nature</i> , 1981, 294, 748-750.	13.7	25
170	Impaired Ca/calcineurin pathway in in vivo anergized CD4 T cells. <i>International Immunology</i> , 2000, 12, 817-824.	1.8	25
171	Invariant NKT Cells Are Essential for the Regulation of Hepatic CXCL10 Gene Expression during <i>Leishmania donovani</i> Infection. <i>Infection and Immunity</i> , 2005, 73, 7541-7547.	1.0	25
172	A Novel Subcutaneous Site of Islet Transplantation Superior to the Liver. <i>Transplantation</i> , 2018, 102, 945-952.	0.5	25
173	Discovery of NKT cells and development of NKT cell-targeted anti-tumor immunotherapy. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2015, 91, 292-304.	1.6	23
174	Synthesis and biological activity of hydroxylated analogues of KRN7000 ( $\beta$ -galactosylceramide). <i>Carbohydrate Research</i> , 2013, 370, 46-66.	1.1	22
175	Invariant V $\beta$ 14 Chain NKT Cells Promote Plasmodium berghei Circumsporozoite Protein-Specific Gamma Interferon- and Tumor Necrosis Factor Alpha-Producing CD8+ T Cells in the Liver after Poxvirus Vaccination of Mice. <i>Infection and Immunity</i> , 2005, 73, 849-858.	1.0	21
176	Natural Killer T Cell Ligand $\beta$ -Galactosylceramide Inhibited Lymph Node Metastasis of Highly Metastatic Melanoma Cells. <i>Japanese Journal of Cancer Research</i> , 1999, 90, 801-804.	1.7	20
177	Acceptance of islet allografts in the liver of mice by blockade of an inducible costimulator 1. <i>Transplantation</i> , 2003, 75, 1115-1118.	0.5	20
178	V $\beta$ 14 NKT cell-mediated anti-tumor responses and their clinical application. <i>Seminars in Immunopathology</i> , 2005, 27, 65-74.	4.0	20
179	A murine model of NKT cell-mediated liver injury induced by alpha-galactosylceramide/d-galactosamine. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 663-673.	1.4	20
180	RCAI-61 and related 6 $\beta$ -modified analogs of KRN7000: Their synthesis and bioactivity for mouse lymphocytes to produce interferon- $\beta$ in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3066-3079.	1.4	20

#	ARTICLE	IF	CITATIONS
181	Human Th1 differentiation induced by lipoarabinomannan/lipomannan from Mycobacterium bovis BCG Tokyo-172. <i>International Immunology</i> , 2008, 20, 849-860.	1.8	19
182	Constant region determinants on the antigen-binding chain of the suppressor T-cell factor. <i>Nature</i> , 1982, 298, 174-176.	13.7	18
183	Suppression of type II collagen-induced arthritis by monoclonal antibodies. <i>Arthritis and Rheumatism</i> , 1991, 34, 48-54.	6.7	18
184	V $\alpha$ 14+ NK T cells: A novel lymphoid cell lineage with regulatory function. <i>Journal of Allergy and Clinical Immunology</i> , 1996, 98, S263-S269.	1.5	18
185	Regulatory Roles of NKT Cells in the Induction and Maintenance of Cyclophosphamide-Induced Tolerance. <i>Journal of Immunology</i> , 2006, 177, 8400-8409.	0.4	18
186	Regulation of early T cell development by the PHD finger of histone lysine methyltransferase ASH1. <i>Biochemical and Biophysical Research Communications</i> , 2008, 365, 589-594.	1.0	18
187	Exacerbation of Invasive <i>Candida albicans</i> Infection by Commensal Bacteria or a Glycolipid Through IFN- $\gamma$ Produced in Part by iNKT Cells. <i>Journal of Infectious Diseases</i> , 2014, 209, 799-810.	1.9	18
188	Density of GM3 with Normal Primary Structure Determines Mouse Melanoma Antigenicity; a New Concept of Tumor Antigen. <i>Japanese Journal of Cancer Research</i> , 1989, 80, 988-992.	1.7	17
189	Distinct regulatory functions of SLP-76 and MIST in NK cell cytotoxicity and IFN- $\gamma$ production. <i>International Immunology</i> , 2008, 20, 345-352.	1.8	17
190	NKT cells play a limited role in the neutrophilic inflammatory responses and host defense to pulmonary infection with <i>Pseudomonas aeruginosa</i> . <i>Microbes and Infection</i> , 2006, 8, 2679-2685.	1.0	16
191	Investigation of the role of CD1d-restricted invariant NKT cells in experimental choroidal neovascularization. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 38-43.	1.0	16
192	Identification of CD4 $^{\text{hi}}$ CD8 $^{\text{lo}}$ Double-Negative Natural Killer T Cell Precursors in the Thymus. <i>PLoS ONE</i> , 2008, 3, e3688.	1.1	16
193	Natural Killer T Cell-Targeted Immunotherapy Mediating Long-term Memory Responses and Strong Antitumor Activity. <i>Frontiers in Immunology</i> , 2017, 8, 1206.	2.2	16
194	Monoclonal antibody against murine T cell receptor V $\alpha$ 14 cross-reacts with human CD3 $\zeta$ and detects disulfide-linked dimeric form. <i>International Immunology</i> , 1991, 3, 991-995.	1.8	15
195	Short Communication Mammalian Polycomb group genes are categorized as a new type of early response gene induced by B-cell receptor cross-linking. <i>Molecular Immunology</i> , 1998, 35, 559-563.	1.0	15
196	Bone Marrow Allograft Rejection Mediated by a Novel Murine NK Receptor, NKG2I. <i>Journal of Experimental Medicine</i> , 2004, 199, 137-144.	4.2	15
197	Spontaneous tolerance involving natural killer T cells after hepatic grafting in mice. <i>Transplant Immunology</i> , 2007, 18, 142-145.	0.6	15
198	Induced pluripotency as a potential path towards iNKT cell-mediated cancer immunotherapy. <i>International Journal of Hematology</i> , 2012, 95, 624-631.	0.7	15

#	ARTICLE	IF	CITATIONS
199	Change in the topographical distribution of GM3 during cell spreading and growth : Immunostaining with monoclonal antibody against GM3.. Cell Structure and Function, 1987, 12, 93-105.	0.5	15
200	Distribution of a Cross-Species Melanoma-Associated Antigen in Normal and Neoplastic Human Tissues. Journal of Investigative Dermatology, 1985, 85, 340-346.	0.3	14
201	Anti-tumor effect of internal image bearing anti-idiotypic monoclonal antibody in relation to GM3 ganglioside. , 1998, 76, 345-353.		13
202	Recombinant Fusion Allergens, Cry j 1 and Cry j 2 from Japanese Cedar Pollen, Conjugated with Polyethylene Glycol Potentiate the Attenuation of Cry j 1-Specific IgE Production in Cry j 1-Sensitized Mice and Japanese Cedar Pollen Allergen-Sensitized Monkeys. International Archives of Allergy and Immunology, 2015, 168, 32-43.	0.9	13
203	The mouse <i>Mel-18</i> RING-finger gene: genomic organization, promoter analysis and chromosomal assignment. DNA Sequence, 1993, 3, 369-377.	0.7	12
204	RCAI-84, 91, and 105-108, ureido and thioureido analogs of KRN7000: Their synthesis and bioactivity for mouse lymphocytes to produce Th1-biased cytokines. Bioorganic and Medicinal Chemistry, 2012, 20, 4540-4548.	1.4	12
205	Target cells for an immunosuppressive cytokine, glycosylation-inhibiting factor. International Immunology, 1999, 11, 1149-1156.	1.8	11
206	Contrasting roles for $V\alpha 14$ +natural killer T cells in a viral model for multiple sclerosis. Journal of NeuroVirology, 2009, 15, 90-98.	1.0	11
207	Invariant natural killer T cells play dual roles in the development of experimental autoimmune uveoretinitis. Experimental Eye Research, 2016, 153, 79-89.	1.2	11
208	Positive selection of NKT cells by CD1+, CD11c+ non-lymphoid cells residing in the extrathymic organs. European Journal of Immunology, 1999, 29, 3962-3970.	1.6	10
209	Prophylaxis of lipopolysaccharide-induced shock by $\alpha$ -galactosylceramide. Journal of Leukocyte Biology, 2008, 84, 550-560.	1.5	10
210	The role of natural killer T cells in costimulation blockade-based mixed chimerism. Transplant International, 2010, 23, 1179-1189.	0.8	10
211	Organ-specific protective role of NKT cells in virus-induced inflammatory demyelination and myocarditis depends on mouse strain. Journal of Neuroimmunology, 2015, 278, 174-184.	1.1	10
212	Extrathymic Development of $V\alpha 11$ T Cells in Placenta During Pregnancy and Their Possible Physiological Role. Journal of Immunology, 2001, 166, 7244-7249.	0.4	9
213	Paradoxically high resistance of natural killer T (NKT) cell-deficient mice to <i>Legionella pneumophila</i> : another aspect of NKT cells for modulation of host responses. Journal of Medical Microbiology, 2008, 57, 1340-1348.	0.7	9
214	A set of genes associated with the interferon $\gamma$ response of lung cancer patients undergoing $\alpha$ -galactosylceramide-pulsed dendritic cell therapy. Cancer Science, 2010, 101, 2333-2340.	1.7	9
215	Activation of murine invariant NKT cells promotes susceptibility to candidiasis by IL-10 induced modulation of phagocyte antifungal activity. European Journal of Immunology, 2016, 46, 1691-1703.	1.6	9
216	"I-J" as an Idiotypic Marker on the Antigen-Specific Suppressor T Cell Factor. Immunological Reviews, 1985, 83, 125-150.	2.8	8

#	ARTICLE	IF	CITATIONS
217	Induction of Mouse Anti-melanoma Cytotoxic and Suppressor T Cells in vitro by an Artificial Antigen, GM3-lactone. Japanese Journal of Cancer Research, 1990, 81, 383-387.	1.7	8
218	Gamma Interferon Production by Hepatic NK T Cells during Escherichia coli Infection Is Resistant to the Inhibitory Effects of Oxidative Stress. Infection and Immunity, 2003, 71, 2468-2477.	1.0	8
219	Graft-versus-host disease in recipients of grafts from natural killer T cell-deficient (J?281?/??) donors. Immunology, 2006, 119, 338-347.	2.0	8
220	A Single Cell Analysis of TCR AV24AJ18 <sup>+</sup> DN T Cells. Microbiology and Immunology, 1999, 43, 557-584.	0.7	7
221	Role of a NK receptor, KLRE-1, in bone marrow allograft rejection: analysis with KLRE-1-deficient mice. Blood, 2004, 104, 781-783.	0.6	7
222	RCAI-39, 41, 53, 100, 127 and 128, the analogues of KRN7000, activate mouse natural killer T cells to produce Th2-biased cytokines by their administration as liposomal particles. MedChemComm, 2011, 2, 620.	3.5	7
223	A Limited Role of iNKT Cells in Controlling Systemic Candida albicans Infections. Japanese Journal of Infectious Diseases, 2012, 65, 522-526.	0.5	7
224	Generation of induced pluripotent stem cell-derived mice by reprogramming of a mature NKT cell. International Immunology, 2014, 26, 551-561.	1.8	6
225	Dysfunction of T cell receptor AV24AJ18 <sup>+</sup> , BV11 <sup>+</sup> double-negative regulatory natural killer T cells in autoimmune diseases. Arthritis and Rheumatism, 2001, 44, 1127-1138.	6.7	6
226	Cloning and characterization of two transcripts generated from the mel-13 gene positioned adjacent to the mammalian Polycomb group-related gene mel-18. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1996, 1305, 109-112.	2.4	5
227	MULTIPLE MHC LOCI CONTROLLING LYMPHOCYTE INTERACTIONS. , 1979, , 293-303.		5
228	The Transcriptional Repressor Gfi1 Plays a Critical Role in the Development of NKT1- and NKT2-Type iNKT Cells. PLoS ONE, 2016, 11, e0157395.	1.1	5
229	Isolation of Genomic DNA Controlling Mouse Melanoma Antigen Defined by Monoclonal Antibody. Japanese Journal of Cancer Research, 1988, 79, 718-725.	1.7	4
230	Therapeutic Effects and Biomarkers in Sublingual Immunotherapy: A Review. Journal of Allergy, 2012, 2012, 1-9.	0.7	4
231	Properties of Mouse Melanoma Antigen and Its Secretion Mechanism from the Cell Surface. Japanese Journal of Cancer Research, 1989, 80, 981-987.	1.7	3
232	Invariant Natural Killer T Cells Play a Role in Chemotaxis, Complement Activation and Mucus Production in a Mouse Model of Airway Hyperreactivity and Inflammation. PLoS ONE, 2015, 10, e0129446.	1.1	3
233	Detection of Antigen-Specific Suppressor T Cell Factor by Sandwich Radioimmunoassay Using Two Monoclonal Antibodies with Different Specificities. International Archives of Allergy and Immunology, 1985, 77, 300-307.	0.9	2
234	Specific Biodetection of B16 Mouse Melanoma In Vivo by Syngeneic Monoclonal Antibody. Journal of Investigative Dermatology, 1987, 89, 225-229.	0.3	2

#	ARTICLE	IF	CITATIONS
235	The Role of $\hat{I}\pm$ -Galactosylceramide-Activated $V\hat{I}\pm 14$ Natural Killer T Cells in the Regulation of Th2 Cell Differentiation. <i>International Archives of Allergy and Immunology</i> , 2001, 124, 38-42.	0.9	2
236	Protective Role for CD1d-Reactive Invariant Natural Killer T Cells in Cauterization-Induced Corneal Inflammation. , 2008, 49, 105.		2
237	Synthesis of RCAI-172 (C6 epimer of RCAI-147) and its biological activity. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 827-833.	1.4	2
238	The protective function of invariant natural killer T cells in the relapse of experimental autoimmune uveoretinitis. <i>Experimental Eye Research</i> , 2021, 203, 108406.	1.2	2
239	Pillars article: homogenous junctional sequence of the V14+ T-cell antigen receptor $\hat{I}\pm$ chain expanded in unprimed mice. <i>Proc. Natl. Acad. Sci. U.S.A.</i> 1990. 87: 5248-5252. <i>Journal of Immunology</i> , 2014, 193, 993-7.	0.4	2
240	Mouse Alloantibodies Capable of Blocking Cytotoxic T Cell Function. <i>Microbiology and Immunology</i> , 1983, 27, 1093-1105.	0.7	1
241	[23] Antigen-specific suppressor T cells and their soluble products. <i>Methods in Enzymology</i> , 1985, 116, 311-325.	0.4	1
242	Molecular Analysis of Suppressor T Cell Receptors. <i>International Reviews of Immunology</i> , 1988, 3, 229-239.	1.5	1
243	Method of Genomic DNA Cloning by the Combination of Cosmid Shuttle Vector and Monoclonal Antibody. <i>Microbiology and Immunology</i> , 1988, 32, 1073-1078.	0.7	1
244	The Analysis of Immature Lymphoid Precursors Stored in Longterm Bone Marrow Culture. <i>Microbiology and Immunology</i> , 1988, 32, 607-620.	0.7	1
245	Human Monoclonal Antibody Detects a Cell Surface Antigen Expressed on Hematopoietic Malignant Cells of Lymphoid Lineage. <i>Japanese Journal of Cancer Research</i> , 1991, 82, 213-218.	1.7	1
246	NKT cells regulate the development of asthma. <i>International Congress Series</i> , 2005, 1285, 184-188.	0.2	1
247	Application of NKT Cells in Immunotherapy. <i>Current Immunology Reviews</i> , 2010, 6, 109-115.	1.2	1
248	Synthesis and biological activity of hydroxylated analogs of RCAI-80. <i>Tetrahedron</i> , 2013, 69, 9710-9725.	1.0	1
249	RCAI-133, an N-methylated analogue of KRN7000, activates mouse natural killer T cells to produce Th2-biased cytokines. <i>MedChemComm</i> , 2013, 4, 949.	3.5	1
250	Positive selection of NKT cells by CD1+, CD11c+ non-lymphoid cells residing in the extrathymic organs. , 1999, 29, 3962.		1
251	A MINIMAL MODEL OF T CELL-MEDIATED REGULATION OF THE ANTIBODY RESPONSE. , 1980, , 353-357.		1
252	AN ANTIGEN-SPECIFIC SUPPRESSOR T CELL FACTOR COMPOSED OF TWO DISTINCT POLYPEPTIDE CHAINS. , 1983, , 71-79.		1

#	ARTICLE	IF	CITATIONS
253	THE SITE OF ACTION OF IMMUNOSUPPRESSIVE AGENTS IN THE PRIMARY ANTIBODY RESPONSE OF THE RAT WITH SPECIAL REFERENCE TO I<sc>g</sc>E ANTIBODY FORMATION. Pathology International, 1974, 24, 449-464.	0.6	0
254	Application and Limitations of Differential Hybridization in the Isolation of T Cellâ€špecific cDNA Clones. Microbiology and Immunology, 1987, 31, 899-909.	0.7	0
255	Melanoma Antigen and Transforming Gene. Pigment Cell & Melanoma Research, 1988, 1, 192-200.	4.0	0
256	Genomic DNA with Transformation-Related Activity and Melanoma Antigen Expression. Journal of Investigative Dermatology, 1989, 92, S284-S288.	0.3	0
257	Genomic DNA with Transformation-Related Activity and Melanoma Antigen Expression.. Journal of Investigative Dermatology, 1989, 92, 284S-288S.	0.3	0
258	Syngeneic Monoclonal Antimelanoma Antibodies and Their Application for Analysis of Tumor Antigens, Gene Cloning, and In Vitro/In Vivo Diagnosis. Pigment Cell & Melanoma Research, 1989, 2, 254-258.	4.0	0
259	Biochemical Characterization of an Antigen-Specific Suppressor T Cell Factor. International Archives of Allergy and Immunology, 1989, 88, 323-331.	0.9	0
260	WHOLE BODY IRRADIATION INDUCES IFN- $\gamma$ PRODUCTION IN BALB/c MICE BY PREVENTING THE APPEARANCE OF A V $\beta$ 14+NK T DOWNREGULATORY POPULATION. Cytokine, 2000, 12, 1307-1311.	1.4	0
261	Suppression of IgE antibody responses by NKT cellsâ€šmechanisms of NKT cell-mediated regulatory function. International Congress Series, 2005, 1285, 179-183.	0.2	0
262	Introduction: Mechanisms of NKT-Cell-Mediated Adjuvant Activity and Function of iPS-Derived NKT Cells. , 2012, , 1-13.		0
263	Suppressor T Cell Receptor and Functional Molecule. , 1987, , 13-20.		0
264	DETERMINATION AND CHARACTERIZATION OF MELANOMA ANTIGENS RECOGNIZED BY MONOCLONAL ANTIBODIES. , 1989, , 281-292.		0
265	A Novel Immune System. V.ALPHA.14 NKT Cells.. The Journal of the Japanese Society of Lymphoreticular Tissue Research, 1999, 39, 201-205.	0.0	0
266	Functional Roles of Two Polypeptide Chains that Compose an Antigen-Specific Suppressor T Cell Factor. , 1983, , 575-583.		0