
Ana Paula Pires Eisele

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1351730/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Simultaneous Squareâ€Wave Voltammetric Determination of Paracetamol, Caffeine and Orphenadrine in Pharmaceutical Formulations Using a Cathodically Pretreated Boronâ€Doped Diamond Electrode. Electroanalysis, 2013, 25, 1734-1741.	1.5	59
2	Exploring the exocellular fungal biopolymer botryosphaeran for laccase-biosensor architecture and application to determine dopamine and spironolactone. Talanta, 2019, 204, 475-483.	2.9	45
3	Differential pulse voltammetric method for the individual and simultaneous determination of antihypertensive drug metoprolol and its association with hydrochlorothiazide in pharmaceutical dosage forms. Sensors and Actuators B: Chemical, 2016, 230, 630-638.	4.0	44
4	Electroanalytical application of a boron-doped diamond electrode: Improving the simultaneous voltammetric determination of amlodipine and valsartan in urine and combined dosage forms. Journal of Electroanalytical Chemistry, 2015, 738, 188-194.	1.9	42
5	Electrochemical evaluation of a boron-doped diamond electrode for simultaneous determination of an antihypertensive ternary mixture of amlodipine, hydrochlorothiazide and valsartan in pharmaceuticals. Analytical Methods, 2015, 7, 1053-1060.	1.3	35
6	Simultaneous determination of hydrochlorothiazide and valsartan in combined dosage forms: Electroanalytical performance of cathodically pretreated boron-doped diamond electrode. Journal of Electroanalytical Chemistry, 2014, 732, 46-52.	1.9	31
7	Exploiting the high oxidation potential of carisoprodol on a boron-doped diamond electrode: an improved method for its simultaneous determination with acetaminophen and caffeine. Analyst, The, 2017, 142, 3514-3521.	1.7	28
8	Layering of a film of carboxymethyl-botryosphaeran onto carbon black as a novel sensitive electrochemical platform on glassy carbon electrodes for the improvement in the simultaneous determination of phenolic compounds. Sensors and Actuators B: Chemical, 2019, 287, 18-26.	4.0	26
9	Simple and rapid determination of loratadine in pharmaceuticals using square-wave voltammetry and a cathodically pretreated boron-doped diamond electrode. Analytical Methods, 2015, 7, 8697-8703.	1.3	25
10	BiVO4–Bi2O3/ITO electrodes prepared by layer-by-layer: Application in the determination of atenolol in pharmaceutical formulations and urine. Journal of Electroanalytical Chemistry, 2016, 765, 30-36.	1.9	17
11	Fast and sensitive simultaneous determination of antihypertensive drugs amlodipine besylate and ramipril using an electrochemical method: application to pharmaceuticals and blood serum samples. Analytical Methods, 2019, 11, 4006-4013.	1.3	17
12	Simultaneous Voltammetric Determination of Antihypertensive Drugs Amlodipine and Atenolol in Pharmaceuticals Using a Cathodically Pretreated Boron-Doped Diamond Electrode. Journal of the Brazilian Chemical Society, 2016, , .	0.6	10
13	Versatility of a carbon paste electrode coupled to differential pulse voltammetry for determination of lisinopril with its associations (hydrochlorothiazide and amlodipine). Analytical Methods, 2017, 9, 4599-4608.	1.3	6