
Marco A Cassatella

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1352629/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Neutrophils in the activation and regulation of innate and adaptive immunity. Nature Reviews Immunology, 2011, 11, 519-531. | 10.6 | 2,306 |
| 2 | Activation of microglial cells by β-amyloid protein and interferon-γ. Nature, 1995, 374, 647-650. | 13.7 | 1,312 |
| 3 | The production of cytokines by polymorphonuclear neutrophils. Trends in Immunology, 1995, 16, 21-26. | 7.5 | 857 |
| 4 | Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). European Journal of Immunology, 2019, 49, 1457-1973. | 1.6 | 766 |
| 5 | The neutrophil as a cellular source of chemokines. Immunological Reviews, 2000, 177, 195-203. | 2.8 | 677 |
| 6 | Evidence for a cross-talk between human neutrophils and Th17 cells. Blood, 2010, 115, 335-343. | 0.6 | 655 |
| 7 | Neutrophil-Derived Cytokines: Facts Beyond Expression. Frontiers in Immunology, 2014, 5, 508. | 2.2 | 531 |
| 8 | Induction and regulatory function of miR-9 in human monocytes and neutrophils exposed to proinflammatory signals. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5282-5287. | 3.3 | 515 |
| 9 | The humoral pattern recognition receptor PTX3 is stored in neutrophil granules and localizes in extracellular traps. Journal of Experimental Medicine, 2007, 204, 793-804. | 4.2 | 492 |
| 10 | Interleukin 10 (IL-10) inhibits the release of proinflammatory cytokines from human polymorphonuclear leukocytes. Evidence for an autocrine role of tumor necrosis factor and IL-1 beta in mediating the production of IL-8 triggered by lipopolysaccharide Journal of Experimental Medicine, 1993, 178, 2207-2211. | 4.2 | 477 |
| 11 | Neutrophil-Derived Proteins: Selling Cytokines by the Pound. Advances in Immunology, 1999, 73, 369-509. | 1.1 | 474 |
| 12 | Phagocytosing neutrophils produce and release high amounts of the neutrophil-activating peptide 1/interleukin 8 Journal of Experimental Medicine, 1991, 173, 771-774. | 4.2 | 435 |
| 13 | Neutrophils: New insights and open questions. Science Immunology, 2018, 3, . | 5.6 | 348 |
| 14 | Social networking of human neutrophils within the immune system. Blood, 2014, 124, 710-719. | 0.6 | 329 |
| 15 | Activation of the NF-κB Pathway by Inflammatory Stimuli in Human Neutrophils. Blood, 1997, 89, 3421-3433. | 0.6 | 298 |
| 16 | G-CSF–stimulated Neutrophils Are a Prominent Source of Functional BLyS. Journal of Experimental Medicine, 2003, 197, 297-302. | 4.2 | 284 |
| 17 | Interleukin 10 (IL-10) upregulates IL-1 receptor antagonist production from lipopolysaccharide-stimulated human polymorphonuclear leukocytes by delaying mRNA degradation Journal of Experimental Medicine, 1994, 179, 1695-1699. | 4.2 | 270 |
| 18 | Interleukin-12 production by human polymorphonuclear leukocytes. European Journal of Immunology, 1995, 25, 1-5, | 1.6 | 266 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Involvement of Suppressor of Cytokine Signaling-3 as a Mediator of the Inhibitory Effects of IL-10 on Lipopolysaccharide-Induced Macrophage Activation. Journal of Immunology, 2002, 168, 6404-6411. | 0.4 | 256 |
| 20 | Mature CD10+ and immature CD10â^' neutrophils present in G-CSF–treated donors display opposite effects on T cells. Blood, 2017, 129, 1343-1356. | 0.6 | 248 |
| 21 | CXCL1/Macrophage Inflammatory Protein-2-Induced Angiogenesis In Vivo Is Mediated by Neutrophil-Derived Vascular Endothelial Growth Factor-A. Journal of Immunology, 2004, 172, 5034-5040. | 0.4 | 243 |
| 22 | Neutrophils in innate and adaptive immunity. Seminars in Immunopathology, 2013, 35, 377-394. | 2.8 | 221 |
| 23 | Gene expression and production of the monokine induced by IFN-gamma (MIG), IFN-inducible T cell alpha chemoattractant (I-TAC), and IFN-gamma-inducible protein-10 (IP-10) chemokines by human neutrophils. Journal of Immunology, 1999, 162, 4928-37. | 0.4 | 219 |
| 24 | Human neutrophils in the saga of cellular heterogeneity: insights and open questions. Immunological Reviews, 2016, 273, 48-60. | 2.8 | 207 |
| 25 | Fc gamma R(CD16) interaction with ligand induces Ca2+ mobilization and phosphoinositide turnover in human natural killer cells. Role of Ca2+ in Fc gamma R(CD16)-induced transcription and expression of lymphokine genes Journal of Experimental Medicine, 1989, 169, 549-567. | 4.2 | 204 |
| 26 | Interleukin-10 (IL-10) Selectively Enhances CIS3/SOCS3 mRNA Expression in Human Neutrophils: Evidence for an IL-10–Induced Pathway That Is Independent of STAT Protein Activation. Blood, 1999, 94, 2880-2889. | 0.6 | 198 |
| 27 | IL-10–induced microRNA-187 negatively regulates TNF-α, IL-6, and IL-12p40 production in TLR4-stimulated monocytes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E3101-10. | 3.3 | 191 |
| 28 | Toll-Like Receptor-3-Activated Human Mesenchymal Stromal Cells Significantly Prolong the Survival and Function of Neutrophils. Stem Cells, 2011, 29, 1001-1011. | 1.4 | 185 |
| 29 | Neutrophil-derived chemokines on the road to immunity. Seminars in Immunology, 2016, 28, 119-128. | 2.7 | 184 |
| 30 | Molecular basis of interferon-gamma and lipopolysaccharide enhancement of phagocyte respiratory burst capability. Studies on the gene expression of several NADPH oxidase components. Journal of Biological Chemistry, 1990, 265, 20241-20246. | 1.6 | 184 |
| 31 | Deciphering myeloid-derived suppressor cells: isolation and markers in humans, mice and non-human primates. Cancer Immunology, Immunotherapy, 2019, 68, 687-697. | 2.0 | 168 |
| 32 | Molecular basis of interferon-gamma and lipopolysaccharide enhancement of phagocyte respiratory burst capability. Studies on the gene expression of several NADPH oxidase components. Journal of Biological Chemistry, 1990, 265, 20241-6. | 1.6 | 162 |
| 33 | Gamma interferon is able to enhance the oxidative metabolism of human neutrophils. Biochemical and Biophysical Research Communications, 1986, 138, 1276-1282. | 1.0 | 160 |
| 34 | On the cytokines produced by human neutrophils in tumors. Seminars in Cancer Biology, 2013, 23, 159-170. | 4.3 | 151 |
| 35 | Proinflammatory profile of cytokine production by human monocytes and murine microglia stimulated with \hat{l}^2 -amyloid[25â \in "35]. Journal of Neuroimmunology, 1999, 93, 45-52. | 1.1 | 148 |
| 36 | IFNα-stimulated neutrophils and monocytes release a soluble form of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) displaying apoptotic activity on leukemic cells. Blood, 2004, 103, 3837-3844. | 0.6 | 146 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Biological Roles of Neutrophil-Derived Granule Proteins and Cytokines. Trends in Immunology, 2019, 40, 648-664. | 2.9 | 145 |
| 38 | Unique Regulation of CCL18 Production by Maturing Dendritic Cells. Journal of Immunology, 2003, 170, 3843-3849. | 0.4 | 144 |
| 39 | Proliferating cell nuclear antigen acts as a cytoplasmic platform controlling human neutrophil survival. Journal of Experimental Medicine, 2010, 207, 2631-2645. | 4.2 | 144 |
| 40 | Sulfatides trigger increase of cytosolic free calcium and enhanced expression of tumor necrosis factor-alpha and interleukin-8 mRNA in human neutrophils. Evidence for a role of L-selectin as a signaling molecule. Journal of Biological Chemistry, 1994, 269, 4021-6. | 1.6 | 142 |
| 41 | Neutrophils produce biologically active macrophage inflammatory protein-3α (MIP-3α) / CCL20 and MIP-3β / CCL19. European Journal of Immunology, 2001, 31, 1981-1988. | 1.6 | 139 |
| 42 | Proinflammatory mediators elicit secretion of the intracellular B-lymphocyte stimulator pool (BLyS) that is stored in activated neutrophils: implications for inflammatory diseases. Blood, 2005, 105, 830-837. | 0.6 | 139 |
| 43 | Regulation of B-cell-activating factor (BAFF)/B lymphocyte stimulator (BLyS) expression in human neutrophils. Immunology Letters, 2008, 116, 1-6. | 1.1 | 139 |
| 44 | Regulated production of the interferon-γ-inducible proteinâ^'10 (IP-10) chemokine by human neutrophils. European Journal of Immunology, 1997, 27, 111-115. | 1.6 | 138 |
| 45 | Innate immunity defects in Hermansky-Pudlak type 2 syndrome. Blood, 2006, 107, 4857-4864. | 0.6 | 136 |
| 46 | Differential regulation of chemokine production by Fc receptor engagement in human monocytes: association of CCL1 with a distinct form of M2 monocyte activation (M2b, Type 2). Journal of Leukocyte Biology, 2006, 80, 342-349. | 1.5 | 131 |
| 47 | Regulating neutrophil apoptosis: new players enter the game. Trends in Immunology, 2011, 32, 117-124. | 2.9 | 126 |
| 48 | IL-8 production by human polymorphonuclear leukocytes. The chemoattractant formyl-methionyl-leucyl-phenylalanine induces the gene expression and release of IL-8 through a pertussis toxin-sensitive pathway. Journal of Immunology, 1992, 148, 3216-20. | 0.4 | 126 |
| 49 | Generation of Biologically Active Angiostatin Kringle 1–3 by Activated Human Neutrophils. Journal of Immunology, 2002, 168, 5798-5804. | 0.4 | 125 |
| 50 | The defensive alliance between neutrophils and NK cells as a novel arm of innate immunity. Journal of Leukocyte Biology, 2010, 89, 221-233. | 1.5 | 114 |
| 51 | Interleukin-15 (IL-15) Induces NF-κB Activation and IL-8 Production in Human Neutrophils. Blood, 1998, 92, 4828-4835. | 0.6 | 113 |
| 52 | Understanding the molecular mechanisms of the multifaceted ILâ€10â€mediated antiâ€inflammatory response: Lessons from neutrophils. European Journal of Immunology, 2010, 40, 2360-2368. | 1.6 | 112 |
| 53 | Cytokine production by human neutrophils: Revisiting the "dark side of the moon― European Journal of Clinical Investigation, 2018, 48, e12952. | 1.7 | 112 |
| 54 | Activation of nuclear factor-lºB by l²-amyloid peptides and interferon-l̂³ in murine microglia. Journal of Neuroimmunology, 1997, 77, 51-56. | 1.1 | 110 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Soluble TNF-Like Cytokine (TL1A) Production by Immune Complexes Stimulated Monocytes in Rheumatoid Arthritis. Journal of Immunology, 2007, 178, 7325-7333. | 0.4 | 109 |
| 56 | Pentoxifylline as a Supportive Agent in the Treatment of Cerebral Malaria in Children. Journal of Infectious Diseases, 1995, 171, 1317-1322. | 1.9 | 105 |
| 57 | The MYD88-Independent Pathway Is Not Mobilized in Human Neutrophils Stimulated via TLR4. Journal of Immunology, 2007, 178, 7344-7356. | 0.4 | 102 |
| 58 | Neutrophil activation and survival are modulated by interaction with NK cells. International Immunology, 2010, 22, 827-838. | 1.8 | 101 |
| 59 | Proteinase 3 on apoptotic cells disrupts immune silencing in autoimmune vasculitis. Journal of Clinical Investigation, 2015, 125, 4107-4121. | 3.9 | 101 |
| 60 | Gene Expression and Production of Tumor Necrosis Factor Alpha, Interleukin-1î ² (IL-1î ²), IL-8, Macrophage Inflammatory Protein 1α (MIP-1α), MIP-1Î ² , and Gamma Interferon-Inducible Protein 10 by Human Neutrophils Stimulated with Group B Meningococcal Outer Membrane Vesicles. Infection and Immunity, 2000, 68, 6917-6923. | 1.0 | 99 |
| 61 | Synovial fluid neutrophils transcribe and express class II major histocompatibility complex molecules in rheumatoid arthritis. Arthritis and Rheumatism, 2003, 48, 2796-2806. | 6.7 | 99 |
| 62 | Activation of an Immunoregulatory and Antiviral Gene Expression Program in Poly(I:C)-Transfected Human Neutrophils. Journal of Immunology, 2008, 181, 6563-6573. | 0.4 | 99 |
| 63 | Group 3 innate lymphoid cells regulate neutrophil migration and function in human decidua. Mucosal Immunology, 2016, 9, 1372-1383. | 2.7 | 99 |
| 64 | Up-Regulation of IL-10R1 Expression Is Required to Render Human Neutrophils Fully Responsive to IL-10. Journal of Immunology, 2001, 167, 2312-2322. | 0.4 | 97 |
| 65 | Myeloid cells, BAFF, and IFN-Î ³ establish an inflammatory loop that exacerbates autoimmunity in Lyn-deficient mice. Journal of Experimental Medicine, 2010, 207, 1757-1773. | 4.2 | 93 |
| 66 | Human neutrophils interact with both 6-sulfo LacNAc+ DC and NK cells to amplify NK-derived IFNÎ ³ : role of CD18, ICAM-1, and ICAM-3. Blood, 2011, 117, 1677-1686. | 0.6 | 92 |
| 67 | On the detection of neutrophil-derived vascular endothelial growth factor (VEGF). Journal of Immunological Methods, 1999, 232, 121-129. | 0.6 | 88 |
| 68 | The Neutrophil-Activating Protein of <i>Helicobacter pylori</i> Crosses Endothelia to Promote Neutrophil Adhesion In Vivo. Journal of Immunology, 2007, 178, 1312-1320. | 0.4 | 87 |
| 69 | Chromatin remodelling and autocrine TNF \hat{I} ± are required for optimal interleukin-6 expression in activated human neutrophils. Nature Communications, 2015, 6, 6061. | 5.8 | 87 |
| 70 | Neutrophil-Derived Cytokines Involved in Physiological and Pathological Angiogenesis. Chemical Immunology and Allergy, 2014, 99, 123-137. | 1.7 | 86 |
| 71 | Cytokine Expression and Release by Neutrophils. Annals of the New York Academy of Sciences, 1997, 832, 233-242. | 1.8 | 85 |
| 72 | Recent advances on the crosstalk between neutrophils and B or T lymphocytes. Immunology, 2019, 156, 23-32. | 2.0 | 85 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | SARS-CoV-2–associated ssRNAs activate inflammation and immunity via TLR7/8. JCI Insight, 2021, 6, . | 2.3 | 84 |
| 74 | The neutrophil: one of the cellular targets of interleukin-10. International Journal of Clinical and Laboratory Research, 1998, 28, 148-161. | 1.0 | 81 |
| 75 | IFNα enhances the production of IL-6 by human neutrophils activated via TLR8. Scientific Reports, 2016, 6, 19674. | 1.6 | 80 |
| 76 | Interferon-gamma activates human neutrophil oxygen metabolism and exocytosis. Immunology, 1988, 63, 499-506. | 2.0 | 80 |
| 77 | Phagocytosis of Opsonized Yeast Induces Tumor Necrosis Factor-α mRNA Accumulation and Protein Release by Human Polymorphonuclear Leukocytes. Journal of Leukocyte Biology, 1991, 50, 223-228. | 1.5 | 79 |
| 78 | Complete dissociation between the activation of phosphoinositide turnover and of NADPH oxidase by formyl-methionyl-leucyl-phenylalanine in human neutrophils depleted of Ca2+ and primed by subthreshold doses of phorbol 12,myristate 13,acetate. Biochemical and Biophysical Research Communications, 1986, 135, 785-794. | 1.0 | 78 |
| 79 | Identification of granulocytic myeloid-derived suppressor cells (G-MDSCs) in the peripheral blood of Hodgkin and non-Hodgkin lymphoma patients. Oncotarget, 2016, 7, 27676-27688. | 0.8 | 78 |
| 80 | Identification of TLR4 as the Receptor That Recognizes Shiga Toxins in Human Neutrophils. Journal of Immunology, 2013, 191, 4748-4758. | 0.4 | 76 |
| 81 | Phorbol 12, myristate 13, acetate potentiates the respiratory burst while inhibits phosphoinositide hydrolysis and calcium mobilization by formyl-methionyl-leucyl-phenylalanine in human neutrophils. Biochemical and Biophysical Research Communications, 1986, 135, 556-565. | 1.0 | 72 |
| 82 | Interferon-activated neutrophils store a TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) intracellular pool that is readily mobilizable following exposure to proinflammatory mediators. Journal of Leukocyte Biology, 2006, 79, 123-132. | 1.5 | 72 |
| 83 | Tumor necrosis factor and immune interferon synergistically induce cytochrome b-245 heavy-chain gene expression and nicotinamide-adenine dinucleotide phosphate hydrogenase oxidase in human leukemic myeloid cells Journal of Clinical Investigation, 1989, 83, 1570-1579. | 3.9 | 71 |
| 84 | Failure to detect production of IL-10 by activated human neutrophils. Nature Immunology, 2011, 12, 1017-1018. | 7.0 | 70 |
| 85 | Beta-amyloid (25-35) peptide and IFN-gamma synergistically induce the production of the chemotactic cytokine MCP-1/JE in monocytes and microglial cells. Journal of Immunology, 1996, 157, 1213-8. | 0.4 | 69 |
| 86 | Cytokine cross-talk between phagocytic cells and lymphocytes: Relevance for differentiation/activation of phagocytic cells and regulation of adaptive immunity. Journal of Cellular Biochemistry, 1993, 53, 301-308. | 1.2 | 66 |
| 87 | Activation by gamma interferon of human macrophage capability to produce toxic oxygen molecules is accompanied by decreased km of the superoxide-generating NADPH oxidase. Biochemical and Biophysical Research Communications, 1985, 132, 908-914. | 1.0 | 65 |
| 88 | mRNA expression and release of interleukin-8 induced by serum amyloid A in neutrophils and monocytes. Mediators of Inflammation, 2003, 12, 173-178. | 1.4 | 65 |
| 89 | Group V Secreted Phospholipase A2 Induces the Release of Proangiogenic and Antiangiogenic Factors by Human Neutrophils. Frontiers in Immunology, 2017, 8, 443. | 2.2 | 65 |
| 90 | The importance of being "pure―neutrophils. Journal of Allergy and Clinical Immunology, 2017, 139, 352-355.e6. | 1.5 | 64 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Modulation of Proinflammatory Cytokine Release from Human Polymorphonuclear Leukocytes by Gamma Interferon. Cellular Immunology, 1994, 157, 448-461. | 1.4 | 63 |
| 92 | CD30 ligation induces nuclear factor-ϰB activation in human T cell lines. European Journal of Immunology, 1995, 25, 2870-2876. | 1.6 | 63 |
| 93 | Analysis of SOCS-3 Promoter Responses to Interferon γ. Journal of Biological Chemistry, 2004, 279, 13746-13754. | 1.6 | 63 |
| 94 | Human Innate Lymphoid Cells: Their Functional and Cellular Interactions in Decidua. Frontiers in Immunology, 2018, 9, 1897. | 2.2 | 62 |
| 95 | Neutrophils produce biologically active macrophage inflammatory protein-3alpha (MIP-3alpha)/CCL20 and MIP-3beta/CCL19. European Journal of Immunology, 2001, 31, 1981-8. | 1.6 | 61 |
| 96 | Interleukin-10 (IL-10) selectively enhances CIS3/SOCS3 mRNA expression in human neutrophils: evidence for an IL-10-induced pathway that is independent of STAT protein activation. Blood, 1999, 94, 2880-9. | 0.6 | 60 |
| 97 | Interferon gamma induces in human neutrophils and macrophages expression of the mRNA for the high affinity receptor for monomeric IgG (Fcl³R-I or CD64). Biochemical and Biophysical Research Communications, 1990, 170, 582-588. | 1.0 | 59 |
| 98 | Cutting Edge: An Inactive Chromatin Configuration at the IL-10 Locus in Human Neutrophils. Journal of Immunology, 2013, 190, 1921-1925. | 0.4 | 59 |
| 99 | Impaired natural killer cell functions in patients with signal transducer and activator of transcription 1 (STAT1) gain-of-function mutations. Journal of Allergy and Clinical Immunology, 2017, 140, 553-564.e4. | 1.5 | 58 |
| 100 | The Long Non-coding RNA NRIR Drives IFN-Response in Monocytes: Implication for Systemic Sclerosis. Frontiers in Immunology, 2019, 10, 100. | 2.2 | 58 |
| 101 | Effect of substance P on superoxide anion and IL-8 production by human PMNL. Immunology, 1994, 82, 63-9. | 2.0 | 58 |
| 102 | Activation of Distinct Transcription Factors in Neutrophils by Bacterial LPS, Interferon-γ, and GM-CSF and the Necessity to Overcome the Action of Endogenous Proteasesâ€. Biochemistry, 1998, 37, 13165-13173. | 1.2 | 56 |
| 103 | Interferon-gamma inhibits interleukin-8 production by human polymorphonuclear leucocytes. Immunology, 1993, 78, 177-84. | 2.0 | 56 |
| 104 | Tumor-associated macrophages as major source of APRIL in gastric MALT lymphoma. Blood, 2011, 117, 6612-6616. | 0.6 | 55 |
| 105 | Molecular mechanisms underlying the synergistic induction of CXCL10 by LPS and IFNâ€Î³ in human neutrophils. European Journal of Immunology, 2007, 37, 2627-2634. | 1.6 | 51 |
| 106 | Apolipoproteins A-I and A-II downregulate neutrophil functions. Lipids, 2002, 37, 925-928. | 0.7 | 50 |
| 107 | Activation of transcription factor NF-κB by phagocytic stimuli in human neutrophils. FEBS Letters, 1997, 412, 583-586. | 1.3 | 49 |
| 108 | A Reappraisal on the Potential Ability of Human Neutrophils to Express and Produce IL-17 Family Members In Vitro: Failure to Reproducibly Detect It. Frontiers in Immunology, 2018, 9, 795. | 2.2 | 49 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | On the production of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2L) by human neutrophils. Journal of Leukocyte Biology, 2006, 79, 1140-1149. | 1.5 | 46 |
| 110 | Ligation of the FcRÎ ³ Chain-Associated Human Osteoclast-Associated Receptor Enhances the Proinflammatory Responses of Human Monocytes and Neutrophils. Journal of Immunology, 2006, 176, 3149-3156. | 0.4 | 46 |
| 111 | Uncovering an ILâ€10â€dependent NFâ€KB recruitment to the ILâ€1ra promoter that is impaired in STAT3 functionally defective patients. FASEB Journal, 2010, 24, 1365-1375. | 0.2 | 45 |
| 112 | Never Underestimate the Power of a Neutrophil. Immunity, 2009, 31, 698-700. | 6.6 | 44 |
| 113 | Modulation of human neutrophil survival and antigen expression by activated CD4+ and CD8+ T cells. Journal of Leukocyte Biology, 2010, 88, 1163-1170. | 1.5 | 44 |
| 114 | Human Neutrophils Produce CCL23 in Response to Various TLR-Agonists and TNFα. Frontiers in Cellular and Infection Microbiology, 2017, 7, 176. | 1.8 | 44 |
| 115 | Human neutrophils activated via TLR8 promote Th17 polarization through IL-23. Journal of Leukocyte Biology, 2019, 105, 1155-1165. | 1.5 | 44 |
| 116 | Expression and role of CCR6/CCL20 chemokine axis in pulmonary sarcoidosis. Journal of Leukocyte Biology, 2007, 82, 946-955. | 1.5 | 43 |
| 117 | β-Amyloid(25–35) induces the production of interleukin-8 from human monocytes. Journal of Neuroimmunology, 1995, 59, 29-33. | 1.1 | 41 |
| 118 | High affinity receptor for IgG (Fc gamma RI/CD64) gene and STAT protein binding to the IFN-gamma response region (GRR) are regulated differentially in human neutrophils and monocytes by IL-10. Journal of Immunology, 1998, 160, 911-9. | 0.4 | 41 |
| 119 | Lipopolysaccharide-induced interleukin-8 gene expression in human granulocytes: transcriptional inhibition by interferon- <i>l³</i> . Biochemical Journal, 1995, 310, 751-755. | 1.7 | 40 |
| 120 | Interleukin-15 and its impact on neutrophil function. Current Opinion in Hematology, 2000, 7, 174-177. | 1.2 | 40 |
| 121 | Epithelial CXCR3-B Regulates Chemokines Bioavailability in Normal, but Not in Sjögren's Syndrome, Salivary Glands. Journal of Immunology, 2006, 176, 2581-2589. | 0.4 | 40 |
| 122 | Epigenetic regulation of neutrophil development and function. Seminars in Immunology, 2016, 28, 83-93. | 2.7 | 39 |
| 123 | Plasmacytoid Dendritic Cells Depletion and Elevation of IFN-Î ³ Dependent Chemokines CXCL9 and CXCL10 in Children With Multisystem Inflammatory Syndrome. Frontiers in Immunology, 2021, 12, 654587. | 2.2 | 39 |
| 124 | Granulocyte colony-stimulating factor induces the binding of STAT1 and STAT3 to the IFNÎ ³ response region within the promoter of the FcÎ ³ RI/CD64 gene in human neutrophils. FEBS Letters, 1996, 386, 239-242. | 1.3 | 37 |
| 125 | slanDCs selectively accumulate in carcinoma-draining lymph nodes and marginate metastatic cells. Nature Communications, 2014, 5, 3029. | 5.8 | 36 |
| 126 | Interferon-gamma transcriptionally modulates the expression of the genes for the high affinity IgG-Fc receptor and the 47-kDa cytosolic component of NADPH oxidase in human polymorphonuclear leukocytes. Journal of Biological Chemistry, 1991, 266, 22079-82. | 1.6 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Priming of monocyte respiratory burst by β-amyloid fragment (25–35). Neuroscience Letters, 1996, 219, 91-94. | 1.0 | 35 |
| 128 | Engagement of BDCA-2 blocks TRAIL-mediated cytotoxic activity of plasmacytoid dendritic cells. Immunobiology, 2009, 214, 868-876. | 0.8 | 35 |
| 129 | IFN-β Expression Is Directly Activated in Human Neutrophils Transfected with Plasmid DNA and Is Further Increased via TLR-4–Mediated Signaling. Journal of Immunology, 2012, 189, 1500-1509. | 0.4 | 35 |
| 130 | The TNF-Family Cytokine TL1A Inhibits Proliferation of Human Activated B Cells. PLoS ONE, 2013, 8, e60136. | 1.1 | 34 |
| 131 | Functional analysis of the CD300e receptor in human monocytes and myeloid dendritic cells. European Journal of Immunology, 2010, 40, 722-732. | 1.6 | 32 |
| 132 | Orchestration of Inflammation and Adaptive Immunity in <i>Borrelia burgdorferi</i> –Induced Arthritis by Neutrophilâ€Activating Protein A. Arthritis and Rheumatism, 2013, 65, 1232-1242. | 6.7 | 32 |
| 133 | CCL20/macrophage inflammatory protein-3? production in LPS-stimulated neutrophils is enhanced by the chemoattractant formyl-methionyl-leucyl-phenylalanine and IFN-? through independent mechanisms. European Journal of Immunology, 2002, 32, 3515-3524. | 1.6 | 31 |
| 134 | Human dendritic cell subset 4 (DC4) correlates to a subset of CD14dim/â^'CD16++ monocytes. Journal of Allergy and Clinical Immunology, 2018, 141, 2276-2279.e3. | 1.5 | 31 |
| 135 | slan+ Monocytes and Macrophages Mediate CD20-Dependent B-cell Lymphoma Elimination via ADCC and ADCP. Cancer Research, 2018, 78, 3544-3559. | 0.4 | 31 |
| 136 | Molecular basis of the synergistic production of IL-1 receptor antagonist by human neutrophils stimulated with IL-4 and IL-10. International Immunology, 2002, 14, 1145-1153. | 1.8 | 30 |
| 137 | Lipopolysaccharide primes neutrophils for a rapid response to IL-10. European Journal of Immunology, 2005, 35, 1877-1885. | 1.6 | 30 |
| 138 | Granulocyte-Macrophage Colony-Stimulating Factor Induces Expression of Heparin-Binding Epidermal Growth Factor–Like Growth Factor/Diphtheria Toxin Receptor and Sensitivity to Diphtheria Toxin in Human Neutrophils. Blood, 1999, 94, 3169-3177. | 0.6 | 28 |
| 139 | High serum levels of B-lymphocyte stimulator are associated with clinical?pathological features and outcome in classical Hodgkin lymphoma. British Journal of Haematology, 2007, 137, 553-559. | 1.2 | 28 |
| 140 | CD66bâ^'CD64dimCD115â^' cells in the human bone marrow represent neutrophil-committed progenitors. Nature Immunology, 2022, 23, 679-691. | 7.0 | 28 |
| 141 | IL-10 disrupts the Brd4-docking sites to inhibit LPS-induced CXCL8 and TNF-α expression in monocytes: Implications for chronic obstructive pulmonary disease. Journal of Allergy and Clinical Immunology, 2015, 136, 781-791.e9. | 1.5 | 27 |
| 142 | IL-8 mRNA expression and IL-8 production by acute myeloid leukemia cells. Leukemia, 1993, 7, 1552-6. | 3.3 | 27 |
| 143 | Circulating neutrophils of septic patients constitutively express IL-10R1 and are promptly responsive to IL-10. International Immunology, 2008, 20, 535-541. | 1.8 | 26 |
| 144 | SH2â€domain mutations in <i>STAT3</i> in hyperâ€lgE syndrome patients result in impairment of ILâ€10 function. European Journal of Immunology, 2011, 41, 3075-3084. | 1.6 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | 6-Sulfo LacNAc (Slan) as a Marker for Non-classical Monocytes. Frontiers in Immunology, 2019, 10, 2052. | 2.2 | 26 |
| 146 | Production of tumor necrosis factor and other proinflammatory cytokines by human mononuclear phagocytes stimulated with myelin P2 protein Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 4414-4418. | 3.3 | 25 |
| 147 | Impaired cytokine production by neutrophils isolated from patients with AIDS. Aids, 1998, 12, 373-379. | 1.0 | 25 |
| 148 | ILâ€10 modulates cytokine gene transcription by protein synthesisâ€independent and dependent mechanisms in lipopolysaccharideâ€treated neutrophils. European Journal of Immunology, 2007, 37, 3176-3189. | 1.6 | 25 |
| 149 | G Protein-Coupled Estrogen Receptor 1 Regulates Human Neutrophil Functions. Biomedicine Hub, 2017, 2, 1-13. | 0.4 | 25 |
| 150 | Generation of superoxide anion by alveolar macrophages in sarcoidosis: evidence for the activation of the oxygen metabolism in patients with high-intensity alveolitis. Immunology, 1989, 66, 451-8. | 2.0 | 25 |
| 151 | Interferon-λs and Plasmacytoid Dendritic Cells: A Close Relationship. Frontiers in Immunology, 2017, 8, 1015. | 2.2 | 24 |
| 152 | slan/M-DC8+ cells constitute a distinct subset of dendritic cells in human tonsils. Oncotarget, 2016, 7, 161-175. | 0.8 | 24 |
| 153 | Role of MyD88 signaling in the imiquimod-induced mouse model of psoriasis: focus on innate myeloid cells. Journal of Leukocyte Biology, 2017, 102, 791-803. | 1.5 | 23 |
| 154 | Partial purification of the superoxide-generating system of macrophages. Possible association of the NADPH oxidase activity with a low-potential (â~247 mV) cytochrome b. Biochimica Et Biophysica Acta - Bioenergetics, 1985, 810, 164-173. | 0.5 | 22 |
| 155 | Heparin-Binding Epidermal Growth Factor–Like Growth Factor/Diphtheria Toxin Receptor Expression by Acute Myeloid Leukemia Cells. Blood, 1999, 93, 1715-1723. | 0.6 | 22 |
| 156 | Endogenously produced TNF-α contributes to the expression of CXCL10/IP-10 in IFN-λ3-activated plasmacytoid dendritic cells. Journal of Leukocyte Biology, 2016, 99, 107-119. | 1.5 | 22 |
| 157 | TL1A/DR3 axis involvement in the inflammatory cytokine network during pulmonary sarcoidosis. Clinical and Molecular Allergy, 2015, 13, 16. | 0.8 | 21 |
| 158 | Endothelinâ€1 receptor blockade as new possible therapeutic approach in multiple myeloma. British Journal of Haematology, 2017, 178, 781-793. | 1.2 | 21 |
| 159 | Neutrophil-Expressed p21/waf1 Favors Inflammation Resolution in <i>Pseudomonas aeruginosa</i> Infection. American Journal of Respiratory Cell and Molecular Biology, 2016, 54, 740-750. | 1.4 | 20 |
| 160 | CSF1R Is Required for Differentiation and Migration of Langerhans Cells and Langerhans Cell Histiocytosis. Cancer Immunology Research, 2020, 8, 829-841. | 1.6 | 20 |
| 161 | Studies on the gene expression of several NADPH oxidase components. Biochemical Society Transactions, 1991, 19, 63-67. | 1.6 | 19 |
| 162 | Interferon-Î ³ inhibits the lipopolysaccharide-induced macrophage inflammatory protein-1α gene transcription in human neutrophils. Immunology Letters, 1996, 49, 79-82. | 1.1 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Cytoplasmic receptors recognizing nucleic acids and mediating immune functions in neutrophils. Current Opinion in Pharmacology, 2013, 13, 547-554. | 1.7 | 19 |
| 164 | Fast and Accurate Quantitative Analysis of Cytokine Gene Expression in Human Neutrophils. Methods in Molecular Biology, 2014, 1124, 451-467. | 0.4 | 19 |
| 165 | ILâ€10â€producing BÂcells are characterized by a specific methylation signature. European Journal of Immunology, 2019, 49, 1213-1225. | 1.6 | 19 |
| 166 | Helicobacter pylori-derived neutrophil-activating protein increases the lifespan of monocytes and neutrophils. Cellular Microbiology, 2010, 12, 754-764. | 1.1 | 18 |
| 167 | Molecular basis of macrophage activation. Expression of the low potential cytochrome b and its reduction upon cell stimulation in activated macrophages. Journal of Immunology, 1986, 136, 1393-9. | 0.4 | 18 |
| 168 | Tumour-infiltrating lymphocytes bear the 75 kDa tumour necrosis factor receptor. British Journal of Cancer, 1995, 71, 240-245. | 2.9 | 17 |
| 169 | ICAM-1 induction in respiratory cells exposed to a replication-deficient recombinant adenovirus in vitro and in vivo. Gene Therapy, 1998, 5, 131-136. | 2.3 | 17 |
| 170 | The global response to the COVID-19 pandemic: how have immunology societies contributed?. Nature Reviews Immunology, 2020, 20, 594-602. | 10.6 | 17 |
| 171 | On the potential involvement of CD11d in co-stimulating the production of interferon-Â by natural killer cells upon interaction with neutrophils via intercellular adhesion molecule-3. Haematologica, 2011, 96, 1543-1547. | 1.7 | 16 |
| 172 | Reduction of CRKL expression in patients with partial DiGeorge syndrome is associated with impairment of T-cell functions. Journal of Allergy and Clinical Immunology, 2016, 138, 229-240.e3. | 1.5 | 16 |
| 173 | Studies on the Regulatory Mechanisms of Interleukin-8 Gene Expression in Resting and IFN-y-Treated Neutrophils: Evidence on the Capability of Staurosporine of Inducing the Production of Interleukin-8 by Human Neutrophils. Biochemical and Biophysical Research Communications, 1993, 190, 660-667. | 1.0 | 15 |
| 174 | Multisystem autoimmune disease caused by increased STAT3 phosphorylation and dysregulated gene expression. Haematologica, 2019, 104, e322-e325. | 1.7 | 15 |
| 175 | Measurement of NADPH oxidase activity in detergent lysates of human and mouse macrophage monolayers. Journal of Immunological Methods, 1986, 92, 231-240. | 0.6 | 14 |
| 176 | RelB activation in anti-inflammatory decidual endothelial cells: a master plan to avoid pregnancy failure?. Scientific Reports, 2015, 5, 14847. | 1.6 | 14 |
| 177 | Induction of OCT2 contributes to regulate the gene expression program in human neutrophils activated via TLR8. Cell Reports, 2021, 35, 109143. | 2.9 | 14 |
| 178 | Tumorâ€associated neutrophils (TANs) in human carcinomaâ€draining lymph nodes: a novel TAN compartment. Clinical and Translational Immunology, 2021, 10, e1252. | 1.7 | 14 |
| 179 | Location in the spleen dictates the function of murine neutrophils. Journal of Experimental Medicine, 2017, 214, 1207-1209. | 4.2 | 13 |
| 180 | Presence of cytochromebâ^'245in NADPH oxidase preparations from human neutrophils. FEBS Letters, 1986, 199, 159-163. | 1.3 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Modulation by Interferon-Î ³ of the Production and Gene Expression of IL-1 Receptor Antagonist in Human Neutrophils. Cellular Immunology, 1998, 184, 45-50. | 1.4 | 12 |
| 182 | Editorial: Celebrating the 50th anniversary of the seminal discovery that the phagocyte respiratory burst enzyme is an NADPH oxidase. Journal of Leukocyte Biology, 2015, 97, 1-2. | 1.5 | 12 |
| 183 | On the Improper Use of the Term High-Density Neutrophils. Trends in Immunology, 2020, 41, 1059-1061. | 2.9 | 12 |
| 184 | Human neutrophils activated by TLR8 agonists, with or without IFNγ, synthesize and release EBI3, but not IL-12, IL-27, IL-35, or IL-39. Journal of Leukocyte Biology, 2020, 108, 1515-1526. | 1.5 | 12 |
| 185 | Regulation of GRO alpha production in human granulocytes. Journal of Inflammation, 1995, 45, 143-51. | 0.1 | 12 |
| 186 | Analysis of the Bak protein expression in human polymorphonuclear neutrophils. International Journal of Clinical and Laboratory Research, 1999, 29, 41-45. | 1.0 | 11 |
| 187 | Uncovering the multifaceted roles played by neutrophils in allogeneic hematopoietic stem cell transplantation. Cellular and Molecular Immunology, 2021, 18, 905-918. | 4.8 | 11 |
| 188 | Fast and Accurate Quantitative Analysis of Cytokine Gene Expression in Human Neutrophils by Reverse Transcription Real-Time PCR. Methods in Molecular Biology, 2007, 412, 455-471. | 0.4 | 11 |
| 189 | Expression and function of the TL1A/DR3 axis in chronic lymphocytic leukemia. Oncotarget, 2015, 6, 32061-32074. | 0.8 | 11 |
| 190 | Granulocyte-macrophage colony-stimulating factor induces expression of heparin-binding epidermal growth factor-like growth factor/diphtheria toxin receptor and sensitivity to diphtheria toxin in human neutrophils. Blood, 1999, 94, 3169-77. | 0.6 | 11 |
| 191 | Synergistic production of TNFα and IFNα by human pDCs incubated with IFNλ3 and IL-3. Cytokine, 2016, 86, 124-131. | 1.4 | 10 |
| 192 | ILâ€12 is involved in the activation of CD3 + granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. British Journal of Haematology, 1996, 92, 308-314. | 1.2 | 9 |
| 193 | Neutrophils promote 6-sulfo LacNAc+dendritic cell (slanDC) survival. Journal of Leukocyte Biology, 2013, 94, 705-710. | 1.5 | 9 |
| 194 | In reply to SchÃfer <i>etÂal</i> : new evidence on the role of endothelinâ€1 axis as a potential therapeutic target in multiple myeloma. British Journal of Haematology, 2019, 184, 1052-1055. | 1.2 | 9 |
| 195 | Targeting the Endothelin-1 Receptors Curtails Tumor Growth and Angiogenesis in Multiple Myeloma. Frontiers in Oncology, 2020, 10, 600025. | 1.3 | 9 |
| 196 | Interleukin-15 (IL-15) Induces NF-κB Activation and IL-8 Production in Human Neutrophils. Blood, 1998, 92, 4828-4835. | 0.6 | 9 |
| 197 | Isolation and characterization of a cDNA clone for a novel serine-rich neutrophil protein. Biochemical and Biophysical Research Communications, 1990, 170, 915-922. | 1.0 | 8 |
| 198 | Interleukin-10 Decreases Tyrosine Phosphorylation of Discrete Lipopolysaccharide-Induced Phosphoproteins in Human Granulocytes. Biochemical and Biophysical Research Communications, 1995, 209, 87-94. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | On the co-purification of 6-sulfo LacNAc+ dendritic cells (slanDC) with NK cells enriched from human blood. Immunobiology, 2009, 214, 828-834. | 0.8 | 8 |
| 200 | An additional piece in the puzzle of neutrophilâ€derived ILâ€1β: The NLRP3 inflammasome. European Journal of Immunology, 2012, 42, 565-568. | 1.6 | 8 |
| 201 | Studies on the Nature and Activation of O2â^'â^'-Forming NADPH Oxidase of Leukocytes.: II. Relationships Between Phosphorylation of a Component of the Enzyme and Oxidase Activity. Free Radical Research Communications, 1987, 4, 83-98. | 1.8 | 7 |
| 202 | Human mature neutrophils as atypical APC. Blood, 2017, 129, 1895-1896. | 0.6 | 7 |
| 203 | Deciphering the fate of slan ⁺ â€monocytes in human tonsils by gene expression profiling. FASEB Journal, 2020, 34, 9269-9284. | 0.2 | 7 |
| 204 | Fast and Accurate Quantitative Analysis of Cytokine Gene Expression in Human Neutrophils by Reverse Transcription Real-Time PCR. Methods in Molecular Biology, 2020, 2087, 243-260. | 0.4 | 7 |
| 205 | Childhood onset cyclic neutropenia: G SF therapy restores neutrophil count but does not influence superoxide anion and cytokine release by neutrophils. British Journal of Haematology, 1995, 89, 277-281. | 1.2 | 6 |
| 206 | Cultured human monocytes release proinflammatory cytokines in response to myelin basic protein. Neuroscience Letters, 1998, 252, 151-154. | 1.0 | 6 |
| 207 | Preferential release of high amounts of interleukin-8 by myeloid blasts showing monocytic differentiation. Haematologica, 1996, 81, 195-200. | 1.7 | 6 |
| 208 | Neutrophils produce biologically active macrophage inflammatory protein-3α (MIP-3α) / CCL20 and MIP-3β / CCL19. , 2001, 31, 1981. | | 5 |
| 209 | The PDE4 Inhibitor Tanimilast Restrains the Tissue-Damaging Properties of Human Neutrophils. International Journal of Molecular Sciences, 2022, 23, 4982. | 1.8 | 5 |
| 210 | Rapid reconstitution of functionally active 6-sulfoLacNAc+dendritic cells (slanDCs) of donor origin following allogeneic haematopoietic stem cell transplant. Clinical and Experimental Immunology, 2014, 178, 129-141. | 1.1 | 4 |
| 211 | Interleukin-8 in Acute Myeloid Leukemia. Blood, 1999, 93, 1437-1437. | 0.6 | 3 |
| 212 | L33. Neutrophil in immunity: A key modulator. Presse Medicale, 2013, 42, 594-595. | 0.8 | 3 |
| 213 | Editorial: Gazing forward while looking back. Journal of Leukocyte Biology, 2013, 93, 1-3. | 1.5 | 2 |
| 214 | Hey, brother neutrophil, what are you up to?. Seminars in Immunology, 2016, 28, 81-82. | 2.7 | 2 |
| 215 | Potential contribution of tumor-associated slan + cells as anti-CSF-1R targets in human carcinoma. Journal of Leukocyte Biology, 2017, 103, jlb.1MA0717-300R. | 1.5 | 2 |
| 216 | Amiloride does not influence the capability of interferon gamma to potentiate superoxide anion and hydrogen peroxide release by human mononuclear phagocytes. Immunology Letters, 1991, 28, 1-4. | 1.1 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Neutrophils II. , 0, , 49-64. | | 1 |
| 218 | slanDCs in carcinoma-draining lymph nodes. OncoImmunology, 2014, 3, e28246. | 2.1 | 1 |
| 219 | UniVax Day 2018 ―Outreach to high school students to improve vaccination rates. European Journal of Immunology, 2018, 48, 1266-1268. | 1.6 | 1 |
| 220 | Editorial: Neutrophil Communication. Frontiers in Immunology, 2020, 11, 871. | 2.2 | 1 |
| 221 | Neutrophils produce biologically active macrophage inflammatory protein-3α (MIP-3α) / CCL20 and MIP-3β / CCL19. , 2001, 31, 1981. | | 1 |
| 222 | Granulocyte-Macrophage Colony-Stimulating Factor Induces Expression of Heparin-Binding Epidermal Growth Factor–Like Growth Factor/Diphtheria Toxin Receptor and Sensitivity to Diphtheria Toxin in Human Neutrophils. Blood, 1999, 94, 3169-3177. | 0.6 | 1 |
| 223 | Interleukin-8 in Acute Myeloid Leukemia. Blood, 1999, 93, 1437-1437. | 0.6 | 1 |
| 224 | Heparin-Binding Epidermal Growth Factor–Like Growth Factor/Diphtheria Toxin Receptor Expression by Acute Myeloid Leukemia Cells. Blood, 1999, 93, 1715-1723. | 0.6 | 1 |
| 225 | MOLECULAR BASES OF IL-10 MEDIATED MODULATION OF NEUTROPHIL CYTOKINES. Shock, 2004, 21, 36. | 1.0 | 0 |
| 226 | Characterizing the Complexities of Neutrophils with Suppressive Properties. Cancer Immunology Research, 2021, 9, 725. | 1.6 | 0 |
| 227 | Proliferating cell nuclear antigen acts as a cytoplasmic platform controlling human neutrophil survival. Journal of Cell Biology, 2010, 191, i6-i6. | 2.3 | 0 |
| 228 | Modulation of Macrophage Oxygen Metabolism. , 1987, , 291-300. | | 0 |
| 229 | Induction of differentiation of the human myeloid cell line, ML3, by tumour necrosis factor and interferon-gamma is accompanied by enhanced expression of the CD4 protein and messenger RNA. Immunology, 1992, 76, 55-9. | 2.0 | 0 |