

Marco A Cassatella

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1352629/marco-a-cassatella-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

19,001
citations

69
h-index

134
g-index

239
ext. papers

21,419
ext. citations

6.8
avg, IF

6.67
L-index

#	Paper	IF	Citations
221	Plasmacytoid Dendritic Cells Depletion and Elevation of IFN- γ -Dependent Chemokines CXCL9 and CXCL10 in Children With Multisystem Inflammatory Syndrome. <i>Frontiers in Immunology</i> , 2021 , 12, 654587	8.4	11
220	Induction of OCT2 contributes to regulate the gene expression program in human neutrophils activated via TLR8. <i>Cell Reports</i> , 2021 , 35, 109143	10.6	2
219	Characterizing the Complexities of Neutrophils with Suppressive Properties. <i>Cancer Immunology Research</i> , 2021 , 9, 725	12.5	
218	Uncovering the multifaceted roles played by neutrophils in allogeneic hematopoietic stem cell transplantation. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 905-918	15.4	1
217	SARS-CoV-2-associated ssRNAs activate inflammation and immunity via TLR7/8. <i>JCI Insight</i> , 2021 , 6,	9.9	21
216	Tumor-associated neutrophils (TANs) in human carcinoma-draining lymph nodes: a novel TAN compartment. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1252	6.8	3
215	On the Improper Use of the Term High-Density Neutrophils. <i>Trends in Immunology</i> , 2020 , 41, 1059-1061	14.4	2
214	Human neutrophils activated by TLR8 agonists, with or without IFN- γ synthesize and release EB13, but not IL-12, IL-27, IL-35, or IL-39. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 1515-1526	6.5	5
213	Deciphering the fate of slan ⁺ -monocytes in human tonsils by gene expression profiling. <i>FASEB Journal</i> , 2020 , 34, 9269-9284	0.9	0
212	The global response to the COVID-19 pandemic: how have immunology societies contributed?. <i>Nature Reviews Immunology</i> , 2020 , 20, 594-602	36.5	10
211	CSF1R Is Required for Differentiation and Migration of Langerhans Cells and Langerhans Cell Histiocytosis. <i>Cancer Immunology Research</i> , 2020 , 8, 829-841	12.5	8
210	Targeting the Endothelin-1 Receptors Curtails Tumor Growth and Angiogenesis in Multiple Myeloma. <i>Frontiers in Oncology</i> , 2020 , 10, 600025	5.3	4
209	Fast and Accurate Quantitative Analysis of Cytokine Gene Expression in Human Neutrophils by Reverse Transcription Real-Time PCR. <i>Methods in Molecular Biology</i> , 2020 , 2087, 243-260	1.4	4
208	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
207	Deciphering myeloid-derived suppressor cells: isolation and markers in humans, mice and non-human primates. <i>Cancer Immunology, Immunotherapy</i> , 2019 , 68, 687-697	7.4	103
206	Biological Roles of Neutrophil-Derived Granule Proteins and Cytokines. <i>Trends in Immunology</i> , 2019 , 40, 648-664	14.4	73
205	Multisystem autoimmune disease caused by increased STAT3 phosphorylation and dysregulated gene expression. <i>Haematologica</i> , 2019 , 104, e322-e325	6.6	6

204	IL-10-producing B cells are characterized by a specific methylation signature. <i>European Journal of Immunology</i> , 2019 , 49, 1213-1225	6.1	9
203	The Long Non-coding RNA NRIR Drives IFN-Response in Monocytes: Implication for Systemic Sclerosis. <i>Frontiers in Immunology</i> , 2019 , 10, 100	8.4	28
202	In reply to Scherber et al: new evidence on the role of endothelin-1 axis as a potential therapeutic target in multiple myeloma. <i>British Journal of Haematology</i> , 2019 , 184, 1052-1055	4.5	2
201	6-Sulfo LacNAc (Slan) as a Marker for Non-classical Monocytes. <i>Frontiers in Immunology</i> , 2019 , 10, 2052	8.4	10
200	Human neutrophils activated via TLR8 promote Th17 polarization through IL-23. <i>Journal of Leukocyte Biology</i> , 2019 , 105, 1155-1165	6.5	17
199	Recent advances on the crosstalk between neutrophils and B or T lymphocytes. <i>Immunology</i> , 2019 , 156, 23-32	7.8	56
198	Potential contribution of tumor-associated slan cells as anti-CSF-1R targets in human carcinoma. <i>Journal of Leukocyte Biology</i> , 2018 , 103, 559-564	6.5	2
197	Human dendritic cell subset 4 (DC4) correlates to a subset of CD14CD16 monocytes. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 2276-2279.e3	11.5	21
196	A Reappraisal on the Potential Ability of Human Neutrophils to Express and Produce IL-17 Family Members : Failure to Reproducibly Detect It. <i>Frontiers in Immunology</i> , 2018 , 9, 795	8.4	30
195	slan Monocytes and Macrophages Mediate CD20-Dependent B-cell Lymphoma Elimination via ADCC and ADCP. <i>Cancer Research</i> , 2018 , 78, 3544-3559	10.1	17
194	Neutrophils: New insights and open questions. <i>Science Immunology</i> , 2018 , 3,	28	180
193	Human Innate Lymphoid Cells: Their Functional and Cellular Interactions in Decidua. <i>Frontiers in Immunology</i> , 2018 , 9, 1897	8.4	33
192	Cytokine production by human neutrophils: Revisiting the "dark side of the moon". <i>European Journal of Clinical Investigation</i> , 2018 , 48 Suppl 2, e12952	4.6	67
191	Impaired natural killer cell functions in patients with signal transducer and activator of transcription 1 (STAT1) gain-of-function mutations. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 553-564.e4	11.5	33
190	Mature CD10 and immature CD10 neutrophils present in G-CSF-treated donors display opposite effects on T cells. <i>Blood</i> , 2017 , 129, 1343-1356	2.2	159
189	Human mature neutrophils as atypical APC. <i>Blood</i> , 2017 , 129, 1895-1896	2.2	5
188	Location in the spleen dictates the function of murine neutrophils. <i>Journal of Experimental Medicine</i> , 2017 , 214, 1207-1209	16.6	9
187	Endothelin-1 receptor blockade as new possible therapeutic approach in multiple myeloma. <i>British Journal of Haematology</i> , 2017 , 178, 781-793	4.5	11

186	Role of MyD88 signaling in the imiquimod-induced mouse model of psoriasis: focus on innate myeloid cells. <i>Journal of Leukocyte Biology</i> , 2017 , 102, 791-803	6.5	13
185	The importance of being "pure" neutrophils. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 352-355.e6	5.6	40
184	G Protein-Coupled Estrogen Receptor 1 Regulates Human Neutrophil Functions. <i>Biomedicine Hub</i> , 2017 , 2, 1-13	1.3	18
183	Human Neutrophils Produce CCL23 in Response to Various TLR-Agonists and TNF- α . <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 176	5.9	25
182	Group V Secreted Phospholipase A Induces the Release of Proangiogenic and Antiangiogenic Factors by Human Neutrophils. <i>Frontiers in Immunology</i> , 2017 , 8, 443	8.4	41
181	Interferon- β and Plasmacytoid Dendritic Cells: A Close Relationship. <i>Frontiers in Immunology</i> , 2017 , 8, 1015	8.4	13
180	Human neutrophils in the saga of cellular heterogeneity: insights and open questions. <i>Immunological Reviews</i> , 2016 , 273, 48-60	11.3	137
179	Synergistic production of TNF- α and IFN- γ by human pDCs incubated with IFN- β and IL-3. <i>Cytokine</i> , 2016 , 86, 124-131	4	10
178	Group 3 innate lymphoid cells regulate neutrophil migration and function in human decidua. <i>Mucosal Immunology</i> , 2016 , 9, 1372-1383	9.2	50
177	Reduction of CRKL expression in patients with partial DiGeorge syndrome is associated with impairment of T-cell functions. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 229-240.e3	11.5	10
176	Endogenously produced TNF- α contributes to the expression of CXCL10/IP-10 in IFN- β -activated plasmacytoid dendritic cells. <i>Journal of Leukocyte Biology</i> , 2016 , 99, 107-19	6.5	18
175	Neutrophil-Expressed p21/waf1 Favors Inflammation Resolution in <i>Pseudomonas aeruginosa</i> Infection. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016 , 54, 740-50	5.7	14
174	sIaDCs/M-DC8+ cells constitute a distinct subset of dendritic cells in human tonsils [corrected]. <i>Oncotarget</i> , 2016 , 7, 161-75	3.3	21
173	Identification of granulocytic myeloid-derived suppressor cells (G-MDSCs) in the peripheral blood of Hodgkin and non-Hodgkin lymphoma patients. <i>Oncotarget</i> , 2016 , 7, 27676-88	3.3	51
172	IFN- α enhances the production of IL-6 by human neutrophils activated via TLR8. <i>Scientific Reports</i> , 2016 , 6, 19674	4.9	48
171	Epigenetic regulation of neutrophil development and function. <i>Seminars in Immunology</i> , 2016 , 28, 83-93	10.7	29
170	Neutrophil-derived chemokines on the road to immunity. <i>Seminars in Immunology</i> , 2016 , 28, 119-28	10.7	108
169	IL-10 disrupts the Brd4-docking sites to inhibit LPS-induced CXCL8 and TNF- α expression in monocytes: Implications for chronic obstructive pulmonary disease. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 781-791.e9	11.5	22

168	RelB activation in anti-inflammatory decidual endothelial cells: a master plan to avoid pregnancy failure?. <i>Scientific Reports</i> , 2015 , 5, 14847	4.9	11
167	TL1A/DR3 axis involvement in the inflammatory cytokine network during pulmonary sarcoidosis. <i>Clinical and Molecular Allergy</i> , 2015 , 13, 16	3.7	13
166	Chromatin remodelling and autocrine TNF α are required for optimal interleukin-6 expression in activated human neutrophils. <i>Nature Communications</i> , 2015 , 6, 6061	17.4	70
165	Proteinase 3 on apoptotic cells disrupts immune silencing in autoimmune vasculitis. <i>Journal of Clinical Investigation</i> , 2015 , 125, 4107-21	15.9	62
164	Expression and function of the TL1A/DR3 axis in chronic lymphocytic leukemia. <i>Oncotarget</i> , 2015 , 6, 32061-74	9.74	9
163	Fast and accurate quantitative analysis of cytokine gene expression in human neutrophils. <i>Methods in Molecular Biology</i> , 2014 , 1124, 451-67	1.4	16
162	Social networking of human neutrophils within the immune system. <i>Blood</i> , 2014 , 124, 710-9	2.2	251
161	slanDCs selectively accumulate in carcinoma-draining lymph nodes and marginate metastatic cells. <i>Nature Communications</i> , 2014 , 5, 3029	17.4	31
160	slanDCs in carcinoma-draining lymph nodes. <i>OncImmunology</i> , 2014 , 3, e28246	7.2	1
159	Rapid reconstitution of functionally active 6-sulfoLacNAc(+) dendritic cells (slanDCs) of donor origin following allogeneic haematopoietic stem cell transplant. <i>Clinical and Experimental Immunology</i> , 2014 , 178, 129-41	6.2	3
158	Neutrophil-derived cytokines: facts beyond expression. <i>Frontiers in Immunology</i> , 2014 , 5, 508	8.4	352
157	Neutrophil-derived cytokines involved in physiological and pathological angiogenesis. <i>Chemical Immunology and Allergy</i> , 2014 , 99, 123-37		66
156	Cytoplasmic receptors recognizing nucleic acids and mediating immune functions in neutrophils. <i>Current Opinion in Pharmacology</i> , 2013 , 13, 547-54	5.1	16
155	On the cytokines produced by human neutrophils in tumors. <i>Seminars in Cancer Biology</i> , 2013 , 23, 159-70	12.7	117
154	Neutrophils in innate and adaptive immunity. <i>Seminars in Immunopathology</i> , 2013 , 35, 377-94	12	169
153	L33. Neutrophil in immunity: a key modulator. <i>Presse Medicale</i> , 2013 , 42, 594-5	2.2	3
152	Orchestration of inflammation and adaptive immunity in <i>Borrelia burgdorferi</i> -induced arthritis by neutrophil-activating protein A. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1232-42		22
151	Neutrophils promote 6-sulfo LacNAc+ dendritic cell (slanDC) survival. <i>Journal of Leukocyte Biology</i> , 2013 , 94, 705-10	6.5	8

150	Identification of TLR4 as the receptor that recognizes Shiga toxins in human neutrophils. <i>Journal of Immunology</i> , 2013 , 191, 4748-58	5.3	63
149	Cutting edge: An inactive chromatin configuration at the IL-10 locus in human neutrophils. <i>Journal of Immunology</i> , 2013 , 190, 1921-5	5.3	50
148	The TNF-family cytokine TL1A inhibits proliferation of human activated B cells. <i>PLoS ONE</i> , 2013 , 8, e601367	3.7	32
147	IL-10-induced microRNA-187 negatively regulates TNF- α , IL-6, and IL-12p40 production in TLR4-stimulated monocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E3101-10	11.5	155
146	An additional piece in the puzzle of neutrophil-derived IL-1 β : the NLRP3 inflammasome. <i>European Journal of Immunology</i> , 2012 , 42, 565-8	6.1	7
145	IFN- γ expression is directly activated in human neutrophils transfected with plasmid DNA and is further increased via TLR-4-mediated signaling. <i>Journal of Immunology</i> , 2012 , 189, 1500-9	5.3	33
144	Failure to detect production of IL-10 by activated human neutrophils. <i>Nature Immunology</i> , 2011 , 12, 1017-8; author reply 1018-20	19.1	65
143	The defensive alliance between neutrophils and NK cells as a novel arm of innate immunity. <i>Journal of Leukocyte Biology</i> , 2011 , 89, 221-33	6.5	86
142	Regulating neutrophil apoptosis: new players enter the game. <i>Trends in Immunology</i> , 2011 , 32, 117-24	14.4	100
141	Tumor-associated macrophages as major source of APRIL in gastric MALT lymphoma. <i>Blood</i> , 2011 , 117, 6612-6	2.2	46
140	Human neutrophils interact with both 6-sulfo LacNAc ⁺ DC and NK cells to amplify NK-derived IFN γ : role of CD18, ICAM-1, and ICAM-3. <i>Blood</i> , 2011 , 117, 1677-86	2.2	82
139	On the potential involvement of CD11d in co-stimulating the production of interferon- γ by natural killer cells upon interaction with neutrophils via intercellular adhesion molecule-3. <i>Haematologica</i> , 2011 , 96, 1543-7	6.6	14
138	Neutrophils in the activation and regulation of innate and adaptive immunity. <i>Nature Reviews Immunology</i> , 2011 , 11, 519-31	36.5	1761
137	Toll-like receptor-3-activated human mesenchymal stromal cells significantly prolong the survival and function of neutrophils. <i>Stem Cells</i> , 2011 , 29, 1001-11	5.8	153
136	SH2-domain mutations in STAT3 in hyper-IgE syndrome patients result in impairment of IL-10 function. <i>European Journal of Immunology</i> , 2011 , 41, 3075-84	6.1	21
135	Helicobacter pylori-derived neutrophil-activating protein increases the lifespan of monocytes and neutrophils. <i>Cellular Microbiology</i> , 2010 , 12, 754-64	3.9	17
134	Neutrophil activation and survival are modulated by interaction with NK cells. <i>International Immunology</i> , 2010 , 22, 827-38	4.9	81
133	Modulation of human neutrophil survival and antigen expression by activated CD4 ⁺ and CD8 ⁺ T cells. <i>Journal of Leukocyte Biology</i> , 2010 , 88, 1163-70	6.5	37

132	Uncovering an IL-10-dependent NF-kappaB recruitment to the IL-1ra promoter that is impaired in STAT3 functionally defective patients. <i>FASEB Journal</i> , 2010 , 24, 1365-75	0.9	35
131	Myeloid cells, BAFF, and IFN-gamma establish an inflammatory loop that exacerbates autoimmunity in Lyn-deficient mice. <i>Journal of Experimental Medicine</i> , 2010 , 207, 1757-73	16.6	90
130	Proliferating cell nuclear antigen acts as a cytoplasmic platform controlling human neutrophil survival. <i>Journal of Experimental Medicine</i> , 2010 , 207, 2631-45	16.6	115
129	Evidence for a cross-talk between human neutrophils and Th17 cells. <i>Blood</i> , 2010 , 115, 335-43	2.2	520
128	Functional analysis of the CD300e receptor in human monocytes and myeloid dendritic cells. <i>European Journal of Immunology</i> , 2010 , 40, 722-32	6.1	22
127	Understanding the molecular mechanisms of the multifaceted IL-10-mediated anti-inflammatory response: lessons from neutrophils. <i>European Journal of Immunology</i> , 2010 , 40, 2360-8	6.1	91
126	Proliferating cell nuclear antigen acts as a cytoplasmic platform controlling human neutrophil survival. <i>Journal of Cell Biology</i> , 2010 , 191, i6-i6	7.3	
125	Induction and regulatory function of miR-9 in human monocytes and neutrophils exposed to proinflammatory signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5282-7	11.5	460
124	Never underestimate the power of a neutrophil. <i>Immunity</i> , 2009 , 31, 698-700	32.3	39
123	Engagement of BDCA-2 blocks TRAIL-mediated cytotoxic activity of plasmacytoid dendritic cells. <i>Immunobiology</i> , 2009 , 214, 868-76	3.4	32
122	On the co-purification of 6-sulfo LacNAc(+) dendritic cells (slanDC) with NK cells enriched from human blood. <i>Immunobiology</i> , 2009 , 214, 828-34	3.4	8
121	Activation of an immunoregulatory and antiviral gene expression program in poly(I:C)-transfected human neutrophils. <i>Journal of Immunology</i> , 2008 , 181, 6563-73	5.3	84
120	Circulating neutrophils of septic patients constitutively express IL-10R1 and are promptly responsive to IL-10. <i>International Immunology</i> , 2008 , 20, 535-41	4.9	24
119	Regulation of B-cell-activating factor (BAFF)/B lymphocyte stimulator (BLyS) expression in human neutrophils. <i>Immunology Letters</i> , 2008 , 116, 1-6	4.1	114
118	Molecular mechanisms underlying the synergistic induction of CXCL10 by LPS and IFN-gamma in human neutrophils. <i>European Journal of Immunology</i> , 2007 , 37, 2627-34	6.1	43
117	IL-10 modulates cytokine gene transcription by protein synthesis-independent and dependent mechanisms in lipopolysaccharide-treated neutrophils. <i>European Journal of Immunology</i> , 2007 , 37, 3176-89	6.1	23
116	High serum levels of B-lymphocyte stimulator are associated with clinical-pathological features and outcome in classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2007 , 137, 553-9	4.5	26
115	The MyD88-independent pathway is not mobilized in human neutrophils stimulated via TLR4. <i>Journal of Immunology</i> , 2007 , 178, 7344-56	5.3	91

114	Soluble TNF-like cytokine (TL1A) production by immune complexes stimulated monocytes in rheumatoid arthritis. <i>Journal of Immunology</i> , 2007 , 178, 7325-33	5.3	98
113	Expression and role of CCR6/CCL20 chemokine axis in pulmonary sarcoidosis. <i>Journal of Leukocyte Biology</i> , 2007 , 82, 946-55	6.5	35
112	The neutrophil-activating protein of Helicobacter pylori crosses endothelia to promote neutrophil adhesion in vivo. <i>Journal of Immunology</i> , 2007 , 178, 1312-20	5.3	66
111	The humoral pattern recognition receptor PTX3 is stored in neutrophil granules and localizes in extracellular traps. <i>Journal of Experimental Medicine</i> , 2007 , 204, 793-804	16.6	408
110	Fast and accurate quantitative analysis of cytokine gene expression in human neutrophils by reverse transcription real-time PCR. <i>Methods in Molecular Biology</i> , 2007 , 412, 455-71	1.4	7
109	Interferon-activated neutrophils store a TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) intracellular pool that is readily mobilizable following exposure to proinflammatory mediators. <i>Journal of Leukocyte Biology</i> , 2006 , 79, 123-32	6.5	61
108	Differential regulation of chemokine production by Fcγ receptor engagement in human monocytes: association of CCL1 with a distinct form of M2 monocyte activation (M2b, Type 2). <i>Journal of Leukocyte Biology</i> , 2006 , 80, 342-9	6.5	114
107	On the production of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2L) by human neutrophils. <i>Journal of Leukocyte Biology</i> , 2006 , 79, 1140-9	6.5	40
106	Epithelial CXCR3-B regulates chemokines bioavailability in normal, but not in Sjogren's syndrome, salivary glands. <i>Journal of Immunology</i> , 2006 , 176, 2581-9	5.3	38
105	Ligation of the Fcγ chain-associated human osteoclast-associated receptor enhances the proinflammatory responses of human monocytes and neutrophils. <i>Journal of Immunology</i> , 2006 , 176, 3149-56	5.3	40
104	Innate immunity defects in Hermansky-Pudlak type 2 syndrome. <i>Blood</i> , 2006 , 107, 4857-64	2.2	119
103	Proinflammatory mediators elicit secretion of the intracellular B-lymphocyte stimulator pool (BLyS) that is stored in activated neutrophils: implications for inflammatory diseases. <i>Blood</i> , 2005 , 105, 830-7	2.2	121
102	Lipopolysaccharide primes neutrophils for a rapid response to IL-10. <i>European Journal of Immunology</i> , 2005 , 35, 1877-85	6.1	21
101	CXCL1/macrophage inflammatory protein-2-induced angiogenesis in vivo is mediated by neutrophil-derived vascular endothelial growth factor-A. <i>Journal of Immunology</i> , 2004 , 172, 5034-40	5.3	195
100	Analysis of SOCS-3 promoter responses to interferon gamma. <i>Journal of Biological Chemistry</i> , 2004 , 279, 13746-54	5.4	58
99	IFNα-stimulated neutrophils and monocytes release a soluble form of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) displaying apoptotic activity on leukemic cells. <i>Blood</i> , 2004 , 103, 3837-44	2.2	126
98	mRNA expression and release of interleukin-8 induced by serum amyloid A in neutrophils and monocytes. <i>Mediators of Inflammation</i> , 2003 , 12, 173-8	4.3	57
97	Synovial fluid neutrophils transcribe and express class II major histocompatibility complex molecules in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2796-806		76

96	G-CSF-stimulated neutrophils are a prominent source of functional BLyS. <i>Journal of Experimental Medicine</i> , 2003 , 197, 297-302	16.6	263
95	Unique regulation of CCL18 production by maturing dendritic cells. <i>Journal of Immunology</i> , 2003 , 170, 3843-9	5.3	134
94	CCL20/macrophage inflammatory protein-3alpha production in LPS-stimulated neutrophils is enhanced by the chemoattractant formyl-methionyl-leucyl-phenylalanine and IFN-gamma through independent mechanisms. <i>European Journal of Immunology</i> , 2002 , 32, 3515-24	6.1	30
93	Apolipoproteins A-I and A-II downregulate neutrophil functions. <i>Lipids</i> , 2002 , 37, 925-8	1.6	40
92	Generation of biologically active angiostatin kringle 1-3 by activated human neutrophils. <i>Journal of Immunology</i> , 2002 , 168, 5798-804	5.3	114
91	Molecular basis of the synergistic production of IL-1 receptor antagonist by human neutrophils stimulated with IL-4 and IL-10. <i>International Immunology</i> , 2002 , 14, 1145-53	4.9	29
90	Involvement of suppressor of cytokine signaling-3 as a mediator of the inhibitory effects of IL-10 on lipopolysaccharide-induced macrophage activation. <i>Journal of Immunology</i> , 2002 , 168, 6404-11	5.3	229
89	Neutrophils produce biologically active macrophage inflammatory protein-3beta (MIP-3beta)/CCL20 and MIP-3gamma/CCL19. <i>European Journal of Immunology</i> , 2001 , 31, 1981-1988	6.1	122
88	Up-regulation of IL-10R1 expression is required to render human neutrophils fully responsive to IL-10. <i>Journal of Immunology</i> , 2001 , 167, 2312-22	5.3	85
87	Neutrophils produce biologically active macrophage inflammatory protein-3beta (MIP-3beta)/CCL20 and MIP-3gamma/CCL19 2001 , 31, 1981		1
86	Neutrophils produce biologically active macrophage inflammatory protein-3beta (MIP-3beta)/CCL20 and MIP-3gamma/CCL19 2001 , 31, 1981		5
85	Neutrophils produce biologically active macrophage inflammatory protein-3alpha (MIP-3alpha)/CCL20 and MIP-3beta/CCL19. <i>European Journal of Immunology</i> , 2001 , 31, 1981-8	6.1	58
84	Interleukin-15 and its impact on neutrophil function. <i>Current Opinion in Hematology</i> , 2000 , 7, 174-7	3.3	33
83	The neutrophil as a cellular source of chemokines. <i>Immunological Reviews</i> , 2000 , 177, 195-203	11.3	603
82	Gene expression and production of tumor necrosis factor alpha, interleukin-1beta (IL-1beta), IL-8, macrophage inflammatory protein 1alpha (MIP-1alpha), MIP-1beta, and gamma interferon-inducible protein 10 by human neutrophils stimulated with group B meningococcal outer membrane vesicles. <i>Infection and Immunity</i> 2000 , 68, 6917-23	3.7	76
81	Granulocyte-Macrophage Colony-Stimulating Factor Induces Expression of Heparin-Binding Epidermal Growth Factor-Like Growth Factor/Diphtheria Toxin Receptor and Sensitivity to Diphtheria Toxin in Human Neutrophils. <i>Blood</i> , 1999 , 94, 3169-3177	2.2	25
80	Heparin-Binding Epidermal Growth Factor-Like Growth Factor/Diphtheria Toxin Receptor Expression by Acute Myeloid Leukemia Cells. <i>Blood</i> , 1999 , 93, 1715-1723	2.2	20
79	Interleukin-8 in Acute Myeloid Leukemia. <i>Blood</i> , 1999 , 93, 1437-1437	2.2	3

78	Interleukin-10 (IL-10) Selectively Enhances CIS3/SOCS3 mRNA Expression in Human Neutrophils: Evidence for an IL-10-induced Pathway That Is Independent of STAT Protein Activation. <i>Blood</i> , 1999 , 94, 2880-2889	2.2	182
77	Analysis of the Bak protein expression in human polymorphonuclear neutrophils. <i>International Journal of Clinical and Laboratory Research</i> , 1999 , 29, 41-5		11
76	Proinflammatory profile of cytokine production by human monocytes and murine microglia stimulated with beta-amyloid[25-35]. <i>Journal of Neuroimmunology</i> , 1999 , 93, 45-52	3.5	136
75	On the detection of neutrophil-derived vascular endothelial growth factor (VEGF). <i>Journal of Immunological Methods</i> , 1999 , 232, 121-9	2.5	72
74	Neutrophil-derived proteins: selling cytokines by the pound. <i>Advances in Immunology</i> , 1999 , 73, 369-509	5.6	414
73	Granulocyte-Macrophage Colony-Stimulating Factor Induces Expression of Heparin-Binding Epidermal Growth Factor-like Growth Factor/Diphtheria Toxin Receptor and Sensitivity to Diphtheria Toxin in Human Neutrophils. <i>Blood</i> , 1999 , 94, 3169-3177	2.2	1
72	Interleukin-8 in Acute Myeloid Leukemia. <i>Blood</i> , 1999 , 93, 1437-1437	2.2	
71	Heparin-Binding Epidermal Growth Factor-like Growth Factor/Diphtheria Toxin Receptor Expression by Acute Myeloid Leukemia Cells. <i>Blood</i> , 1999 , 93, 1715-1723	2.2	1
70	Gene expression and production of the monokine induced by IFN-gamma (MIG), IFN-inducible T cell alpha chemoattractant (I-TAC), and IFN-gamma-inducible protein-10 (IP-10) chemokines by human neutrophils. <i>Journal of Immunology</i> , 1999 , 162, 4928-37	5.3	216
69	Interleukin-10 (IL-10) selectively enhances CIS3/SOCS3 mRNA expression in human neutrophils: evidence for an IL-10-induced pathway that is independent of STAT protein activation. <i>Blood</i> , 1999 , 94, 2880-9	2.2	47
68	Granulocyte-macrophage colony-stimulating factor induces expression of heparin-binding epidermal growth factor-like growth factor/diphtheria toxin receptor and sensitivity to diphtheria toxin in human neutrophils. <i>Blood</i> , 1999 , 94, 3169-77	2.2	11
67	Modulation by interferon-gamma of the production and gene expression of IL-1 receptor antagonist in human neutrophils. <i>Cellular Immunology</i> , 1998 , 184, 45-50	4.4	12
66	ICAM-1 induction in respiratory cells exposed to a replication-deficient recombinant adenovirus in vitro and in vivo. <i>Gene Therapy</i> , 1998 , 5, 131-6	4	15
65	The neutrophil: one of the cellular targets of interleukin-10. <i>International Journal of Clinical and Laboratory Research</i> , 1998 , 28, 148-61		70
64	Cultured human monocytes release proinflammatory cytokines in response to myelin basic protein. <i>Neuroscience Letters</i> , 1998 , 252, 151-4	3.3	6
63	Activation of distinct transcription factors in neutrophils by bacterial LPS, interferon-gamma, and GM-CSF and the necessity to overcome the action of endogenous proteases. <i>Biochemistry</i> , 1998 , 37, 13165-73	3.2	55
62	Impaired cytokine production by neutrophils isolated from patients with AIDS. <i>Aids</i> , 1998 , 12, 373-9	3.5	23
61	Interleukin-15 (IL-15) Induces NF- κ B Activation and IL-8 Production in Human Neutrophils. <i>Blood</i> , 1998 , 92, 4828-4835	2.2	103

60	Interleukin-15 (IL-15) Induces NF- κ B Activation and IL-8 Production in Human Neutrophils. <i>Blood</i> , 1998 , 92, 4828-4835	2.2	9
59	High affinity receptor for IgG (Fc gamma RI/CD64) gene and STAT protein binding to the IFN-gamma response region (GRR) are regulated differentially in human neutrophils and monocytes by IL-10. <i>Journal of Immunology</i> , 1998 , 160, 911-9	5.3	36
58	Activation of transcription factor NF-kappa B by phagocytic stimuli in human neutrophils. <i>FEBS Letters</i> , 1997 , 412, 583-6	3.8	43
57	Activation of nuclear factor-kappa B by beta-amyloid peptides and interferon-gamma in murine microglia. <i>Journal of Neuroimmunology</i> , 1997 , 77, 51-6	3.5	107
56	Activation of the NF- κ B Pathway by Inflammatory Stimuli in Human Neutrophils. <i>Blood</i> , 1997 , 89, 3421-3433		269
55	Cytokine expression and release by neutrophils. <i>Annals of the New York Academy of Sciences</i> , 1997 , 832, 233-42	6.5	81
54	Regulated production of the interferon-gamma-inducible protein-10 (IP-10) chemokine by human neutrophils. <i>European Journal of Immunology</i> , 1997 , 27, 111-5	6.1	126
53	Granulocyte colony-stimulating factor induces the binding of STAT1 and STAT3 to the IFN-gamma response region within the promoter of the Fc(gamma)RI/CD64 gene in human neutrophils. <i>FEBS Letters</i> , 1996 , 386, 239-42	3.8	33
52	Priming of monocyte respiratory burst by beta-amyloid fragment (25-35). <i>Neuroscience Letters</i> , 1996 , 219, 91-4	3.3	31
51	Interferon-gamma inhibits the lipopolysaccharide-induced macrophage inflammatory protein-1 alpha gene transcription in human neutrophils. <i>Immunology Letters</i> , 1996 , 49, 79-82	4.1	19
50	IL-12 is involved in the activation of CD3+ granular lymphocytes in patients with lymphoproliferative disease of granular lymphocytes. <i>British Journal of Haematology</i> , 1996 , 92, 308-14	4.5	6
49	Beta-amyloid (25-35) peptide and IFN-gamma synergistically induce the production of the chemotactic cytokine MCP-1/JE in monocytes and microglial cells. <i>Journal of Immunology</i> , 1996 , 157, 1213-8	5.3	68
48	Preferential release of high amounts of interleukin-8 by myeloid blasts showing monocytic differentiation. <i>Haematologica</i> , 1996 , 81, 195-200	6.6	6
47	Activation of microglial cells by beta-amyloid protein and interferon-gamma. <i>Nature</i> , 1995 , 374, 647-50	50.4	1214
46	The production of cytokines by polymorphonuclear neutrophils. <i>Trends in Immunology</i> , 1995 , 16, 21-6		773
45	Pentoxifylline as a supportive agent in the treatment of cerebral malaria in children. <i>Journal of Infectious Diseases</i> , 1995 , 171, 1317-22	7	81
44	Interleukin-10 decreases tyrosine phosphorylation of discrete lipopolysaccharide-induced phosphoproteins in human granulocytes. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 209, 87-94	3.4	7
43	beta-Amyloid(25-35) induces the production of interleukin-8 from human monocytes. <i>Journal of Neuroimmunology</i> , 1995 , 59, 29-33	3.5	39

42	Lipopolysaccharide-induced interleukin-8 gene expression in human granulocytes: transcriptional inhibition by interferon-gamma. <i>Biochemical Journal</i> , 1995 , 310 (Pt 3), 751-5	3.8	37
41	Tumour-infiltrating lymphocytes bear the 75 kDa tumour necrosis factor receptor. <i>British Journal of Cancer</i> , 1995 , 71, 240-5	8.7	12
40	Childhood onset cyclic neutropenia: G-CSF therapy restores neutrophil count but does not influence superoxide anion and cytokine release by neutrophils. <i>British Journal of Haematology</i> , 1995 , 89, 277-81	4.5	4
39	Interleukin-12 production by human polymorphonuclear leukocytes. <i>European Journal of Immunology</i> , 1995 , 25, 1-5	6.1	241
38	CD30 ligation induces nuclear factor-kappa B activation in human T cell lines. <i>European Journal of Immunology</i> , 1995 , 25, 2870-6	6.1	53
37	Regulation of GRO alpha production in human granulocytes. <i>Journal of Inflammation</i> , 1995 , 45, 143-51		11
36	Modulation of proinflammatory cytokine release from human polymorphonuclear leukocytes by gamma interferon. <i>Cellular Immunology</i> , 1994 , 157, 448-61	4.4	60
35	Interleukin 10 (IL-10) upregulates IL-1 receptor antagonist production from lipopolysaccharide-stimulated human polymorphonuclear leukocytes by delaying mRNA degradation. <i>Journal of Experimental Medicine</i> , 1994 , 179, 1695-9	16.6	250
34	Sulfatides trigger increase of cytosolic free calcium and enhanced expression of tumor necrosis factor-alpha and interleukin-8 mRNA in human neutrophils. Evidence for a role of L-selectin as a signaling molecule. <i>Journal of Biological Chemistry</i> , 1994 , 269, 4021-6	5.4	134
33	Effect of substance P on superoxide anion and IL-8 production by human PMNL. <i>Immunology</i> , 1994 , 82, 63-9	7.8	48
32	Studies on the regulatory mechanisms of interleukin-8 gene expression in resting and IFN-gamma-treated neutrophils: evidence on the capability of staurosporine of inducing the production of interleukin-8 by human neutrophils. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 190, 660-7	3.4	15
31	Production of tumor necrosis factor and other proinflammatory cytokines by human mononuclear phagocytes stimulated with myelin P2 protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 4414-8	11.5	22
30	Cytokine cross-talk between phagocytic cells and lymphocytes: relevance for differentiation/activation of phagocytic cells and regulation of adaptive immunity. <i>Journal of Cellular Biochemistry</i> , 1993 , 53, 301-8	4.7	59
29	Interleukin 10 (IL-10) inhibits the release of proinflammatory cytokines from human polymorphonuclear leukocytes. Evidence for an autocrine role of tumor necrosis factor and IL-1 beta in mediating the production of IL-8 triggered by lipopolysaccharide. <i>Journal of Experimental Medicine</i> , 1993 , 178, 2207-11	16.6	435
28	IL-8 mRNA expression and IL-8 production by acute myeloid leukemia cells. <i>Leukemia</i> , 1993 , 7, 1552-6	10.7	25
27	Interferon-gamma inhibits interleukin-8 production by human polymorphonuclear leukocytes. <i>Immunology</i> , 1993 , 78, 177-84	7.8	49
26	IL-8 production by human polymorphonuclear leukocytes. The chemoattractant formyl-methionyl-leucyl-phenylalanine induces the gene expression and release of IL-8 through a pertussis toxin-sensitive pathway. <i>Journal of Immunology</i> , 1992 , 148, 3216-20	5.3	119
25	Induction of differentiation of the human myeloid cell line, ML3, by tumour necrosis factor and interferon-gamma is accompanied by enhanced expression of the CD4 protein and messenger RNA. <i>Immunology</i> , 1992 , 76, 55-9	7.8	1

24	Phagocytosis of opsonized yeast induces tumor necrosis factor-alpha mRNA accumulation and protein release by human polymorphonuclear leukocytes. <i>Journal of Leukocyte Biology</i> , 1991 , 50, 223-8	6.5	68
23	Studies on the gene expression of several NADPH oxidase components. <i>Biochemical Society Transactions</i> , 1991 , 19, 63-7	5.1	14
22	Amiloride does not influence the capability of interferon gamma to potentiate superoxide anion and hydrogen peroxide release by human mononuclear phagocytes. <i>Immunology Letters</i> , 1991 , 28, 1-4	4.1	1
21	Phagocytosing neutrophils produce and release high amounts of the neutrophil-activating peptide 1/interleukin 8. <i>Journal of Experimental Medicine</i> , 1991 , 173, 771-4	16.6	372
20	Interferon-gamma transcriptionally modulates the expression of the genes for the high affinity IgG-Fc receptor and the 47-kDa cytosolic component of NADPH oxidase in human polymorphonuclear leukocytes. <i>Journal of Biological Chemistry</i> , 1991 , 266, 22079-82	5.4	36
19	Interferon gamma induces in human neutrophils and macrophages expression of the mRNA for the high affinity receptor for monomeric IgG (Fc gamma R-1 or CD64). <i>Biochemical and Biophysical Research Communications</i> , 1990 , 170, 582-8	3.4	56
18	Isolation and characterization of a cDNA clone for a novel serine-rich neutrophil protein. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 170, 915-22	3.4	7
17	Molecular basis of interferon-gamma and lipopolysaccharide enhancement of phagocyte respiratory burst capability. Studies on the gene expression of several NADPH oxidase components. <i>Journal of Biological Chemistry</i> , 1990 , 265, 20241-6	5.4	154
16	Molecular basis of interferon-gamma and lipopolysaccharide enhancement of phagocyte respiratory burst capability. Studies on the gene expression of several NADPH oxidase components. <i>Journal of Biological Chemistry</i> , 1990 , 265, 20241-20246	5.4	156
15	Fc gamma R(CD16) interaction with ligand induces Ca ²⁺ mobilization and phosphoinositide turnover in human natural killer cells. Role of Ca ²⁺ in Fc gamma R(CD16)-induced transcription and expression of lymphokine genes. <i>Journal of Experimental Medicine</i> , 1989 , 169, 549-67	16.6	183
14	Tumor necrosis factor and immune interferon synergistically induce cytochrome b-245 heavy-chain gene expression and nicotinamide-adenine dinucleotide phosphate hydrogenase oxidase in human leukemic myeloid cells. <i>Journal of Clinical Investigation</i> , 1989 , 83, 1570-9	15.9	59
13	Generation of superoxide anion by alveolar macrophages in sarcoidosis: evidence for the activation of the oxygen metabolism in patients with high-intensity alveolitis. <i>Immunology</i> , 1989 , 66, 451-8	7.8	22
12	Interferon-gamma activates human neutrophil oxygen metabolism and exocytosis. <i>Immunology</i> , 1988 , 63, 499-506	7.8	72
11	Studies on the nature and activation of O ₂ ⁻ -forming NADPH oxidase of leukocytes. II. Relationships between phosphorylation of a component of the enzyme and oxidase activity. <i>Free Radical Research Communications</i> , 1987 , 4, 83-98		6
10	Modulation of Macrophage Oxygen Metabolism 1987 , 291-300		
9	Phorbol 12, myristate 13, acetate potentiates the respiratory burst while inhibits phosphoinositide hydrolysis and calcium mobilization by formyl-methionyl-leucyl-phenylalanine in human neutrophils. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 135, 556-65	3.4	67
8	Complete dissociation between the activation of phosphoinositide turnover and of NADPH oxidase by formyl-methionyl-leucyl-phenylalanine in human neutrophils depleted of Ca ²⁺ and primed by subthreshold doses of phorbol 12,myristate 13,acetate. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 135, 785-94	3.4	76
7	Presence of cytochrome b-245 in NADPH oxidase preparations from human neutrophils. <i>FEBS Letters</i> , 1986 , 199, 159-63	3.8	11

6	Gamma interferon is able to enhance the oxidative metabolism of human neutrophils. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 138, 1276-82	3-4	133
5	Measurement of NADPH oxidase activity in detergent lysates of human and mouse macrophage monolayers. <i>Journal of Immunological Methods</i> , 1986 , 92, 231-40	2-5	13
4	Molecular basis of macrophage activation. Expression of the low potential cytochrome b and its reduction upon cell stimulation in activated macrophages. <i>Journal of Immunology</i> , 1986 , 136, 1393-9	5-3	18
3	Activation by gamma interferon of human macrophage capability to produce toxic oxygen molecules is accompanied by decreased Km of the superoxide-generating NADPH oxidase. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 132, 908-14	3-4	57
2	Partial purification of the superoxide-generating system of macrophages. Possible association of the NADPH oxidase activity with a low-potential (-247 mV) cytochrome b. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1985 , 810, 164-73	4-6	18
1	Neutrophils II49-64		1