Rajini Mudhasani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1352878/publications.pdf

Version: 2024-02-01

516710 794594 19 926 16 19 citations g-index h-index papers 19 19 19 1684 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Second generation of diazachrysenes: Protection of Ebola virus infected mice and mechanism of action. European Journal of Medicinal Chemistry, 2019, 162, 32-50.	5.5	15
2	Sorafenib Impedes Rift Valley Fever Virus Egress by Inhibiting Valosin-Containing Protein Function in the Cellular Secretory Pathway. Journal of Virology, $2017, 91, \ldots$	3.4	24
3	Protein Kinase R Degradation Is Essential for Rift Valley Fever Virus Infection and Is Regulated by SKP1-CUL1-F-box (SCF)FBXW11-NSs E3 Ligase. PLoS Pathogens, 2016, 12, e1005437.	4.7	50
4	High-Content Image–Based Screening of a Signal Transduction Pathway Inhibitor Small-Molecule Library against Highly Pathogenic RNA Viruses. Journal of Biomolecular Screening, 2015, 20, 141-152.	2.6	17
5	High Content Image-Based Screening of a Protease Inhibitor Library Reveals Compounds Broadly Active against Rift Valley Fever Virus and Other Highly Pathogenic RNA Viruses. PLoS Neglected Tropical Diseases, 2014, 8, e3095.	3.0	27
6	Oxygen sufficiency controls TOP mRNA translation via the TSC-Rheb-mTOR pathway in a 4E-BP-independent manner. Journal of Molecular Cell Biology, 2014, 6, 255-266.	3.3	77
7	Reassessment of the Role of TSC, mTORC1 and MicroRNAs in Amino Acids-Meditated Translational Control of TOP mRNAs. PLoS ONE, 2014, 9, e109410.	2.5	27
8	IFITM-2 and IFITM-3 but Not IFITM-1 Restrict Rift Valley Fever Virus. Journal of Virology, 2013, 87, 8451-8464.	3.4	109
9	High Content Image Based Analysis Identifies Cell Cycle Inhibitors as Regulators of Ebola Virus Infection. Viruses, 2012, 4, 1865-1877.	3.3	16
10	Dicer is required for the formation of white but not brown adipose tissue. Journal of Cellular Physiology, 2011, 226, 1399-1406.	4.1	59
11	An essential role for Dicer in adipocyte differentiation. Journal of Cellular Biochemistry, 2010, 110, 812-816.	2.6	33
12	SWI/SNF chromatin remodeling enzyme ATPases promote cell proliferation in normal mammary epithelial cells. Journal of Cellular Physiology, 2010, 223, 667-678.	4.1	33
13	Dicer inactivation in osteoprogenitor cells compromises fetal survival and bone formation, while excision in differentiated osteoblasts increases bone mass in the adult mouse. Developmental Biology, 2010, 340, 10-21.	2.0	148
14	Loss of miRNA biogenesis induces p19Arf-p53 signaling and senescence in primary cells. Journal of Cell Biology, 2008, 181, 1055-1063.	5.2	163
15	ZXDC, a novel zinc finger protein that binds CIITA and activates MHC gene transcription. Molecular Immunology, 2007, 44, 311-321.	2.2	20
16	Functional Interaction of the Retinoblastoma and Ini1/Snf5 Tumor Suppressors in Cell Growth and Pituitary Tumorigenesis. Cancer Research, 2006, 66, 8076-8082.	0.9	33
17	Multiple interactions between BRG1 and MHC class II promoter binding proteins. Molecular Immunology, 2005, 42, 673-682.	2.2	19
18	The Class II Transactivator Requires brahma-Related Gene 1 To Activate Transcription of Major Histocompatibility Complex Class II Genes. Molecular and Cellular Biology, 2002, 22, 5019-5026.	2.3	52

#	Article	IF	CITATIONS
19	Inhibition of class II trans-activator function by HIV-1 tat in mouse cells is independent of competition for binding to cyclin T1. Molecular Immunology, 2002, 38, 539-546.	2.2	4