

Andrew T Lovering

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1353731/andrew-t-lovering-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

2,865
citations

31
h-index

50
g-index

134
ext. papers

3,384
ext. citations

3.6
avg, IF

4.84
L-index

#	Paper	IF	Citations
110	Temporal changes in pulmonary gas exchange efficiency when breath-hold diving below residual volume. <i>Experimental Physiology</i> , 2021 , 106, 1120-1133	2.4	5
109	Differential Brain and Muscle Tissue Oxygenation Responses to Exercise in Tibetans Compared to Han Chinese. <i>Frontiers in Physiology</i> , 2021 , 12, 617954	4.6	1
108	Unchanged cerebrovascular CO reactivity and hypercapnic ventilatory response during strict head-down tilt bed rest in a mild hypercapnic environment. <i>Journal of Physiology</i> , 2020 , 598, 2491-2505	3.9	17
107	Impaired pulmonary gas exchange efficiency, but normal pulmonary artery pressure increases, with hypoxia in men and women with a patent foramen ovale. <i>Experimental Physiology</i> , 2020 , 105, 1648-1659	2.4	0
106	Impact of Altitude on Cardiopulmonary and Right Ventricular Hemodynamics During Exercise. <i>Advances in Pulmonary Hypertension</i> , 2020 , 19, 77-79	0.5	
105	Respiratory and cardiopulmonary limitations to aerobic exercise capacity in adults born preterm. <i>Journal of Applied Physiology</i> , 2020 , 129, 718-724	3.7	6
104	Analysis of maximal expiratory flow-volume curves in adult survivors of preterm birth. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R588-R596	3.2	2
103	AltitudeOmics: Spontaneous Baroreflex Sensitivity During Acclimatization to 5,260 m: A Comparison of Methods. <i>Frontiers in Physiology</i> , 2019 , 10, 1505	4.6	0
102	Ventilatory responses to acute hypoxia and hypercapnia in humans with a patent foramen ovale. <i>Journal of Applied Physiology</i> , 2019 , 126, 730-738	3.7	3
101	Alleviating mechanical constraints to ventilation with heliox improves exercise endurance in adult survivors of very preterm birth. <i>Thorax</i> , 2019 , 74, 302-304	7.3	4
100	Adaptive remodeling of skeletal muscle energy metabolism in high-altitude hypoxia: Lessons from AltitudeOmics. <i>Journal of Biological Chemistry</i> , 2018 , 293, 6659-6671	5.4	31
99	Exaggerated Increase in Pulmonary Artery Pressure during Exercise in Adults Born Preterm. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 821-823	10.2	15
98	AltitudeOmics: effect of reduced barometric pressure on detection of intrapulmonary shunt, pulmonary gas exchange efficiency, and total pulmonary resistance. <i>Journal of Applied Physiology</i> , 2018 , 124, 1363-1376	3.7	6
97	AltitudeOmics: Baroreflex Sensitivity During Acclimatization to 5,260 m. <i>Frontiers in Physiology</i> , 2018 , 9, 767	4.6	7
96	VaPER: The Development of Spaceflight Associated Neuro-ocular Syndrome (SANS) During Hypercapnic 60° Head-Down Tilt Bed Rest; sans Sufficient Sleep?. <i>FASEB Journal</i> , 2018 , 32, lb260	0.9	1
95	Premature birth affects the degree of airway dysanapsis and mechanical ventilatory constraints. <i>Experimental Physiology</i> , 2018 , 103, 261-275	2.4	18
94	Erythrocytes retain hypoxic adenosine response for faster acclimatization upon re-ascent. <i>Nature Communications</i> , 2017 , 8, 14108	17.4	46

93	Evolution of the plasma proteome of divers before and after a single SCUBA dive. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1700016	3.1	2
92	Relationship between quantitative and descriptive methods of studying blood flow through intrapulmonary arteriovenous anastomoses during exercise. <i>Respiratory Physiology and Neurobiology</i> , 2017 , 243, 47-54	2.8	4
91	Reduced blood flow through intrapulmonary arteriovenous anastomoses during exercise in lowlanders acclimatizing to high altitude. <i>Experimental Physiology</i> , 2017 , 102, 670-683	2.4	5
90	Characterization of blood flow through intrapulmonary arteriovenous anastomoses and patent foramen ovale at rest and during exercise in stroke and transient ischemic attack patients. <i>Echocardiography</i> , 2017 , 34, 676-682	1.5	4
89	Bubble and macroaggregate methods differ in detection of blood flow through intrapulmonary arteriovenous anastomoses in upright and supine hypoxia in humans. <i>Journal of Applied Physiology</i> , 2017 , 123, 1592-1598	3.7	3
88	Effect of a patent foramen ovale in humans on thermal responses to passive cooling and heating. <i>Journal of Applied Physiology</i> , 2017 , 123, 1423-1432	3.7	4
87	Intrapulmonary arteriovenous anastomoses in humans with chronic obstructive pulmonary disease: implications for cryptogenic stroke?. <i>Experimental Physiology</i> , 2016 , 101, 1128-42	2.4	2
86	Physiological impact of patent foramen ovale on pulmonary gas exchange, ventilatory acclimatization, and thermoregulation. <i>Journal of Applied Physiology</i> , 2016 , 121, 512-7	3.7	8
85	AltitudeOmics: Red Blood Cell Metabolic Adaptation to High Altitude Hypoxia. <i>Journal of Proteome Research</i> , 2016 , 15, 3883-3895	5.6	56
84	Decreased arterial PO ₂ , not O ₂ content, increases blood flow through intrapulmonary arteriovenous anastomoses at rest. <i>Journal of Physiology</i> , 2016 , 594, 4981-96	3.9	20
83	Sphingosine-1-phosphate promotes erythrocyte glycolysis and oxygen release for adaptation to high-altitude hypoxia. <i>Nature Communications</i> , 2016 , 7, 12086	17.4	99
82	Resting arterial hypoxaemia in subjects with chronic heart failure, pulmonary hypertension and patent foramen ovale. <i>Experimental Physiology</i> , 2016 , 101, 657-70	2.4	4
81	Adenosine Signaling-Mediated Metabolic Reprogramming Regulates Erythropoiesis. <i>Blood</i> , 2016 , 128, 2437-2437	2.2	1
80	Commentaries on Viewpoint: Why predominantly neurological DCS in breath-hold divers?. <i>Journal of Applied Physiology</i> , 2016 , 120, 1478-82	3.7	5
79	Altered breathing mechanics and ventilatory response during exercise in children born extremely preterm. <i>Thorax</i> , 2016 , 71, 1012-1019	7.3	38
78	Beneficial Role of Erythrocyte Adenosine A _{2B} Receptor-Mediated AMP-Activated Protein Kinase Activation in High-Altitude Hypoxia. <i>Circulation</i> , 2016 , 134, 405-21	16.7	84
77	Intrapulmonary arteriovenous anastomoses in humans--response to exercise and the environment. <i>Journal of Physiology</i> , 2015 , 593, 507-20	3.9	22
76	Hypoxia, not pulmonary vascular pressure, induces blood flow through intrapulmonary arteriovenous anastomoses. <i>Journal of Physiology</i> , 2015 , 593, 723-37	3.9	22

75	Reply from Jonathan E. Elliott, Joseph W. Duke, Jerold A. Hawn, John R. Halliwill and Andrew T. Lovering. <i>Journal of Physiology</i> , 2015 , 593, 483-4	3.9	
74	Clinical consideration for techniques to detect and quantify blood flow through intrapulmonary arteriovenous anastomoses: lessons from physiological studies. <i>Echocardiography</i> , 2015 , 32 Suppl 3, S195-204	1.5	15
73	Higher oesophageal temperature at rest and during exercise in humans with patent foramen ovale. <i>Journal of Physiology</i> , 2015 , 593, 4615-30	3.9	11
72	Very Few Exercise-Induced Arterialized Gas Bubbles Reach the Cerebral Vasculature. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1798-805	1.2	10
71	AltitudeOmics: impaired pulmonary gas exchange efficiency and blunted ventilatory acclimatization in humans with patent foramen ovale after 16 days at 5,260 m. <i>Journal of Applied Physiology</i> , 2015 , 118, 1100-12	3.7	18
70	Decreased Arterial PO ₂ , not O ₂ Content, Increases Blood Flow Through Intrapulmonary Arteriovenous Anastomoses at Rest. <i>FASEB Journal</i> , 2015 , 29, 1031.1	0.9	
69	AltitudeOmics: Resetting of Cerebrovascular CO ₂ Reactivity Following Acclimatization to High Altitude. <i>Frontiers in Physiology</i> , 2015 , 6, 394	4.6	7
68	AltitudeOmics: exercise-induced supraspinal fatigue is attenuated in healthy humans after acclimatization to high altitude. <i>Acta Physiologica</i> , 2014 , 210, 875-88	5.6	38
67	Increased cardiac output, not pulmonary artery systolic pressure, increases intrapulmonary shunt in healthy humans breathing room air and 40% O ₂ . <i>Journal of Physiology</i> , 2014 , 592, 4537-53	3.9	30
66	Exercise- and hypoxia-induced blood flow through intrapulmonary arteriovenous anastomoses is reduced in older adults. <i>Journal of Applied Physiology</i> , 2014 , 116, 1324-33	3.7	23
65	Heat acclimation and cross tolerance to hypoxia: Bridging the gap between cellular and systemic responses. <i>Temperature</i> , 2014 , 1, 107-14	5.2	43
64	Pulmonary gas exchange efficiency during exercise breathing normoxic and hypoxic gas in adults born very preterm with low diffusion capacity. <i>Journal of Applied Physiology</i> , 2014 , 117, 473-81	3.7	27
63	AltitudeOmics: enhanced cerebrovascular reactivity and ventilatory response to CO ₂ with high-altitude acclimatization and reexposure. <i>Journal of Applied Physiology</i> , 2014 , 116, 911-8	3.7	21
62	Sildenafil, nifedipine and acetazolamide do not allow for blood flow through intrapulmonary arteriovenous anastomoses during exercise while breathing 100% oxygen. <i>Experimental Physiology</i> , 2014 , 99, 1636-47	2.4	9
61	Ventilatory and sensory responses in adult survivors of preterm birth and bronchopulmonary dysplasia with reduced exercise capacity. <i>Annals of the American Thoracic Society</i> , 2014 , 11, 1528-37	4.7	56
60	Resting pulmonary haemodynamics and shunting: a comparison of sea-level inhabitants to high altitude Sherpas. <i>Journal of Physiology</i> , 2014 , 592, 1397-409	3.9	27
59	AltitudeOmics: effect of ascent and acclimatization to 5260m on regional cerebral oxygen delivery. <i>Experimental Physiology</i> , 2014 , 99, 772-81	2.4	45
58	AltitudeOmics: cerebral autoregulation during ascent, acclimatization, and re-exposure to high altitude and its relation with acute mountain sickness. <i>Journal of Applied Physiology</i> , 2014 , 116, 724-9	3.7	24

57	AltitudeOmics: the integrative physiology of human acclimatization to hypobaric hypoxia and its retention upon reascent. <i>PLoS ONE</i> , 2014 , 9, e92191	3.7	52
56	AltitudeOmics: rapid hemoglobin mass alterations with early acclimatization to and de-acclimatization from 5260 m in healthy humans. <i>PLoS ONE</i> , 2014 , 9, e108788	3.7	43
55	Prevalence of left heart contrast in healthy, young, asymptomatic humans at rest breathing room air. <i>Respiratory Physiology and Neurobiology</i> , 2013 , 188, 71-8	2.8	44
54	Intrapulmonary arteriovenous anastomoses. Physiological, pathophysiological, or both?. <i>Annals of the American Thoracic Society</i> , 2013 , 10, 504-8	4.7	15
53	Normal pulmonary gas exchange efficiency and absence of exercise-induced arterial hypoxemia in adults with bronchopulmonary dysplasia. <i>Journal of Applied Physiology</i> , 2013 , 115, 1050-6	3.7	27
52	AltitudeOmics: on the consequences of high-altitude acclimatization for the development of fatigue during locomotor exercise in humans. <i>Journal of Applied Physiology</i> , 2013 , 115, 634-42	3.7	30
51	Direct demonstration that blood flow through intrapulmonary arteriovenous anastomoses worsens pulmonary gas exchange efficiency. <i>FASEB Journal</i> , 2013 , 27, 723.7	0.9	
50	Quantification of hypoxia-induced blood flow through intrapulmonary arteriovenous anastomoses in healthy humans at rest. <i>FASEB Journal</i> , 2013 , 27, 715.8	0.9	
49	Do Humans With a Patent Foramen Ovale Have a Higher Core Body Temperature During Rest, Exercise and Post-Exercise?. <i>FASEB Journal</i> , 2013 , 27, 1201.26	0.9	
48	Quantification of reduced blood flow through intrapulmonary arteriovenous anastomoses in healthy humans during exercise breathing 100% O ₂ . <i>FASEB Journal</i> , 2013 , 27, 1141.4	0.9	
47	Tonic and phasic drive to medullary respiratory neurons during periodic breathing. <i>Respiratory Physiology and Neurobiology</i> , 2012 , 181, 286-301	2.8	5
46	Catecholamine-induced opening of intrapulmonary arteriovenous anastomoses in healthy humans at rest. <i>Journal of Applied Physiology</i> , 2012 , 113, 1213-22	3.7	48
45	Epinephrine opens intrapulmonary arteriovenous anastomoses in healthy humans at rest. <i>FASEB Journal</i> , 2012 , 26, 1150.8	0.9	
44	Nifedipine does not open intrapulmonary arteriovenous anastomoses in healthy human subjects during exercise breathing 100% O ₂ . <i>FASEB Journal</i> , 2012 , 26, 1138.46	0.9	
43	Effect of a patent foramen ovale on pulmonary gas exchange efficiency at rest and during exercise. <i>Journal of Applied Physiology</i> , 2011 , 110, 1354-61	3.7	20
42	Effect of initial gas bubble composition on detection of inducible intrapulmonary arteriovenous shunt during exercise in normoxia, hypoxia, or hyperoxia. <i>Journal of Applied Physiology</i> , 2011 , 110, 35-45	3.7	36
41	Reply to Van Liew and Vann. <i>Journal of Applied Physiology</i> , 2011 , 110, 296-297	3.7	
40	Hypoxia-induced intrapulmonary arteriovenous shunting at rest in healthy humans. <i>Journal of Applied Physiology</i> , 2010 , 109, 1072-9	3.7	59

39	Pulmonary pathways and mechanisms regulating transpulmonary shunting into the general circulation: an update. <i>Injury</i> , 2010 , 41 Suppl 2, S16-23	2.5	37
38	Gas bubble composition does not affect the detection of exercise-induced intrapulmonary arteriovenous shunt in hypoxia, normoxia or hyperoxia. <i>FASEB Journal</i> , 2010 , 24, 615.2	0.9	
37	Anticonvulsant and convulsant effects of cocaine in genetically epilepsy-prone rats. <i>FASEB Journal</i> , 2010 , 24, 764.3	0.9	
36	Mechanisms of hypoxia-induced intrapulmonary arteriovenous shunting in healthy humans at rest: arterial oxygen saturation or pulmonary artery systolic pressure?. <i>FASEB Journal</i> , 2010 , 24, 1061.1	0.9	
35	Transpulmonary passage of 99mTc macroaggregated albumin in healthy humans at rest and during maximal exercise. <i>Journal of Applied Physiology</i> , 2009 , 106, 1986-92	3.7	41
34	Counterpoint: Exercise-induced intrapulmonary shunting is real. <i>Journal of Applied Physiology</i> , 2009 , 107, 994-7	3.7	33
33	Last Word on Point:Counterpoint: Exercise-induced intrapulmonary shunting is imaginary vs. real. <i>Journal of Applied Physiology</i> , 2009 , 107, 1003	3.7	6
32	Hyperoxia prevents exercise-induced intrapulmonary arteriovenous shunt in healthy humans. <i>Journal of Physiology</i> , 2008 , 586, 4559-65	3.9	77
31	Intrapulmonary shunting and pulmonary gas exchange during normoxic and hypoxic exercise in healthy humans. <i>Journal of Applied Physiology</i> , 2008 , 104, 1418-25	3.7	107
30	Effect of acute severe hypoxia on peripheral fatigue and endurance capacity in healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 292, R598-606	3.2	103
29	Direct demonstration of 25- and 50-microm arteriovenous pathways in healthy human and baboon lungs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H1777-81	5.2	66
28	Exercise-induced arteriovenous intrapulmonary shunting in dogs. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 176, 300-5	10.2	61
27	Excessive gas exchange impairment during exercise in a subject with a history of bronchopulmonary dysplasia and high altitude pulmonary edema. <i>High Altitude Medicine and Biology</i> , 2007 , 8, 62-7	1.9	11
26	Diaphragmatic and Respiratory Neuronal Activities during the Restart of Breathing after Hypocapnic Apnea. <i>FASEB Journal</i> , 2007 , 21, A558	0.9	
25	Effect of exercise-induced arterial hypoxemia on quadriceps muscle fatigue in healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 290, R365-75	3.2	96
24	Intrapulmonary shunt during normoxic and hypoxic exercise in healthy humans. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 588, 31-45	3.6	22
23	Exercise-induced arterial hypoxemia: consequences for locomotor muscle fatigue. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 588, 47-55	3.6	9
22	Precise rhythmicity in activity of neocortical, thalamic and brain stem neurons in behaving cats and rabbits. <i>Behavioural Brain Research</i> , 2006 , 175, 27-42	3.4	1

21	Exercise-induced intrapulmonary arteriovenous shunting and pulmonary gas exchange. <i>Exercise and Sport Sciences Reviews</i> , 2006 , 34, 99-106	6.7	37
20	Medullary respiratory neural activity during hypoxia in NREM and REM sleep in the cat. <i>Journal of Neurophysiology</i> , 2006 , 95, 803-10	3.2	8
19	Effect of inspiratory muscle work on peripheral fatigue of locomotor muscles in healthy humans. <i>Journal of Physiology</i> , 2006 , 571, 425-39	3.9	127
18	Arterial oxygenation influences central motor output and exercise performance via effects on peripheral locomotor muscle fatigue in humans. <i>Journal of Physiology</i> , 2006 , 575, 937-52	3.9	253
17	Oxygen tension modulates transpulmonary passage of 50 μ m solid microspheres under physiologic conditions in healthy rat lungs. <i>FASEB Journal</i> , 2006 , 20, LB31	0.9	
16	Quantification of Intrapulmonary Anatomic Shunt Induced by Exercise in Healthy Humans. <i>FASEB Journal</i> , 2006 , 20, A394	0.9	
15	Responses and limitations of the respiratory system to exercise. <i>Clinics in Chest Medicine</i> , 2005 , 26, 439-57, vi	5.3	9
14	Contrast ultrasound techniques in the detection and quantification of patent foramen ovale: myth versus reality—a clarification. <i>Stroke</i> , 2005 , 36, 1109	6.7	7
13	Repeat exercise normalizes the gas-exchange impairment induced by a previous exercise bout in asthmatic subjects. <i>Journal of Applied Physiology</i> , 2005 , 99, 1843-52	3.7	24
12	Excitation of medullary respiratory neurons in REM sleep. <i>Sleep</i> , 2005 , 28, 801-7	1.1	42
11	Exercise-induced intrapulmonary arteriovenous shunting in healthy humans. <i>Journal of Applied Physiology</i> , 2004 , 97, 797-805	3.7	181
10	Hypocapnia decreases the amount of rapid eye movement sleep in cats. <i>Sleep</i> , 2003 , 26, 961-7	1.1	21
9	Ventilatory response of the cat to hypoxia in sleep and wakefulness. <i>Journal of Applied Physiology</i> , 2003 , 95, 545-54	3.7	23
8	Respiratory pattern generator model using Ca ⁺⁺ -induced Ca ⁺⁺ release in neurons shows both pacemaker and reciprocal network properties. <i>Biological Cybernetics</i> , 2003 , 89, 274-88	2.8	16
7	A neural ensemble model of the respiratory central pattern generator: properties of the minimal model. <i>Neurocomputing</i> , 2002 , 44-46, 381-389	5.4	6
6	Tonic activity in the respiratory system in wakefulness, NREM and REM sleep. <i>Sleep</i> , 2002 , 25, 488-96	1.1	24
5	Endogenous excitatory drive to the respiratory system in rapid eye movement sleep in cats. <i>Journal of Physiology</i> , 2000 , 527 Pt 2, 365-76	3.9	37
4	Mu and delta opioid receptor regulation of pro-opiomelanocortin peptide secretion from the rat neurointermediate pituitary in vitro. <i>Neuropeptides</i> , 2000 , 34, 69-75	3.3	15

3	Plasma beta-endorphin concentrations during natural and artificially induced winter hair growth in mink (<i>Mustela vison</i>). <i>Annals of the New York Academy of Sciences</i> , 1999 , 885, 440-3	6.5	2
2	alpha-melanocyte-stimulating hormone and habituation of prey-catching behavior in the Texas toad, <i>Bufo speciosus</i> . <i>Hormones and Behavior</i> , 1999 , 36, 62-9	3.7	13
1	Alterations in brain and pituitary beta-endorphin content in genetically epilepsy-prone rats. <i>Epilepsy Research</i> , 1998 , 31, 113-22	3	2